

DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/76/4944

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

Date: 10.08.2022


1. Name & Address of Ind./Unit : Coronation Pillar STP
2. Sampling location : Inlet and outlet of STP
3. Date of inspection : 21.07.2022
4. Samples collected by : DPCC, Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH 6.5-9.0	TSS (mg/l) 10	BOD (mg/l) 10	COD (mg/l) 50	Oil & Grease (mg/l) 10	Ammonical Nitrogen (mg/l) 5	Dissolved Phosphate as P(mg/l) 2	
1	Ph-I,II(20)	Inlet	7.4	212	165	288	23.6	30.6	19.6	Not Meeting the standards wrt TSS, BOD & Dissolved Phosphate.
		Outlet	7.3	32	20	42	4.4	4.8	4.5	
		OLMS	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
2	Ph-III(10) (now upgrade with 70 MGD)	Inlet	7.6	204	145	296	12.4	32.6	22.4	Meeting the standards.
		Outlet	7.2	8	6	32	5.6	4.2	1.4	
		OLMS	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
Total 90										

*Remarks: OLMS of (Ph-I & II) was stolen. FIR has been filed as informed by Plant Incharge and during the monitoring, the OLMS (Ph-III) was found non-functional.

N. Mitra
I/C LABORATORY

Dr. NANDITA WOIKA
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/80/4938

Dated: 10.08.2022


ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : SEN Nursing Home (SNH)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 18.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

3. Parameters analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	Phase-I,II (2.2)	Inlet	7.1	224	90	208	28.4	38.2	18.9	Meeting the Standards
		Outlet	7.3	8	6	32	2.0	4.6	1.8	
		OLMS	7.5	8.35	6.10	37.61	-	4.05	-	
		% Variation	2.74 (I)	4.38 (I)	1,67 (I)	17.53 (I)	-	-11.96 (D)	-	
Total 2.2										

I-Increase & D-Decrease

N. Mitra
I/C Laboratory



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number : DPCC/W/STP/22-23/81/4939

Dated : 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Nilothi STP-II
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks	
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)		
			6.5-9.0	10	10	50	10	5	2		
1	20	Inlet	7.30	88	110	296	26.0	26.4	7.8	Meeting the Standards.	
		Outlet	7.52	10	8	20	0.8	2.0	1.4		
		OLMS	7.2	8.05	6.06	20.38	-	1.86	-		
		% Variation	-4.26 (D)	-19.5 (D)	-24.25 (D)	1.9 (I)	-	-7.00 (D)	-		
Total 20											

I-Increase & D-Decrease

M. Mitra

I/C Laboratory

Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/82/4940

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Nilothi STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	40	Inlet	7.39	124	96	180	16.4	18.2	20.4	Not Meeting the Standards wrt TSS, BOD, COD, Ammonical Nitrogen & Dissolved Phosphate.
		Outlet	7.45	40	38	96	4.4	8.6	7.8	
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
Total 40										

*Remarks: During the Monitoring, the OLMS was found non-functional as power supply was not provided by Plant.

N. Mishra
I/C Laboratory



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number DPCC/W/STP/22-23/83/4941

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Najafgarh STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	5	Inlet	7.28	220	88	200	16.4	21.0	18.6	Not meeting the standards wrt TSS, BOD, COD & dissolved phosphate.
		Outlet	7.55	58	40	92	4.4	3.8	5.8	
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
Total 5										


*Remarks: OLMS was stolen as informed by Plant Incharge

*Remarks: OLMS was stolen as informed by Plant Incharge.

M. Mithra

I/C Laboratory

DR. KANINDHA MUTHA
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/84/4942

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Rithala STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 20.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results

11. Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	Phase-I(40)	Inlet	-	-	-	-	-	-	-	Plant was under Rehabilitation
		Outlet	-	-	-	-	-	-	-	
		OLMS	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
2	Ph-II(40)	Inlet	7.1	152	80	208	28.4	18.6	20	Meeting the standards.
		Outlet	7.4	8	6	44	1.2	4.2	1.8	
		OLMS	7.7	1.85	1.54	49.65	-	4.30	-	
		% Variation	4.05 (I)	-76.86 (D)	-74.33 (D)	12.84 (I)	-	2.38 (I)	-	
Total 80										

I-Increase & D-Decrease

N. Mishra
I/C Laboratory
Scientist C



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/85/4943

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Pappankalan STP (Old)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	20	Inlet	7.38	140	112	280	20.4	22.2	18.2	Not meeting the standards wrt TSS, BOD, COD, Ammonical Nitrogen & Dissolved Phosphate.
		Outlet	7.61	64	32	96	9.2	7.9	6.0	
		OLMS	7.2	54.94	26.82	200.90	-	19.7	-	
		% Variation	-5.39 (D)	-14.16 (D)	-16.19 (D)	109.27 (I)	-	149.37 (I)	-	
Total 20										

I-Increase & D-Decrease

Mishra
I/C Laboratory
Scientist



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/77/4945

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Delhi Gate STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 18.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	Phase-I,II(15)	Inlet	7.4	236	84	184	18.0	19.2	9.6	Meeting the Standards.
		Outlet	7.1	8	6	48	1.6	4.8	1.6	
		OLMS	7.1	6.84	3.90	44.26	-	4.14	-	
		% Variation	0.0	-14.5 (D)	-35 (D)	-7.8 (D)	-	-13.8 (D)	-	
Total 15										

I-Increase & D-Decrease

Mishra

I/C Laboratory

Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/78/4946

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : DELHI GATE STP (OLD)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 18.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	Phase-I,II(2.2)	Inlet	7.3	224	100	264	19.2	30.2	9	Meeting the Standards.
		Outlet	7.5	8	8	40	1.6	4.2	1.6	
		OLMS	7.1	11.37	6.72	35.24	-	4.41	-	
		% Variation	-5.33 (D)	42.13 (I)	-16 (D)	-11.9 (D)	-	5 (I)	-	
Total 2.2										

I-Increase & D-Decrease

N. Mishra
I/C Laboratory

Dr. J. Arora, I/C Lab
Colonist



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report No. DPCC/W/STP/22-23/79/4947

Dated : 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of the Unit/Ind. : Keshopur STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of inspection : 21.07.2022
4. Sample collected by : DPCC Lab
5. Sample analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	12	Inlet	7.4	248	135	304	28.4	30	17.8	Not meeting the standards wrt TSS, BOD & COD.
		Outlet	7.2	24	16	56	0.8	1.8	1.6	
		OLMS	7.6	25.56	19.17	65.44	-	1.62	-	
		% Variation	5.56 (I)	6.5 (I)	19.81 (I)	16.86 (I)	-	-10 (D)	-	
Total 12										

I-Increase & D-Decrease

N. Mishra

I/C Laboratory

ANALYST
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/86/4948

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Pappankalan STP-II (New)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	AmmonicalNi trogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	20	Inlet	7.38	140	112	280	20.4	22.2	18.2	Meeting the standards.
		Outlet	7.68	8	6	36	2.8	2.4	1.2	
		OLMS	7.3	8.99	8.01	39.99	-	2.48	-	
		% Variation	-4.95 (D)	12.38 (I)	33.5 (I)	11.08 (D)	-	3.33 (D)	-	
Total 20										

I-Increase & D-Decrease

N. Mishra
I/C Laboratory
Scientist (C)



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number DPCC/W/STP/22-23/87/4949

Date: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Rohini STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 20.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

STP Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	15	Inlet	7.2	124	84	248	22.4	35.2	24.8	Not meeting the standards wrt TSS, BOD, COD, Ammonical nitrogen & Dissolved Phosphate.
		Outlet	7.4	14	12	52	3.6	7.2	3.0	
		OLMS	7.2	31.49	21.87	65.51	-	10.37	-	
		% Variation	-2.70 (D)	124.9 (I)	82.25 (I)	25.98 (I)	-	44.02 (I)	-	
Total 15										

I-Increase & D-Decrease

Milton

I/C Laboratory



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/88 14950

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022


1. Name & Address of Ind./Unit : Narela STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 22.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	10	Inlet	7.3	120	54	184	3.8	28	16.8	Not Meeting the Standards wrt TSS, BOD, COD & Dissolved Phosphate
		Outlet	7.4	24	16	56	1.2	4.6	3.0	
		OLMS*	7.5	35.19	22.82	86.4	-	4.23	-	
		% Variation	1.35 (I)	46.63 (I)	42.62 (I)	54.29 (I)	-	-8.04 (D)	-	
Total 10										

I-Increase & D-Decrease

M. M. M. M.
I/C Laboratory

Scientist



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/89/4951

Date: 10.08.2022


ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Okhla STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 19.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

5. Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH 6.5-9.0	TSS (mg/l) 10	BOD (mg/l) 10	COD (mg/l) 50	Oil & Grease (mg/l) 10	Ammonical Nitrogen (mg/l) 5	Dissolved Phosphate as P(mg/l) 2	
1	30	Inlet	7.3	128	96	288	18.0	30.0	20.8	Meeting the Standards
		Outlet	7.5	10	8	40	1.6	4.2	1.8	
		OLMS	7.0	7.45	6.04	40.19	-	2.93	-	
		% Variation	6.67 (I)	-34.29 (D)	-24.5 (D)	0.48 (I)	-	-30.23 (D)	-	
Total 30										

I-Increase & D-Decrease

Mishra
I/C Laboratory
Scientist C



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/90/4952

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Kondli STP
2. Sampling location : Inlet and outlet of STP
3. Date of Inspection : 19.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	25	Inlet	7.3	264	105	288	17.2	38.2	29.2	Not meeting the standards wrt BOD & Dissolved Phosphate.
		Outlet	7.4	10	18	48	0.8	2.6	2.8	
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
Total 25										

*Remarks: During the monitoring, the OLMS was not found installed at the site.

N. Mitra

I/C Laboratory

Scientist 'D'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/91/4953

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Kondli STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 19.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	45	Inlet	7.4	184	145	264	18.4	26.5	28.2	Not Meeting the Standards wrt TSS, BOD, COD & Dissolved Phosphate.
		Outlet	7.6	104	68	148	8.2	18.6	20.4	
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
Total 45										

*Remarks: During the monitoring, the OLMS of the facility was found to be 0.0001 mg/l.

*Remarks: During the monitoring, the OLMS was not found installed at the site.

M. Mitra
I/C Laboratory

Scientist



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/92/4954

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022


1. Name & Address of Ind./Unit : Kapasahera STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 15.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	5	Inlet	7.3	136	80	256	6.0	36.2	20.4	Meeting the Standards
		Outlet	7.7	8	5	44	2.4	4.8	2.0	
		OLMS	7.3	8.35	6.26	48.72	-	4.99	-	
		% Variation	-5.19 (D)	4.38 (I)	25.2 (I)	10.72 (I)	-	3.96 (I)	-	
Total 5										

I-Increase & D-Decrease

Mittra
I/C Laboratory

DR. NANDI ANIL KUMAR
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/93/4955

Dated: 10-08-2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Yamuna Vihar STP Ph-III
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 26.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Parameters analyzed and results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	25	Inlet	6.9	260	125	280	16.4	20.6	18.6	Not meeting the standards wrt TSS, BOD, Ammonical Nitrogen & Dissolved Phosphate.
		Outlet	7.2	30	18	48	5.2	7.1	2.4	
		OLMS	7.3	37.23	32.11	95.84	-	6.2	-	
		% Variation	1.39 (I)	24.1 (I)	78.39 (I)	99.67 (I)	-	-12.68 (D)	-	
Total 25										

1-Increase & D-Decrease

I-Increase & D-Decrease

N. Mishra
I/C Laboratory

Dr. NANDI K. K. S. S.
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/98/4956

Date: 10.08.2022


ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Yamuna Vihar STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 26.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	10 (Ph-I)	Inlet	6.68	196	92	208	16.8	35.2	20.8	Not Meeting the Standards wrt TSS & BOD.
		Outlet	7.2	20	12	36	2.4	4.6	1.8	
		OLMS	7.0	12.20	10.68	36.60	-	3.86	-	
		% Variation	-2.78 (D)	103.33 (I)	162 (I)	1.67 (I)	-	-16.08 (D)	-	
2	10 (Ph-II)	Inlet	6.78	324	210	488	18.8	35.2	20.6	Not Meeting the Standards wrt TSS, BOD, COD & Dissolved Phosphate.
		Outlet	7.4	24	18	92	4.4	3.8	3.0	
		OLMS	7.2	43.2	34.56	100.80	-	10.56	-	
		% Variation	-2.70 (D)	208.57 (I)	188 (I)	9.56 (I)	-	177.89 (I)	-	
Total 20										

I-Increase & D-Decrease

N. Mitta
I/C Laboratory



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/94/4957

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022


1. Name & Address of Ind./Unit : Chilla STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 18.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	9	Inlet	7.2	176	92	200	16.4	25.6	20.2	Meeting the Standards
		Outlet	7.6	6	4	24	1.6	3.0	1.5	
		OLMS	7.1	7.64	8.17	48.30	-	2.82	-	
		% Variation	-6.59 (D)	27.33 (I)	104.25 (I)	101.25 (I)	-	-6.00 (I)	-	
Total 9										

I-Increase & D-Decrease

N. Misha
I/C Laboratory

Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/95/4958

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022


1. Name & Address of Ind./Unit : Akshardham STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 18.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	1	Inlet	7.1	128	105	164	19.2	14.6	20	Meeting the Standards.
		Outlet	7.2	4	2	28	0.8	1.8	1.5	
		OLMS	7.3	5.73	4.67	32.20	-	1.27	-	
		% Variation	1.39 (I)	43.25 (I)	133.5 (I)	15.00 (I)	-	-29.44 (D)	-	
Total 1										

I-Increase & D-Decrease

N. Mittal
I/C Laboratory

DR. PANDNA KOTHA
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number : DPCC/W/STP/22-23/96/4959

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022


1. Name & Address of Ind./Unit : Mehrauli STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 15.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	15	Inlet	7.3	132	90	262	10.8	18.6	38.6	Not meeting the standards wrt TSS, BOD, COD, Ammonical Nitrogen & Dissolved Phosphate.
		Outlet	7.4	26	12	60	2.4	5.8	3.2	
		OLMS	7.5	21.51	14.03	61.20	-	5.27	-	
		% Variation	1.35 (I)	-17.27 (D)	16.91 (I)	2.00 (I)	-	-9.14 (D)	-	
Total 15										

I-Increase & D-Decrease

N. Mitha
I/C Laboratory

Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/97/4960

Date: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022


1. Name & Address of Ind./Unit : Vasant Kunj STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 15.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	2.2	Inlet	7.2	260	125	280	28.4	18.5	37.6	Not meeting the standards wrt TSS, BOD & Dissolved phosphate.
		Outlet	7.8	38	20	44	4.8	3.2	4.0	
		OLMS	7.7	31.57	16.28	36.39	-	3.14	-	
		% Variation	-1.28 (D)	-16.92 (D)	-18.6 (D)	-17.29 (D)	-	-1.88 (D)	-	
2	3	Inlet	7.3	216	115	244	8.4	18.6	26.2	Not Meeting the standards wrt TSS, BOD & Dissolved phosphate.
		Outlet	7.6	30	18	48	2.4	4.6	3.0	
		OLMS	7.4	28.19	16.04	51.47	-	4.48	-	
		% Variation	-2.63 (D)	-6.03 (D)	-10.89 (D)	7.23 (I)	-	-2.60 (D)	-	
Total 5.2										

I-Increase & D-Decrease

M. Mitra
I/C Laboratory

Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/04/496/

Dated: 10.08.2022


ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Molarband Mini STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 19.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	0.66	Inlet	7.3	236	90	296	20.4	18.6	16.9	Not meeting the standards wrt TSS, BOD, COD, Ammonical Nitrogen & Dissolved Phosphate.
		Outlet	7.5	20	16	60	8.6	10.5	2.5	
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
Total 0.66										

*Remarks: During the monitoring, the OLMS was found non-functional.

Mishra
I/C Laboratory
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/22-23/99/4962

Dated: 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Okhla STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 19.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH 6.5-9.0	TSS (mg/l) 10	BOD (mg/l) 10	COD (mg/l) 50	Oil & Grease (mg/l) 10	Ammonical Nitrogen (mg/l) 5	Dissolved Phosphate as P(mg/l) 2	
1	12	Inlet	7.4	212	88	288	16.8	30.2	18.6	Not meeting the standards wrt TSS, BOD & Ammonical Nitrogen
		Outlet	7.2	28	18	50	3.6	5.6	1.4	
		OLMS	7.2	42.51	19.62	49.05	-	5.58	-	
		% Variation	0.00	51.82 (I)	9.00 (I)	-1.9 (I)	-	-0.36 (I)	-	
	16	Outlet	7.1	20	14	36	2.8	4.6	2.8	Not meeting the standards wrt TSS, BOD, COD & Dissolved Phosphate.
		OLMS	7.6	20.32	15.63	31.26	-	5.31	-	
		% Variation	7.04 (I)	1.6 (I)	11.64 (I)	-13.17 (D)	-	15.43 (I)	-	
	37	Outlet	7.3	14	12	60	2.0	4.2	2.4	Not meeting the standards wrt TSS, BOD, COD & Dissolved Phosphate.
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
	45	Outlet	7.6	18	12	64	2.4	3.2	1.6	Not meeting the standards wrt TSS, BOD & COD.
		OLMS	7.6	38.76	14.53	67.83	-	3.8	-	
		% Variation	0.00	115.33 (I)	21.08 (I)	5.98 (I)	-	18.75 (I)	-	
	Total 110									

*Remarks: During the monitoring, the OLMS of (37 MGD) was found non-functional.

I-Increase & D-Decrease

N. Mitta

I/C Laboratory

Scientist



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number : DPCC/W/STP/22-23/100/4963

Dated : 10.08.2022

ANALYSIS REPORT OF STP FOR THE MONTH OF JULY-2022

1. Name & Address of Ind./Unit : Keshopur STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 21.07.2022
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	Parameters							Remarks
			pH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
			6.5-9.0	10	10	50	10	5	2	
1	40	Inlet	7.62	264	75	288	16.4	22.2	18.6	Not meeting the standards wrt TSS.
		Outlet	7.5	12	10	32	1.2	3.6	1	
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
2	20	Outlet	7.42	46	30	80	5.2	6.3	1.6	Not meeting the standards wrt TSS, BOD, COD & Ammonical Nitrogen.
		OLMS*	-	-	-	-	-	-	-	
		% Variation	-	-	-	-	-	-	-	
Total 60										
*Remarks: OLMS (40 MGD) was stolen as informed by Plant Incharge & during the monitoring, the OLMS (20 MGD)										

*Remarks: OLMS (40 MGD) was stolen as informed by Plant Incharge & during the monitoring, the OLMS (20 MGD) was found non-functional.

Mishra
I/C Laboratory
Scientist 'C'