



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/151/4333

Date: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Coronation Pillar STP
2. Sampling location : Inlet and outlet of STP
3. Date of inspection : 13.09.2021
4. Samples collected by : DPCC, Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l) 10	BOD (mg/l) 10	Parameters COD (mg/l) 50	Oil & Grease (mg/l) 10	Ammonical Nitrogen (mg/l) 5	Dissolved Phosphate as P(mg/l) 2	Remarks
1	Ph-I,II(20)	Inlet	7.2	320	170	496	14.8	30.86	12.16	Not meeting the Standards w.r.t TSS, BOD, COD & A.N.
		Outlet	7.3	46	30	96	3.6	10.60	2	
		OLMS*	-	-	-	-	-	-	-	
2	Ph-III(10)	Inlet	7.1	232	95	352	40.4	50.16	40.14	Not meeting the standards w.r.t. TSS, BOD, COD, A.N & DP.
		Outlet	7.3	42	29	72	4.6	12.18	4	
		OLMS	7.26	74.29	72.53	362.11	-	26.45	-	
Total 30										


Remarks: Ph-I, II OLMS was stolen & FIR has been filed.

I/C LABORATORY

DR. NANDITA MISHRA
Scientist 'C'

SR. SCIENTIFIC ASSISTANT

EE IT
08/10/2021



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/152/4334

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Delhi Gate STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 06.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	15	Inlet	7.2	172	105	304	26	38.49	6.20	Meeting the Standards
		Outlet	7.5	8	6	32	1.2	2	1.86	
		OLMS*	-	-	-	-	-	-	-	
Total 15										

Remarks: OLMS was found non-operational at the time of DPCC Monitoring

N. Mitta
I/C LABORATORY

SR. Scientific Assistant
SR. SCIENTIFIC ASSISTANT

Dr. NANDITA BANSAL
Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/153/4335

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : DELHI GATE STP (Old)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 06.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Test Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	2.2	Inlet	6.8	160	95	352	24.4	36.40	12.11	Meeting the Standards
		Outlet	6.9	10	8	40	1.2	3.4	1.80	
		OLMS*	-	-	-	-	-	-	-	
Total 2.2										
Remarks: OLMS was found not										

Remarks: OLMS was found under maintenance at the time of DPCC Monitoring


N. Mitta

I/C LABORATORY

Dr. NANDITA MONTANA
Scientist 'C'

[Signature]

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/154/4336

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Keshopur STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 27.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	12	Inlet	7.1	160	95	256	14	40.16	14.20	Not meeting the Standards w.r.t TSS, BOD, COD & phosphate.
		Outlet	7.3	14	20	76	2	4.80	2.40	
		OLMS*	7.2	8.36	27.45	33.46	-	5.17	-	
Total 12										

I/C LABORATORY

Scientific 'C'

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/155/4337

Dated : 07/10/2021


ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : SEN Nursing Home (SNH)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 06.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
1	2.2	Inlet	7.2	228	110	50	10	5	2	Meeting the Standards.
		Outlet	7.3	6	8	304	28.6	40.80	10.10	
		OLMS*	7.69	4.47	1.63	40	1.6	2.4	1.2	
		Total 2.2				13.24	-	0.82	-	

Mitra
I/C LABORATORY

SR. Scientific Assistant
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/156/4338

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Nilothi STP-II
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters				Remarks
				10	10	COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
				10	10	50	10	5	2	
1	20	Inlet	7.3	284	130	288	21.6	20.18	14.16	Meeting the standards.
		Outlet	7.4	8	10	48	1.2	3.96	2	
		OLMS*	7.58	6.25	3.31	32.73	-	2.06	-	
Total 20										

N. Mishra
I/C LABORATORY

Dr. SANDITA MISHRA
Scientist 'C'

Abhinav
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/157/4339

Date: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Nilothi STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters				Remarks
						COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
				10	10	50	10	5	2	
1	40	Inlet	7.1	272	135	336	18	24.11	18.40	Not meeting the standards w.r.t to TSS, BOD & COD.
		Outlet	7.3	42	20	88	3.6	4	1.86	
		OLMS*	7.58	6.25	3.31	32.73	-	2.06	-	
Total 40										

N. Mittal
I/C LABORATORY

Dr. Nandita Mishra
Scientist 'C'

SR. Scientific Assistant
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number DPCC/W/STP/21-22/158/14340

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Najafgarh STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters				Remarks
						COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
				10	10	50	10	5	2	
1	5	Inlet	7.4	128	65	288	22.8	64.96	22.18	Not meeting the standards w.r.t to TSS, BOD, COD, A.N. & DP.
		Outlet	7.5	34	24	96	2.8	6.80	5.10	
		OLMS*	-	-	-	-	-	-	-	
Total 5										

Remarks: *OLMS was not working at the time of DPCC Monitoring

Mintia
I/C LABORATORY

Dr. SHWETA RISHI
Scientist 'C'

R. Sharma
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/159/1341

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Rithala STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 08.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results

Parameters analyzed and results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	Phase-I(40)	Inlet	-	-	-	-	-	-	-	Plant was under Rehabilitation
		Outlet	-	-	-	-	-	-	-	
		OLMS*	-	-	-	-	-	-	-	
2	Ph-II(40)	Inlet	7.1	180	80	192	28.6	16.19	16.94	Not meeting the standards w.r.t to TSS
		Outlet	7.4	12	10	40	1.2	5	1.80	
		OLMS*	-	11.57	9.50	32.86	-	-	-	
Total 80										

Mittra
I/C LABORATORY

SR. Scientific Assistant
SR. SCIENTIFIC ASSISTANT

Scientist 'C'



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/160/4342

Dated : 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Pappankalan STP (Old)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters analyzed and results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	20	Inlet	7.4	84	30	176	22	46.14	12.94	Not meeting the Standards w.r.t TSS, BOD, COD & AN.
		Outlet	7.4	38	24	104	4.4	5.10	1.86	
		OLMS*	7.0	6.78	3.47	23.13	-	3.16	-	
Total 20										

Mishra
I/C LABORATORY

ANIDHA MOITRA
Scientist 'C'

[Signature]
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/161/4343

Dated : 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Pappankalan STP-II (New)
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 14.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
	20	Inlet	7.2	132	80	192	18.8	30.49	10.14	
		Outlet	7.4	18	14	64	3.6	4.60	1.80	Not Meeting the Standards w.r.t TSS, BOD & COD.
		OLMS*	7.50	36.62	22.95	178.82	-	24.8	-	
Total 20										

I/C LABORATORY

Dr. HANDIA MITRA
Scientist 'C'

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number DPCC/W/STP/21-22/162/4344

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Rohini STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 08.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters analyzed and results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
1	15	Inlet	7.5	260	120	416	30.4	40.16	18.14	Not meeting the Standards w.r. TSS, BOD, COD & AN.
		Outlet	7.4	14	12	64	4.4	6.61	2	
		OLMS*								
		Total 15								


Remarks: OLMS was found non-operational at the time of DPCC Monitoring.

Remarks: OLMS was found non-operational at the time of DPCC Monitoring.

Mitra
I/C LABORATORY

SP
SP

Dr. NANDITA W. S.
Scientist C



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/163/4345

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Narela STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 09.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters				Remarks
						COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
						10	10	50	10	
1	10	Inlet	7.1	196	115	192	3.6	34.10	12.16	Not Meeting the Standards w.r.t TSS & BOD .
		Outlet	7.3	24	16	48	1.6	4.40	1.60	
		OLMS*	-	-	-	-	-	-	-	
Total 10										

Remarks: *OLMS was found non-operational at the time of DPCC Monitoring

Mishra
I/C LABORATORY

Adarsh
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/164/4346

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Okhla STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 09.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analysis and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	30	Inlet	7.3	244	130	336	14	28.51	16.74	Meeting the Standards.
		Outlet	7.3	10	8	48	1.6	4.60	2	
		OLMS*	7.5	5.09	9.01	33.72	-	1.58	-	
Total 30										

Mittra
I/C LABORATORY

Dr. RANDHA BOUTAL
Scientist 'C'

[Signature]
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/165/4349

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Kondli STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 06.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters				Remarks
						COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	
				10	10	50	10	5	2	
1	25	Inlet	7.1	160	95	416	18	56.74	44.19	Not Meeting the Standards w.r.t BOD & COD.
		Outlet	7.4	10	12	84	1.6	4.6	1.2	
		OLMS*	7.49	12.06	10.44	69.7	-	13.5	-	
Total 25										

I/C LABORATORY

Scientist

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/166/4348

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Kondli STP New
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 06.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	45	Inlet	6.9	200	125	464	6.8	16.60	14.14	Not Meeting the Standards w.r.t TSS, BOD, COD & DP.
		Outlet	7.2	124	72	248	4.4	4.20	4.20	
		OLMS*	-	-	-	-	-	-	-	
Total 45										

Remarks: OLMS was found locked

Mishra
I/C LABORATORY

Adnam
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/167/4349

Dated : 07/10/2021


ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Kapasahera STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 10.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	5	Inlet	7.1	100	70	256	3.6	32.96	14.16	Not meeting the standards w.r.t. TSS, BOD & COD.
		Outlet	7.3	16	14	56	1.4	4.40	1.80	
		OLMS*	7.54	7.17	3.90	35.86	-	1.11	-	
Total 5										

M. Mitta
I/C LABORATORY

P. D. Sharma
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/168/4350

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Yamuna Vihar STP Ph-III
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 15.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters analyzed and results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	25	Inlet	6.8	456	165	368	32.4	36.16	34.36	Not meeting the Standards w.r.t TSS, BOD & COD.
		Outlet	7.2	26	20	80	4.4	4.80	1.60	
		OLMS*	-	40.87	25.48	107.56	-	-	-	
Total 25										

I/C LABORATORY

Scientist 'C'

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number : DPCC/W/STP/21-22/169 /4351

Date: 07/10/2021


ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Chilla STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 06.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	9	Inlet	7.2	156	80	320	5.2	40.80	16.11	Meeting the Standards.
		Outlet	6.8	8	6	48	0.8	4.1	1.8	
		OLMS*	6.88	7.18	1.78	20.11	-	1.02	-	
Total 9										

N. Mitra
I/C LABORATORY

SR. Scientific Assistant
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE (Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/170/4352

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Akshardham STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 06.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	1	Inlet	7.6	148	94	336	22	40.16	12.18	Meeting the Standards.
		Outlet	7.1	6	5	36	0.4	1.6	1.4	
		OLMS*	7.15	0.11	0.74	11.79	-	0.31	-	
Total 1										

Mishra
I/C LABORATORY

Scientist

P.B. Arora
SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/171/4353

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Mehrauli STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 10.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
m	15	Inlet	7.2	160	60	224	8.4	14.16	38.45	Not meeting the standards w.r.t TSS BOD & COD.
		Outlet	7.4	30	14	80	1.4	4	2	
		OLMS*	7.45	56.25	9.08	83.84	-	10.48	-	
Total 15										

I/C LABORATORY

Dr. SANDITA MISHRA
Scientist I

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/172/4354

Dated: ~~07/09~~ 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021


1. Name & Address of Ind./Unit : Vasant Kunj STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 10.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Parameters Analyzed and Results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	2.2	Inlet	7.1	216	110	400	28.60	19.46	30.31	Not Meeting the Standards w.r.t TSS, BOD & DP.
		Outlet	7.5	16	14	40	3.80	4.2	2.40	
		OLMS*	8.06	6.32	4.40	20.88	-	0.18	-	
2	3	Inlet	7.7	200	95	272	8	22.16	30.96	Not Meeting the Standards w.r.t TSS & BOD.
		Outlet	7.2	24	22	48	1.4	4	2	
		OLMS*	6.89	5.05	2.98	25.01	-	2.87	-	
Total 5.2										

I/C LABORATORY

Scientist 'C'

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/173/43 SS (43SS)

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Yamuna Vihar STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 15.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	10	Inlet	7.1	316	115	464	18.8	34.80	40.20	Not meeting the standards w.r.t TSS, BOD, COD & DP.
	Ph-1	Outlet	7.4	40	19	64	1.6	4.4	4.20	
		OLMS*	7.4	44.75	21.36	138.41	-	21.15	-	
2	10	Inlet	7.8	340	185	416	21.6	24.40	14.54	Not meeting the standard w.r.t TSS, BOD, COD & DP.
	Ph-2	Outlet	7.4	26	18	80	2.4	4	4	
		OLMS*	-	-	-	-	-	-	-	
Total 20										

Remarks: Ph-II OLMS was not found during the time of monitoring by DPCC.

I/C LABORATORY

Scientist

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/174/4356

Dated: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Okhla STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 09.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :


Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
1	12	Inlet	7.1	176	85	256	16.4	30.41	22.10	Not meeting the Standards w.r.t TSS, BOD & COD.
		Outlet	7.3	32	16	72	3.2	5	1.8	
		OLMS	7.4	36.09	32.88	113.24	-	11.95	-	
	16	Outlet	7.3	36	27	96	1.6	4	2.20	Not meeting the Standards w.r.t TSS, BOD & COD & DP.
		OLMS	-	-	-	-	-	-	-	
	37	Outlet	7.3	34	22	80	1.2	5.40	1.80	Not meeting the Standards w.r.t TSS, BOD, COD & A.N.
		OLMS	7.2	30.69	10.92	107.98	-	2.90	-	
	45	Outlet	7.3	28	18	64	2	5	1.60	Not meeting the Standards w.r.t TSS, BOD & COD.
		OLMS	5.8	29.17	25.17	122.80	-	58.15	-	
	Total 110									

Remarks: OLMS (16 MGD) was found non-operational.

M. Mitta
DR. NANDHA MOTTRA
I/C LABORATORY

SR Scientific Assistant

SR SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/175/4357

Dated: 07/10/2021


ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Keshopur STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 27.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

STP Parameters analyzed and results										
Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	40	Inlet	7.2	196	130	336	32.4	30.60	18.10	Not meeting the Standards w.r.t TSS,BOD,COD, A.N & D.P.
		Outlet	7.4	80	30	96	4.4	22.40	4.60	
		OLMS*	7.5	246.17	221.51	547.45	-	3.80	-	
2	20	Inlet	7.2	196	130	336	32.4	30.60	18.10	Not meeting the Standards w.r.t TSS, BOD, COD, A.N & D.P.
		Outlet	7.3	38	60	115	4.4	20.20	2.60	
		OLMS*	7.4	161.66	65.73	315.80	-	20.80	-	
Total 60										

I/C LABORATORY

SR. SCIENTIFIC ASSISTANT



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>

Report Number: DPCC/W/STP/21-22/7 14358

Date: 07/10/2021

ANALYSIS REPORT OF STP FOR THE MONTH OF SEPTEMBER-2021

1. Name & Address of Ind./Unit : Molarband Mini STP
2. Sampling location : Inlet and Outlet of STP
3. Date of Inspection : 09.09.2021
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

Sr. No.	Installed Capacity (MGD)	STP Standard	pH 6.5-9.0	TSS (mg/l)	BOD (mg/l)	Parameters COD (mg/l)	Oil & Grease (mg/l)	Ammonical Nitrogen (mg/l)	Dissolved Phosphate as P(mg/l)	Remarks
				10	10	50	10	5	2	
1	0.66	Inlet	7.3	248	130	560	24.4	26.16	18.14	Not meeting the Standards w.r.t TSS, BOD, COD & DP.
		Outlet	7.6	48	24	80	2.4	4.20	2.20	
		OLMS*	6.99	25.80	13.46	70.00	-	0.59	-	
Total 0.66										

N. Mishra
I/C LABORATORY

Dr. NANDITA MOITRA
Scientist 'G'

SR. Scientific Assistant

SR. SCIENTIFIC ASSISTANT