



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocnms.nic.in>)



Report Number: DPCC/W/STP/26-27/31/2878

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

- |    |                                 |   |                         |
|----|---------------------------------|---|-------------------------|
| 1. | Name of STP                     | : | Delhi Gate (Old)        |
| 2. | Sampling location               | : | Inlet and Outlet of STP |
| 3. | Date of sampling                | : | 06.05.2026              |
| 4. | Samples collected by            | : | DPCC Lab                |
| 5. | Parameters analyzed and results | : |                         |

| S. No.    | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks               |
|-----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----------------------|
|           |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                       |
| 1         | Ph-I & II (2.2)          | Inlet        | 7.1        | 164        | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Meeting the standards |
|           |                          | Outlet       | 7.2        | 9          | 4          | 36         | 1.2                 | 2.1                       | 1.1                            | 130                      |                       |
|           |                          | OLMS         | 7.51       | 5.45       | 1.27       | 19.54      | -                   | 1.95                      | -                              | -                        |                       |
| Total 2.2 |                          |              |            |            |            |            |                     |                           |                                |                          |                       |

*Maitra*

I/C Water Laboratory  
Dr. NANDITA MOITRA  
Scientist-D



**DELHI POLLUTION CONTROL COMMITTEE**  
(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building  
Kashmere Gate, Delhi 110006  
(Visit us at <https://www.dpccocnms.nic.in>)



Report Number: DPCC/W/STP/26-27/32-12879

Dated 08/06/2026

**ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026**

1. Name of STP : Delhi Gate (New)
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 06.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| S. No.   | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks               |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |
| 1        | Phase-I & II (15)        | Inlet        | 7.1        | 112        | 80         | 308        | 11.6                | 9.3                       | 9.6                             | -                        | Meeting the standards |
|          |                          | Outlet       | 7          | 7          | 6          | 32         | 0.8                 | 1.3                       | 0.9                             | 180                      |                       |
|          |                          | OLMS         | 7.53       | 6.54       | 3.90       | 22.13      | -                   | 0.23                      |                                 |                          |                       |
| Total 15 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |

*Mishra*  
**DEWASHITA MOITRA**  
IC Water Laboratory  
Scientist-B



**DELHI POLLUTION CONTROL COMMITTEE**

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building  
Kashmere Gate, Delhi 110006  
(Visit us at <https://www.dpcccomms.nic.in>)



Report Number: DPCC/W/STP/26-27/33/2880

Dated 08/06/2026

**ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026**

1. Name of STP : Sen Nursing Home (SNH)
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 06.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.   | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks               |
|-----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|
|           |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |
| 1         | Phase-I,II (2.2)         | Inlet        | 7.3        | 200        | 120        | 392        | 10.4                | 8.5                       | 9.9                             | -                        | Meeting the standards |
|           |                          | Outlet       | 7.2        | 6          | 4          | 24         | 0.8                 | 1.7                       | 0.6                             | 170                      |                       |
|           |                          | OLMS         | 6.95       | 6.93       | 4.4        | 26.8       | -                   | 3.52                      | -                               | -                        |                       |
| Total 2.2 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |

*Mukherjee*

I/C Water Laboratory

Dr. NANDITA MOTTRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocnms.nic.in>)



Report Number: DPCC/W/STP/26-27/34/2881

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 08/06/2026

1. Name of STP : Akshardham
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 06.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          |                       | Remarks |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----------------------|---------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                       |         |
| 1       | 1                        | Inlet        | 7.1        | 142        | 120        | 316        | 11.2                | 10.6                      | 10.1                           | -                        | Meeting the Standards |         |
|         |                          | Outlet       | 7.4        | 5          | 4          | 16         | 0.8                 | 1.7                       | 0.6                            | 79                       |                       |         |
|         |                          | OLMS         | 7.64       | 0.62       | 1.85       | 9.89       | -                   | 0.78                      | -                              | -                        |                       |         |
| Total 1 |                          |              |            |            |            |            |                     |                           |                                |                          |                       |         |

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocems.nic.in>)



Report Number: DPCC/W/STP/26-27/35/2882

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 06/06/2026

1. Name of STP : Chilla
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 06.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results:

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks               |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |
| 1       | 9                        | Inlet        | 7.2        | 170        | 120        | 336        | 11.2                | 9.6                       | 7.4                             | -                        | Meeting the Standards |
|         |                          | Outlet       | 7.5        | 7          | 6          | 16         | 1.2                 | 2.3                       | 0.9                             | 81                       |                       |
|         |                          | OLMS         | 7.66       | 7.94       | 6.72       | 28.81      | -                   | 2.48                      | -                               | -                        |                       |
| Total 9 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist D



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building  
Kashmere Gate, Delhi 110006  
(Visit us at <https://www.dpccocemms.nic.in>)



Report Number: DPCC/W/STP/26-27/36/ 2883

Dated 08/06/2026

### ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Kondli
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 06.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks               |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |
| 1        | Ph-I (10)                | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 5                         | 2                               | 230                      | Meeting the Standards |
|          |                          |              | 7.8        | 160        | 120        | 360        | 12                  | 10.3                      | 9.9                             | -                        |                       |
|          |                          | Outlet       | 7.3        | 9          | 8          | 28         | 0.8                 | 2.7                       | 0.6                             | 180                      |                       |
| 2        | Ph-II & III (25+10)      | OLMS         | 7.84       | 8.40       | 2.80       | 22.80      | -                   | 3.50                      | -                               | -                        | Meeting the Standards |
|          |                          | Outlet       | 7.6        | 7          | 6          | 24         | 1.2                 | 1.7                       | 1.3                             | 140                      |                       |
|          |                          | OLMS         | 7.54       | 7.60       | 8.10       | 28.90      | -                   | 3.56                      |                                 |                          |                       |
| Total 45 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |

*M. Nandita*  
DR. NANDITA MOITRA  
I/C Water Laboratory  
Scientist-3



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



Report Number: DPCC/W/STP/26-27/37/2889

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Kondli New
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 06.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks                |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|------------------------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                        |
| 1        | Ph-IV (45)               | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Meeting the Standards. |
|          |                          |              | 7.6        | 156        | 120        | 384        | 13.6                | 10.5                      | 8.4                            | -                        |                        |
|          |                          |              | 7.1        | 8          | 6          | 36         | 1.2                 | 2.3                       | 0.9                            | 170                      |                        |
|          |                          | Outlet       | 7.54       | 7.63       | 6.90       | 30.20      | -                   | 4.10                      | -                              | -                        |                        |
| Total 45 |                          |              |            |            |            |            |                     |                           |                                |                          |                        |

*M. M. M. M.*

I/C Water Laboratory  
Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpcccomms.nic.in>)



Report Number: DPCC/W/STP/26-27/38/2885

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Coronation Pillar
2. Sampling location : Inlet and outlet of STP
3. Date of sampling : 11.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 | Fecal Coliform MPN/100ml | Remarks               |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) |                          |                       |
| 1       | Ph-I, II (20)            | Inlet        | 7.2        | 184        | 170        | 396        | 12                  | 10.3                      | 10.6                            | -                        | Meeting the standards |
|         |                          | Outlet       | 7.1        | 7          | 6          | 32         | 1.2                 | 2.4                       | 0.9                             | 130                      |                       |
|         |                          | OLMS         | 7.73       | 7.59       | 5.58       | 26.97      | -                   | 1.12                      | -                               | -                        |                       |
|         |                          | Inlet        | 7.6        | 136        | 180        | 420        | 10                  | 9.8                       | 10.3                            | -                        |                       |
| 2       | Ph-III (10)              | Outlet       | 7.8        | 8          | 7          | 28         | 1.6                 | 1.7                       | 0.7                             | 180                      | Meeting the standards |
|         |                          | OLMS         | 7.51       | 7.91       | 6.47       | 28.02      | -                   | 1.85                      | -                               | -                        |                       |
|         |                          | Total 30     |            |            |            |            |                     |                           |                                 |                          |                       |

I/C Water Laboratory  
Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccomms.nic.in>)



Report Number: DPCC/W/STP/26-27/39/2886

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Coronation Pillar
2. Sampling location : Inlet and outlet of STP
3. Date of sampling : 11.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks                                                                      |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|------------------------------------------------------------------------------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                                                                              |
| 1        | 70 MGD                   | Inlet        | 7.5        | 172        | 184        | 368        | 10.4                | 8.9                       | 7.9                             |                          | Not Meeting the standards wrt TSS,BOD, Dissolved Phosphate & Fecal Coliform. |
|          |                          | Outlet       | 7.3        | 14         | 12         | 36         | 1.6                 | 2.1                       | 2.2                             | 350                      |                                                                              |
|          |                          | OLMS         | 7.3        | 6.08       | 2.70       | 18.55      | -                   | 2.08                      | -                               | -                        |                                                                              |
| Total 70 |                          |              |            |            |            |            |                     |                           |                                 |                          |                                                                              |

*Signature*

I/C Water Laboratory

Dr. NANDITA MOITRA  
Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpcccomms.nic.in>)



Report Number DPCC/W/STP/26-27/40/2887

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 08/06/2026

1. Name of STP : Rohini
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 11.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks               |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |
| 1        | 15                       | Inlet        | 7.5        | 188        | 168        | 304        | 11.2                | 9.8                       | 7.9                             | -                        | Meeting the standards |
|          |                          | Outlet       | 7.1        | 7          | 6          | 32         | 0.8                 | 2.3                       | 0.8                             | 150                      |                       |
|          |                          | OLMS         | 7.56       | 7.88       | 6.04       | 34.14      | -                   | 2.22                      | -                               | -                        |                       |
| Total 25 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |

I/C Water Laboratory  
Dr. NANDITA MOITRA  
Scientist-D

*Maitra*



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocoms.nic.in>)



Report Number: DPCC/W/STP/26-27/41/2888

Dated: 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Rithala
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 11.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results

| Parameters |                          |              |         |            |            |            |                     |                           |                                |                          | Remarks               |
|------------|--------------------------|--------------|---------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----------------------|
| Sr. No.    | Installed Capacity (MGD) | STP Standard | pH      | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                       |
| 1          | Ph-I(40)                 | Inlet        | 6.5-9.0 | 10         | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Meeting the standards |
|            |                          |              | 7.8     | 162        | 127        | 376        | 10                  | 10.9                      | 10.3                           | -                        |                       |
|            |                          | Outlet       | 7.2     | 8          | 7          | 36         | 1.2                 | 2.7                       | 0.9                            | 110                      |                       |
| 2          | Ph-II(40)                | OLMS         | 7.62    | 7.43       | 6.20       | 32.00      | -                   | 1.81                      | -                              | -                        | Meeting the standards |
|            |                          | Inlet        | 7.3     | 184        | 120        | 356        | 10.4                | 10.6                      | 7.3                            | -                        |                       |
|            |                          | Outlet       | 7.6     | 6          | 5          | 24         | 1.6                 | 2.3                       | 0.7                            | 130                      |                       |
|            |                          | OLMS         | 7.46    | 8.71       | 6.53       | 31.04      | -                   | 4.04                      | -                              | -                        |                       |
| Total 80   |                          |              |         |            |            |            |                     |                           |                                |                          |                       |

*M. K. Sharma*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpcccomms.nic.in>)



Report Number: DPCC/W/STP/26-27/ 42/ 2889

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Yamuna Vihar Ph-III
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 11.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Parameters |                          |              |      |            |            |            |                     |                           |                                |                          | Remarks                                                      |
|------------|--------------------------|--------------|------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|--------------------------------------------------------------|
| Sr. No.    | Installed Capacity (MGD) | STP Standard | pH   | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                                                              |
| 1          | 25                       | Inlet        | 7.7  | 186        | 136        | 384        | 9.6                 | 10.8                      | 11.4                           | -                        | Not meeting the Standard wrt TSS, BOD, COD & Fecal Coliform. |
|            |                          | Outlet       | 7.6  | 17         | 28         | 56         | 1.6                 | 3.7                       | 0.7                            | 7600                     |                                                              |
|            |                          | OLMS         | 7.37 | 25.15      | 18.87      | 74.41      | -                   | 19.44                     | -                              | -                        |                                                              |
| Total 25   |                          |              |      |            |            |            |                     |                           |                                |                          |                                                              |

I/C Water Laboratory

*N. Nigam*

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



Report Number: DPCC/W/STP/26-27/43/2896

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 68/66/2026

1. Name of STP : Yamuna Vihar
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 11.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results:

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks                                                                       |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-------------------------------------------------------------------------------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                                                                               |
| 1       | 10 Ph-1                  | Inlet        | 7.2        | 166        | 140        | 340        | 12                  | 10.6                      | 10.3                            | -                        | Not Meeting the standards wrt TSS, BOD, Dissolved Phosphate & Fecal Coliform. |
|         |                          | Outlet       | 7.7        | 19         | 16         | 48         | 0.8                 | 2.7                       | 2.4                             | 1600                     |                                                                               |
|         |                          | OLMS         | 7.67       | 17.04      | 11.36      | 48.28      | -                   | 17.04                     | -                               | -                        |                                                                               |
|         |                          | Inlet        | 7.9        | 190        | 110        | 304        | 12                  | 14.2                      | 7.3                             | -                        |                                                                               |
| 2       | 15 Ph-2                  | Outlet       | 7.5        | 7          | 6          | 40         | 1.2                 | 3.7                       | 1.2                             | 170                      | Meeting the Standards.                                                        |
|         |                          | OLMS         | 7.64       | 4.43       | 4.79       | 20.77      | -                   | 3.52                      | -                               | -                        |                                                                               |
|         |                          | Total 20     |            |            |            |            |                     |                           |                                 |                          |                                                                               |

I/C Water Laboratory  
Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpcccomms.nic.in>)



Report Number: DPCC/W/STP/26-27/44/2891

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 6/8/2026

1. Name of STP : Sonia Vihar
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 11.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters     |            |            |            |                     |                           |                                 |                          | Remarks               |
|---------|--------------------------|--------------|----------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|
|         |                          |              | pH             | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |
| 1       | 7                        | Inlet        | 6.5-9.0<br>7.3 | 10<br>188  | 10<br>120  | 50<br>388  | 10<br>10            | 5<br>11.5                 | 2<br>8.0                        | 230<br>-                 | Meeting the standards |
|         |                          | Outlet       | 7.4            | 6          | 5.4        | 28         | 0.8                 | 1.6                       | 0.8                             | 120                      |                       |
|         |                          | OLMS         | 7.4            | 8.0        | 4.2        | 26.00      | -                   | 3.30                      | -                               | -                        |                       |
| Total 7 |                          |              |                |            |            |            |                     |                           |                                 |                          |                       |

*Mukherjee*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpcccomms.nic.in>)



Report Number: DPCC/W/STP/26-27/45/2892

Dated 08/06/2026

### ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

- |                                    |   |                         |
|------------------------------------|---|-------------------------|
| 1. Name of STP                     | : | Mehrauli                |
| 2. Sampling location               | : | Inlet and Outlet of STP |
| 3. Date of sampling                | : | 14.05.2026              |
| 4. Samples collected by            | : | DPCC Lab                |
| 5. Parameters analyzed and results | : |                         |

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks                                                                       |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-------------------------------------------------------------------------------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                                                                               |
| 1        | 15                       | Inlet        | 7.2        | 188        | 140        | 404        | 12                  | 11.9                      | 10.0                           | -                        | Not meeting the standards wrt TSS, BOD, Dissolved Phosphate & Fecal Coliform. |
|          |                          | Outlet       | 7.5        | 18         | 12         | 40         | 1.2                 | 2.6                       | 2.2                            | 15000                    |                                                                               |
|          |                          | OLMS         | 7.58       | 10.20      | 8.65       | 41.45      | -                   | 4.55                      | -                              | -                        |                                                                               |
| Total 15 |                          |              |            |            |            |            |                     |                           |                                |                          |                                                                               |

*Mishra*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocems.nic.in>)



Report Number: DPCC/W/STP/26-27/ 46 / 2893

### ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 08/04/2026

1. Name of STP : Ghitorni
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 14..05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          | Remarks |                                                                                    |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|---------|------------------------------------------------------------------------------------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |         |                                                                                    |
| 1       | 5                        | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 11.2                      | 5                               | 12.1                     | -       | Not meeting the standards wrt TSS, BOD, COD, Dissolved Phosphate & Fecal Coliform. |
|         |                          | Outlet       | 7.5        | 212        | 182        | 436        | 1.6                 | 2.4                       | 2.2                             | 17000                    |         |                                                                                    |
|         |                          | OLMS         | 7.1        | 52         | 32         | 84         | -                   | 5.14                      | -                               | -                        |         |                                                                                    |
| Total 5 |                          |              | 8.51       | 27.61      | 20.54      | 79.29      | -                   | -                         | -                               | -                        |         |                                                                                    |

*Shikha*

L/C Water Laboratory  
Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccoccmms.nic.in>)



Report Number: DPCC/W/STP/26-27/47/2894

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 08/06/2026

1. Name of STP : Vasant Kunj
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 14.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks                                                                            |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|------------------------------------------------------------------------------------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                                                                                    |
| 1       | 2.2                      | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Not meeting the standards wrt TSS, BOD, COD, Dissolved Phosphate & Fecal Coliform. |
|         |                          |              | 7.5        | 204        | 160        | 420        | 11.6                | 9.4                       | 12.1                           | -                        |                                                                                    |
|         |                          | Outlet       | 7.8        | 17         | 12         | 76         | 1.6                 | 3.0                       | 2.1                            | 17000                    |                                                                                    |
|         |                          | OLMS         | 7.86       | 9.74       | 7.95       | 39.48      | -                   | 4.38                      | -                              | -                        |                                                                                    |
| 2       | 3                        | Inlet        | 7.2        | 210        | 120        | 420        | 11.6                | 10.7                      | 9.6                            | -                        | Not meeting the standards wrt TSS, BOD, Dissolved Phosphate & Fecal Coliform.      |
|         |                          |              | Outlet     | 7.4        | 19         | 16         | 36                  | 1.2                       | 2.4                            | 2.2                      |                                                                                    |
|         |                          | OLMS         | 7.78       | 10.22      | 8.80       | 48.28      | -                   | 3.38                      | -                              | -                        |                                                                                    |
|         |                          |              | Total 5.2  |            |            |            |                     |                           |                                |                          |                                                                                    |

I/C Water Laboratory  
Dr. NANDITA MOITRA

Scientist-D



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocoms.nic.in>)



Report Number: DPCC/W/STP/26-27/48/2895

Dated 68/06/2026

### ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Kapasahera
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 14.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results:

| 3. Parameters analyzed and results: |                          |              |            |            |            |            |                     |                           |                                |                          |     |         |                        |
|-------------------------------------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----|---------|------------------------|
| Sr. No.                             | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          |     | Remarks |                        |
|                                     |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |     |         |                        |
| 1                                   | 5                        | Inlet        | 7.7        | 192        | 10         | 120        | 50                  | 10                        | 5                              | 12.1                     | 7.3 | -       | Meeting the standards. |
|                                     |                          | Outlet       | 7.5        | 8          | 5          | 44         | 0.8                 | 2.3                       | 0.5                            | 120                      |     |         |                        |
|                                     |                          | OLMS         | 7.51       | 9.39       | 5.10       | 31.25      | -                   | 4.16                      | -                              | -                        |     |         |                        |
| Total 5                             |                          |              |            |            |            |            |                     |                           |                                |                          |     |         |                        |

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocnms.nic.in>)



Report Number DPCC/W/STP/26-27/ 49/2896

Dated 08/06/2026

### ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

- |    |                                 |   |                         |
|----|---------------------------------|---|-------------------------|
| 1. | Name of STP                     | : | Najafgarh               |
| 2. | Sampling location               | : | Inlet and Outlet of STP |
| 3. | Date of sampling                | : | 14.05.2026              |
| 4. | Samples collected by            | : | DPCC Lab                |
| 5. | Parameters analyzed and results | : |                         |

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                | Fecal Coliform MPN/100ml | Remarks               |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----------------------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) |                          |                       |
| 1       | 5                        | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Meeting the Standards |
|         |                          | 7.1          | 194        | 120        | 352        | 10.4       | 10.3                | 8.5                       | -                              |                          |                       |
|         |                          | Outlet       | 7.3        | 7          | 6          | 36         | 1.6                 | 1.8                       | 0.7                            | 81                       |                       |
|         |                          | OLMS         | 7.86       | 9.20       | 6.00       | 30.00      | -                   | 3.12                      | -                              | -                        |                       |
| Total 5 |                          |              |            |            |            |            |                     |                           |                                |                          |                       |

*N. N. N.*

I/C Water Laboratory

Dr. NANDITA MORTRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocnms.nic.in>)



Report Number: DPCC/W/STP/26-27/50 /2897

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Pappankalan Ph-1 (Old)
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 14.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          |                       | Remarks |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|---------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |         |
| 1        | 20                       | Inlet        | 7.4        | 196        | 140        | 392        | 12.4                | 10.7                      | 8.0                             | -                        | Meeting the standards |         |
|          |                          | Outlet       | 7.4        | 7          | 6          | 36         | 1.6                 | 2.7                       | 0.8                             | 160                      |                       |         |
|          |                          | OLMS         | 8.18       | 8.86       | 6.57       | 29.38      | -                   | 2.07                      | -                               | -                        |                       |         |
| Total 20 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |         |

*N. Nigra*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocnms.nic.in>)



Report Number: DPCC/W/STP/26-27/51 / 2898

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Pappankalan Ph-II (New)
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 14.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No. | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks                |
|---------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|------------------------|
|         |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                        |
|         | 20                       | Inlet        | 7.4        | 196        | 140        | 392        | 12.4                | 10.7                      | 8.0                            | -                        | Meeting the standards. |
|         |                          | Outlet       | 7.7        | 8          | 7          | 28         | 1.2                 | 1.9                       | 0.9                            | 130                      |                        |
|         |                          | OLMS         | 8.23       | 6.68       | 5.28       | 30.05      | -                   | 2.40                      | -                              | -                        |                        |
|         |                          | Total 20     |            |            |            |            |                     |                           |                                |                          |                        |

*M. Nandita Moitra*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



Report Number: DPCC/W/STP/26-27/542899

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Narela
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 15.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks               |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----------------------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                       |
| 1        | 10                       | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Meeting the standards |
|          |                          |              | 7.7        | 176        | 140        | 356        | 11.2                | 12.6                      | 10.4                           | -                        |                       |
|          |                          | Outlet       | 7.3        | 7          | 6          | 36         | 1.2                 | 2.9                       | 0.8                            | 72                       |                       |
|          |                          | OLMS         | 7.74       | 6.64       | 6.32       | 23.70      | -                   | 2.77                      | -                              | -                        |                       |
| Total 10 |                          |              |            |            |            |            |                     |                           |                                |                          |                       |

*M. K. Sharma*

I/C Water Laboratory  
Dr. NANDITA MOITRA  
Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocems.nic.in>)



Report Number: DPCC/W/STP/26-27/53/2900

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

Dated 08/06/2026

1. Name of STP : Okhla
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| 5. Parameters analyzed and results : |                          |              |            |            |            |            |                     |                           |                                 |         |                          |
|--------------------------------------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|---------|--------------------------|
| Sr. No.                              | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 | Remarks |                          |
|                                      |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) |         | Fecal Coliform MPN/100ml |
| 16                                   |                          | Inlet        | 7.4        | 192        | 180        | 360        | 12.8                | 10.7                      | 8.0                             | -       | Meeting the standards    |
|                                      |                          | Outlet       | 7.2        | 7          | 6          | 24         | 1.6                 | 2.4                       | 0.5                             | 130     |                          |
|                                      |                          | OLMS         | 7.68       | 11.05      | 9.06       | 42.49      | -                   | -                         | -                               | -       |                          |
| Total 16                             |                          |              |            |            |            |            |                     |                           |                                 |         |                          |

*M. Mittal*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocnms.nic.in>)



Report Number: DPCC/W/STP/26-27/ 54 / 2901

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Okhla
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.   | Installed Capacity (MGD) | STP Standard | Parameters     |            |            |            |                     |                           |                                |                          | Remarks                |
|-----------|--------------------------|--------------|----------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|------------------------|
|           |                          |              | pH             | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                        |
| 1         | 124 MGD                  | Inlet        | 6.5-9.0<br>7.4 | 10<br>192  | 10<br>180  | 50<br>360  | 10<br>12.8          | 5<br>10.7                 | 2<br>8.0                       | 230<br>-                 | Meeting the Standards. |
|           |                          | Outlet       | 7.4            | 6          | 5.4        | 32         | 1.2                 | 2.5                       | 1.3                            | 180                      |                        |
|           |                          | OLMS         | 8.83           | 10.02      | 8.14       | 42.88      | -                   | 2.82                      | -                              | -                        |                        |
| Total 124 |                          |              |                |            |            |            |                     |                           |                                |                          |                        |

*Signature*

I/C Water Laboratory

Dr. NANDITA MOTTRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocnms.nic.in>)



Report Number: DPCC/W/STP/26-27/55/2962

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Okhla New
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| 5. Parameters analyzed and results : |                          |              |            |            |            |            |                     |                           |                                |                          |                       |
|--------------------------------------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----------------------|
| Sr. No.                              | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks               |
|                                      |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                       |
| 1                                    | 30                       | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Meeting the standards |
|                                      |                          |              | 7.9        | 188        | 160        |            | 10.8                | 11.1                      | 12.9                           | -                        |                       |
|                                      |                          | Outlet       | 7.7        | 8          | 5          | 20         | 1.2                 | 3.4                       | 0.6                            | 110                      |                       |
|                                      |                          | OLMS         | 7.52       | 6.59       | 7.18       | 28.66      | -                   | 1.56                      | -                              | -                        |                       |
| Total 30                             |                          |              |            |            |            |            |                     |                           |                                |                          |                       |

I/C Water Laboratory  
Dr. NANDITA MOITRA  
Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocemms.nic.in>)



Report Number: DPCC/W/STP/26-27/56/2963

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Molarband (Mini STP)
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| 5. Parameters analyzed and results |                          |              |            |            |            |            |                     |                           |                                |                          | Remarks                                    |
|------------------------------------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|--------------------------------------------|
| Sr. No.                            | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          |                                            |
|                                    |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                                            |
| 1                                  | 0.66                     | Inlet        | -          | 10         | 10         | 50         | 10                  | 5                         | 2                              | 230                      | Sample was not taken due to rehabilitation |
|                                    |                          | Outlet       | -          | -          | -          | -          | -                   | -                         | -                              | -                        |                                            |
|                                    |                          | OLMS         | -          | -          | -          | -          | -                   | -                         | -                              | -                        |                                            |
| Total 0.66                         |                          |              |            |            |            |            |                     |                           |                                |                          |                                            |

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



Report Number: DPCC/W/STP/26-27/5712964

Dated 6/8/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Keshopur
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters     |            |            |            |                     |                           |                                |                          | Remarks               |
|----------|--------------------------|--------------|----------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|-----------------------|
|          |                          |              | pH             | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                       |
| 1        | 40                       | Inlet        | 6.5-9.0<br>7.2 | 10<br>194  | 10<br>158  | 50<br>304  | 10<br>11.6          | 5<br>10.2                 | 2<br>9.8                       | 230<br>-                 | Meeting the standards |
|          |                          | Outlet       | 7.9            | 8          | 7          | 32         | 1.6                 | 2.8                       | 0.7                            | 81                       |                       |
|          |                          | OLMS         | 7.84           | 7.76       | 6.38       | 27.01      | -                   | 2.31                      | -                              | -                        |                       |
| 2        | 20                       | Outlet       | 7.6            | 9          | 8          | 36         | 1.2                 | 3.4                       | 0.5                            | 140                      | Meeting the standards |
|          |                          | OLMS         | 7.85           | 7          | 5.36       | 21.33      | -                   | 1.88                      | -                              | -                        |                       |
| Total 60 |                          |              |                |            |            |            |                     |                           |                                |                          |                       |

I/C Water Laboratory  
Dr. NANDITA MOITRA  
Scientist-D



## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building  
Kashmere Gate, Delhi 110006  
(Visit us at <https://www.dpcccomms.nic.in>)



Report Number: DPCC/W/STP/26-27/58/2905

Dated 08/06/2026

### ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Keshopur STP (New)
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| S. No.   | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          |                       | Remarks |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|---------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |         |
| 1        | 12 (MGD)                 | Inlet        | 6.5-9.0    | 10         | 10         | 50         | 10                  | 5                         | 2                               | 230                      | Meeting the standards |         |
|          |                          | 7.4          | 190        | 140        | 392        | 10.8       | 10.7                | 10.5                      | -                               |                          |                       |         |
|          |                          | Outlet       | 7.9        | 7          | 6          | 28         | 1.6                 | 2.1                       | 0.7                             | 150                      |                       |         |
|          |                          | OLMS         | 7.60       | 9.83       | 8.29       | 39.13      | -                   | 2.45                      | -                               | -                        |                       |         |
| Total 12 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |         |

*M. Mittal*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



Report Number: DPCC/W/STP/26-27/59/2906

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Nilothi (Old)
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| Sr. No.  | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                 |                          |                       | Remarks |
|----------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|---------------------------------|--------------------------|-----------------------|---------|
|          |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P (mg/l) | Fecal Coliform MPN/100ml |                       |         |
| 1        | 60                       | Inlet        | 7.7        | 194        | 136        | 336        | 11.2                | 10.1                      | 10.7                            | -                        | Meeting the Standards |         |
|          |                          | Outlet       | 7.6        | 8          | 7          | 44         | 1.2                 | 2.6                       | 0.9                             | 120                      |                       |         |
|          |                          | OLMS         | 7.85       | 9.24       | 6.60       | 32.40      | -                   | 2.90                      | -                               | -                        |                       |         |
|          |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |         |
| Total 60 |                          |              |            |            |            |            |                     |                           |                                 |                          |                       |         |

*N. N. Mitra*

I/C Water Laboratory  
Dr. NANDITA MOITRA  
Scientist-D



# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpcocomm.nic.in>)



Report Number: DPCC/W/STP/26-27/60/2967

Dated 08/06/2026

## ANALYSIS REPORT OF STP FOR THE MONTH OF MAY-2026

1. Name of STP : Nilothi New
2. Sampling location : Inlet and Outlet of STP
3. Date of sampling : 18.05.2026
4. Samples collected by : DPCC Lab
5. Parameters analyzed and results :

| 5. Parameters analyzed and results : |                          |              |            |            |            |            |                     |                           |                                |                          |                        |
|--------------------------------------|--------------------------|--------------|------------|------------|------------|------------|---------------------|---------------------------|--------------------------------|--------------------------|------------------------|
| Sr. No.                              | Installed Capacity (MGD) | STP Standard | Parameters |            |            |            |                     |                           |                                |                          | Remarks                |
|                                      |                          |              | pH         | TSS (mg/l) | BOD (mg/l) | COD (mg/l) | Oil & Grease (mg/l) | Ammonical Nitrogen (mg/l) | Dissolved Phosphate as P(mg/l) | Fecal Coliform MPN/100ml |                        |
| 1                                    | 20                       | Inlet        | 7.8        | 204        | 140        | 352        | 10.8                | 10.3                      | 9.8                            | -                        | Meeting the Standards. |
|                                      |                          | Outlet       | 7.2        | 7          | 6          | 36         | 1.6                 | 2.5                       | 0.6                            | 140                      |                        |
|                                      |                          | OLMS         | 7.85       | 7.33       | 6.61       | 46.82      | -                   | 4.22                      | -                              | -                        |                        |
| Total 20                             |                          |              |            |            |            |            |                     |                           |                                |                          |                        |

*M. Mitra*

I/C Water Laboratory

Dr. NANDITA MOITRA

Scientist-D