



**DELHI POLLUTION CONTROL COMMITTEE**  
**4<sup>th</sup> FLOOR, ISBT BUILDING, KASHMERE GATE,**  
**DELHI-110006**

visit us at <http://dpcc.delhigovt.nic.in>

F. No DPCC/(3)(7)(2)/Admn-06/ 9086 - 9094

Dated : 06 - 03 - 12

**Office Order**

For smooth functioning of DPCC following is hereby ordered with immediate effect:-

1. The Consent Management Committees constituted vide office order No. DPCC/(3)(7)(2)/ admn-06/402-11 dated 13.09.2006, DPCC/Misc/CMC/2011/13727 -37 dated 12.01.2011 and the committee constituted for scrutinizing the cases vide office order No. DPCC/(3)(7)(2)/ admn-06/2098-2105 dated 12.08.2009 are hereby dissolved.
2. There shall be following 4 categories of industries which shall be dealt at 4 different levels as enumerated below:
  - (i) Green Category of industries.
  - (ii) Orange Category of industries where there is no requirement of Emission Control System (ECS) / Effluent Treatment Plant (ETP)/ Sewage Treatment Plant (STP).
  - (iii) Orange Category of industries where there is requirement of Emission Control System (ECS) or Effluent Treatment Plant (ETP).
  - (iv) Orange Category of industries of potentially highly polluting industries which require installation of the Sewage Treatment Plant (STP) or Emission Control System (ECS) along with Effluent Treatment Plant (ETP).
  - (a) Consent to Establish, Consent to Operate and Renewal of Consent to Operate under Green category will be decided by the screening committee consisting of SEEs and EEs/AEEs of the Consent Management Cells. Mandatory inspections within 01 year of grant of Consent to Operate / Renewal of Consent to Operate and once every 03 years thereafter will be conducted w.r.t. these units.
  - (b) Consent to Establish, Consent to Operate and Renewal of Consent to Operate/Authorisations under HWM Rules under Orange category of industries where there is no requirement of Emission Control System (ECS) / Effluent Treatment Plant (ETP)/ Sewage Treatment Plant (STP) will be decided by the screening committee consisting of SEEs and EEs/AEEs of the Consent Management Cells. Mandatory inspections within 06 months of grant of Consent to Operate / Renewal of Consent to Operate and once in every two years thereafter will be conducted w.r.t. these units.
  - (c) Consent to Establish, Consent to Operate and Renewal of Consent to Operate/ Authorisations under HWM Rules under Orange category of industries where there is requirement of Emission Control System (ECS) or Effluent Treatment Plant (ETP) shall be done by the Sr. Environmental Engineer with the approval of Member Secretary, DPCC. Mandatory inspection within 06 months of grant of Consent to Operate / Renewal of Consent to Operate and once every 2 years thereafter will be conducted w.r.t. these units.

(d) Following committee will deal with the applications of Consent to Establish/Consent to Operate, Renewal of Consent to Operate under Water Act 1974/Air Act 1981 and authorisations under Hazardous Waste Rules 2008 for the cases of potentially highly polluting industries which require installation of the Sewage Treatment Plant (STP) or Emission Control System (ECS) along with Effluent Treatment Plant (ETP). This Committee shall also decide the consent/authorisation under Water Act, Air Act, Hazardous Waste Rules, MSW Rules for STPs of DJB, CETPs, Thermal Power Plants, Municipal Solid Waste / Waste to Energy Plants etc.

|        |                                               |          |
|--------|-----------------------------------------------|----------|
| (i)    | Chairman, DPCC                                | Chairman |
| (ii)   | Member Secretary, DPCC                        | Member   |
| (iii)  | Dr. S.K. Gupta, Professor, IIT, Delhi         | Member   |
| (iv)   | Dr. A.K.Nema, Associate Professor, IIT, Delhi | Member   |
| (v)    | Dr. Anil Kumar, Director, (Env.)              | Member   |
| (vi)   | Addl. Director, DPCC                          | Member   |
| (vii)  | Sr. Env. Engineer of concerned Cell           | Member   |
| (viii) | Env. Engineer of concerned Cell               | Member   |

All the cases decided by the above committee shall be inspected mandatorily within 03 months of grant of consent / authorization and once every year thereafter.

For the purpose of segregation of the cases of Consent Management Cells, the screening committee consisting of SEEs and EEs/AEEs of the Consent Management Cells will give the recommendations for necessary action as per points (c) & (d) above.


3. All the consent applications under Water Act, 1974 and Air Act 1981 shall be deemed to have been granted on the expiry of a period of 04 months of making the application in this behalf complete in all respects. Inspection schedule as applicable in these cases shall be ensured as outlined in this order as per points 2(a), 2(b), 2(c) & 2(d) above.
4. For deficiencies and violations noticed during inspections, appropriate notices shall be issued immediately with the approval of the Member Secretary.
5. Consent to Operate and Renewal of Consent to Operate under Orange category of industries shall be granted for a period of 05 years instead of 03 years.
6. From 1<sup>st</sup> April 2012 onwards, concerned engineers of the Consent Management Cells shall be held responsible for the delay / pendency of consent application beyond a period of 04 months.
7. The cases will be considered in two types of chronologies one for the backlog and the other for the fresh cases with effect from today. The backlog cases may continue be considered in reverse chronology. Special references may be considered on priority in public interest with the approval of the Chairman / Member Secretary.
8. Inspections shall be conducted as provided for at points 2(a), 2(b), 2(c) and 2(d) above or with the approval of the Chairman / Member Secretary, DPCC.

9. The prevailing practice of revoking the closure directions on furnishing the affidavit and the bank guarantees under Water Act or/and Air Act or/and Hazardous Rules shall be discontinued forthwith. Defaulting units shall first be made to comply with pollution control norms and then only revocation direction be issued. Once required pollution control equipments are installed or a firm undertaking for time bound installation of pollution control equipments/rectification of deficiencies is submitted, temporary conditional revocation for a period of only 45 days may be issued for the purpose of installation/testing equipments. No commercial production shall be allowed during this period. The final revocation direction shall be issued only after the submission of satisfactory Adequacy Report/test report.
10. In case of extreme urgencies or in public interest temporary revocation direction may be considered for a unit on submission of a Bank Guarantee for an amount 10 times the annual fee for consent to operate subject to minimum of Rs 2 lacs as a deterrent. Such temporary revocation shall be for a period of 3 months only. The final revocation direction shall however be issued only after the submission of satisfactory Adequacy report/test report.

This supersedes all previous orders and instructions on the subject.

Copy to :-

1. Chairman, DPCC.
2. Director (Env.), GNCTD.
3. Addl. Director, DPCC.
4. All Sr. Env. Engineers, DPCC.
5. All Env. Engineers, DPCC.
6. Scientist-D, DPCC.
7. Administrative Officer, DPCC.
8. Sr. Account Officer, DPCC.
9. Master File.



(Sandeep Mishra)  
Member Secretary



(Sandeep Mishra)  
Member Secretary