



Delhi Pollution Control Committee
4th Floor I.S.B.T. Building Complex Kashmere Gate Delhi 110006
Visit us at : <http://dpcc.delhigovt.nic.in>

F.No. DPCC/Lab/APP-Lab/2003/4/1044-50 Date: 18 DEC 2012

To,
1) Director,
Sriram Institute of Industrial Research
19 University Road Delhi 110007

2) M/S Spectro Analytical laboratories
E-41, Okhala Industrial Area, Phase -II
New Delhi 110020

3) M/S Sophisticated Industrial Materials Analytic
Labs Pvt.Ltd.
A-3/&. Mayapuri Industrial Area, Ph-II,
New Delhi 110064

4) Prof. S.K. Singh
Professor and Dean
Dept. of Civil & Environmental
engineering, Delhi Technological University
,Bawana Road Delhi 110042

5) To, M/S Delhi Test House
A62/3 G.T.Karnal Road
Opposite Hans Cinema
Azadpur Delhi 110033

6) National Productivity Council
Utpadakta Bhawan
5-6 Institutional area
Lodi road, New Delhi 110003

Sub:- Empanelment of the Laboratory for Environmental Monitoring.

Sir,

Please refer to your application and subsequent inspection by the committee it is to inform you that your laboratory has been empanelled for Carrying out the analysis of *Water and Waste water samples for environmental parameters from 1st Jan. 2013 to 31st March 2014.*

Protocol for Empanelled Laboratory:

1. All the water sample will be collected by DPCC and the coded samples, shall be provided to empanelled laboratory for analysis purpose.
2. Request for monitoring and payment as prescribed will be collected by DPCC. Industry may submit the request and payment either by Draft in favor of Delhi Pollution Control Committee or by online payment through DPCC software.
3. Samples shall be collected by the Empanelled laboratory from this organization on the basis of the given schedule to the laboratory at 04:00PM. Once analysis is completed the laboratory has to submit the results through DPCC software with given code and asses provided to them.
4. The laboratory shall submit their acceptance along with an authorized signatory within a week of the receipt of this letter.
5. The laboratories will submit the bills preferably in the first week of the every month along with a hard copy of the result duly signed by an authorized signatory.
6. The analysis shall be conducted as per prescribed standard procedure.
7. The laboratory shall be bound to follow the directions if any, issued by DPCC for ensuring the correctness of procedures etc.
8. DPCC may issue directions to the laboratory for collection of samples.
9. The approval does not constitute recognition of the laboratory under section 17(2) of Air (Prevention & Control of Pollution) Acts. 1974.
10. DPCC reserves the right to cancel the empanelment at any time without assigning any reason.

Copy to:

1. Member Secretary DPCC
2. AD, DPCC
3. In-charge IT cell
4. Accounts officer, DPCC
5. Administrative Officer DPCC

Scientist 'D'

1284/588/12
18/12/12

All up load
in office order
& circular.

24/12/12
R.K. Singh