



DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT DELHI)
3rd FLOOR, DMRC BUILDING, SHASTRI PARK, DELHI-110053.



Dated: 16/06/20

F. No. DPCC/SPIO/RTI/2026/ 1469

To,

Incharge IT Cell
Delhi Pollution Control Committee
3rd Floor, Block-I, DMRC IT Park,
Shastri Park, Delhi-110053.

Subject: Regarding upload of copy of EC on DPCC website in Public Domain.

Ref: Environment Clearance under EIA notification dated 14.09.2006 for
"Expansion and Modernization of Common Bio-Medical Waste
Treatment facilities" at 46-47 SSI Industrial Area , GT Karnal Road
Delhi-110033

Sir,

It has been observed that the copy of the Environmental Clearance (EC) of above referred units is not uploaded on the website of DPCC like other ECs. Said copy of EC was sought under RTI by an applicant & same has been provided.

Therefore, you are requested to upload the same on the website in public domain.

Yours sincerely,


(M.S. Rawat)
SPIO, DPCC
9717593509

Encl: as above

By Speed Post

**STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY
(SEIAA)-DELHI**

OFFICE OF DELHI POLLUTION CONTROL COMMITTEE

5th Floor, ISBT Building, Kashmere Gate, Delhi-110006

visit us at : <http://dpcc.delhigovt.nic.in>

E.No. DPCC/ SEIAA-D-III/C222/ 2015/ 1523-1527

Dated: 30/11/2015

Environmental Clearance No.: SEIAA-D/ C222/EC-307/2015.

To,

Mr. Vikas Gehlot, Director,
M/s Biotic Waste Solutions Pvt. Ltd,
46, SSI Industrial Area,
GT Karnal Road, Delhi-110033.

Sub: Environmental Clearance under EIA notification dated 14.09.2006 for "Expansion and Modernization of Common Bio-medical Waste Treatment Facilities" at 46-47, SSI Industrial Area, GT Karnal Road, Delhi-110033.

This has reference to your application submitted on 14.08.2015 for seeking Environmental Clearance under Environmental Impact Assessment Notification dated 14.09.2006 amended as on date for "Expansion and Modernization of Existing-Common Bio-medical Waste Treatment Facilities" at 46-47, SSI Industrial Area, GT Karnal Road, Delhi-110033 by M/s Biotic Waste Solutions Pvt. Ltd and subsequent presentation given before the State Level Expert Appraisal Committee (SEAC) for seeking prior environmental clearance for subject cited project as required under the EIA Notification, 2006. The proposal has been appraised in the meetings of SEAC as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the documents submitted with the application viz., Form-1, EIA Report and the additional clarifications furnished in response to the observations of the State Level Expert Appraisal Committee.

It is inter-alia noted that the proposal is for the grant of Environmental Clearance to M/s Biotic Waste Solutions Pvt. Ltd 46, SSI Industrial Area, GT Karnal Road, Delhi-110033 for expansion and modernization of the existing Common Bio-medical Waste Treatment (CBWTF) at 46-47, SSI

RTI Cell

Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building,
Kashmere Gate, Delhi-110006

Industrial Area, GT Karnal Road, Delhi-110033. The total plot area is 2024 Sq.m. The total built-up area will be 1373.98 Sq.m. Existing two incinerators are 250 KG/Hour and 300 KG/Hour and after expansion, there will be 250 KG/Hour existing incinerator and 1000 KG/Hour rotary incinerator in place of 300. The existing treatment capacity is 14 Ton/day and after expansion treatment capacity will be 34 ton/day (Incinerator-1250 KG/Hour Autoclave-450 KG/batch). The existing Autoclave is 2000 litre/hour and after expansion total capacity will be 4500 litre/hr (2000 + 2500 litre/hour). The existing Air Pollution Control Device is Venture scrubber followed by droplet separator and after expansion, for 250 KG/hour incinerator- Venture scrubber followed by droplet separator and for 1000 KG/hour capacity incinerator- Sodium bicarbonate injection system, activated carbon injection system, bag house and packed bag scrubber are proposed to be installed. The maximum number of floors is G+1. The total number of persons using the facility will be 100 persons after completion of the project. The total water requirement will be 16.8 KLD. The total fresh water requirement will be 6 KLD. The source of water supply will be Tankers. The total wastewater generation will be 13 KLD which will be treated in ETP with capacity of 15 KLD. The treated waste water will be used for Flushing (1 KLD), Landscaping (0.6 KLD), Scrubbing (4 KLD) Vehicle container washing and floor washing (5.2 KLD). The total municipal solid waste generation will be 15 kg/day. The total power requirement will be 200 kVA. 1 DG set of capacity 100 kVA has been proposed for power backup. The total cost of the project is Rs. 250 Lacs.

Based on information furnished, EIA report submitted by the Project Proponent, presentation made and discussions held in 71st meeting of SEAC held on 03.09.2015, the Committee decided the proposed project in Category B-1. The Committee issued additional Term of Reference (TOR) & Project Proponent has submitted revised EIA Report on 23.09.2015. After due deliberations, the SEAC in its 73rd meeting held on 17.10.2015 recommended that the project is exempted from public consultation as the same is located in industrial estate notified prior to 14.09.2006 in view of the office memorandum dated 10.01.2014 issued by MoEF&CC, Govt. of India.

The requirements of the project have been taken into account by SEAC during the appraisal of project. The SEIAA took account of the discussions and environmental conditions imposed during the consideration of the project in the SEAC meetings held on 03.09.2015 and 17.10.2015.

The State Level Environment Impact Assessment Authority, Delhi (SEIAA-Delhi) in its 26th meeting held on 26.10.2015 hereby accords the Environmental Clearance to the above said project.

15

or provisions of Environment Impact Assessment Notification, 2006 and its subsequent amendments, subject to the strict compliance of the terms and conditions as follows:

PART A - SPECIFIC CONDITIONS:

I. PRE-MODERISATION/ CONSTRUCTION PHASE

1. Consent to establish" shall be obtained from Delhi Pollution Control Committee (DPCC) under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the regional office of Ministry of Environment & Forests & State Level Environment Impact Assessment Authority before the start of any construction for modernisation work at site.
2. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction for modernisation of the project has been started without obtaining environmental clearance.
3. The Project Proponent shall obtain all other necessary requisite clearances/ permissions from concerned authorities/ agencies before commencement of work.
4. A first aid room to be provided in the project both during construction for modernisation and operation phase of the project.
5. The Approval of competent authority shall be obtained for structural safety of the building due to earthquake, adequacy for fire fighting equipments etc as per National Building Code including protection measures from lightening etc.
6. All required sanitary and hygienic measures should be in place before starting construction activities for modernisation and to be maintained throughout the construction phase.

II. MODERISATION/ CONSTRUCTION PHASE:

1. The Project Proponent shall ensure that the guidelines issued by Ministry of Environment, Forests & Climate Change (MoEFCC), vide OM No: 19-2/2013-IA.III dated 09.06.2015, to be followed for building and construction projects to ensure sustainable environmental management in pursuance of Notification No. 3252 (E) dated 22. 12.2014 under the EIA Notification, 2006, as applicable, are followed in case of construction related to modernisation work.

- 14
- 9
2. The Diesel Generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment Protection Rules prescribed for air and noise emission standards.
 3. The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
 4. Ambient noise levels should conform to prescribed standards both during day and night. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase, so as to conform to the norms stipulated by CPCB/DPCC. Ambient air and noise monitoring should be done by an accredited lab and data should also be submitted, on six monthly basis, with DPCC & Regional Office of MoEFCC. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
 5. Proponent shall obtain prior permission for ground water withdrawal from Delhi Jan Board or the New Delhi Municipal Council, as the case may be, in compliance of notification dated 12.07.2010.
 6. Construction/provision of the ETP, DG Sets, Utilities etc, earmarked by the project proponent on the layout plan, should be made in the earmarked area only. In any case the position/location of these utilities should not be changed later-on.
 7. Soil and water samples of the site should be tested by the proponent through DPCC recognized laboratory to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants, on quarterly basis for inclusion in the six monthly report.
 8. Regular supervision of the above and other measures for monitoring should be in place all through the phase, so as to avoid disturbance to all surroundings.

III. OPERATION PHASE

1. Consent to Operate shall be obtained from DPCC under Air (Prevention & Control of Pollution) Act, 1981 and Water (Prevention & Control of Pollution) Act, 1974 and a copy of the same shall be submitted to the Ministry of Environment & Forests / State Level Environment Impact Assessment Authority, before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.

2. Authorization from Delhi Pollution Control Committee shall be obtained as applicable under Bio-Medical Waste (Management and Handling) Rules, 1998 as amended.
3. The bio-Medical wastes shall be managed in accordance with the Bio-Medical Waste (Management and Handling) Rules, 1998 as amended.
4. Incinerated ash, ETP sludge & sharps should be disposed in accordance with BMW Rules 1998.
5. The proponent shall comply with the Environmental standards notified by Ministry of Environment, Forest & Climate Change for incinerators along with the technology/guidelines.
6. Guidelines published by the Central Board from time to time for Common Biomedical Waste Treatment Facility shall be referred for implementation.
7. There should not be any spillage from the transportation vehicles.
8. The project proponent will set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.
9. All the recommendations of EMP shall be strictly complied.
10. The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.
11. Necessary provision shall be made for fire fighting facilities within the complex.
12. Treated flue gas emissions discharge through stack to atmosphere shall always be less than or equal to the parameter-specific emission standards.
13. The Zero wastewater discharge condition to be achieved with installation of on-site Sewage Treatment Plant & treated effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The ETP should be certified by an independent expert and adequacy report in this regard should be submitted to Delhi Pollution Control Committee & State Level Environment Impact Assessment Authority before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from ETP.
14. The project proponent shall provide electromagnetic flow meter at the inlet & outlet of the water supply, Inlet & outlet of the ETP and any pipeline to be used for re-using the treated wastewater back into the system for scrubbing, flushing and for horticulture purpose/green etc. and shall maintain a record of readings of each such meter on daily basis.

(12)

(7)

15. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Delhi Pollution Control Committee, State Level Environment Impact Assessment Authority & Regional Office, MoEFCC along with six monthly Monitoring reports.
16. The treated wastewater shall be recycled and reused for Scrubbing, flushing & for Horticulture/ landscape purposes to reduce the demand of fresh water as committed.
17. The Operation and Maintenance of ETP shall be made in the MoU with ETP supplier. Project Proponent shall ensure regular operation and maintenance of the ETP.
18. The ground water drawl from existing/proposed bore well during construction and operation phase should be done only with the prior permission of DJB/N.D.M. Council. The ground water level and its quality should also be monitored regularly.
19. The position / location of the ETP, DG Sets & other Utilities etc, installed by the project proponent as per the provisions made in the layout plan, should not be changed later-on under any circumstances.
20. All the pipelines carrying water/ waste water should be distinguished using colour coding on raw & potable water pipes, grey water, black water, reuse lines of treated water for flushing, cooling & Horticulture etc.
21. Utilization of Diesel power generating sets is subject to power failure condition only. The DG sets proposed as a source of power back up during operation phase should be of enclosed type, low sulphur diesel run and conform to rules made under the Environment (Protection) Act, 1986. The DG sets should be subjected to periodic noise and stack monitoring. Waste/used diesel should be stored and managed as per Hazardous Waste (Management and Handling) Rules, 2000 as amended to date and be sold to CPCB approved recyclers.
22. Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
23. Energy Conservation measures such as solar lighting for common areas, solar water heating system, LEDs for lighting of areas, signage, solar inverters etc should be adopted.

24. Used CFLs/ LEDs should be properly collected and disposed off/ sent for recycling as per the prevailing guidelines/rules of the regulatory authority.
25. A Report on energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials and technology, R & U factors etc and submit a copy to Ministry of Environment & Forests, Regional Office, Lucknow and DPCC in three months time with intimation to SEIAA.
26. Thick green belt of the adequate width and density with local species, as per plan submitted, shall be raised along the periphery of the plot so as to provide protection against particulates and noise. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety.
27. Parking facility for bio medical waste collection vehicles taxi and three wheelers to be provided within the premises

IV. ENTIRE LIFE:

1. Renewal of "Consent to operate" shall be obtained Delhi Pollution Control Committee, from time to time and a copy of the same shall be submitted to the Regional Office of Ministry of Environment & Forests & State Level Environment Impact Assessment Authority.
2. The project proponent will be responsible for the operation, maintenance and implementation of environmental safeguards for the project.
3. Environmental Management Cell shall remain functional to supervise and monitor the environment related aspects of the project.
4. The project proponent shall operate and maintain the installed Effluent Treatment Plant to achieve the Zero wastewater discharge condition & treated effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee.
5. The project proponent shall properly maintain the installed electromagnetic flow meters and the quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance. The record shall be submitted to the Delhi Pollution Control

Committee, State Level Environment Impact Assessment Authority & Regional Office, MoEFCC along with six monthly Monitoring reports.

6. The ground water drawl from existing/proposed bore well should be done only with the prior permission of DJB/MBW Delhi Municipal Council.

7. Incinerated ash, ETP sludge & sharps should be disposed in accordance with BMW Rules 1998.

8. The proponent shall comply with the Environmental standards notified by Ministry of Environment, Forest & Climate Change for incinerators along with the technology/guidelines.

9. Guidelines published by the Central Board from time to time for Common Biomedical Waste Treatment Facility shall be referred for implementation.

10. There should not be any spillage from the transportation vehicles

11. The project proponent will set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.

12. All the recommendations of EMP shall be strictly complied

13. The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.

14. Necessary provision shall be made for fire fighting facilities within the complex

15. Treated flue gas emissions discharge through stack to atmosphere shall always be less than or equal to the parameter-specific emission standards.

16. Rainwater harvesting system shall be properly maintained and kept functional and periodical cleaning of the same shall be undertaken specifically including the period before onset of the monsoon.

17. Incremental pollution loads on the ambient air quality, noise, stack and water quality should be periodically monitored.

18. Thick green belt of the adequate width and density with local species, as per plan submitted, shall be maintained.

19. Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized.

RTI Cell
Delhi Municipal Council

SECRETARY, EC, 20/7/2015

Page 8

5

Committee, State Level Environment Impact Assessment Authority & Regional Office, MoEFCC along with six monthly Monitoring reports.

6. The ground water drawl from existing/proposed bore well should be done only with the prior permission of DJB/NEW Delhi Municipal Council.
7. Incinerated ash, ETP sludge & sharps should be disposed in accordance with BMW Rules 1998.
8. The proponent shall comply with the Environmental standards notified by Ministry of Environment, Forest & Climate Change for incinerators along with the technology/guidelines.
9. Guidelines published by the Central Board from time to time for Common Biomedical Waste Treatment Facility shall be referred for implementation.
10. There should not be any spillage from the transportation vehicles
11. The project proponent will set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.
12. All the recommendations of EMP shall be strictly complied
13. The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.
14. Necessary provision shall be made for fire fighting facilities within the complex
15. Treated flue gas emissions discharge through stack to atmosphere shall always be less than or equal to the parameter-specific emission standards.
16. Rainwater harvesting system shall be properly maintained and kept functional and periodical cleaning of the same shall be undertaken specifically including the period before onset of the monsoon.
17. Incremental pollution loads on the ambient air quality, noise, stack and water quality should be periodically monitored.
18. Thick green belt of the adequate width and density with local species. as per plan submitted. shall be maintained.
19. Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized.

9

V. OTHER SPECIFIC CONDITIONS:

1. The proponent shall comply with the Environmental standards notified by Ministry of Environment, Forest & Climate Change for incinerators along with the technology/guidelines.
2. Guidelines published by the Central Board from time to time for common incineration facilities shall be referred for implementation.
3. Transportation and handling of Bio-medical Wastes shall be as per the Bio-medical Wastes (Management and Handling) Rules, 1998 including the section 129 to 137 of Central Motor Vehicle Rules, 1989.
4. All measures for air pollution control shall be adopted.
5. Rain water runoff from the facility premises including roof top shall be collected and diverted main storm water drain of Industrial Area.
6. The domestic effluent from the project should be discharged only into the Conveyance system for treatment in CETP of area.
7. Zero trade effluent discharge system shall be adopted.
8. There should not be any spillage from the transportation vehicles and vehicles should prominently display complaint numbers for use of public.
9. All the recommendations of EMP shall be strictly complied.
10. The project proponent will set up separate Environmental Management Cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.

PART B - GENERAL CONDITIONS:

1. The project proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the website of DPCC at <http://www.dpcc.delhigovt@nic.in>. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional Office of MoEFCC and SEIAA-Delhi.
2. The project proponent should submit copy of Environmental Clearance to the Heads of Local bodies. Panchayats and Municipal bodies in addition to relevant offices of Government who in

turn has to display the same for 30 days from the date of receipt. The clearance letter shall also be put on the website of the Company by the proponent.

3. The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal as approval herein.

4. Corporate Social Responsibility should be carried out as per action plan/ budget submitted.

5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to SEIAA and its concerned Regional Office of MoEFCC.

6. Officials from Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India/ State Level Environment Impact Assessment Authority / Delhi Pollution Control

- Committee, who would be monitoring the implementation of environmental safeguards, should be given full cooperation, facilities and documents/data on site by the project

- proponents during their site inspection.

7. A complete set of all the documents submitted to SEAC should be forwarded to Regional

- Office, Ministry of Environment, Forests & Climate Change, Govt. of India and Delhi

- Pollution Control Committee.

8. In the case of any change(s) in the scope of the project, the project would require a fresh

- appraisal by the SEAC and approval of SEIAA.

9. The project proponent shall comply with the notifications and court orders issued time to time

- regarding use, sale and storage of all kinds of plastic bags.

10. E-waste generated in the complex should be managed as per CPCB guidelines on E-waste

- management and disposed through approved e-waste recyclers.

11. Hazardous waste should be disposed off as per Rules applicable.

12. The solid waste (dry as well as wet garbage) generated should be properly collected and

- segregated before disposal to Municipal Authorities in accordance with the Municipal Solid

- Waste (Management & Handling) Rules, 2000. No municipal waste should be disposed off

- outside the premises. Adequate measures should be taken to prevent odour problem.

13. State Environmental Impact Assessment Authority reserves the right to add additional

- safeguard measures subsequently. If found necessary, and to take action including the


- revoking of the environmental clearance under the provisions of the Environmental

turn has to display the same for 30 days from the date of receipt. The clearance letter shall also be put on the website of the Company by the proponent.

3. The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal as approval herein.
4. Corporate Social Responsibility should be carried out as per action plan/ budget submitted.
5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to SEIAA and its concerned Regional Office of MoEFCC.
6. Officials from Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India/ State Level Environment Impact Assessment Authority / Delhi Pollution Control Committee, who would be monitoring the implementation of environmental safeguards, should be given full cooperation, facilities and documents/data on site by the project proponents during their site inspection.
7. A complete set of all the documents submitted to SEAC should be forwarded to Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India and Delhi Pollution Control Committee.
8. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEAC and approval of SEIAA.
9. The project proponent shall comply with the notifications and court orders issued time to time regarding use, sale and storage of all kinds of plastic bags.
10. E-waste generated in the complex should be managed as per CPCB guidelines on E-waste management and disposed through approved e-waste recyclers.
11. Hazardous waste should be disposed off as per Rules applicable.
12. The solid waste (dry as well as wet garbage) generated, should be properly collected and segregated before disposal to Municipal Authorities in accordance with the Municipal Solid Waste (Management & Handling) Rules, 2000. No municipal waste should be disposed off outside the premises. Adequate measures should be taken to prevent odour problem.
13. State Environmental Impact Assessment Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including the revoking of the environmental clearance under the provisions of the Environmental

(Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

14. Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project and decisions of any Competent Court, to the extent applicable.
15. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
16. These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
17. Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.
18. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard & soft copies) to Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India, SEIAA-Delhi and Delhi Pollution Control Committee.
19. This environmental clearance will be valid for a period of Seven years from the date of its issue.
20. It will be the responsibility of the project proponent to obtain prior clearances/approval & ensure compliances under all other relevant Acts/ Rules/ Regulations/ guidelines/ instructions/Court Orders/Tribunal Orders as applicable to this project before starting of the project.
21. Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


(H. S. Sohal)
Member Secretary
SEIAA-Delhi