

Survey Report of Flatted Factory Complex Okhla


**Survey of the Units conducted by DPCC and
Action Taken by DPCC w.r.t. Orders of
Hon'ble National Green Tribunal Dated
11.08.2015 in OA No. 300 of 2013 and OA No.
06 of 2012, in the matter of Manoj Mishra Vs
UOI & Ors. in Flatted Factory Complex
Okhla which is not having CETP**

December, 2015

CONTENTS

S.No	Subject	Page No.
1.	Break-up of Units Surveyed by DPCC in Flatted Factory Complex Okhla	1
2.	Brief of Survey conducted by DPCC and Action Taken in Flatted Factory Complex Okhla	2
3.	Quantity of Trade Effluent in case of Water Polluting Units	3
4.	Brief of Status of ETPs in case of Water Polluting Units	4
5.	Brief of Status of Effluent Samples Taken by DPCC in case of Water Polluting Units	5
6.	Brief of Consent Status in case of Water Polluting Units	6
7.	Brief of Action Taken by DPCC in case of Water Polluting Units	7
8.	List of Water Polluting Units (excluding SPIs)	8
9.	List of Non Water Polluting Units surveyed by DPCC in Flatted Factory Complex Okhla	9 to 61
	(a) Non Water Polluting Units (S.No. 1 to 164)	9 to 37
	(b) Shops / Godowns / Offices / Trading / Premises found Locked / Residence / Vacant Premises / Unit found Closed / Under Construction (S.No. 165 to 283)	37 to 61

Break-up of Units Surveyed by DPCC in Flatted Factory Complex Okhla



Brief of Survey conducted by DPCC and Action Taken w.r.t. Orders of Hon'ble National Green Tribunal Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in the matter of Manoj Mishra Vs UOI & Ors. in Flatted Factory Complex, Okhla which is not having CETP.

Number of units surveyed by DPCC - 285

Total - 285

S. No.	Particulars	Number of Water Polluting Units (Operational)				Number of Non-Water Polluting Units	No of. Shops / Godowns / Offices / Trading / Premises found Locked / Residence / Vacant Premises/ unit found Closed	Total
		Seriously Polluting Industries (SPI) (Nil)	Automobile Service Station (Nil.)	Others (2)	Total (2)			
						(164)	(119)	(285)
1.	Units having valid Consent	N.A.	N.A.	Nil	Nil	51	No Action/Consent Required	51
2.	Units Applied for Consent	N.A.	N.A.	1	1	2		3
3.	Units Not applied for Consent	N.A.	N.A.	1	1	111		112
4.	Directions for Closure issued under the relevant Act(s)	N.A.	N.A.	Nil	Nil	Nil		Nil
5.	Show Cause Notice for Closure issued under the relevant Act(s)	N.A.	N.A.	2	2	118		120
6.	Show Cause Notice issued u/s 21 of the Air Act / u/s 25/26 of the Water Act	N.A.	N.A.	Nil	Nil	Nil		Nil
7.	Units found Complying, therefore, No Action was taken	N.A.	N.A.	Nil	Nil	51		51

Quantity of Trade Effluent in case of Water Polluting Units w.r.t Survey conducted by DPCC w.r.t. Orders of Hon'ble National Green Tribunal Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in the matter of Manoj Mishra Vs UOI & Ors. in Flatted Factory Complex, Okhla which is not having CETP

Sl. No.	Particulars	Break-up of Water Polluting Units Surveyed			
		Seriously Polluting Industries (SPI)	Automobile Service Stations	Others	Total
		(Nil)	(Nil)	(2)	(2)
1.	Quantity of Trade Effluent (in MLD)	Nil	Nil	0.0013	0.0013

Brief of Status of ETPs in case of Water Polluting Units w.r.t Survey conducted by DPCC w.r.t. Orders of Hon'ble National Green Tribunal Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in the matter of Manoj Mishra Vs UOI & Ors. in Flatted Factory Complex, Okhla which is not having CETP.

Sl. No.	Particulars	Break-up of Water Polluting Units Surveyed			
		Seriously Polluting Industries (SPI)	Automobile Service Stations	Others	Total
		(Nil)	(Nil)	(2)	(2)
1.	No. of Units with ETPs (found Operational)	N.A.	N.A.	N.A.	N.A.
2.	No. of Units with ETPs (found Non-Operational)	N.A.	N.A.	N.A.	N.A.
3.	No. of Units without ETP	N.A.	N.A.	02	02

Brief of Status of Effluent Samples Taken by DPCC in case of Water Polluting Units w.r.t Survey conducted by DPCC w.r.t. Orders of Hon'ble National Green Tribunal Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in the matter of Manoj Mishra Vs UOI & Ors. in Flatted Factory Complex, Okhla which is not having CETP.

Sl. No.	Particulars	Break-up of Water Polluting Units Surveyed			
		Seriously Polluting Industries (SPI)	Automobile Service Stations	Others	Total
		(Nil)	(Nil)	(2)	(2)
1.	No. of Units-Sample taken and Meeting the Prescribed Standards	N.A	N.A	N.A	N.A
2.	No. of Units-Sample taken but not Meeting the Prescribed Standards	N.A	N.A	N.A	N.A
3.	No. of Units - Samples Not Taken by DPCC	N.A	N.A	2	2

Brief of Consent Status in case of Water Polluting Units w.r.t Survey conducted by DPCC w.r.t. Orders of Hon'ble National Green Tribunal Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in the matter of Manoj Mishra Vs UOI & Ors. in Flatted Factory Complex, Okhla which is not having CETP.

Sl. No.	Particulars	Break-up of Water Polluting Units Surveyed			
		Seriously Polluting Industries (SPI)	Automobile Service Stations	Others	Total
		(Nil)	(Nil)	(2)	(2)
1.	No. of Units having Valid Consent	N.A	N.A	Nil	Nil
2.	No. of Units Applied for Consent	N.A	N.A	1	1
3.	Units not Applied for Consent	N.A	N.A	1	1

Brief of Action Taken by DPCC in case of Water Polluting Units w.r.t Survey conducted by DPCC w.r.t. Orders of Hon'ble National Green Tribunal Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in the matter of Manoj Mishra Vs UOI & Ors. in Flatted Factory Complex, Okhla which is not having CETP.

Sl. No.	Particulars	Break-up of Water Polluting Units Surveyed			
		Seriously Polluting Industries (SPI)	Automobile Service Stations	Others	Total
		(Nil)	(Nil)	(2)	(2)
1.	Show Cause Notice issued u/s 21 of the Air Act / u/s 25/26 of the Water	N.A	N.A	Nil	Nil
2.	Show Cause Notice for Closure issued under the relevant Act(s)	N.A	N.A	2	2
3.	Directions for Closure issued under the relevant Act(s)	N.A	N.A	Nil	Nil
4.	No. of Units Closed	N.A	N.A	Nil	Nil

**List of
Water Polluting Units
(excluding SPIs)**

in

**Flatted Factory
Complex Okhla**

List of Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in the matter of Manoj Mishra Vs UOI Ors in FFC, Okhla.

S. No.	Name & Address of the Unit	Date of Inspection	Activity(ies)	Quantity of Trade Effluent (in Liters / day)	ETP (Yes / No)	ETP Operational Status(Yes / No)	Effluent Sample Taken by DPCC (Yes/No)	Meeting the Standards (Yes/No)	Consent Status	Findings of Inspection	Action Taken	Remarks / Proposed Action
1	Kalpataru, C-133, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Screen Printing & Screen washing	100	No	-	No	N.A.	Applied for Consent on 31.08.2015 for the activity of Screen Printing (without trade effluent discharge)	Unit was found engaged in Screen Printing with Washing. Waste water generated found discharging into sewer. No ETP was installed.	Show Cause Notice u/s 33(A) of Water Act, 31(A) of Air Act & u/s 5 of EPA was issued to Unit on 08.09.2015	Reply received on 30.09.2015 informing that the unit is engaged in Stickers and Label making and they have applied for renewal of CTO on 31.08.2015 for the activity of screen printing (without trade effluent discharge) and they have already obtained authorization under HW(M,H&TBM) Rules which is valid upto 02.06.2016. Further necessary action is being taken.
2	Canteen, FFC, C-100, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Canteen for Shed Labourers / Staff (20 seats)	1200	No. Oil & Grease Trap required however not installed]	-	No	N.A.	Not Applied	Canteen for Flatted Factory Complex. Labours / Staff found operating with 20 seats. No Oil & Grease Trap (ETP) installed.	Show Cause Notice u/s 33(A) of Water Act & 31(A) of Air Act was issued to the unit on 08.09.2015	Representation/ Reply recieved from General Secy of Flatted Factory Enterpreneurs' Association Okhla (Regd.) on 01.10.2015. informing that they are in process to comply all the requirements for canteen and will be completed with in two months. Further necessary action is being Taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DIB and the complex is having borewell(s) for water supply in toilets.

**List of
Non Water Polluting
Units surveyed by
DPCC
in
Flatted Factory
Complex Okhla**

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
1	Signet Pvt. Ltd., F-267, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Light Engineering work	Consent valid upto 23.05.2020 (in the name of M/s Geetika Mehta, partner in the unit)	No action is required as unit is having valid Consent.	
2	D.K. Mehta (Prop. Engg. Work), E-200, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Light Engg. Works (for Machine Parts)	Consent valid upto 23.05.2020 (in the name of M/s Neeraj Enterprises, Proprietor of unit)	No action is required as unit is having valid Consent.	
3	Ravi Art Printers, D-151, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Printing Press	Consent valid upto 01.06.2019	No action is required as unit is having valid Consent.	
4	Electronic Eye System Pvt. Ltd., F-292, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Assembling of Security (CCTV)	Consent valid upto 02.11.2024	No action is required as unit is having valid Consent.	
5	Electronic Eye System Pvt. Ltd., F-291, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Assembly of CCTV (Security) Camera	Consent valid upto 02.11.2024	No action is required as unit is having valid Consent.	
6	PNR Impex. E-220, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Cutting of Metalized Polyester Film	Consent valid upto 03.07.2017	No action is required as unit is having valid Consent.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in QA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FEC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
13	Electronics Home (Sonics Security System), F-270, FFC, Okhla, New Delhi-20	13.08.2015	Mfg. of CCTV Cameras (Electronic Items)	Consent valid upto 07.03.2023	No action is required as unit is having valid Consent.	
14	Swarn Engineering Works, C-125, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Mfg of turned components (job work)	Consent valid upto 08.11.2021	No action is required as unit is having valid Consent.	
15	Lens Eye Electronics (India), C-130, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Mfg. and Assembling of CCTV, Electronic and Electrical Goods	Consent valid upto 08.12.2024	No action is required as unit is having valid Consent.	
16	Peetee Packers, C-144, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Manufacture of Corrugated Boxes without Printing	Consent valid upto 10.05.2020.	No action is required as unit is having valid Consent.	
17	Bhatti Enterprises, D-149/1, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Plastic Products	Consent valid upto 12.06.2019	No action is required as unit is having valid Consent.	
18	Sh. Riyaz Khan (Prop. Engg. Works), F-248, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Light Engg. Works (Machine Parts)	Consent valid upto 15.05.2021 in the name of M/s R. K. Precision Industries Proprietor of unit)	No action is required as unit is having valid Consent.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC, Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
19	Rising Industries (Indu Raj Goel), C-115, Phase-II, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Work	Consent valid upto 16.04.2017	No action is required as unit is having valid Consent.	
20	Fair Deal Surgicals, D-158, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Assembling of Electrical & Electronics Parts	Consent valid upto 17.06.2020	No action is required as unit is having valid Consent.	
21	Amika Fibronics Pvt. Ltd., B-80, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Assembling of Electronic Items	Consent valid upto 17.06.2020	No action is required as unit is having valid Consent.	
22	Classic Enterprises, C-139, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Assembly of Door / Window/Veneer Blinds	Consent valid upto 17.06.2020	No action is required as unit is having valid Consent.	
23	Madhu Electronics, A-23, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Job Work of Electronic Spare Parts	Consent valid upto 17.06.2020	No action is required as unit is having valid Consent.	
24	Elco Sales, D-191, FFC, Okhla, New Delhi-20	14.08.2015	Marketing and Trading Electronic Components	Consent valid upto 17.06.2020 for the activity of Development of Software and allied activities	No action is required as unit is having valid Consent.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
25	Variaca Electricals Pvt. Ltd., C-111, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Work	Consent valid upto 18.04.2017	No action is required as unit is having valid Consent.	
26	Kripps Tooling Consortium, F-261, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Mfg. of Zig Bush (Job Work)	Consent valid upto 18.05.2020	No action is required as unit is having valid Consent.	
27	Swadeshi Gears, D-182, FFC, Okhla, New Delhi-20	14.08.2015	Light Engg. Works	Consent valid upto 19.06.2022	No action is required as unit is having valid Consent.	
28	Madhur Electronics, A-35, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Component	Consent valid upto 19.07.2020	No action is required as unit is having valid Consent.	
29	Asian Cards, E-222, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Computerized Embossing & Tipping on Cards	Consent valid upto 19.07.2020	No action is required as unit is having valid Consent.	
30	Jico Elecweigh, A-4, Phase-III, Okhla, New Delhi-20	17.08.2015	Assembling and Trading of Weighing Scales	Consent valid upto 20.02.2021	No action is required as unit is having valid Consent.	
31	Northan (India) Electronics, B-94, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Items	Consent valid upto 23.05.2020	No action is required as unit is having valid Consent.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and QA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
32	Deep Electricals, A-31, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assmbling of PCB, Charger & Electronic Coils	Consent valid upto 23.05.2020	No action is required as unit is having valid Consent.	
33	Work Win Enterprises, E-201, G.F., Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Engineering Work	Consent valid upto 23.05.2020	No action is required as unit is having valid Consent.	
34	Neeraj Enterprises, F-260, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Light Engineering work	Consent valid upto 23.05.2020 (in the name of M/s K. K. Mehta, Proprietor of unit)	No action is required as unit is having valid Consent.	
35	Raheja Upakrama, C-124, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20.	14.08.2015	Assembling & repairing of electronic goods	Consent valid upto 24.03.2018	No action is required as unit is having valid Consent for the activity of for the activity of assembling & repairing of electronic goods.	Renovation work was under way during inspection it was informed that activity of the unit will start soon.
36	Classic Decoratives, D-190, FFC, Okhla, New Delhi-20	14.08.2015	Assembling of Venetian Blinds (glass window covering)	Consent valid upto 24.04.2018	No action is required as unit is having valid Consent.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
37	Log Itech Inc Security Systems, F-264, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Assembling of CCTV Camera	Consent valid upto 24.05.2020.	No action is required as unit is having valid Consent.	
38	Eltech Enterprises, F-272, FFC, Okhla, New Delhi-20	13.08.2015	Assembling of CCTV Cameras (Mfg. of Electronic Items)	Consent valid upto 24.05.2020.	No action is required as unit is having valid Consent.	
39	A.H. Control, D-164, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Assembling of Fire & Smoke Damper Control Panel	Consent valid upto 24.05.2021	No action is required as unit is having valid Consent.	
40	Grantex, A-27, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Electronic Assembling of PA System on Job Work Basis	Consent valid upto 25.11.2020	No action is required as unit is having valid Consent.	
41	Technolime, A-2, FFC, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Light Engineering Work (M.S. Turned Components)	Consent valid upto 26.05.2021	No action is required as unit is having valid Consent.	

Note- Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FEC, Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
42	Samar Enterprises, E-228, Flatted Factory Complex, Okhla, Phase-III, New Delhi-20	13.08.2015	Assembling of fire control panels, MS Hocker etc.	Consent valid upto 27.04.2021	No action is required as unit is having valid Consent.	
43	J.B. Traders, A-12, FFC, Phase-III, Okhla, New Delhi-20	17.08.2015	Light Engineering Works	Consent valid upto 28.07.2019	No action is required as unit is having valid Consent.	
44	Jay N Kay Enterprises, E-226, FFC, Okhla Industrial Estate, New Delhi-20	13.08.2015	Light Engineering Work	Consent valid upto 29.04.2020	No action is required as unit is having valid Consent.	
45	Ajay Enterprises, D-195, FFC, Okhla, New Delhi-20	14.08.2015	Light Engg. Works	Consent valid upto 23.05.2020	No action is required as unit is having valid Consent.	
46	J.A. Manufacturing Works, C-110, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Works	Consent valid upto 14.03.2020	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. along with copy of consent order valid upto 14.03.2020.
47	Kapoor Industries, A-22, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Repairing of Kitchen Electrical Appliances	Consent valid upto 17.06.2020	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015 along with copy of Consent order with validity 17.06.2020.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
48	Reva Auto Industries, D-157, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Work	Consent valid upto 18.04.2017	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 along with copy of Consent order with validity 18.04.2017.
49	A.P. Enterprises, F-243, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Light Engg. Works	Consent valid upto 21.11.2017	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015 along with copy of Consent order with validity 21.11.2017 for the activity of Mfg. of Dies & Moulds.
50	Unitop Power Electronics Pvt. Ltd, B-44, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Assembling of Invertors	Consent valid upto 24.03.2018	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 21.09.2015 along with copy of Consent order with validity 24.03.2018.
51	Shankar Printer, B-73, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Printing, Paper Cutting and Binding	Consent valid upto 06.06.2018	Show Cause Notice u/s 31(A) of Air Act & u/s 5 EPA issued on 08.09.2015.	Reply received on 06.10.2015 along with copy of Consent order with validity 06.06.2018.
52	Akal Sahai, C-127, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Manufacturing of Corrugated Boxes	Applied for Consent on 20.08.2015	No action is required as unit has applied for Consent.	

Note.- Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
53	Photosonic, C-122, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Mfg. of Stickers and Labels (Screen Printing).	Applied for Consent on 29.09.2015	Show Cause Notice u/s 31(A) of Air Act & u/s 5 EPA issued on 08.09.2015.	Reply received on 01.10.2015 and applied for Renewal of Consent to Operate & Authorization under HW (M. H&TBM) Rules on 29.09.2015. Further necessary action is being taken.
54	K.S. B. Industries. C-138, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Works/ tool room	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015 Further necessary action is being taken.
55	Vactal Engineers Pvt. Ltd., C-140, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	A.C. Ducting installation Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
56	Ceemkay Interiors, E-231, FFC, Phase-II, 2nd Floor, Okhla, New Delhi-20	14.08.2015	Aluminium Fabrication Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
57	C.K. Enterprises, F-279, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Assembling of Amplifiers	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 29.09.2015 from another unit, M/s Onward Electronic along with copy of Consent order with validity 12.07.2019. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
58	Epplenton Engineering, A-17, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Assembling of Electric Switch Board	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 from another unit, M/s Epplenton Engineers. Further necessary action is being taken.
59	Rajiv Electronics Pvt. Ltd., A-25, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Assembling of Electronic Adaptors	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
60	AG Enetprises, C-128, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Assembling of Electronic Goods	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015 from another unit, M/s Unique Sound. Further necessary action is being taken.
61	Leader Electronics, F-280, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Assembling of Electronic Item	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
62	Lab India, B-90, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
63	P.X. Electronics, B-96, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.

Note : Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
64	Teknika Electronics, A-39, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
65	Power Laboratory, A-40, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
66	Puri Electronics, F-263, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Assembling of Electronic Items (Amplifier, Mic-etc.)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 from another unit. M/s Prabhat Electronics. Further necessary action is being taken.
67	R.J. Industries, A-37, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Items (Surgical Testing)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015. Further necessary action is being taken.
68	Impact Engineering Pvt. Ltd., B-74, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Assembling of Electronic Items and UPS	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015 from another unit. M/s Impaq Electronic Pvt. Ltd. along with copy of Consent order with validity 14.01.2018. Further necessary action is being taken.
69	Bajaj Enterprises, B-88, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of PCB(Job Work)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
70	V.K. Aggarwal, B-76, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Assembling of Small Transformer	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
71	Graphic Machinery Exchange India. F-289, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Assembling of Spare Parts (Machine)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 15.09.2015. from another unit. M/s Dakshineswar Electronics Pvt. Ltd. along with copy of Consent order with validity 12.07.2019. Further necessary action is being taken.
72	Hi Point Stabiliser Pvt. Ltd., E-225, FFC, Okhla, New Delhi-20	13.08.2015	Assembling of Voltage Stabilizer	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
73	Preet Enterprises, E-207, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Assembly of Electronic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
74	J.S. Enterprises, E-206, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Assembly of Radio Parts	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
75	Vimal Enterprises, B-86, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Assembling of Electronic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
76	Mahayana Press, A-21, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Book Binding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
77	R. Lining, F-271, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Cloth Rolling	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
78	Prateek Electronics, B-72, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Computer repairing works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
79	Shankar Laboratories, F-277, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Consultant & testing services to cement industries	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
80	Mona Enterprises, E-218, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Curtains Fabrication and Cutting and Manual stone pasting on curtains	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 from another unit, M/s Passion Curtain Studio. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
81	Sonics Telecom, F-268, FFC, Okhla, New Delhi-20	13.08.2015	Cutting and Stitching of Curtains	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
82	Sarthak Print Pvt. Ltd., C-146, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Development of Software	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 21.09.2015. Further necessary action is being taken.
83	Megha Advertisers, C-147, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Development of Software	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 21.09.2015. Further necessary action is being taken.
84	Summit Printrite Pvt. Ltd., E-211, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Digitization of Data	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015 along with copy of Consent order with validity 10.06.2020 for the activity of Computer Stationary. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
85	Embro Engineering Products Pvt. Ltd., A-28, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Electronic Testing of UPS on Job Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015. Reply received on 30.09.2015. Further necessary action is being taken.	Reply received on 30.09.2015. Further necessary action is being taken.
86	Kashyap Exports, B-51, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Export (Packaging of Garments and Fashion Accessories)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
87	Garments Exporters Association, B-61, FFC, Phase-III, Okhla, New Delhi-20	17.08.2015	Fabric Testing and Research Laboratory	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 21.09.2015. Further necessary action is being taken.
88	Garments Exporters Association, B-60, FFC, Phase-III, Okhla, New Delhi-20	17.08.2015	Fabric Testing and Research Laboratory	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 21.09.2015. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
89	Shiva Industrial Enterprises, E-230, 2nd Floor, FF Complex, Okhla, New Delhi-20	13.08.2015	Finishing & Packing of plastic items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015 along with copy of Consent order with validity 29.04.2020 for the activity of Light Engineering-Assembly. Further necessary action is being taken.
90	Reva Auto Industries, D-153, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Iron Structure Testing Lab	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 along with copy of Consent order with validity 16.04.2017 for the activity Light Engineering Works.
91	R.K. Engineers, D-169, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Job Work of Regulator Repairing (Light Engineering Works)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
92	Asian Card, D-167, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Lamination of I-Cards	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
93	Newton Industries, C-141, 2nd Floor, FFC, Okhla, Delhi-20	14.08.2015	Lathe Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015. Further necessary action is being taken.
94	Bhagat & Company, D-185, FFC, Okhla, New Delhi-20	14.08.2015	Light Eng. Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.

Note: Each Floor of Okhla FFC is having Common toilets used by the units/ workers and there is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
95	Windtech International, D-188, FFC, Okhla, New Delhi-20	14.08.2015	Light Engg. Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
96	SAB Precises Tools & Design, D-193, FFC, Okhla, New Delhi-20	14.08.2015	Light Engg. Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
97	R.K. Mehta, E-199, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Light Engg. Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
98	Western Crane, C-113, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
99	Rajinder Bhopal, D-161, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015 from another unit, M/s Tushar Enterprises. Further necessary action is being taken.
100	Rita Industries, D-170, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Light Engineering Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015. Reply received on 06.10.2015. Further necessary action is being taken.	Reply received on 06.10.2015. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
101	J.S. Traders, D-168, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Light Engineering Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 15.10.2015 from another unit, M/s Mandal DTP System. Further necessary action is being taken.
102	Kanta, B-50, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Light Engineering Work (CNC Machine)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
103	S.K. Engineering Work, D-155, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015. Reply received on 01.10.2015. Further necessary action is being taken.	Reply received on 01.10.2015. Further necessary action is being taken.
104	R.K. Menon, D-159, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Light Engineering Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 15.10.2015 from another unit, M/s R.K. Mehra & sons. Further necessary action is being taken.
105	G.G. Industries, F-288 & F-290, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Light Engineering Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015 and also from another unit, M/s Ujagar Industries.. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
106	Alfa Power Transmission Corp, A-3, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Light Engineering Works (Couping)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
107	Piper Auto Industries, B-43, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Light Engineering Works (Diesel Material Pipe)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
108	M.V.S. Electronics Pvt. Ltd, E-204, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Manufacturing of Heating Element (Light Engineering)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
109	Asian Enterprises, E-227, FFC, Okhla, New Delhi-20	13.08.2015	Manufacturing of Lanyard (Dori)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
110	Plasmic India, F-265, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Manufacturing of Plastic Components	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015 & 01.10.2015. Further necessary action is being taken.
111	Indo Italia Mfg. Co, E-216, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Mfg of Auto Spare Parts (Job Work) Light Engg. Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
112	J.C.H. Systems, A-38, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Mfg of Nut & Bolts (Steel & Brass)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
113	Indo Italic Mfg. Co, E-219, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Mfg. of Auto Spare Parts (Job Work) Light Engg. Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 from another unit, M/s Barpiks Enterprises. Further necessary action is being taken.
114	Mona International, E-215, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Mfg. of Curtains including Embroidery (Manual)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015. Further necessary action is being taken.
115	Pragati Udyog, B-84, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Mfg. of Die Moulds & Plastic Injection Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
116	Devika Industries, A-30, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Mfg. of nut & bolt (steel, brass)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
117	Top Kom, E-210, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Mfg. of token display system (electronic)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and there is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
118	H.K. Enterprises, B-81, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Mfg. of Winding Machine (Job Work) Light Engineering Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
119	Saicom Enterprises, B-65, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Mfg. Plastic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
120	Samtech, B-63, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Office cum Service Centre for Electronic Items	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 from another unit, M/s Paramount Craze along with copy of Consent order with validity 18.10.2021. Further necessary action is being taken.
121	M.K. Enterprises, F-284, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Office for Software Developing	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
122	Shriram Compounds Pvt. Ltd., A-15, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Packaging of books cum godown	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015. Reply not received. Further necessary action is being taken.	Reply not received. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
123	Ezee Gift India, B-93, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Packing of gift items including assembling	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
124	G. Productions, E-217, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Packing of Sketch Pens & Office	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
125	Plastomac, E-198, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Plastic (Injection) Moulding Goods	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
126	Kashi Industrial Enterprises, E-229, Flatted Factories Complex, Okhla, New Delhi-20	13.08.2015	Plastic Injection Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
127	Dhillan Industries, D-156, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Plastic Injection Moulding (Fresh)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
128	Tushar and Co., B-64, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Plastic Molded Item	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
129	Gururanak Moulds & Dies, A-16, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Plastic Molded Items and Die Making (Iron)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
130	Pankaj Plastics, F-259, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Plastic Moulding & Injection Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015. Further necessary action is being taken.
131	Supreet Enterprises, D-180, FFC, Okhla, New Delhi-20	14.08.2015	Plastic Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
132	G.T. Polymers, D-181, FIE, Okhla, New Delhi-20	14.08.2015	Plastic Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
133	D Plus D Enterprises, D-194, FFC, Okhla, New Delhi-20	14.08.2015	Plastic Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
134	Khera Enterprises, F-285, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Plastic Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015. Further necessary action is being taken.
135	Asian Enterprises, C-120, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Plastic Moulding	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 from another unit, M/s Asean Enterprises. Further necessary action is being taken.
136	Sh. Amarjit Singh, F-250, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Plastic Moulding & Light Engg. Works	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and there is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT
Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC
Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
144	Amrit Brothers Corporation D-186, FFC, Okhla, New Delhi-20	14.08.2015	Plasting moulding work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
145	Manu Singh Bedi, F-246, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Repair of Photocopier Machines	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015 M/s Data Enterprises. Further necessary action is being taken.
146	Manu Singh Bedi, F-255, FFC, Okhla, New Delhi-20	13.08.2015	Repair of Photocopier Machines	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015 from another unit, M/s Bedy Associates. Further necessary action is being taken.
147	Integrated Equipments, D-176, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Repair of Solary System with UPS	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015 from another unit, M/s Industrial Spares. Further necessary action is being taken.
148	Sani Event Pvt. Ltd., B-57, Phase-III, FFC, Okhla, New Dlehi-20	17.08.2015	Repairing of Electronic Goods	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 06.10.2015 from another unit, M/s Savi Visual Pvt. Ltd. along with copy of Consent order with validity 18.07.2020. Further necessary action is being taken.
149	ADS Power Solutions. A-1, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Repairing of Electronics Card(UPS)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
150	Technocrat Engineers, D-152, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Sale and Service of Air Conditioners	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
151	Arunachal Industries, A-42, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Software Development	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 01.10.2015. Further necessary action is being taken.
152	Excel Infotech, D-187, FFC, Okhla, New Delhi-20	14.08.2015	Software Development Office	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
153	Sisa Global, E-233, 2nd Floor, FFC, Okhla, New Delhi-20	13.08.2015	Software Making like Office	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
154	Nagar Electronics Instruments Pvt. Ltd., F-244, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Testing and R&D of Electronic Equipments	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 29.09.2015. Further necessary action is being taken.
155	Manik Engineering, B-48, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Testing of Electrical / Electronic Machine	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 15.10.2015 from another unit. M/s Manak Technological Product Pvt. Ltd. along with copy of Consent order with validity 11.11.2017. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
156	S.S. Electronics, D-150, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Testing of Electronic & Mechanical Components	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 05.11.2015. Further necessary action is being taken.
157	Sunrise Plastic Industries, F-278, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Tiles & Sand Blasting Work	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
158	SAB Precises Tools & Design, C-142, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Tool & Dye	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
159	Aquatech Engineers, D-154, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Winding of Electrical Motors (Light Engineering Works)	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
160	Kapsons India International, B-95, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Designing & Digital Printing and Cutting	Not Applied	Show Cause Notice u/s 31(A) of Air Act issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.
161	Sunobil, B-45, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Manufacturing of Transformer & with Varnish Finishing	Not Applied	Show Cause Notice u/s 31(A) of Air Act & u/s 5 EPA issued on 08.09.2015.	Reply received on 15.10.2015 from another unit, M/s S.M. Packer. Further necessary action is being taken.
162	Super Timer, A-18, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Mfg. of Computer Cartridges	Not Applied	Show Cause Notice u/s 31(A) of Air Act & u/s 5 EPA issued on 08.09.2015.	Reply received on 24.09.2015. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and there is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
163	Vee Enn Print O Pac, A-5, FFC, Phase-III, Okhla, New Delhi-20	17.08.2015	Printing and Binding	Not Applied	Show Cause Notice u/s 31(A) of Air Act & u/s 5 EPA issued on 08.09.2015.	Reply not received. Further necessary action is being taken.
164	Asian Card, F-262, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Printing of Cards (with computer)	Not Applied	Show Cause Notice u/s 31(A) of Air Act & u/s 5 EPA issued on 08.09.2015.	Reply received on 30.09.2015. Further necessary action is being taken.
165	Krishna Printer National, D-173, 175, 177, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	D-173 - Office. D-175, 177 - Vacant	Not Applicable	No action is required.	
166	Manik Associates, D-184, FFC, Okhla, New Delhi-20	14.08.2015	Office for Trading of Labels	Not Applicable	No action is required as premises is being used for office purpose.	
167	Usha Contrals and Switch Gears Pvt. Ltd., C-145, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Vacant	Not Applicable	No action is required as premises found vacant.	
168	Mohanlal Associates, B-67, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Advocate Office	Not Applicable	No Action is Required at present as Premises is being used as office purpose.	
169	Kumar Ramesh & Company, F-245, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	C.A. Office	Not Applicable	No action is required as premises is being used for office purpose.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
176	Shikhar Air • Conditioner, F-249, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2 015	Godown of Spare Parts	Not Applicable	No action is required as premises is being used for godown purpose.	
177	Public S. Printers, E 236, 2nd Floor, FFC, Okhla, New Delhi-20	13.08.2 015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
178	Harvinder Singh, A- 6, Phase-III, FFC, Okhla, New Delhi- 20	17.08.2 015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
179	Sani Vision Pvt. Ltd., B-56, Phase- III, FFC, Okhla, New Dlehi-20	17.08.2 015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
180	Sani Vision Pvt. Ltd., B-55, Phase- III, FFC, Okhla, New Dlehi-20	17.08.2 015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
181	Jitender Verma, C- 103, Phase-III, FFC, Okhla, New Delhi-20	14.08.2 015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
182	Reva Auto, C-106, Phase-III, FFC, Okhla, New Delhi- 20	14.08.2 015	Office	Not Applicable	No action is required as premises is being used for office purpose.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
183	Audio Com Services, F-240, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
184	Office of Sh. S.P. Gulati, F-242, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
185	Shikar Air Conditioner, F-251, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
186	Virgo A & M, F-286, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
187	Singh Brothers, B-92, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Office	Not Applicable	No Action is Required at present as Premises is being used as office purpose.	
188	Indigo Prints Pvt. Ltd, B-97, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
189	Manak Engineering Services, C-131, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Office	Not Applicable	No action is required as premises is being used for office purpose.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
190	Micro Machine Control, C-121, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Office	Not Applicable	No action is required as premises is being used for office purpose.	
191	Vidhata Electronics Pvt. Ltd., E-209, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Office & Storage of Electronic Components	Not Applicable	No action is required as premises is being used for office / godown purpose.	
192	Inter-Tech, B-83, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Office & Trading of Electrical Items	Not Applicable	No action is required as premises is being used for office/trading purpose.	
193	Neena Power Solution, A-36, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Office (Sale & Purchase of D.G. Set)	Not Applicable	No action is required as premises is being used for office purpose.	
194	Manak Engineering Services, B-46, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Office / Showroom	Not Applicable	No action is required as premises is being used for Office/Showroom purpose.	
195	Combina Infra Services Pvt. Ltd., A-19, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Office Cum Store for Eicher Service Dealer	Not Applicable	No action is required as premises is being used for office / store purpose.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
196	Dynamic Optical Co., C-126, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Office cum Trading of UPS	Not Applicable	No action is required as premises is being used for office/trading purpose.	
197	Climate Engineers, B-87, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Office for Repairing, Servicing of AC	Not Applicable	No action is required as premises is being used for office purpose.	
198	Pritam Singh, A-8, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Office purpose only	Not Applicable	No action is required as premises is being used for office purpose.	
199	Globe Industries, A-9, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Office use only	Not Applicable	No action is required as premises is being used for office purpose.	
200	Combine Elec-Mech Engg. Pvt. Ltd., A-10, FFC, Phase-III, Okhla, New Delhi-20	17.08.2015	Office use only	Not Applicable	No action is required as premises is being used for office purpose.	
201	Vipin Enterprises, A-33, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Office, Trading of Moulding	Not Applicable	No action is required as premises is being used for office/trading purpose.	
202	Fam India Pvt. Ltd., B-99, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Office & Trading of Pharmaceuticals	Not Applicable	No action is required as premises is being used for office/trading purpose.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
203	Post Office, F-238, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Post Office	Not Applicable	No action is required as premises is being used for Post Office.	
204	D-162, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Post Office (Locked)	Not-Applicable	No action is required as premises is being used for Post Office.	
205	Thermic Engineers, A-7, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Sale, Purchase office of AC	Not Applicable	No action is required as premises is being used for office purpose.	
206	Khurana Enterprises, F-281, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Storage / Godown of Electronic Equipments	Not Applicable	No action is required as premises is being used for godown purpose.	
207	Kumar Publication, B-47, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Storage of Books	Not Applicable	No action is required as premises is being used for godown purpose.	
208	Utility Electrical Companies, A-11, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Storage of UPS Cabinet	Not Applicable	No action is required as premises is being used for godown purpose.	
209	Regent Switchgear, E-221, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Store Cum Office of Electrical Items	Not Applicable	No action is required as premises is being used for office / godown purpose.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
210	Deepash Engineers & Associates, C-136, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Trading and Marketing of Electronic Items	Not Applicable	No action is required as premises is being used for trading purpose.	
211	Sheetala Aircom, B-53, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Trading of AC	Not Applicable	No action is required, as premises is being used for trading purpose.	
212	Traffic Co. Engineers, F-266, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Trading of NFTC (Doors & Frames)	Not Applicable	No action is required as premises is being used for trading purpose.	
213	Saraswati Plastic, E-237, 2nd Floor, FFC, Okhla, New Delhi-20	13.08.2015	Trading of School Bags/like office	Not Applicable	No action is required as premises is being used for trading purpose.	
214	ACE Telcom, C-123, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Trading of Telephones/ Office	Not Applicable	No action is required as premises is being used for trading purpose.	
215	Empower Electronics Limited, C-119, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Trading of Voltage Stabilizer & UPS	Not Applicable	No action is required as premises is being used for trading purpose.	

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

**List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT
Dated 11.08.2015 in QA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC
Okhla.**

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
216	Reva Auto, C-104, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Vacant	Not Applicable	No action is required as premises found vacant.	
217	A-13, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
218	A-14, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
219	B-58, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
220	B-54, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
221	B-49, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
222	D-183, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
223	D-192, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
224	C-137, 2nd Floor, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and there is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
225	C-143, 2nd Floor, FFC, Okha, New Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
226	C-101, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
227	C-105, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
228	C-107, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
229	Krishna Printing, C-108, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
230	C-109, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
231	Reliable Enterprises, C-112, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
232	Foam Age, C-114, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
233	D-148, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
234	D-149, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
235	Grace Eng. Systems & Sol. Pvt. Ltd., D-160, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
236	E-196-197, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

**List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT
Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC
Okhla.**

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
237	Lt. Trilok Nath Gupta, E-202, G.F., Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
238	E-203, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
239	E-205, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
240	Shashi Ahluwalia, E-208, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
241	F-239, GF, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
242	F-241, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
243	F-247, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
244	F-253, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
245	F-254, GF, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
246	G.S. Bedi, F-256, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
247	F-276, Phase-III, FFC, Okhla, New Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
248	F-282, Phase-III, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
249	E-212, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
250	C-116, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
251	Amergy Instruments, C-118, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
252	D-172, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and there is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
253	D-178, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
254	D-174, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	14.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
255	B-62, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
256	B-66, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
257	B-68, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
258	B-69, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
259	B-70, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
260	B-77, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
261	B-78, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
262	B-79, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
263	A-20, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
264	A-24, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and there is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
265	A-26, Flatted Factory Complex, Phase-III, Okhla Industrial Estate, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
266	B-82, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
267	B-85, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
268	B-89, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Premises found locked		Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
269	Naveen Enterprises, B-91, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
270	A-29, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
271	A-32, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
272	A-34, Flatted Factory Complex, Okhla, Delhi-20	17.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
273	C-129, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
274	C-117, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
275	D-165, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
276	E-223, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
277	E-213, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
278	F-257, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
279	F-269, Flatted Factory Complex, Okhla, Delhi-20	13.08.2015	Premises found locked	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
280	Bajwa, D-189, FFC, Okhla, New Delhi-20	14.08.2015	Premises found locked. No activity reported for last 5 years.	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.

List of Non Water Polluting Units Surveyed by DPCC and Action Taken by DPCC w.r.t. orders of Hon'ble NGT Dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Manoj Mishra Vs UOI Ors in FFC Okhla.

S. No	Name & Address of the Unit	Date of Inspection	Activity(ies)	Consent Status	Action Taken	Remarks / Proposed Action
281	D-179, Flatted Factory Complex, Okhla, Delhi-20	14.08.2015	Premises found locked. Reported as vacant premises.	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
282	E-224, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked. Reported that it is vacant premises.	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.
283	Premises Locked, F-252, Phase-III, FFC, Okhla, New Delhi-20	13.08.2015	Premises found locked. Vacant as reported.	-	Letter issued to DSIIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked.	Reply not received from DSIIDC. Further necessary action is being taken.

Note - Each Floor of Okhla FFC is having Common toilets used by the units/ workers and their is no water supply in individual units. There is no water supply from DJB and the complex is having borewell(s) for water supply in toilets.