

Speed Post/E-mail

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI) 3rd FLOOR, BLOCK-I, DMRC IT PARK BUILDING, SHASTRI PARK, DELHI-53 (visit us at website : http://dpcc.delhigovt.nic.in/)	
--	--	---

DPCC/(10)/(10)/(48)/Leg-23/5324-5325

Date: 28/03/2025

To,

Gupta Farm House
(A unit of Usha Engineering Agencies LLP),
BJF-54, Main Brijwasan Road,
Village Brijwasan, New Delhi-110061.

Subject- Show Cause Notice for imposition of Environmental Compensation for illegal extraction of ground water.


Sir,

This refers to the inspection of, M/s **Gupta Farm House (A unit of Usha Engineering Agencies LLP), BJF-54, Main Brijwasan Road, Village Brijwasan, New Delhi-110061**, by the officials of DPCC. During the inspection, unit informed that there is one bore-well in the premises. No permission provided for using it for commercial/industrial purposes."

Whereas you have mentioned 4KLD of water consumption in the undertaking while applying for Consent to operate in DPCC. CTO was issued to you on 09.10.2020.

You are hereby directed to Show Cause why the Environmental compensation of Rs.5,13,280/- assuming 4KLD of water extraction daily from the date of issue of Consent to operate should not be imposed on you.

By way of this notice, you are hereby given an opportunity of 15 days to submit your response/objections, if any. In case non communication is received from your side the above EC@ Rs. 5,13,280/- shall be confirmed without any reference to you.



Incharge, CMC-II
Email ID: bmsreddy.dpcc@delhi.gov.in

Dr. B.M.S. Reddy
Senior Environmental Engineer
Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building,
Kashmere Gate, Delhi, Delhi-110006

Copy to:-

1. Master File, CMC-II.