

By Speed Post/email

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                |                                                                                     |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | <p align="center"><b>DELHI POLLUTION CONTROL COMMITTEE</b><br/> <b>DEPARTMENT OF ENVIRONMENT</b><br/> <b>(GOVT. OF NCT OF DELHI)</b><br/> <b>3<sup>rd</sup> FLOOR, BLOCK-I, DMRC IT PARK BUILDING,</b><br/> <b>SHASTRI PARK, DELHI-53</b><br/>         ( visit us at website : <a href="http://dpcc.delhigovt.nic.in/">http://dpcc.delhigovt.nic.in/</a> )</p> |  |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

DPCC/(10)/(10)/(48)/Leg-23/5296-5297

Date: 28/03/2025

To,

M/s Krishna Farm House,

KH No. 12/27.

MIN.0-16 12-27 MIN 11-16. 13-26. 0-6. 28 1-15 12-28. 6-10. 26. 5-6.

Kapashera, Delhi – 110037.

**Subject- Show Cause Notice for imposition of Environmental Compensation for illegal extraction of ground water.**

This refers to the inspection of M/s Krishna Farm House, KH No. 12/27. MIN.0-16 12-27 MIN 11-16. 13-26. 0-6. 28 1-15 12-28. 6-10. 26. 5-6. Kapashera, Delhi – 110037 by the officials of DPCC. The observation of DPCC is as under:

"Unit representative informed that there is one borewell for the commercial/industrial purpose but no permission of the same was shown during the inspection."

Whereas you have mentioned 26.54 KLD of water consumption in CTO application while applying for Consent to operate in DPCC. CTO was issued to you on 19.12.2024.

You are hereby directed to Show Cause why the Environmental compensation of Rs.1,59,240 assuming 26.54 KLD of ground water extraction daily from the date of issue of Consent to operate should not be imposed on you.

By way of this notice, you are hereby given an opportunity of 15 days to submit your response/objections, if any. In case non communication is received from your side the above EC@ Rs. 1,59,240/- shall be confirmed without any reference to you.



Incharge, CMC-II

Email ID: bmsreddy.dpcc@delhi.gov.in

**Dr. B.M.S. Reddy**  
 Senior Environmental Engineer  
 Delhi Pollution Control Committee  
 4th & 5th Floor, ISBT Building,  
 Kashmere Gate, Delhi, Delhi-110006

Copy to:-

1. Master File, CMC-II.