

By Speed Post/email

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI) 3rd FLOOR, BLOCK-I, DMRC IT PARK BUILDING, SHASTRI PARK, DELHI-53 (visit us at website : http://dpcc.delhigovt.nic.in/)	
---	--	---

DPCC/(10)(02)(03)/Leg-25/5319-5321

Date: 28/03/2025

To,

The Deputy Commissioner,
 Najafgarh Zone,
 Municipal Corporation of Delhi,
 Najafgarh Dhansa Road, Near Dhansa Bus Stand,
 Najafgarh, New Delhi-110043.

Subject- Compliance of provisions of Solid Waste Management Rules, 2016 by the banquet Hall M/s The Ryan Vatika, Khasra No-12/12, Old Delhi, Gurgaon Road, Near Police Station, Kapashera, New Delhi-110037

Sir,

This refers to the inspection of the unit "M/s The Ryan Vatika, Khasra No-12/12, Old Delhi, Gurgaon Road, Near Police Station, Kapashera, New Delhi-110037. The observations of the said inspection(s) are as under:

" Compliance w.r.t Rule 4 of SWM Rules, 2016 not observed in the unit. No segregation of Biodegradable , Non- biodegradable waste and domestic hazardous waste in separate bins observed at the time of inspection."

In view of the above, you are kindly requested to initiate necessary applicable action as per the provisions of SWM Rules, 2016. An action taken report may kindly be sent to this office within 10 days. An early action in this regard is highly appreciated.



Incharge, CMC-II
Email ID: bmsreddy.dpcc@delhi.gov.in

Copy to:-

1. The Commissioner, MCD, Dr. S.P.M Civic centre, Minto Road, Ajmeri Gate, New Delhi-110002.
2. Master File, CMC-II.

Dr. B.M.S. Reddy
 Senior Environmental Engineer
 Delhi Pollution Control Committee
 4th & 5th Floor, ISBT Building,
 Kashmere Gate, Delhi, Delhi-110006