

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI) 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-6 visit us at : http://dpcc.delhigovt.nic.in	
---	--	---

F. No. DPCC/(3)(9)(346)/Vig.23/4447-53

Dated: 27-6-25

Subject: Directions for closure u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended to date and Directions for Environmental Damage Compensation.

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification No. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, it is a mandatory provision under u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, that no person without the previous consent of the DPCC shall establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land or operate any industrial plant in air pollution control area.

And whereas, an inspection of M/s CUE Culinary Urban Experience (A unit of Indispace Food & Beverage Co.) Unit No. 131, First Floor, Manglam Paradise Mall, Manglam Place, Sector-3, Rohini, Delhi - 110085 (herein after referred as the addressee unit) was conducted by the official of DPCC on 04.04.2025 and the observations/deficiencies found during inspection are as follows:

1. The unit found operational and engaged in the activity of Restaurant.
2. The unit was found operational without having Consent to Operate.
3. OGT is installed but non-functional.

And whereas, it is evident that you (the addressee unit) is causing pollution thereby causing damage to the Environment which is liable for action as per "Polluter Pays" Principle.

And whereas, Show Cause Notice was issued to you on 05.05.2025 for imposition of Environmental Damage Compensation of **Rs. 7,50,000/- (Rs. Seven Lakh Fifty Thousand Only)** and Show cause notice for closure of the addressee unit u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended to date.

And whereas, you (the addressee) have not replied yet.

And whereas, case of addressee unit has been considered by the Competent Authority DPCC and decided to issue Directions for Closure u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended to date and Directions for Confirmation of Environmental Damage Compensation


Now therefore in exercise of powers conferred upon it, under the provisions of said acts as amended to date, hereby issue the following directions:

Cont...2

1. That you (the addressee) shall deposit EDC of Rs.7,50,000/- (Rs. Seven Lakh Fifty Thousand Only) payable through Demand Draft in favour of "Delhi Pollution Control Committee".
2. That you (the addressee unit) shall close your unit with immediate effect.
3. That the concerned authority in Tata Power Delhi Distribution Limited (TPDDL) shall disconnect the electricity/power supply of the unit with immediate effect.
4. That the concerned authority in DJB shall disconnect the water supply connection of the said unit with immediate effect.
5. That the concerned SDM shall ensure effective closure of the said unit with immediate effect.
6. That the concerned authority in MCD shall cancel the permission/license for the operation of the said unit (if any) with immediate effect.

You shall be liable for penal action under the provisions of the u/s 31(A) of Air (Prevention and Control of Pollution) Act, 1981 and u/s 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 as amended to the date in case of violation of above said directions.

This is being issued as per the approval of the Competent Authority of the Delhi Pollution Control committee.


(Sunil Kumar)

sunilkumar.dpcc@delhi.gov.in


In-Charge, CMC - III

To,

M/s GUE Culinary Urban Experience
(A unit of Indispace Food & Beverage Co.)
Unit No. 131, First Floor, Manglam Paradise Mall,
Manglam Place, Sector-3, Rohini, Delhi - 110085

Copy for necessary compliance to:

1. The General Manager (Commercial), Tata Power Delhi distribution Limited, C-2 Block, Dr Lohia Industrial Area, Keshav Puram, Tri Nagar, Delhi, 110035 -with directions to disconnect the electricity/power supply of the said unit with immediate effect & send the compliance report to this office within 15 days.
2. The Member (Water), Delhi Jal Board, Varunalaya Phase-II, Jhandewalan, New Delhi- 110055 with directions to disconnect water supply connection to said unit (if any) with immediate effect & send the compliance report to this office within 15 days of issuance of these directions.
3. The Deputy Commissioner (FL) (North), Factory Licensing Department, Municipal Corporation of Delhi, Dr Satpal Sachdeva Marg, Keshav Puram, Tri Nagar, Delhi, 110034 - with directions to cancel the permission/license for the operation of said unit (if any) with immediate effect & send the compliance report to this office within 15 days.
4. The Sub-Divisional Magistrate (Saraswati Vihar), Old Middle School Building, Lawrence Road, Rampura, Delhi- 110035 to ensure the effective closure of the Addressee with immediate effect and send the compliance report within 15 days.
5. Incharge, IT Cell, DPCC-for uploading on website of DPCC in public domain.
6. Master File (CMC-III).



AEE, CMC - III