

DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT
 (GOVT. OF NCT OF DELHI)
 3rd FLOOR, BLOCK-I, DMRC IT PARK BUILDING, SHASTRI PARK, DELHI-53
 (visit us at website : <http://dpcc.delhigovt.nic.in/>)



Date: 13/8/25

F.No. DPCC/CMC-V/2022/C-237/ 15003-15008

To,

The District Magistrate (North District)
 Room No-1, DM Office Complex,
 Alipur, Delhi-110036.

Subject- Illegal Borewell in M/s Owner/Occupier, S-50, Phase-1 (Top Floor), Badli Indl. Area, Delhi-110042.

Sir,

This refers to the inspection of M/s Owner/Occupier, S-50, Phase-1 (Top Floor), Badli Indl. Area, Delhi-110042, by the officials of Delhi Pollution Control Committee (DPCC) on 12.08.2022. During the inspection, one borewell was found in the premises for extracting the ground water without requisite permission from the Competent Authority.

In view of the above, you are requested to look into the matter and direct the concerned to check legality of the borewell and take necessary action for sealing the same if found illegal. An action taken report may kindly be sent to this office. An early action in this regard is highly appreciated.

Yours Sincerely

EE, CMC-V

Copy to:-

1. The Chief Executive Officer (DJB), NCT of Delhi, Varunalaya, Jhandewalan, Delhi-110005.
2. The General Manager-I, DSIIDC, N-36, Bombay life Building, Connaught Circus, New Delhi-110001.
3. M/s Owner/Occupier, S-50, Phase-1 (Top Floor), Badli Indl. Area, Delhi-110042.
4. Incharge (IT Cell) - to upload on website of DPCC.
5. Master File, CMC-V