

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENTAL, (GOVT. OF NCT OF DELHI) 3rd FLOOR, BLOCK-1, DMRC IT PARK, SHASTRI PARK DELHI-110053 visit us at : http://dpcc.delhigovt.nic.in	
---	---	---

File No - DPCC-J021/2/2024/CMC-1/78587

Date: 30/06/2025

SHOW CAUSE NOTICE

To,
Indian Oil Corporation limited (Project Proponent)
M/s Shivan Auto Centre (Project Name),
NH- 24 Mayur vihar Phase II,
Delhi-110096
 (E-mail: kumara27@indianoil.in)

Subject: SHOW CAUSE NOTICE FOR CLOSURE OF SITE CONSTRUCTION ACTIVITIES AND SHOW CAUSE NOTICE FOR IMPOSITION OF EC & AND ORDERS PASSED BY HON'BLE NATIONAL GREEN TRIBUNAL IN O.A. NO.21 OF 2014 AND O.A. NO. 95 OF 2014 IN THE MATTER OF VARDHAMAN KAUSHIK VS. UNION OF INDIA & OTHERS AND SANJAY KULSHRESHTHA VS UNION OF INDIA & ORS: AIR/DUST POLLUTION FROM CONSTRUCTION AND DEMOLITION ACTIVITY

Whereas, Delhi is facing air pollution above the prescribed levels and the air quality w.r.t. levels of pollutants like Particulate Matter (PM 2.5 & PM10) are deteriorating thereby affecting public health. Activities related to construction and demolition has been identified as one of the major sources of air pollution and continuation of such activities without proper dust pollution control measures aggravate the situation.

And whereas, Hon'ble Supreme Court of India and the Hon'ble National Green Tribunal vide various orders have directed the Government of NCT of Delhi to initiate steps to curb dust pollution. The Hon'ble National Green Tribunal has passed certain directions for controlling environmental pollution in Delhi and also fixed compensation to be paid for violations in terms of section 15 of the National Green Tribunal Act, 2010 for polluting the environment.

And whereas, as per Statutory Direction No. 14 of the Commission (CAQM) dated 11.06.2021 and subsequent directions, all current/upcoming C&D projects on the plot area equal to or greater than 500 square meters under the territorial jurisdiction of Urban Local Bodies in the National Capital Region are required to be mandatorily registered on the Web portal of the respective NCR State PCBs/DPCC and to ensure all the dust pollution control norms, etc.

And whereas, Hon'ble National Green Tribunal passed orders dated 04.12.2014, 10.04.2015 and 20.07.2016 in O.A. No.21 of 2014, O.A. No. 95 of 2014 and in MA No. 360 of 2016 in the matter of Vardhaman Kaushik Vs. Union of India & others and Sanjay Kulshreshtha Vs Union of India & Ors observing that it primarily results from demolition & construction activity going on in NCR Delhi.

And whereas, Hon'ble National Green Tribunal (NGT) vide above said orders dated 04.12.2014, 10.04.2015 and 20.07.2016 issued certain directions in respect of air pollution from dust resulting from demolition and construction activity.

And whereas, DPCC officials carried out physical inspection of the said site on 28.05.2025 and during inspection following deficiencies have been observed.

1. Wind-breaking walls were provided at the construction site but the same was found discontinuous and of inadequate height.
2. Loose soil and construction & demolition waste were not adequately covered, which does not comply with dust suppression norms.
3. Dust mitigation measures were not displayed publicly at the construction site.
4. A portable PM2.5 & PM10 low-cost sensor was found installed at the site, but the data for the same was not uploaded to the DPCC dust portal.

And whereas, as per DPCC 30.03.2022 EC policy you are liable to pay EC of amount Rs. 50,000/- (Rupees Fifty thousand only) for violations observed during physical inspection by DPCC.

And whereas, the remote monitoring of your said construction/demolition site having plot area **1080 sqm** was also carried out by the DPCC on **04/06/2025** and found that Self Audit Reports was not uploaded on the web portal/video fencing is not carried out by the site. So, as per CAQM EC Schedule dated 01.01.2025 you are also liable to pay EC of Rs. 20,000/- for the said deficiencies observed during the remote monitoring.

Now, therefore, you are hereby directed to Show Cause as to why following actions shall not be initiated against you (the addressee):

1. That you (the addressee unit) shall close your unit with immediate effect.
2. That the concerned Sub Divisional Magistrate shall take necessary action for the effective closure of the addressee unit with immediate effect.
3. That the concerned authority in BSES shall disconnect the electricity/ power supply connection of the addressee unit or used by the unit of the addressee unit with immediate effect.
4. That the concerned authority in DJB shall disconnect the water supply connection of the addressee unit with immediate effect.
5. That Environmental Compensation (EC) of amount Rs. 70,000/- liable to pay in the form of DD in favour of Delhi Pollution Control Committee (Rs. 20,000/- for the deficiencies in remote monitoring and Rs. 50,000/- for physical inspection) shall be imposed upon you.

Hence, you are hereby required to comply with the dust mitigation norms and submit your reply to this office within 15 days from the date of issue of this notice, failing which above mentioned necessary actions as per law shall be taken including directions of closure of site construction activities and disconnection of electricity & water supply without further reference to you the addressee.

This is being issued with the approval of the Competent Authority, DPCC.

Meghraj
Singh
Rawat

Digitally signed
by Meghraj
Singh Rawat
Date: 2025.06.30
13:10:59 +05'30'

SEE, CMC-1

Copy to:

1. Incharge IT Cell: with a request to upload on DPCC website
2. Master file CMC-1.