



DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI)
3rd Floor, Block-1, DMRC IT Park, Shastri Park, Delhi-110053
 Visit us at: <https://dpcc.delhigovt.nic.in>
 Email id: teamcmc7dpcc@gmail.com



F. No. DPCC/CMC-VII/2022/F.N.131/ 6324-27

Dated: 14-8-22

REMINDER

To,

M/s Dilli Gate the Family Restaurant,
H. No. 1616-17, Ground Floor
Chandrawal Road, Delhi -110007

Subject: Order for confirmation of Environment Damage Compensation (EDC).

Whereas, Central Pollution Control Board is the State Board for all the Union Territories to exercise powers and performs functions under the Air (Prevention & Control of Pollution) Act, 1981.

And whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, it is a mandatory provision under u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, that no person without the previous consent of the DPCC shall establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land or operate any industrial plant in air pollution control area.

And whereas, you **M/s Dilli Gate the Family Restaurant, H.No. 1616-17, G.F. Chandrawal Road, Delhi -110007** (hereinafter referred as the addressee) is engaged in the activity of **Restaurant**.

And whereas, an inspection of the addressee was conducted by officials of DPCC on 10.09.2021 and the observations/deficiencies found during inspection are as follows:

1. Unit found operational & engaged in the activity of restaurant having seating capacity of 24 seats.
2. Hood and suction found provided over the cooking area.
3. OGT found not installed.
4. Unit is operating without consent from DPCC.

And whereas, Show Cause Notice for imposition of Environment Damage Compensation of Rs. 1,00,000/- (Rupees One lakh only) was issued to the addressee on 24.11.2021 for the above mentioned deficiencies.

And whereas, order for confirmation of Environment Damage Compensation of Rs. 1,00,000/- (Rupees One lakh only) was issued to the addressee on 28.07.2022 after the approval of the competent authority, DPCC as the addressee neither submitted the reply of the said Show Cause Notice nor deposited the Environmental Compensation,

And whereas, you (the addressee), have not deposited the requisite Environmental Compensation (EC) till date.


Now therefore, as decided by the competent authority, DPCC and keeping in view of "Polluter Pay" principle, you are hereby again directed to deposit Environmental Damage Compensation of **Rs. 1,00,000/- (Rupees One lakh only)** in the form of DD in favor of "**Delhi Pollution Control Committee**" within 15 days of issuance of this order failing which you shall be liable for penal action as per the law.

This is being issued as per the approval of the Competent Authority, Delhi Pollution Control Committee.

[Signature]
 In-charge, CMC - VII

Copy for information and necessary action to:

1. The Sub Divisional Magistrate (Civil Lines), Office of SDM Civil Lines, NDPL Office Building near Panchayat Bhawan, Burari, Delhi-110084 - with request to ensure recovery of aforesaid EDC of amount **Rs. 1,00,000/- (Rupees One Lakh only)** in favor of DPCC, in case if unit failed to deposit the same amount **within 15 days**.
- ✓ 2. In-charge, IT Cell, DPCC – with request to upload on DPCC website.
3. Master File, CMC-VII


In-charge, CMC – VII