



DELHI POLLUTION CONTROL COMMITTEE
 DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)
 3rd FLOOR, BLOCK-B, DELHI IT PARK, SHASTRI PARK, DELHI -110053
 Visit us at : <http://dpcc.delhigovt.nic.in>
 Email us at: cmc6dpcc2025@gmail.com



Date : 08/08/25

F. No. DPCC-0023/20/2025-CMC6 / 1194 - 96

To,

**M/s HCC VCCL Joint venture,
 DMRC DC-06 Project Mundka Casting Yard,
 Mundka Rani Khara Road, Near Railway Underpass,
 Delhi-110041**

Subject: Reminder Show Cause Notice (SCN) u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981, u/s 33(A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended to date, issued on 09.06.2022:- reg.

Whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (1) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide Notification No. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under u/s 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall Establish an industrial unit in an Air Pollution Control Area of Union Territory of Delhi.

And whereas, Central Pollution Control Board has delegated all its powers and functions under Air (Prevention and Control of Pollution) Act, 1981 in respect of NCT of Delhi to Delhi Pollution Control Committee vide Notification No. S.O. 198(E) dated 15.03.1991.

And whereas, Delhi is facing air pollution above the prescribed levels and the air quality w.r.t. levels of pollutants like Particulate Matter (PM) & PM are deteriorating thereby affecting public health. Activities related to construction and demolition and pollution due to operation of RMC plants have been identified as some of the major sources of air pollution and continuation of such activities without proper dust pollution control measures aggravate the situation.

And whereas, Hon'ble Supreme court of India and Hon'ble National Green Tribunal in various orders have directed the Government of NCT of Delhi to initiate steps to curb the dust pollution.

And whereas, DPCC has framed guidelines for dust pollution control in the RMC plant wide office order dated 27.12.2017 which is available online on the website of DPCC.

And whereas, you M/s HCC VCCL Joint venture, DMRC DC-06 Project, Mundka Casting Yard, Mundka Rani Khara Road, Near Railway Underpass, Delhi-110041(hereinafter referred as addressee unit) are operating your unit at the above said address & engaged in the running of Ready Mix Concrete Plant.

And whereas, the aforesaid Ready Mix Concrete Plant was inspected by DPCC officials on 10.05.2022 to check the compliance w.r.t dust pollution control measures and following discrepancies were observed:-

1. Uncovered heaps of construction materials (Sand/ Fine and Coarse aggregates) were found.
2. Inadequate sprinkling arrangements were observed.

3. First chamber of the sedimentation tank were found with hardened concrete that needed to be cleaned.

And whereas, in view of Hon'ble NGT direction/orders and violation, Competent Authority of DPCC by invoking the 'polluter pays' principle had decided to levy Environmental Compensation (EC) of Rs. **2,25,000/- (Rupees Two Lakh Twenty Five Thousand Only)** on you, the addressee unit for causing damage to the environment. the addressee unit, for causing damage to the environment.

And whereas vide SCN dated **09.06.2022** following directions were proposed to be issued:-


1. That you, the addressee, shall stop the operations with immediate effect.
2. That EC (Environmental Compensation) of Rs. **2,25,000/- (Rupees Two Lakh Twenty Five Thousand Only)** shall be imposed for violating Environmental norms.
3. That the concerned authority in BSES shall **disconnect the electricity supply** to the addressee unit with immediate effect.
4. That the concerned authority in DJB shall **disconnect the water supply** to the addressee unit with immediate effect.
5. That the concerned Sub-Divisional Magistrate (SDM) shall take necessary action to ensure the **effective closure of the addressee unit** with immediate effect.

And whereas, you, the addressee unit, have neither submitted any reply nor deposited the EC till date.

And whereas, case of your unit was placed before the competent Authority in Delhi Pollution Control Committee and it has been decided to issue a reminder Show Cause Notice to give one more opportunity to submit your reply.


Now, by way of this reminder notice, you, the addressee, are hereby once again called upon to **Show Cause** as to why the above proposed directions should not be confirmed. The reply, if any, should reach to this office (at **ISBT Building, 4th & 5th Floor, GT Karnal Road, Kashmere Gate, Delhi-110006** and/or at cmc6dpcc2025@gmail.com) within 15 days from the date of issue of this notice. In case of failure, it will be presumed that the addressee has nothing to say in this regard and the aforementioned proposed directions shall be confirmed. This may again also be treated as an opportunity of being heard.

This issues as per the approval of the Competent Authority, Delhi Pollution Control Committee.


Ajeeta Agrawal
(Additional Director, CMC-VI)

Copy To :-

1. Incharge, IT cell DPCC - with request to upload on DPCC website under the head-redevelopment area
2. Master File, CMC-VI


S. K. Goyal,
(SEE, CMC-VI)