



DPCC/(10)(02)(03)/Leg-25/ 1012- 1014

Date: 28/05/2025

To,

M/s Krishna Farm House,
KH No.12/27.MIN.0-16 12-27
MIN 11-16. 13-26. 0-6. 28 1-15
12-28. 6-10. 26. 5-6.
Kapashera, Delhi – 110037.

Subject:- Order for imposition of Environmental Compensation for illegal extraction of ground water.

Whereas, inspection of M/s Krishna Farm House, KH No. 12/27. MIN.0-16 12-27 MIN 11-16. 13-26. 0-6. 28 1-15 12-28. 6-10. 26. 5-6. Kapashera, Delhi – 110037 (hereinafter referred as the Addressee) was carried out by the officials of DPCC on 03.03.2025. During the said inspection, one borewell was found in the premises and the groundwater was being extracted for the commercial/industrial purpose without permission from the Competent Authority.

And whereas, the Addressee has mentioned 26.54 KLD of water consumption in CTO application while applying for Consent to operate in DPCC. CTO was issued to the Addressee on 19.12.2024.


And whereas Show Cause Notice for Environmental Compensation of Rs.1,59,240 assuming 26.54 KLD of ground water extraction daily from the date of issue of Consent to operate was issued to you vide letter dated 28.03.2025.

And whereas no reply is submitted by you in response of Show Cause Notice dated 28.03.2025.

Now therefore, the Competent Authority in DPCC has decided to confirm and impose Environmental Compensation (EC) of Rs. 1,59,240/-(Rupees One Lakh Fifty Nine Thousand Two Hundred and Forty only) upon the Addressee unit for illegal extraction of ground water without permission from the Competent Authority.

Hence, the Addressee unit is hereby directed to deposit Environmental Compensation (EC) of Rs.1,59,240/-(Rupees One Lakh Fifty Nine Thousand Two Hundred and Forty only) to this office in the form of DD in favour of "Delhi Pollution Control Committee" within 15 days from the date of issuance of these directions failing which necessary action shall be taken as per law.

This is being issued with the approval of the Chairman, DPCC.



Incharge, CMC-II
Email ID: bmsreddy.dpcc@delhi.gov.in

- ✓ 1. Incharge, IT Cell with a request to get the order uploaded on the website of DPCC.
2. Master File, CMC-2.

Dr.B.M.S. Reddy
Senior Environmental Engineer
Delhi Pollution Control Committee
3rd Floor Block-I DMRC IT Park
Shastri Park Delhi-110053