


Through email/Speed Post

	DELHI POLLUTION CONTROL COMMITTEE Department of Environment (Govt. of NCT of Delhi) 3rd Floor, Block-I, DMRC IT Park Building Shastri Park, Delhi-110053 (visit us at website : http://dpcc.delhigovt.nic.in/)	
---	--	---

DPCC/(10)(02)(03)/Leg-25/974-979

Date: 28/05/2025

To,

M/s The Ryan Vatika,
Khasra No-12/12, Old Delhi,
Gurgaon Road, Near Police Station,
Kapashera, Delhi-110037.

Subject:- Directions for closure under section 33 (A) of the Water (Prevention and Control of Pollution) Act, 1974 and under section 31 (A) of the Air (Prevention and Control of Pollution) Act, 1981 as amended till date.

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Air (Prevention and Control of Pollution) Act, 1981 and Water (Prevention and Control of Pollution) Act, 1974, as amended to date, in respect of Union Territory of Delhi to Delhi Pollution Control Committee (DPCC) vide Notification dated 15.03.1991.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (1) of section 19 of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date, vide Notification of Ministry of Environment & Forest, Govt. of India, No. GSR 106 (E) Dated 20.02.1987.

And whereas, as per the mandatory provisions u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981, no person without the previous consent of the State Pollution Control Board (DPCC in case of Delhi) shall establish or operate any industrial plant in an Air Pollution Control Area.

And whereas, as per the mandatory provisions u/s 25/26 of the Water (Prevention and Control of Pollution) Act, 1974, no person without the previous consent of DPCC shall Establish or take any steps to establish any industry, operation or process or any treatment and disposal system or any extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land, bring into use any new or altered outlet for the discharge of sewage or begin to make any new discharge of sewage.

And whereas, inspection of M/s The Ryan Vatika, Khasra No-12/12, Old Delhi, Gurgaon Road, Near Police Station, Kapashera, and Delhi-110037 (hereinafter referred as "Addressee" was carried out by officials of DPCC on 18.03.2025 and found engaged in the activity of running of Banquet Hall/Party Lawn.



And whereas, Show Cause Notice for closure under section 33 (A) of the Water (Prevention and Control of Pollution) Act, 1974 and under section 31 (A) of the Air (Prevention and Control of Pollution) Act, 1981 was issued to the addressee unit vide letter dated 28.03.2025 in view of the deficiencies observed during the above said inspection.


And whereas, in response to the above Show Cause Notice, the Addressee unit has submitted a reply vide letter dated 22.04.2025 which was considered and found not satisfactory.

Now therefore, in view of the above, the Competent Authority in DPCC in exercise of powers conferred upon Delhi Pollution Control Committee, u/s 33(A) of Water (Prevention and Control of Pollution) Act, 1974 and u/s 31(A) of Air (Prevention and Control of Pollution) Act, 1981 as amended to date, hereby issues the following **directions:-**

1. That the addressee unit shall stop operations of the unit with immediate effect.
2. That the concerned SDM shall take necessary action to ensure the effective closure of the addressee unit with immediate effect.
3. That the concerned authority in BSES Rajdhani Power Ltd shall disconnect the electricity supply of the addressee unit with immediate effect.
4. That the concerned authority in Delhi Jal Board shall disconnect the water supply of the addressee unit with immediate effect.

Failure to comply with the above directions will attract penal action under the provisions of the Water Act, 1974 and Air Act, 1981.

This is being issued as per the approval of Chairman, DPCC.



Incharge, CMC-II

Email ID: bmsreddy.dpcc@delhi.gov.in

Copy to:-

1. The Sub-Divisional Magistrate (SDM) Kapashera, DC Office, Old Terminal Tax Building, Kapashera, Delhi-37 to ensure effective closure of the addressee unit with immediate effect and send the compliance report to this office within 15 days.
2. The Chief Executive Officer, BSES Rajdhani Power Ltd., BSES Bhawan, Nehru Place, New Delhi-110019- To disconnect the power/electricity supply to the addressee unit/ used by the addressee unit with immediate effect and send the compliance report to this office within 15 days.
3. The Member (Water), Delhi Jal Board, Varunalaya, Phase-II, Jhandewalan, Delhi-110055 to disconnect the water supply to the addressee unit with immediate effect and send the compliance report to this office within 15 days.
4. Master File, CMC-2.
5. Incharge, IT Cell with a request to get the order uploaded on the website of DPCC.

Dr.B.M.S. Reddy
Senior Environmental Engineer
Delhi Pollution Control Committee
3rd Floor Block-1 DMRC IT Park
Shastri Park Delhi-110053

