



F. No. DPCC-J023/7/2025-CMC-I/ 646-48

Date: 20/06/25

To,

M/s Glorious Luxuriously/Vijay and Company,
(Prop./Owner/Representative Sh. Paras Tayal/Ms. Seema Tayal)
Plot-1 B, CBD Shahdara
Delhi-110032

Subject: Show Cause Notice (SCN) for Closure u/s 31 (A) of Air (Prevention and Control of Pollution) Act, 1981 & u/s 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended to date and SCN for imposition of Environmental Compensation (EC).

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, it is mandatory provisions u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 that no person without the previous consent of DPCC shall Establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent in to a stream or on land.

And whereas, you, **M/s Glorious Luxuriously/ Vijay and Company, (Prop./Owner/Representative- Sh. Paras Tayal/ Ms. Seema Tayal), Plot-1 B, CBD Shahdara, Delhi-110032** (hereinafter referred as the addressee) is engaged in the activity of **Banquet hall/ community hall** at the above said address.

And whereas, an inspection of your unit was conducted by officials/representatives of Delhi Pollution Control Committee on 25.04.2025 and the observations/deficiencies found during inspection were as follows:-

- 1. Unit found operational & engaged in the activity of Banquet Hall having seating capacity minimum 101.**
- 2. No ETP installed at the premises.**
- 3. No channelization provided over kitchen exhaust.**
- 4. Unit has not applied for Consent to Establish (CTE) & Consent to Operate (CTO) under Air and Water Act.**
- 5. 02 DG set of capacity 250 KVA & 320 KVA found in the premises not complying with the provisions of CAQM directions regarding DG set.**

And whereas, activity carried out by the addressee unit falls under Orange category as per DPCC categorisation, and as per the extant policy of DPCC dated 30.03.2022 and based on the deficiencies observed during inspection, you shall be liable to pay Environmental Compensation (EC) amount of **Rs. 7,50,000/- (Rupees Seven lakh fifty thousand only)** to DPCC in the form of DD in favour of DPCC.


Therefore, in exercise of powers conferred upon it, under the provisions of said acts as amended to date, hereby issue the following proposed directions:

1. That you (the addressee) shall rectify the deficiencies and apply for consent to establish/operate with immediate effect.
2. That you (the addressee) shall close your unit with immediate effect.
3. That the concerned Sub-Divisional Magistrate shall ensure effective closure of the said unit with immediate effect.
4. That the concerned authority in BSES shall disconnect the electricity/power supply of the said unit with immediate effect.
5. That the concerned authority in DJB shall disconnect the water supply connection of the said unit with immediate effect.

Hence by way of this notice, you are hereby given an opportunity to rectify the deficiencies and submit your reply as to why the aforesaid proposed directions should not be confirmed & Environmental Compensation (EC) of **Rs. 7,50,000/- (Rupees Seven lakh fifty thousand only)** should not be levied upon you (addressee unit). Your reply should reach this office within 15 days from the date of service of this notice, failing which it shall be assumed that you have nothing to say in this regard and the competent authority of DPCC shall be free to take action as proposed above.

This may also be treated as an opportunity of being heard.

This is being issued with the approval of the Competent Authority, DPCC.


M.S. Rawat
SEE, CMC-I

(e-mail: msrawat.dpcc@nic.in)

Copy to:

- ✓ 1. The Incharge IT Cell : with a request to upload this on DPCC website.
2. Master file, CMC-I
3. Office Copy