

By Speed Post/ E-mail

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI) 3 rd FLOOR, DMRC BUILDING, SHASTRI PARK, DELHI-53 visit us at : http://dpcc.delhigovt.nic.in	
---	--	---

F.No. DPCC-L022/5/2025-CMC3 / 4552-54

Dated:

To,
M/s Project Proponent
Plot no. 123, pocket-3,
Sector-24, Rohini,
Delhi-110085

Subject: Show Cause Notice for imposition of Environmental Compensation (EC) as per CAQM closure direction – reg.

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Air (Prevention and Control of Pollution) Act, 1981 and Water (Prevention and Control of Pollution) Act, 1974, as amended to date, in respect of Union Territory of Delhi to Delhi Pollution Control Committee (DPCC) vide Notification dated 15.03.1991.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (1) of section 19 of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date, vide Notification of Ministry of Environment & Forest, Govt. of India, No. GSR 106 (E) Dated 20.02.1987.

And whereas, as per the mandatory provisions u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981, no person without the previous consent of the State Pollution Control Board (DPCC in case of Delhi) shall establish or operate any industrial plant in an Air Pollution Control Area.

And whereas, as per the mandatory provisions u/s 25/26 of the Water (Prevention and Control of Pollution) Act, 1974, no person without the previous consent of DPCC shall Establish or take any steps to establish any industry, operation or process or any treatment and disposal system or any extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land, bring into use any new or altered outlet for the discharge of sewage or begin to make any new discharge of sewage.

And whereas, an inspection of M/s Project Proponent, Plot no. 123, pocket-3, sector-24, Rohini, Delhi-110085 (hereinafter referred as "Addressee unit") was conducted by officials of CAQM on 05.05.2025 and building under construction was not covered with dust screens/ green sheets and construction material was seen uncovered. Based on the violations found during the inspection conducted by CAQM, closure directions were issued to the addressee unit on 28.05.2025.

And whereas, the addressee unit has submitted its reply on 16.06.2025 in response to the aforesaid closure directions issued to the unit.

And whereas, an inspection of the addressee unit was conducted by officials of DPCC on 26.06.2025 to verify the compliances. The observations made during the inspection are as under:

1. During the inspection unit was found non-operational and the applicable measures to control dust pollution have been adopted by the unit.

Now therefore for the violation mentioned in CAQM closure directions dated 28.05.2025 following EDC as per CAQM EC regime dated 01.01.2025 is calculated as below:

For in-effective dust mitigation measures (with respect to provision of wind brakers/dust screens/covering of construction materials and debris etc.)

Rs. 7500 per day for plot area < 500 & upto 20,000 sq. meter x N (N is no of days of violation)


Rs. 2 x 7500 per day during the period of GRAP restrictions for plot area < 500 & upto 20,000 sq. meter x N (N is no of days of violation).

Period	05.05.2025 to 15.05.2025 (No GRAP)	16.05.2025 to 17.05.2025 (GRAP)	18.05.2025 to 20.05.2025 (No GRAP)	21.05.2025 to 22.05.2025 (GRAP)	23.05.2025 to 31.05.2025 (No GRAP)	Total EC (in Rs.)
N	11	2	3	2	9	2,32,500
EC (in Rs.)	82,500	30,000	22,500	30,000	67,500	

Now therefore, in view of the above, it is proposed to levy Environmental Compensation of Rs. 2,32,500/- (Rs. Two Lakh and Thirty Two Thouand Five Hundred Only) for causing damage to the environment by way of causing dust pollution.

Hence, by way of this notice, the addressee unit is hereby given an opportunity to submit reply as to why the aforesaid proposed Environmental Compensation Rs. 2,32,500/- (Rs. Two Lakh and Thirty Two Thouand Five Hundred Only) should not be confirmed. The reply should reach to this office within 15 days from date of service of this notice, failing which it shall be assumed that you have nothing to say in this regard and the DPCC shall be free to take action as proposed above. This shall also be treated as an opportunity of being heard.

This issues as per the approval of Competent Authority, DPCC.


(Sunil Kumar)
In-Charge, CMC - III

Copy to:

1. IT Cell, DPCC- to upload on DPCC website.
2. Master File, CMC-III, DPCC.