



**DELHI POLLUTION CONTROL COMMITTEE**  
 DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)  
 3rd FLOOR, Block 1, DMRC IT Park, Shastri Park, DELHI-110053  
 visit us at : <http://dpcc.delhigovt.nic.in>  
 E-Mail ID: [teamcmc7dpcc@gmail.com](mailto:teamcmc7dpcc@gmail.com)



F. No. DPCC/CMC-VII/DGSets/Compliance/1/2025 | 6173-78

Date: 16-7-25

To,

M/s Southern Residency,  
 Plot No.- 5, Block- 18, WEA,  
 Arya Samaj Road, Delhi-110055

**Subject:** Revocation of the Directions for closure to the non-compliant DG Set dated 24.10.2024.

Whereas, Commission for Air Quality Management for NCR and Adjoining Areas (CAQM) had issued Direction no. 76 dated 29.09.2023 and amendment dated 11.12.2024 in exercise of powers. under section 12(2)(xi) of Air Quality Management in national capital region and adjoining areas, ACT 2021 (CAQM ACT) for not operating the D.G. Set(s) in non-compliance of CAQM direction that the Non-Compliant D.G. set(s) shall be sealed immediately by SPCB/DPCC.

And whereas, DPCC issued letters and Public Notices in Hindi and English in leading newspapers. regarding compliance of CAQM Directions No. 73 dated 02.06.2023, Direction No. 76 dated 29.09.2023 and amendment dated 11.12.2024 for DG Sets,

And whereas, CAQM vide its Direction 87 dated 02.01.2025, in exercise of the powers conferred upon the Commission under Section 14(2) authorizes Delhi Pollution Control Committee to file a complaint/ prosecution before jurisdictional judicial magistrate, in case of gross violations of directions/orders in respect of operation of industries and regulations on DG Sets in their respective jurisdiction, besides ordering closure of such industrial units/sealing of such DG Sets and imposition/realization of environment compensation charges in such cases of gross violations, including that of the GRAP Schedule.

And whereas, in compliance of the CAQM directions, Directions for closure and imposition of EC was issued to the addressee unit dated 24.10.2024.

And whereas, DPCC issued Directions for imposition of EC dated 09.04.2025 to you (the addressee) for submitting logbook & an undertaking and deposition of EC accordingly.

And whereas, officials of DPCC have inspected the unit on 12.04.2025 and during the said inspection DG Set found complied with the requirements of the CAQM Direction No. 76 (as amended) as RECD from CPCB approved vendor namely, M/s Cummins found installed on DG Set.


And whereas, you (the addressee) have submitted reply dated 25.06.2025 along-with an undertaking, certified copy of logbook of operation of DG Set, Photographs of installed RECD Device, copy of Purchase order, Bill & installation report of RECD from approved vendor, notarized affidavit and also, deposited requisite EC through Demand Draft vide DD No. 442020 dated 26.06.2025 in favour of DPCC. Further, you have requested to revoke the Directions for closure dated 24.10.2024.

P.T.O.

Therefore, Competent Authority, DPCC has decided to issue revocation of the said Closure Directions dated 24.10.2024.

This is being issued as per approval of the Competent Authority, DPCC

Yours sincerely,

  
**Incharge, CMC-VII**  
Sanjay Vatts  
Environmental Engineer  
Delhi Pollution Control Committee  
IInd Floor, Vikas Bhawan-II,  
Upper Bela Road, Civil Line,  
Delhi-110054

**Copy to:**

1. The Member (Technical), CAQM, 17th Floor, SPC Building, Jawahar Vyapar Bhawan, Tolstoy Rd, HC Mathur Lane, New Delhi- 110001 - for information, please.
2. The SDM (Karol Bagh), Flatted Factory Complex, Central, Block E, Jhandewalan Extn., Jhandewalan, New Delhi – 110005 - for information, please.
3. The SHO, Police Station, DB Gupta Road - for information, please.
4. Incharge IT Cell: with a request to upload on DPCC website.
5. Master file, CMC-VII