



DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)
 3rd FLOOR, BLOCK-B, DELHI IT PARK, SHASTRI PARK, DELHI -110053
 Visit us at : <http://dpcc.delhigovt.nic.in>
 Email us at: cmc6dpcc2025@gmail.com



E.File. No. DPCC-O/5/2025-CMC6 / 1048 - 1050

Date: 05/08/2025

To,

**M/s Amarjeet KI Factory,
 WZ-283/18, GF (Right Portion),
 Vishnu Garden, Delhi-110018**

Subject: Reminder Show Cause Notice (SCN) for Imposition of EC u/s 33(A) of the Water (Prevention & Control of Pollution) Act, 1974 & 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 as amended to date, issued on 11.02.2022:-reg

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in an air pollution control area.

And whereas, in OA No. 620/2019 dated 31.06.2019 titled "Varun Vs Delhi Pollution Control Committee & Ors". Hon'ble NGT has directed that to submit an action taken report with regard to polluting/illegal units operating in Khyala.

And whereas, you, M/s Amarjeet KI Factory, WZ-283/18, GF (Right Portion), Vishnu Garden, Delhi-110018 (herein after referred as addressee) was operating your unit at the above said address & engaged in the activity of Injection Moulding.

And whereas, the addressee unit is operating without obtaining any Consent from DPCC which is a clear violation of the provisions of the Environmental Laws leading to unchecked pollution control mechanism and thereby damaging the environment.

And whereas, your unit was inspected by the joint team comprise of officials of DPCC, Revenue, BSES, MCD and Delhi Police on 12.11.2021 and the team has noted following discrepancies:

1. During inspection the unit was found operational and engaged in the activity of Injection Moulding.
2. Unit was operating without obtaining Consent under the Air & Water Act from DPCC.

And whereas, Unit was effectively closed and the electricity connection disconnected with immediate effect during the inspection on **12.11.2021** by a joint team composed of officials of DPCC, Revenue, BSES, MCD and Delhi Police.

And whereas, in view of Hon'ble NGT direction/orders and violation, Competent Authority of DPCC by invoking the 'polluter pays' principle had decided and levied Environmental Compensation (EC) of **Rs. 4,00,000/- (Rupees Four Lakh Only)** on you, the addressee unit, for causing damage to the environment.


And, Whereas SCN was issued for imposing the Environmental Compensation (EC) of **Rs. 4,00,000/- (Rupees Four Lakh Only)** to you, the addressee unit, on dated **11.02.2022** (copy enclosed).

And whereas, you have submitted **Rs. 20,000/- (Rupees twenty Thousand only)** against the above said SCN dated **11.02.2022..**

And whereas, case of your unit was placed before the competent Authority in Delhi Pollution Control Committee and it has been decided to issue a reminder Show Cause Notice to give one more opportunity to submit your reply.


Now, by way of this reminder notice, you, the addressee, are hereby once again called upon to **Show Cause** as to why remaining Environmental Compensation should not be confirmed. The reply, if any, should reach to this office (at **ISBT Building, 4th & 5th Floor, GT Karnal Road, Kashmere Gate, Delhi-110006** and/or at cmc6dpcc2025@gmail.com) within 15 days from the date of issue of this notice. In case of failure, it will be presumed that the addressee has nothing to say in this regard and the aforementioned proposed directions shall be confirmed. This may again also be treated as an opportunity of being heard.

This issues as per the approval of the Competent Authority, Delhi Pollution Control Committee.


Ajeeta Agrawal
Additional Director, CMC-VI

Copy To :-

1. Incharge, IT cell DPCC - with request to upload on DPCC website under the head-redevelopment area
2. Master File, CMC-VI


S. K. Goyal,
SEE, CMC-VI