



DELHI POLLUTION CONTROL COMMITTEE
 DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF
 DELHI)
 3th FLOOR, DMRC BUILDING, SHASTRI PARK, DELHI-53
 visit us at : <http://dpcc.delhigovt.nic.in>



F. No. DPCC/L013/14/2024-CMC-3/ 5072-74

Dated: 12-8-25

CORRIGENDUM

Ref:- F. No. DPCC/L013/14/2024-CMC-3/4588-93 dated 14.07.2025

Subject: Directions for Environmental Damage Compensation of Rs. 3,75,000/- (Rs. Three Lakh Seventy Five Thousand Only)

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification No. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, it is a mandatory provision under u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, that no person without the previous consent of the DPCC shall establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land or operate any industrial plant in air pollution control area.

And whereas, an inspection of M/s Love Poori Wala, Shop no.2,3,4 B-12, Sector-14, Prashant Vihar, Rohini, Delhi - 110085 (herein after referred as the addressee unit) was conducted by the official of DPCC on 03.09.2024 and the observations/deficiencies found during inspection are as follows:

1. Unit found operational and engaged in the activity of Eating house/Restaurant/Dhaba/ Takeaway with Valid Consent from DPCC.
2. OGT not found installed.
3. Proper ducting/ hood arrangement not found installed to control the kitchen emissions

And whereas, it is evident that you(the addressee unit) is causing pollution thereby causing damage to the Environment which is liable for action as per "Polluter Pays" Principle.


And whereas, Show Cause Notice was issued to you on 22.11.2024 for imposition of Environmental Damage Compensation and Show cause notice for closure of the addressee unit u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended to date.

And whereas, you (the addressee) have submitted a reply dated 28.07.2025.

Now therefore the Competent Authority in Delhi Pollution Control Committee in exercise of powers conferred upon, has decided and keeping in view the 'Polluter Pays' Principle to issue the following directions:-

That you shall be directed to deposit the Environmental Compensation of **Rs. 3,75,000/- (Rs. Three Lakh Seventy Five Thousand Only)** by way of D.D in favour of Delhi Pollution Control Committee within 15 days of issuance of these directions, failing which penal action shall be initiated against you as per law.

This is being issued as per the approval of Competent Authority, DPCC.




(Sunil Kumar)
In-Charge, CMC - III

To,

M/s Love Poori Wala,
Shop no.2,3,4 B-12, Sector-14
Prashant Vihar, Sector-14
Delhi - 110085

Copy to:

1. Incharge, IT Cell, DPCC-for uploading on website of DPCC in public domain.
2. Master File, CMC-III



AEE, CMC - III