

By Speed Post

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI) 3rd FLOOR, BLOCK-B, DELHI IT PARK, SHASTRI PARK, DELHI - 110053 Visit us at : http://dpcc.delhigovt.nic.in Email us at: cmc6dpcc2025@gmail.com	
---	---	---

DPCC/(0)(03)(2024)CMC-VI/357-59

Date: 66/06/2025

Reminder

To,

M/s Grand Imperia (a Unit of Sun Hospitality),
33/33A, Rama Road, Najafgarh Road Indl Area,
Delhi - 110015

Subject: Reminder for submission of Environmental Compensation (EC) as per the logbook details for operation of DG Set(s) in compliance to the CAQM Standard Schedule for EC charges dated 01.01.2025.

Whereas, for regulated use of DG sets the Commission for Air Quality Management (CAQM) has issued Direction No. 73 dated 02.06.2023, revised Direction No. 76 dated 29.09.2023 and an amendment dated 11.12.2024 and for adopting the prescribed schedule for all sectors in NCR including Industrial, Commercial, Residential and Office establishments etc.

And whereas, for imposition of EC, duly certified/signed copy of logbook is essential for establishing the actual number of days of operation of non-compliant DG set, considering the total number of days of the DG set(s) installed at your unit premises and operated after 01.10.2023 to date of closure directions issued by DPCC/removal of non-compliant DG set/compliance of CAQM direction no.76 as amended to date.

And whereas, in accordance to the Standard Schedule for EC dated 01.01.2025 issued by the Commission, for each day of violation, * **Rate of EC Charges per day of operation of the non-compliant DG Set shall be levied from 01.10.2023 onwards are as follows:**

- Rs. 7,500 for DG Sets between 20 kW - 125 kW capacity
- Rs. 15,000 for DG Sets > 125 kW but < 800 kW capacity
- Rs. 25,000 for DG Sets of 800 kW or higher capacity

And whereas, CAQM vide its letter dated 31.01.2025 has given concurrence that EC shall be levied considering the total number of days for which non-complying DG set(s) were operated after 01.10.2023 to date of closure directions issued by DPCC/removal of non-compliant DG set/compliance of CAQM direction No.76 as amended. Further maintenance of log book for operation of DG set is mandatory and according to the actual number of days of operation of such DG set(s) you are hereby directed to deposit Environmental Compensation substantiating with the verified/signed copy of log book (copy must be attached) as given in the Table below along with an undertaking about the correctness of the statement:

Sr. No.	No. of DG Set (X)	DG Set capacity	No. of days of operation of non-compliant DG set (N)	*Rate of EC/day (R)	Total EC in Rs. (X x N x R)

Where, N = No. of days from 01.10.2023 to date of sealing of the non-compliant DG Set /removal of the non-compliant DG /date of compliance of DG Set with CAQM Direction

R = Rate of EC Charges per day of operation of the non-compliant DG Set as indicated above.

And whereas, in the absence of logbook/established record of non-compliant DG set(s) operations, the operation of DG set is considered from 01.10.2023 till date of sealing of the non-compliant DG Set /removal of the non-compliant DG /date of compliance of DG Set with CAQM Direction.

And whereas, the you M/s Grand Imperia (a Unit of Sun Hospitality), 33/33A, Rama Road, Najafgarh Road Indl Area, Delhi - 110015 (hereinafter referred as addressee unit/entity) were issued SCN for revocation/refusal of consent & directions for imposition of Environmental Compensation (EC) on 02.04.2025 by DPCC with the direction to submit EC as per the duly certified logbook.

And whereas, an inspection was conducted at the addressee unit on 20.03.2025 to check the status of DG Set and 01 DG set (250 KVA) was found installed with Retrofitted Emission Control Device (RECD) in compliance CAQM closure Direction dated 11.12.2024. However, number of days of operation of non-compliant DG set before the installation of RECD is not known and you are liable to pay Environmental Compensation for the number of days of operation of non-compliant DG set(s) w.e.f. 01.10.2023 to date of compliance of CAQM direction (date of installation of RECD).

And whereas, you have not submitted any reply in response to the above said SCN.

Now therefore, you are hereby once again directed to deposit Environmental Compensation (EC) of an amount as per the Table mentioned above in the form of DD, in favour of DPCC along with certified/signed copy of logbook within 15 days from issuance of this reminder letter, failing which the EC shall be levied from 01.10.2023 to date of compliance of DG Set with CAQM Direction.

This is issued with the approval of the Competent Authority in DPCC.


Ajeeta Agrawal

Additional Director, CMC-VI

Copy to:

1. IT, Cell, DPCC- to upload on DPCC website under the head: conforming area.
2. Master File