

By Speed Post



DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENTAL, GOVT. OF NCT OF DELHI
4th FLOOR, BLOCK K-1, DMRC II PARK, SHASTRI PARK DELHI 110041
visit us at : <http://dpcc.delhi.govt.nv.in>



F.No. DPCC-J013/3/2023-CMCI/ 778-80

Date: 27/06/2023

To,

M/s Spice Grill Flame,
D-30/31, Vikas Marg,
Laxmi Nagar,
Delhi-110092

Subject: Show Cause Notice (SCN) for Closure u/s 31 (A) of Air (Prevention and Control of Pollution) Act, 1981 & u/s 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 as amended to date and SCN for imposition of Environmental Compensation (EC).

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, it is mandatory provisions u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 that no person without the previous consent of DPCC shall Establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or on land.

And whereas, a complaint was received on PGMS portal on 18.05.2023 wherein complainant alleged that the unit was operating without DPCC Consent.

And whereas, you M/s Spice Grill Flame, D-30/31, Vikas Marg, Laxmi Nagar, Delhi-110092 (hereinafter referred as the addressee) were found engaged in the activity of Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) at the above said address.

And whereas, an inspection of your unit was conducted by officials/representatives of Delhi Pollution Control Committee on 19.05.2023 and the observations made during inspection were as follows:-

1. Unit found operational & engaged in the activity of a restaurant with seating capacity of 30.
2. Unit found operating without Consent to Establish/Operate from DPCC.
3. No Oil & Grease trap cum settling tank found installed to treat the waste water generated from washing of utensils in the premises/ restaurant.
4. Channelization found installed over kitchen exhaust but the same is having inadequate stack height.

And whereas, activity carried out by the addressee unit falls under Orange category as per DPCC categorisation, and as per the extant policy of DPCC dated 30.03.2022, you shall be liable to pay Environmental Compensation (EC) amount of **Rs.7,50,000/- (Rupees Seven lakh Fifty Thousand only)** to DPCC in the form of DD in favour of DPCC.

Therefore, in exercise of powers conferred upon it, under the provisions of said acts as amended to date, hereby issue the following directions:

1. That you (the addressee) shall close your unit with immediate effect.
2. That the concerned Sub-Divisional Magistrate shall ensure effective closure of the said unit with immediate effect.
3. That the concerned authority in BSES shall disconnect the electricity/power supply of the said unit with immediate effect.
4. That the concerned authority in DJB shall disconnect the water supply connection of the said unit with immediate effect.

Hence by way of this notice, you are hereby given an opportunity to take necessary rectification measures and submit your reply as to why the aforesaid proposed directions should not be confirmed & Environmental Compensation (EC) of **Rs.7,50,000/- (Rupees Seven lakh Fifty Thousand only)** should not be levied upon you (addressee unit). Your reply should reach this office within 15 days from the date of service of this notice, failing which it shall be assumed that you have nothing to say in this regard and the competent authority of DPCC shall be free to take action as proposed above. This may also be treated as an opportunity of being heard.

Meghraj
Singh
Rawat

Digitally signed
by Meghraj
Singh Rawat
Date: 2025.06.27
10:54:01 +05'30'

SEE, CMC-I

Copy to:

1. ✓ The Incharge IT Cell : with a request to upload this on DPCC website.
2. Master file, CMC-I.