



DELHI POLLUTION CONTROL COMMITTEE
 DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF
 DELHI)
 3rd FLOOR, DMRC BUILDING, SHASTRI PARK, DELHI-53
 visit us at : <http://dpcc.delhigovt.nic.in>



F. No. DPCC/CMC-III/2021/ 4828-30

Dated: 04-8-22

REMINDER

Subject: SCN for Environmental Damage Compensation.

Ref: F.No.DPCC/CMC-III/2022/15981-82 dated 07.02.2022

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, it is a mandatory provision under u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, that no person without the previous consent of the DPCC shall establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land or operate any industrial plant in air pollution control area.

And whereas, you, **M/s Bikaner, C-8/1, Shop No.1, Sector-7, Rohini, Delhi-110083** (herein after referred as the addressee unit) found engaged in the activity of Restaurant/Sweet Shop.

And whereas, an inspection of your restaurant was conducted by the officials of DPCC on 09.12.2021 and the observations/deficiencies found during inspection are as follows:

1. The unit found operational.
2. The unit has not applied for Consent to Establish and Consent to Operate till date.
3. OGT found not installed.
4. Unit is having 06 sitting capacity.
5. LPG is being used as source of fuel.

And whereas, it is evident that you the addressee is causing pollution and also damage to the Environment which is liable for action as per "Polluter Pays" Principle. SCN was issued to you the addressee on dated 07.02.2022 for Rs.25,000/- (Rs. Twenty five thousands Only) and you have not submitted EDC till date.

In response to SCN dated 07.02.2022 you have submitted a reply on 17.02.2022. Hence by way of this notice, you are hereby given an opportunity to submit your reply as to why the aforesaid EDC as proposed for past violation as mentioned above should not be confirmed. Your reply should reach to this office within 15 days from date of service of this notice, failing which it shall be assumed that you have nothing to say in this regard and the competent authority of DPCC shall be free to take action as proposed above. This may also be treated as an opportunity of being heard.


Incharge, CMC-III

To,

**M/s Bikaner
C-8/1, Shop No.1, Sec-07
Rohini, Delhi-110083**

Copy to:

- ✓ 1. Incharge , IT Cell, DPCC- for uploading on website of DPCC in public domain
2. Master File



JEE, CMC-III