

By Speed Post



DELHI POLLUTION CONTROL COMMITTEE
3rd Floor, Block-1, DMRC IT Park, Shastri Park,
Delhi-110053

(Visit us at: <https://dpcc.delhigovt.nic.in>)

E-Mail: teamcmc7dpcc@gmail.com



F. No. DPCC/CMC-VII/E-137758/2025/6376-72 Date: 21-8-25

To,

M/s Dream Heritage Banquet,
882, East park Road, Karol Bagh,
Delhi - 110005

Subject: Show Cause Notice for submission of Logbook of operation of DG Set(s) and SCN for imposition of Environmental Compensation (EC) w.r.t. Sealing Memo issued dated 15.04.2025 for non-compliant DG Set-reg.

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, for regulated use of DG sets, the CAQM has issued Direction No. 73 dated 02.06.2023, revised Direction No. 76 dated 29.09.2023 and an amendment dated 11.12.2024 and for adopting the prescribed schedule for all sectors in NCR including Industrial, Commercial, Residential and Office establishments etc.

And whereas, officials of DPCC have sealed the non-compliant DG set of capacity 125kVA and issued sealing memo of DG Set(s) dated 15.04.2025.

And whereas, you have neither submitted any compliance nor submitted signed copy of logbook of actual operation of DG set(s) till date.

9

And whereas, for imposition of EC, duly certified/signed copy of logbook is essential for establishing the actual number of days of operation of non-compliant considering the total number of days of the DG set(s) installed at your unit premises and operated after 01.10.2023 to date of closure directions issued by DPCC/removal of non-compliant DG set/compliance of CAQM direction no.76 as amended to date.

And whereas, in accordance to the Standard Schedule for EC dated 01.01.2025 issued by the Commission, for each day of violation, * Rate of EC Charges per day of operation of the non- compliant DG Set shall be levied from 01.10.2023 onwards are as follows:

- i. Rs. 7,500 for DG Sets between 20 kW - 125 kW capacity
- ii. Rs. 15,000 for DG Sets > 125 kW but < 800 kW capacity
- iii. Rs. 25,000 for DG Sets of 800 kW or higher capacity

And whereas, CAQM vide its letter dated 31.01.2025 has given concurrence that EC shall be levied considering the total number of days for which non-complying DG set(s) were operated after 01.10.2023 to date of closure directions issued by DPCC/removal of non-compliant DG set/compliance of CAQM direction No.76 as amended. Further maintenance of log book for operation of DG set(s) is mandatory and according to the actual operation of such DG set(s) and you are hereby directed to deposit Environmental Compensation substantiating with the verified/signed copy of log book (copy must be attached) as given in the Table-A below alongwith an undertaking about the correctness of the statement:

S. No.	No. of DG Set (X)	DG Set Capacity	No. of days of operation of non-compliant DG Set (N)	* Rate of EC/day (R)	Total EC in Rs. (XxNxR)

OR

In the absence of logbook/established record of non-compliant DG set(s) operations, the operation of DG set is considered from 01.10.2023 till date of sealing of the non-compliant DG Set /removal of the non-compliant DG /date of compliance of DG Set with CAQM Direction and you are hereby directed to deposit Environmental Compensation as per the calculation/formulae given in the Table-B below:

[Handwritten signature]


S. No.	No. of DG Set (X)	DG Set Capacity	No. of days of operation of DG Set (N)	*Rate of EC/day (R)	Total EC in Rs. (XxNxR)

Where, N = No. of days from 01.10.2023 to date of sealing of the non-compliant DG Set /removal of the non-compliant DG /date of compliance of DG Set with CAQM Direction

R = Rate of EC Charges per day of operation of the non-compliant DG Set as indicated above.

Now therefore, you are hereby given an opportunity to submit your reply as to why the EDC should not be confirmed and to submit duly certified Logbook of operation of DG Set(s). Your reply should reach to this office within 15 days from date of service of this notice, failing which it shall be assumed that you have nothing to say in this regard and the competent authority of DPCC shall be free to take action as per law. This may also be treated as an opportunity of being heard.

This is issued with the approval of the Competent Authority in DPCC.


Incharge, CMC-VII
 Sanjay Vatts
 Environmental Engineer
 Delhi Pollution Control Committee
 IInd Floor, Vikas Bhawan-II,
 Upper Bela Road, Civil Lines
 Delhi

Copy to:

1. Incharge, IT Cell, DPCC – with request to upload on DPCC website.
2. Master File, CMC-VII