



DELHI POLLUTION CONTROL COMMITTEE
 DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI)
 3rd FLOOR, Block 1, DMRC IT Park, Shastri Park, DELHI-110053
 visit us at : <http://dpcc.delhigovt.nic.in>
 E-Mail ID: teamemc7dpcc@gmail.com



F. No. DPCC/CMC-VII/E-232780/2025 / 4852-53

Dated: 22-5-2026

Subject: Show Cause Notice for closure u/s 33(A) of Water (Prevention and Control of Pollution) Act, 1974 and u/s 31(A) of Air (Prevention and Control of Pollution) Act, 1981 as amended to date.

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, it is a mandatory provision under u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, that no person without the previous consent of the DPCC shall establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land or operate any industrial plant in air pollution control area.

And whereas, you **M/s Sharma Dhaba, 131, Anand Nagar, Inderlok, Delhi-110035** (herein after referred as addressee) is engaged in the activity of Restaurant.

And whereas, an inspection of your unit was conducted by the officials of DPCC on 25.04.2025 and the deficiencies found during inspection are as follows:

1. Dhaba/Restaurant found operational without having valid consents from DPCC with seating capacity of 16 seats.
2. Kitchen Emission Channelization System (ECS) found installed without providing proper hoods & suction arrangement and also, stack left open at public road with height approx.. **2.5 m above ground level.**
3. No OGT found installed and unit discharged wastewater directly in public sewer without any treatment.

And whereas, as per your inspection you (the addressee unit) you (the addressee) are operating the unit without having a valid Consent to Establish/ Consent to Operate from DPCC and in violations of the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 as amended to date.

And whereas, your case was taken up by the Competent Authority in Delhi Pollution Control Committee and decided to issue Show Cause Notice for closure u/s 33(A) of Water (Prevention and Control of Pollution) Act, 1974 and u/s 31(A) of Air (Prevention and Control of Pollution) Act, 1981, as amended to date.

Now therefore in exercise of powers conferred upon it, under the provisions of said acts as amended to date, hereby issue the following proposed directions:

Cont...2...

1. That you (the addressee) shall close your unit with immediate effect.
2. That the concerned Sub-Divisional Magistrate shall ensure effective closure of the said unit with immediate effect.
3. That the concerned authority TPDDL/BSES shall disconnect the electricity/power supply of the unit with immediate effect.
4. That the concerned authority in DJB shall disconnect the water supply connection of the said unit with immediate effect.
5. That the concerned authority in Delhi Police and MCD shall cancel the permission/license for the operation of the said unit with immediate effect.

Hence by way of this notice, you are hereby given an opportunity to submit your reply as to why the aforesaid proposed directions should not be confirmed. Your reply should reach to this office within 15 days from date of service of this notice, failing which it shall be assumed that you have nothing to say in this regard and the competent authority of DPCC shall be free to take action as proposed above. This may also be treated as an opportunity of being heard.

This issue as per the approval of the Competent Authority, Delhi Pollution Control Committee.

To,

**M/s Sharma Dhaba,
131, Anand Nagar, Inderlok,
Delhi-110035**


Incharge, CMC - VII

Sanjay Vatts
Environmental Engineer
Delhi Pollution Control Committee
IInd Floor, Vikas Bhawan-II,
Upper Bela Road, Civil Line,
Delhi-110054

Copy to:

1. Master File, CMC - VII