

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT, (GOVT. OF NCT OF DELHI) 3th FLOOR, DMRC BUILDING, SHASTRI PARK, DELHI-53 visit us at : http://dpcc.delhigovt.nic.in	
---	--	---

F. No. DPCC-L023/48/2025/CMC3-6640-42

Dated: 17-10-25

Subject: Show Cause Notice (SCN) u/s 31 (A) of Air (Prevention and Control of Pollution) Act, 1981 & 33(A) of Water (Prevention and Control of Pollution) Act, 1974, & as amended to date and SCN for Environmental Damage Compensation.

Whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and under the Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, it is mandatory provision under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 that no person without the previous consent of the DPCC shall establish or operate any industrial plant in air pollution control area.

And whereas, it is a mandatory provision under u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, that no person without the previous consent of the DPCC shall establish or take any steps to establish any industry, operation or process or any treatment and disposal system an extension or addition thereto, which is likely to discharge sewage or trade effluent into a stream or well or sewer or on land or operate any industrial plant in air pollution control area.

And whereas, an inspection of M/s The Crust Boyz, C-35/5, Lawrence Road Industrial Area, Delhi-110035 was conducted by the officials of DPCC on 25.09.2025 and the observations/deficiencies found during inspection are as follows:

1. The unit found operational and engaged in the activity of Bakery products & confectionary manufacturing/production with trade effluent discharge.
2. Hood & Channelisation installed in the cooking area.
3. ETP was installed but found in defunct condition, ETP logbook not maintained.
4. Chemical dosing tank not found during inspection.

And whereas, it is evident that you (the addressee) is causing pollution and also damage to the Environment and is liable for the panel action.

And whereas, your case was taken up by the Competent Authority in Delhi Pollution Control Committee and decided to issue a Show Cause Notice for closure u/s 33(A) of Water (Prevention and Control of Pollution) Act, 1974, as amended to date.

Now therefore in exercise of powers conferred upon it, under the provisions of said acts as amended to date, hereby issue the following proposed directions:

1. That you (the addressee unit) shall close your unit with immediate effect.
2. That the concerned Sub-Divisional Magistrate shall ensure effective closure of the said Restaurant/Eating house with immediate effect.
3. That the concerned authority TPDDL shall disconnect the electricity/power supply of the unit with immediate effect.
4. That the concerned authority in DJB shall disconnect the water supply connection of the said unit with immediate effect.
5. That the concerned authority in MCD shall cancel the permission/license for the operation of the said unit with immediate effect.

And whereas, apart from the above said directions, the Competent Authority in Delhi Pollution Control Committee has also decided why not the **Environmental Damages Compensation of Rs. 3,75,000/- (Rs. Three Lakh Seventy Five Thousand Only)** should be levied upon you (the addressee unit), which is being levied in view of office order F.No.DPCC/RDPC/EC/2022/3522-3530 dated 30.03.2022 as per the calculation as follow:-

Orange Category Unit:-


Environmental Compensation (EC) = $50 \times 250 \times 0.5 \times 2 \times N = \text{Rs. } 12500 \times N = \text{Rs. } 12500 \times N$

In case where 'N' (No. of days) is not actually measurable or doubtful, 'N' shall be considered as 30 days.

EC = $\text{Rs. } 12500 \times 30 = \text{Rs. } 3,75,000/-$

Therefore, EC= **Rs. 3,75,000/- (Rs. Three Lakh Seventy Five Thousand Only)** shall be liable to pay through Demand Draft in favor of "**Delhi Pollution Control Committee**".

Hence by way of this notice, you are hereby given an opportunity to submit your reply as to why the aforesaid proposed directions and EDC as proposed above should not be confirmed. Your reply should reach to this office within 15 days from date of service of this notice, failing which it shall be assumed that you have nothing to say in this regard and the competent authority of DPCC shall be free to take action as proposed above. This may also be treated as an opportunity of being heard.


In-Charge, CMC – III

To,

**M/s The Crust Boyz,
C-35/5, Lawrence Road Industrial Area,
Delhi-110035**

Copy to:

- ✓ 1. IT Cell- for uploading on DPCC website.
2. Master File, CMC – III