

By Speed Post

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI) 3rd Floor, Block-1, DMRC IT Park, Shastri Park, Delhi-110053 Visit us at: https://dpcc.delhigovt.nic.in Email id: teamcmc7dpcc@gmail.com	
---	--	---

F. No. DPCC/CFC-VII/C&D Projects/ 6479-82

Dated: 16-9-25

REMINDER-I

Subject: Order for confirmation of Environment Compensation (EC) and submission of compliance report of dust mitigation norms – reg.

Whereas, Central Pollution Control Board is the State Board for all the Union Territories to exercise powers and performs functions under the Air (Prevention & Control of Pollution) Act, 1981.

And whereas, Central Pollution Control Board has delegated all its powers and functions under Air (Prevention and Control of Pollution) Act, 1981 in respect of NCT of Delhi-to-Delhi Pollution Control Committee vide Notification No. S.O. 198 (E) dated 15.03.1991.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (1) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification no. GSR 106 (E) dated 20.02.1987.

And whereas, Delhi faces grave air pollution particularly in winter season and level of pollutants like Particulate Matter Concentration (PM_{2.5} and PM₁₀) goes much beyond the prescribed standards for Ambient Air Quality.

And whereas, the Commission for Air Quality Management in NCR and adjoining areas has repeatedly taken up the matter relating to air pollution with Government of NCT of Delhi and various organizations and has issued various Directions, Advisories and Orders for effective implementation of measures for abating air pollution in NCR from time to time.

And whereas, an inspection of construction site at **Sh. Varun Goel/ Sh. Vineet Jain, B1, Block 6, Roop Nagar, Delhi- 110007** (hereinafter referred as addressee) was conducted by DPCC officials on 28.10.2024 and it was observed that you are violating the Dust mitigation norms.

During said inspection, the observations/deficiencies found are as follows:-

- i. Dust/Wind breaking walls of appropriate height around the periphery of the construction site was not complied.
- ii. Tarpaulin or green net on scaffolding around the area under-construction and the building was not complied
- iii. No wheel washing arrangement of vehicles was observed.
- iv. Grinding & cutting of building materials in open area. Wet jet not being used in grinding and stone cutting.
- v. Unpaved surfaces and areas were not being adequately sprinkled with water to suppress dust.
- vi. No dust mask on workers working on construction site.
- vii. No arrangement for Medical help present on site.
- viii. No dust mitigation measures were being displayed prominently at the construction site for easy public viewing.
- ix. Illegal ground water extraction for commercial usage.

Cont..

And whereas, Show Cause Notice for imposition of Environment Compensation of Rs. 2,00,000/- (Rupees Two Lakhs only) was issued to you vide letter dated 13.11.2024 and your reply dated 28.11.2024 was not found satisfactory.


And whereas, an order for confirmation of Environment Compensation of Rs. 2,00,000/- (Rupees Two Lakhs only) was issued to you vide letter dated 30.12.2024.

And whereas, you (the addressee) have neither submitted the reply/ compliance report nor deposited the said Environmental Compensation (EC) till date.

Now therefore, you (the addressee) are again directed to deposit the Environmental Compensation (EC) of Rs. 2,00,000/- (Rupees Two Lakhs only) in the form of DD in favour of "Delhi Pollution Control Committee" and submit the compliance report of dust mitigation norms within 15 days of issuance of this order failing which you shall be liable for penal action as per the law.

This is being issued as per the approval of the Competent Authority, Delhi Pollution Control Committee.

Encl.: As above



In-charge, CMC - VII

To,

Sh. Varun Goel/ Sh. Vineet Jain,
B1, Block 6, Roop Nagar,
Delhi- 110007

Copy for information and necessary action to: -

1. The Sub Divisional Magistrate (Civil Lines), Office of SDM Civil Lines, NDPL Office Building near Panchayat Bhawan, Burari, Delhi-110084 with request to ensure recovery of aforesaid EDC of amount **Rs. 2,00,000/- (Rupees Two Lakhs only)** in favour of DPCC, in case if unit failed to deposit the same amount **within 15 days**.
2. In-charge, IT Cell - with request to upload on DPCC website.
3. Master File, CMC-VII.


In-charge, CMC - VII

By Speed Post

	DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI) 2nd FLOOR, C-BLOCK, VIKAS BHAWAN-II, UPPER BELA ROAD, CIVIL LINES DELHI-54 (visit us at website : http://dpcc.delhigovt.nic.in/)	 LIFE Lifestyle for Environment
---	---	---

File No. DPCC/CMC-VII/C&DProjects/ 5039

Date: 30-12-24

Subject: Direction for imposition of Environmental Compensation - reg.

Whereas, Central Pollution Control Board is the State Board for all the Union Territories to exercise powers and perform functions under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.

And whereas, Central Pollution Control Board has delegated all its powers and functions under the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 in respect of Union Territory of Delhi to Delhi Pollution Control Committee vide notification No. S.O. 198 (E) dated 15.03.1991.

And whereas, the whole Union Territory of Delhi has been declared as an Air Pollution Control area, under sub section (I) of section 19 of the Air (Prevention & Control of Pollution) Act, 1981 vide notification No. GSR 106 (E) dated 20.02.1987.

Whereas, Delhi is facing air pollution above the prescribed levels and the air quality w.r.t. levels of pollutants like Particulate Matter (PM_{2.5} & PM₁₀) is deteriorating thereby affecting public health. Activities related to construction and demolition have been identified as one of the major sources of air pollution and continuation of such activities without proper dust pollution control measures aggravate the situation.

And Whereas, Hon'ble Supreme Court of India and Hon'ble National Green Tribunal vide various orders have directed Government of NCT of Delhi to initiate steps to curb dust pollution. The Hon'ble National Green Tribunal has passed certain directions for controlling environment pollution in Delhi and also fixed compensation to be paid for violation in terms of the section 15 of the National Green Tribunal Act, 2010 for polluting the environment.

And whereas, the construction site at Sh. Varun Goel/ Sh. Vineet Jain, B1, Block 6, Roop Nagar, Delhi- 110007 (hereinafter referred as the Addressee) was inspected by the officials of DPCC on 28.10.2024 and the following observations/deficiencies were made wrt dust pollution control guidelines:

1. Dust/wind breaking walls of appropriate height around the periphery of the construction site was not compliance.

bury


2. Tarpaulin or green-net on scaffolding around the area under-construction and the building was not compliance.
3. No wheel washing arrangement of vehicles was observed.
4. Grinding and cutting of building materials in open area .Wet jet not be used in grinding and stone cutting
5. Unpaved surfaces and areas was not being adequately sprinkle with water to suppress dust.
6. No dust-mask on workers working in construction site.
7. No Arrangement for Medical Help present on site.
8. No dust mitigation measure were being displayed prominently at the construction site for easy public viewing
9. Illegal Ground water extraction for Commercial usage.

And whereas, SCN proposing Environmental Compensation of Rs 2,00,000/- (Two Lakh Only) was issued to you vide letter dated 13.11.2024 through speed post. The addressee have submitted the reply of the said Show Cause Notice vide letter dated 28.11.2024 and same is found not satisfactory.

In view of above, the competent authority in DPCC has decided to impose Environmental Compensation of Rs 2,00,000/- (Two Lakh Only).

Now, therefore you are hereby directed to deposit an amount of Rs 2,00,000/- (Two Lakh Only) as Environmental Compensation in the form of Banker's cheque/Demand Draft or through RTGS/online system in Account No. 40071442347(IFSC Code: SBIN0005715) (Bank & Branch: State Bank of India, Kashmere Gate, Delhi-110006) in favour of Delhi Pollution Control Committee or DPCC within 15 days.

This issues with the approval of the Chairman, DPCC


Incharge, CFC-II

To,
Sh. Varun Goel/ Sh. Vincet Jain,
B1, Block 6,
Roop Nagar, Delhi- 110007