

F.No.21-61/2017-IA-III
Government of India
Ministry of Environment, Forest and Climate Change
(IA.III Section)

Indira Paryavaran Bhawan,
Jor Bagh Road, New Delhi - 3

To,

M/s DCM Ltd,
6th Floor, Vikrant Tower,
4, Rajendra Place,
New Delhi-110006
Email: harshvbansal@yahoo.co.in
Fax: 011-25765214

ms/1192
26/9/17

Date: 19th September, 2017
Delhi Pollution Control Committee
Dairy No. 89784
25 SEP 2017
ms
Sign. of Receiving Officer

Subject: Expansion of "DCM Residential Colony" at Kishanganj, Delhi by M/s DCM Ltd - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No. IA/DL/NCP/61663/2016 dated 3rd February, 2017 submitting to this Ministry for grant of Environmental Clearance (EC) in term of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

2. The proposal for grant of environmental clearance to the project 'DCM Residential Colony' at Kishanganj, Delhi promoted by M/s DCM Ltd, was considered by the Expert Appraisal Committee (Infra-2) in its meetings held on 12-14 April, 2017 and 26-28 July, 2017. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting, are under:-

(i) The project will be located at Latitude- 28°39'37.43"N and longitude- 77° 11'46.14"E.

(ii) This is an expansion project. Project had granted Environment Clearance by SEIAA, Delhi vide letter No. DPCC/SEAC/197/SEIAA/66/2014 dated 03.06.2014 for plot area of 1,08,858.92 sqm and built up area of 5,79,463.697 sqm. Land has been allotted by Delhi Development Authority for development of additional Group Housing in addition to M/s DCM Ltd. Due to increase in land area and additional FAR due to green building, the total plot area will increase from 1,08,858.92 sqm to 1,60,780.357 sqm and built up area will increase from 5,79,463.697 sqm to 10,05,604.38 sqm which is more than 3,00,000 sqm, hence as per the amendment in EIA Notification, 2006 the project falls under the activity 8 (b), Category 'A'.

(iii) The total plot area is 160780.357 sqm. The project will be comprising of various activities after expansion i.e. Residential towers, Community Facilities, Commercial Spaces, EWS Units, Sports Facility & Religious Buildings. The Total FAR of the proposed complex after expansion will be 474388.225 sqm. The total built-up area after expansion will be 10,05,604.38 sqm. Maximum height of the building will be 180 m.

- (iv) During the construction of the proposed project, the water shall be supplied from treated water of existing STP of the complex and the same will be maintained without any adverse impact on the environment. There will be water Treatment plant for drinking water. Temporary sanitary toilets will be provided during peak labor force.
- (v) The total water requirement after expansion will be 2770 KLD. The source of water will be Greater Noida Supply. The total waste water generation will be 2037 KLD. The waste water shall be treated through Sewage Treatment Plant (STP) of total capacity 2300 KLD (Existing 1670 KLD). 1120 KLD treated water will be reused in flushing, gardening & D. G. & HVAC cooling.
- (vi) About 7999 Kg/day Municipal solid waste will be generated in the project after expansion. The biodegradable waste (5599 Kg/ day) shall be treated in Organic Waste Converter provide within the complex, recyclable waste generated (2400 Kg/day) will be handed over to authorized recycler. Used Oil of 180 lit/month shall be collected in leak proof containers at isolated place and then it will be given to approved recycler. E- Waste of 2 kg/ month will be collected and given to approved recycler.
- (vii) The total power requirement after expansion will be 28897 KW which will be provided by UP State Electricity Board. D.G. Set of capacities 10 x 1500 & 4 x 500 KVA shall be installed and will be kept in acoustically treated room & installed with anti-vibration pads and is used during Power failure only. Hence, to avoid the emissions, stack height of 6 m above roof level for each D.G. sets has been installed to reduce the air emissions, meeting all the norms prescribed by CPCB.
- (viii) Rainwater of buildings will be collected and 14 No. of RWH pits shall be provided for storm water recharging to ground.
- (ix) Adequate parking provision shall be provided in the project of 9858 ECS as Basement parking (first level basement, second level basement & third level Basement) & Surface parking.
- (x) 25% solar lights (36Nos.) of total external pole lighting (70W LED) on road shall be provided. Total 325 Nos. solar panel for water heater shall be provided. Solar Measures shall be adopted to provide shading devices for windows and roof which would effectively reduce heating up of building envelope. Louvers and sunshades will be used around windows in order to protect from direct sunlight.
- (xi) No eco-sensitive area lies within 10 km radius. Okhla Bird Sanctuary- 12.88 Km SW
- (xii) There is no court case pending against the project.
- (xiii) **Investment/Cost of the project** is Rs. 532.22 Crores.
- (xiv) **Employment potential** - Labourers during construction phase 150 no. and about 150 personnel as staff during operation phase.
- (xv) **Benefits of the project:** It will increase Infrastructure of the area & will provide housing facility, educational facility, commercial area and open space with all other basic amenities to various classes of people. It will provide healthy, green & safe premises for living. People have more open and green spaces, bringing them closer to nature. People live, stay and recreate; and have immediate access to entertainment facilities in a single, spacious and secured area. The benefits relate to the direct employment associated during

the construction of the infrastructure as well as during operation of the project to run primary and nursery schools etc. Additional employment opportunities will lead to a rise in the income and improve their standard of living.

4. The EAC, in its meeting held on 26-28 July, 2017, after detailed deliberations on the proposal, has recommended for grant of Environmental Clearance to the project. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project "DCM Residential Colony" at Kishanganj, Delhi promoted by M/s DCM Ltd, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

PART A – SPECIFIC CONDITIONS:

Construction Phase

- (i) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (ii) The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- (iii) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
- (iv) All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- (v) Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.



- (vi) At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- (vii) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- (viii) Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- (ix) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- (x) Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- (xi) Sewage shall be treated in the STP with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing, horticulture & DG cooling. Excess treated effluent shall be discharged in to Municipal sewer line as per CPCB norms.
- (xii) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 14 nos. of rain water harvesting tanks shall be provided as per CGWB guidelines.
- (xiii) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate space shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from group housing project will be sent to dumping site.
- (xiv) Solar based electric power shall be provided to each unit for at least two bulbs/light and one fan. As proposed, central lighting and street lighting shall also be based on solar power.
- (xv) A First Aid Room shall be provided in the project both during construction and operations of the project.
- (xvi) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

- (xvii) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xviii) The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- (xix) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xx) As proposed, no ground water shall be used during construction/ operation phase of the project.
- (xxi) Approval of the CGWA require before any dewatering for basements.
- (xxii) The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- (xxiii) Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- (xxiv) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- (xxv) Ambient noise levels shall conform to residential standards both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- (xxvi) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- (xxvii) An assessment of the cumulative impact of all activities being carried out or proposed to be carried out by the project, shall be made for traffic densities and parking capabilities in a 05 kms radius from the site. A detailed traffic management and a traffic decongestion plan drawn up through an organisation of repute and specialising in Transport Planning shall be implemented to the satisfaction of the State Urban Development and Transport Departments shall also include the consent of all the concerned implementing agencies.
- (xxviii) A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for

environment, and safety of users. The road system can be designed with these basic criteria.

- Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
- Traffic calming measures
- Proper design of entry and exit points.
- Parking norms as per local regulation

II. Operational Phase

- (i) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- (ii) For indoor air quality the ventilation provisions as per National Building Code of India.
- (iii) Fresh water requirement from Greater Noida Water Supply shall not exceed 2770 m³/day.
- (iv) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- (v) The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- (vi) No sewage or untreated effluent water would be discharged through storm water drains.
- (vii) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
- (viii) The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, the Construction and Demolition Waste Management Rules, 2016 and the Plastics Waste Management Rules, 2016 shall be followed.
- (ix) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
- (x) Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

- (xi) Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- (xii) A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Preference should be given to planting native species. Where the trees need to be cut, compensatory plantation in the ratio of 1:3 (i.e. planting of 3 trees for every 1 tree that is cut) shall be done and maintained. As proposed adequate area shall be provided for green belt development.
- (xiii) An environmental management plan (EMP) shall be prepared and implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. - are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.
- (xiv) The company shall draw up and implement a corporate social Responsibility plan as per the Company's Act of 2013.

PART B - GENERAL CONDITIONS

- (i) A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/ Tehsildar's office for 30 days.
- (ii) The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.
- (iii) Officials from the Regional Office of MoEF&CC, Lucknow who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF&CC shall be forwarded to the APCCF, Regional Office of MoEF&CC, Lucknow.
- (iv) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
- (v) The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- (vi) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the

Forest Conservation Act, 1980 and the Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.

- (vii) These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.
- (viii) The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at <http://www.envfor.nic.in>. The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a copy of the same shall be forwarded to the Regional Office of this Ministry at Lucknow.
- (ix) Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- (x) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (xiii) This issues with the approval of the Competent Authority.


(Kushal Vashist)
Director

Copy to:

- 1) The Principal Secretary, Environment Department, Government of Delhi, Level-6, C-Wing, Delhi Secretariat, IP Estate, New Delhi - 110002.
- 2) The APCCF (C), MoEF&CC, Regional Office (CZ), Kendriya Bhawan, 5th Floor, Sector "H", Aliganj, Lucknow – 226020.

- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) The Chairman, Delhi Pollution Control Committee, 4th floor, ISBT Building, Kashmere Gate, Delhi- 110006.
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.


(Kushal Vashist)
Director

F.No. 21-61/2017-IA-III
Government of India/Bharat Sarkar
Ministry of Environment, Forest & Climate Change

Indira Paryavaran Bhawan,
Jor Bagh Road, Aliganj
New Delhi – 110 003
Date: 14th December, 2017

CORRIGENDUM

Subject: Expansion of "DCM Residential Colony" at Kishanganj, Delhi by M/s DCM Ltd – Correction in Environmental Clearance - regarding.

Ref.: Your online proposal No. IA/DL/NCP/61663/2017 dated 3rd February, 2017.

Sir/Madam,

This has reference to your E-mail dated 22.11.2017 regarding corrections in Environmental Clearance letter No. 21-61/2017-IA-III dated 19th September, 2017 on the above mentioned proposal. Environmental Clearance dated 19th September, 2017 issued by this Ministry may be read as:

S. No.	Mentioned in Environmental Clearance letter No. 21-61/2017-IA-III dated 19 th September, 2017	Read as
1.	Title of the project written as "DCM Residential Colony" in subject	"DCM Residential Group Housing Complex"
2.	Point No. 2 at Page 1 reads as – "DCM Residential Colony"	"DCM Residential Group Housing Complex"
3.	Point no. 2 (iii) – "..... Expansion will be 474,377.225 sqm....."	"..... expansion will be 547,426.884 sqm....."
4.	Point No. 2 (v) – "..... water will be Greater Noida Supply."	"..... water will be Delhi Jal Board supply."
5.	Point No. 2 (vii) – "..... provided by UP State Electricity Board."	"..... provided by NDPL – TPDDL."
6.	Operation Phase – point No. (iii) – "..... Greater Noida Water Supply."	"..... Delhi Jal Board Supply....."

Yours faithfully,

(Kushal Vashist)
Director

To:

M/s DCM Limited, 6th Floor, Vikrant Tower, 4, Rajendra Place, New Delhi – 110 006
(Email: harshvbansal@yahoo.co.in Fax: 011- 25765214)

Copy to:

1. The Principal Secretary, Environment Department, Government of Delhi, Level-6, C-Wing, Delhi Secretariat, IP Estate, New Delhi – 110 002.

Contd....