

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY (SEIAA)-

DELHI

OFFICE OF DELHI POLLUTION CONTROL COMMITTEE

5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110006

visit us at : <http://dpcc.delhigovt.nic.in>

F.No.318/DPCC/SEIAA/2016/38/4855-4861

Dated: 14/10/2016

To,
Sh. Alok Bose,
Chief Manager,
Kewalkunj Apartment,
Rohini Sector-13, New Delhi.

Subject: "Environmental Clearance for Expansion Project of Society of Unique Hospitals and Research Institute at Sector-19, Dwarka, New Delhi-110075".

Sir,

This has reference to your application submitted on 18.07.2016 for seeking Environmental Clearance under Environmental Impact Assessment Notification dated 14.09.2006 amended as on date for the project mentioned in the subject above.

The case was taken up in 82nd meeting of SEAC held on 20.08.2016 found that the Project Proponent has already obtained EC for the existing building and now the proposed to seek revised EC for expansion in the built-up area. However the project Proponent has applied for fresh EC through OSMEC portal instead of applying for expansion in already issued EC. Also the Project Proponent has not disclosed the detail in respect to the earlier issued EC in its application. As per OM no. J-11011/618/2010-IA-II(I) dated 30.05.20012 it is mandatory for the Project Proponent to submit a certified report of the status of compliance of the conditions stipulated in the EC for the ongoing/ existing operation of the project by the Regional Office of the MoEF & CC, GOI. The committee recommended that the case be delisted and the application be asked to apply a fresh along with all requisite documents.

The case was considered in 38th meeting of SEIAA held on 05.10.2016 and the Authority decided as follows:

The recommendation of the SEAC to delist the project was accordingly approved by the Authority with the direction to project proponent to apply a fresh along with all requisite documents. Copy of the letter be sent to DDA/MCD /land owing agency for necessary action to ensure that no further construction should be allowed in violation of EIA Notification, 2006.

In view of above, your application submitted on 18.07.2016 for seeking Environment Clearance is hereby **delisted** with the direction to apply afresh along with requisite document.

This is being issued in pursuance of the decision taken by State Environment Impact Assessment Authority, SEIAA, Delhi in its 38th meeting held on 05.10.2016.



(Dr. S. D. Singh)

Member Secretary,
SEIAA, Delhi

Copy to:

1. Sh. Krishan Mohan Sahni, Chairman, State Level Environment Impact Assessment Authority-Delhi, 38, Pocket-2, Jasola Vihar, New Delhi.
2. The Secretary(Environment)-cum-Chairman(DPCC), Department of Environment, Govt. of NCT Delhi, Secretariat Building, 6th Level, C-Wing, I.P. Estate, New Delhi-02.

Contd....2...

3. The Additional Principal Chief Conservator of Forests (C), Regional Office (Central), Ministry of Environment, Forests & Climate Change, Govt. of India, Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow-226024, Uttar Pradesh.
4. The Director, Impact Assessment Division, Monitoring Cell, Ministry of Environment, Forests & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jorbagh, New Delhi-110003.
5. The Vice Chairman, Delhi Development Authority, Vikas Sadan, INA, New Delhi.- for necessary action so that no future construction should be allowed in violation of EIA Notification, 2006.
6. The Commissioner, South Delhi Municipal Corporation, Dr. S.P.M. Civic Centre, Minto Road, New Delhi, Delhi 110002 .- for necessary action so that no future construction should be allowed in violation of EIA Notification, 2006.


(Dr. S. D. Singh)
Member Secretary
SEIAA, Delhi