



CONSENT MANAGEMENT

Decisions taken by the Member Secretary (DPCC) on 17.10.2012 (10th Approval Meet) in 33 Cases of Consent to Establish under Orange Category (2c Category Cases. excluding cases of Redevelopment Areas) of the Period 28.02.2011 to 01.12.2010(13 cases of Reverse Chronology) and 01.09.2012 to 30.09.2012(20 Cases)(List I).

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	35826 03-12-2010	KRISHNA UDYOG A-5/11, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Establish	Mfg. of pressure cooker with buffing. Buffing On Metal	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 04.01.12 & it was observed that: a) Krishna udyog has vacated the premises (as informed by Shri. Ashok Aggrawal) since Diwali. b) Another three units ---- 1) M/s Aggarwal Insulation found operating in the premises. 2) M/s Star insulation (prop Sh. Inder Kant) found with activity of super enamelling. 3) M/s S.G. Enterprises found existing at the above mentioned address 4) M/s Manoj Wire with activity super enamelling found in the premises but it is not operating/ closed. (5) Closure directions u/s 31(A) details : issued on 20.10.10 in view of CWG 2010. Unit has submitted its reply on 03.12.10 along with a photocopy of affidavit & stating that the ECS has been provided and plant & device are in complete operational and in functional condition. EARLIER CMC DECISION 16.03.11 Ask the unit to provide technical adequacy report of ECS (in non operational condition of unit) in view of closure direction already issued. 02.11.11 Inspection be conducted. In case of deficiencies found, effective closure through SDM be done.	Decision / Recommendation of Screening Committee on 10-10-2012 Recommended for refusal of consent. Rest of the cases to be dealt separately.	17-10-2012 Consent refused to M/s Krishna Udyog. Rest of the cases to be dealt separately.
2	35957 15-12-2010	BEDI MOTORS KEMAL ATTATURK MARG (NEAR RACE COURSE) NEW DELHI	NEW DELHI	Orange Establish	FILLING STATION CUM SERVICE STATION OF CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 297 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 3000 liters/day		08-10-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 25.01.2011 issued by DTU submitted. (b) Effluent analysis report dated 25.01.2011 issued by DTU submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 23-02-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: an inspection was carried out by representative of DPCC on 02.12.2010 and as per inspectin following are the observation. - unit found operating and engaged in petrol pump cum service station (washing cars)- tata authorised.	Decision / Recommendation of Screening Committee on 10-10-2012 File be put up administratively.	17-10-2012 File be put up administratively.

							- ETP found installed by same in lying defunct. No dry or wet sludge found. waste water generated is being by passed or discharged with out any treatment. -bore well connection exist. DC set 50 KVa found with acoustic enclosure but stack height is inadequate.		
							(5) SCN u/s 31(A)/33(A)/5 of EPA details : as per approval in CMC meeting held on 21.01.2011, SCN was issued on 25.05.2011 under water and air act. - in response of SCN a reply was submitted by unit on 06.06.2011 and infored that the they have applied for HWM rule on 27.05.2011 and adequacy report of ETP and Noise monitoring report is submitted with application for consent to operate. -As per CMC meeting held on 28.09.2011 a letter was issued to the unit on 23.11.2011 for submission of bank guarantee of rs. 50,000 under each water and air act and HWM rule valid for one year and submit its reply on an affidavit. -unit has submit a letter on 27.02.2012 along with bank guarantee of Rs 50,000/- each under air and water act. again a letter was issued to the unit on 30.03.2012 regarding reply on affidavit for HWM. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No.		
3	36052 23-12-2010	PIONEER FARM (A UNIT OF PIONEER PUBLICITY PVT.LTD.) KH.NO 54/8(3-19),9(4-16),10(4-6),PALLA BAKHATWARPUR ROAD G.T.K. ROAD	NORTH WEST	Orange Establish	HOSPITALITY. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- 01-01-2011 - Built Up Area ---- 135 (in sq. meter) - Water Consumption ---- 5000 liters/day - Ground Water ---- 5000 liters/day - Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 4000 liters/day	05-10-2012 ETP: proposed ECS: N/A D.G SET of 62.05 KVA proposed. Directions for closure u/s 33(A) /31(A) were issued on 12.01.2011 unit submitted its reply on 01.03.2011 along with affidavit and copy of adequacy report of ETP. A letter was issued to the unit on 15.03.2011 for submission of bank guarantee. Earlier CMC Decision on 16.03.2011: decision taken on file on 04.03.2011 ratified regarding submission of bank Guarantee of Rs. one lakh each under Air act and Water act valid for one year, if unit submits the bank guarantee, consent to establish be issued. again letter issued to the unit on 01.08.2011 for submission of bank garantee. unit submitted bank guarantee on 28.07.2011. Revocation of closure directions was issued on 16.08.2011	Decision / Recommendation of Screening Committee on 10-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
4	36055 24-12-2010	JAIN INDUSTRIAL LIGHTNING CORPORATION B-70/22 DSIDC LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Establish	ELECTRICAL LIGHT FITTINGS CFL LAMPS ELECTRICAL APPLIANCES AND ELECTRONIC GOODS. ELECTRICAL LIGHT FITTINGS CFL LAMPS ELECTRICAL APPLIANCES AND ELECTRONIC GOODS.	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-10-2012 ETP / STP ---- N/A ECS: N/A DG Set: nil Earlier CMC Decision 16.03.2011:file be put up administratively. A letter issued to the unit on 23.11.2011 for submission of bank guarantee and unit submitted th same on 01.12.2011.	Decision / Recommendation of Screening Committee on 10-10-2012 Recommended for grant of Consent to Establish. IT Cell be requested to correct the category of the activity of the unit to Powder Coating.	17-10-2012 Consent to Establish granted. IT Cell be requested to correct the category of the activity of the unit to Powder Coating.
5	36144	MILLENIUM BUTTONS PVT.LTD.	Bawana Industrial Area	Orange Establish	Manufacturing of Buttons.		05-10-2012 ETP / STP ---- proposed ECS: proposed	Decision / Recommendation of Screening Committee on 10-10-2012 Recommended to inspect the unit.	17-10-2012 Inspection to be conducted.

	04-01-2011	PLOT NO 154,BLOCK-A, SECTOR-2,DSIDC BAWANA INDUSTRIAL AREA			Spectacles and Optical Frames (Plastic Products)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 500 liters/day		DG Set: nil Earlier CMC Decision: Ask the unit to submite the Bank Guarantee of Rs. 50,000 each under Air Act and Water Act valid for 1 year. and if unit submits the same consent to establish be issued. accordingly a letter issued to the unit 15.05.2011. unit submitted sinlgle bank guarantee under Water Act on 15.07.2011. again letter issued to the unit for submisson of bank guarantee under Air Act on 24.08.2011.		
6	36193 10-01-2011	MAHABIR DAL MILLS PLOT NO- 150,SECTOR- 2,POCKET- B,BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Dall Mills. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day		05-10-2012 ETP / STP ---- N/A ECS: proposed DG Set: nil Earlier CMC Decision dated 31.03.2011: ask the unit to clarify the reason to apply for applying consent to establish twice.accoedingly a letter issued to the unit on 16.05.2011	Decision / Recommendation of Screening Committee on 10-10-2012 Recommended to grant Consent to Establish for the activity of Dal, Besan & flour Mill. IT Cell be requested to correct the activity and its categorization. Ask the unit to apply afresh for consent to operate.	17-10-2012 Consent to Establish for the activity of Dal, Besan & flour Mill granted. IT Cell be requested to correct the activity and its categorization. Ask the unit to apply afresh for consent to operate.
7	36267 18-01-2011	NORTHERN STEEL INDSUTRIES (UNIT-II) A-53,GROUP WAZIRPUR INDSUTRIAL AREA	Wazirpur Industrial Area	Orange Establish	BUFFING ON S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		08-10-2012 1)ETP ---- N/A (2)ECS - yes (a) AR dated 08.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 08-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...NIL SCN u/s 31(A) was issued on 21.06.2011. unit submitted its reply along with adequacy and test reports of ECS. Earlier CMC Decision on 28.09.2011 Issue SCN for refusal of consent for want of doucmentary evidence to establish that unit No-1 and unit-II are the separate enity. Accordingly, SCN for refusal of consent issued to the unit on 22.11.2011. No reply peiceved from the unit.	Decision / Recommendation of Screening Committee on 10-10-2012 File be put up administratively as decided on 03.10.2012.	17-10-2012 File be put up administratively as decided on 03.10.2012.
8	36349 31-01-2011	ASGAR PLASTIC WORKS I-2059,DSIDC NARELA INDSUTRIAL AREA	Narela Industrial Area	Orange Establish	MFG. OF PVC DANA (WITH WASHING SCRAP). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 70 liters/day		05-10-2012 CTE ---- CTE applied on 31.01.2011 vide Id.No. 36349. Water Consumption ---- 300 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 150 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 01.02.2011 Waste Water generation Domestic Effluent ---- 100 liters/day Trade Effluent ---- 70 liters/day ETP / STP ---- Not installed. Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Earlier CMC Decision on 31.03.2011 Inspection be Conducted Unit has submitted a reply on 21.09.2011 Inspection conducted on 20.12.2011 and following were observed: Unit found locked and as informed by neighbours no industrial activity was carried out in thr premises it also reveals from the situation no activity was carried out.	Decision / Recommendation of Screening Committee on 10-10-2012 Recommended for grant of Consent to Establish. IT Cell be requested to correct the activity of the unit to Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity).	17-10-2012 Consent to Establish granted. IT Cell be requested to correct the activity of the unit to Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity).
9	36469	THE RETREAT MOTAL (RUN BY JINGAL BELL AMUSEMENT PARK	NORTH WEST	Orange Establish	MOTEL AND RESORT ACTIVITY.			09-10-2012 (1)ETP ---- N/A (a) AR dated .18.01.2011 issued by DTU submitted. (b) Effluent analysis report dated 18-01-2011 issued by DELHI	Decision / Recommendation of Screening Committee on 10-10-2012 Implement the earlier CMC decision dated 03.102.2012 regarding issuance of	17-10-2012 Implement the earlier CMC decision dated 03.102.2012 regarding issuance of

[illegible]

							thus entire untreated waste water was found dischagred into public drain. (5) SCN u/s 31(A)/33(A) issued on 25.05.2012. A reply received from the unit on 05.06.2012 and requesting for two months time. (6) Modified directions u/s 31(A) issued on 23.07.2012.		
17	DPCC/EC/2/1/2012/2563 06-09-2012	SHIVRAM FOODS PRIVATE LIMITED B-91, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MFG.OF ICE-CREAM Ice-cream	• Date of commissioning of project ---- • Built Up Area ---- 464.51 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 2000 liters/day	10-10-2012 (1)ETP ---- ETP (Physiochemical)---- proposed (2)ECS - N/A (3)D.G.Set Noise Report : 2 : 20 KVA & 63 KVA. (4) Inspection details: conducted on 06.02.10 & following were observed: a) The unit is found in operation for the last two months. b) ETP/ biological has not been installed & commissioned yet. c) CTO is not yet applied. d) Two DG sets found installed of 62.5 KVA & 20 KVA with acoustic enclosure & adequate stack height. (5) SCN u/s 33(A) details : issued on 31.05.10. SCN for revocation of consent was also issued on 31.05.10. Unit has submitted its reply on 14.06.10 & informed that they have installed an ETP & applied for effluent analysis report. As approved, letter was issued on 30.07.10 for submission of Bank Guarantee of Rs. 50,000/- under Water Act valid for one year & also directed that unit shall not operate the unit till reports of the ETP. Unit has submitted the above said Bank Guarantee on 17.09.10. letter was received from ICICI Bank on 06.09.11 regarding the returned on original Bank Guarantee. EARLIER CMC DECISION 21.12.2009 / 22.12.2009 Issue Consent to Establish. Subsequently, inspection be conducted. 16.04.10 Issue SCN for revocation of consent and SCN for closure of the unit. 13.01.11 Decision taken on file ratified.	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
18	DPCC/EC/2/1/2012/2603 10-09-2012	MITHILA SAHYOG AGRO TECH (INDIA) LTD. S-19, PHASE-I, BADLI INDUSTRIAL AREA	Badli Industrial Estate	Orange Establish	FLOUR MILL Flour Mills	• Date of commissioning of project ---- 01-09-1990 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
19	DPCC/EC/2/1/2012/2610 11-09-2012	VIJAY PURE SPICES COMPANY PLOT NO-229, POCKET-H, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	MFG. OF SPICES. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	11-10-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
20	DPCC/EC/2/1/2012/2618	JAGGI ART	Bawana	Orange	FLOUR MILL		11-10-2012	Decision / Recommendation of	17-10-2012

	12-09-2012	PRINTERS PLOT NO K-42, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Industrial Area	Establish	Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS -Proposed (3)D.G.Set: ...Nil	Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	Consent to Establish granted.
21	13-09-2012	JMC- CHEC (JV) CBD GROUND, NEAR KARKARDOOMA COURT, SHAHDARA	EAST	Orange Establish	MIXING OF CONCRETE. Ready Mix Concrete Plants (without trade effluent discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...6... 250KVA, 2x 125 KVA & 3x 62.5KVA	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish (without trade effluent discharge) with condition that unit shall take adequate measures for fugitive dust suppression / control to meet the prescribed standards and will also submit adequacy report of the plant to achieve the prescribed standards from empanelled consultant of DPCC while submitting application for consent to operate.	17-10-2012 Consent to Establish (without trade effluent discharge) granted with condition that unit shall take adequate measures for fugitive dust suppression / control to meet the prescribed standards and will also submit adequacy report of the plant to achieve the prescribed standards from empanelled consultant of DPCC while submitting application for consent to operate.
22	13-09-2012	K R F LIMITED B-22, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	Manufacturing of plastic hangers, Rubber Buttons/patches, metal buttons/Badges and leather patches. Aluminium Pressure Die Casting Industry Or Process Involving Electroplating Operations Plastic Processed Goods Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 338.792 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 1000 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended to inspect the unit.	17-10-2012 Inspection be conducted.
23	18-09-2012	COMPETENT AUTOMOBILIES CO. LTD B-83, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	SERVICING, REPAIRING AND WASHING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 3500 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 21-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
24		BOMBAY WIRE INDUSTRIES	Friends Colony	Orange Establish	COPPER WIRE DEAWING AND			10-10-2012 (1)ETP ---- N/A	Decision / Recommendation of Screening Committee on 15-10-2012	17-10-2012

	19-09-2012	PLOT NO A-73, (NEW NO.421-D) GALI NO. 7, FRIENDS COLONY INDL. AREA	Industrial Area		SUPER ENAMELLED WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 110.27 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...140 KVA...	Recommended for grant of Consent to Establish.	Consent to Establish granted.
25	19-09-2012	PARACHEM PHARMACEUTICAL PVT. LTD. PLOT NO-3, SECTOR-5, POCKET-N, DSIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	REPACKING OF DURGS AND CHEMICALS AND MFG. OF EXTERENAL APPLICATION. Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 70 liters/day		11-10-2012 (1)ETP ---- trade effluent 50 LPD (Proposed) (2)ECS - N/A (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
26	20-09-2012	ARAVALI PRINTERS AND PUBLISHERS PVT. LTD. A-129, PH-II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 20000 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 1000 liters/day		10-10-2012 (1)ETP ---- proposed. (2)ECS - N/A (3)D.G.Set: ...2... 125 KVA & 82.5 KVA	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
27	21-09-2012	JKG ENTERPRISES E-49/12, OKHLA, PH-II	Okhla Industrial Area	Orange Establish	SWEET SHOP AND RESTAURANT Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-12-2001 • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- ETP (Physiochemical)----- installed (2)ECS - N/A (3)D.G.Set Noise Report : 82.5 KVA. (4) Inspection details: conducted on 08.06.12 w.r.t a public compliant & following were observed: a) During the inspection, unit was found functional without CTO & CTE. b) DG set of capacity 82.5 KVA installed in the premises in a anon acoustic room. c) ETP installed but found in defunct condition. d) No ETP sludge & hazard waste drum & site provided in the premises. (5) SCN u/s 33(A) details : issued on 02.07.12. Unit has submitted its representation on 09.07.12 & requested for 30 days time for rectification of deficiencies of ETP & acoustic canopy with DG set. As approved, modified directions issued on 29.08.12 for 30 days for submission of affidavit that they have rectified the deficiencies regarding ETP & acostic canopy with DG set & submission of fresh adequacy report along with monitoring report of ETP & NMR from empaneled consultancy of DPCC. Unit has applied for CTO on 21.09.12 with adequacy report dated 09.09.12 issued by DTU submitted & effluent analysis report dated 09-09-2012 issued by DTU submitted.	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
28	24-09-2012	TEJ RAM DHARAM PAUL C-4, SECTOR-4, DSIDC INDL. AREA, BAWANA	Bawana Industrial Area	Orange Establish	MFG. OF SUPARI AND MOUTH FESHNER. Supari (Betelnut) and Pan Masala Grinding	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS -Proposed	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended to inspect the unit.	17-10-2012 Inspection be conducted.

29	DPCC/EC/2/1/2012/2713	UNI-PEX PHARMACEUTICALS PRIVATE LIMITED PLOT NO 542, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	FORMULATION OF MEDICINES Medicines / Pharmaceutical Formulation-Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 80 liters/day • (b) Trade Effluent ---- 100 liters/day		(3)D.G.Set: ...nil 11-10-2012 (1)ETP ---- trade effluent: 100 LPD ETP (Proposed) (2)ECS - N/A (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Ask the unit to submit list of products and copy of license from Directorate of Drugs Control.
30	DPCC/EC/2/1/2012/2722	SU YASH TRAEXIM PVT. LTD. C-178E, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	REPAIR AND SERVICING OF AUTOMOBILES (TWO WHEELERS ONLY). Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 15.93 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 3800 liters/day • Waste Water generation • (a) Domestic Effluent ---- 500 liters/day • (b) Trade Effluent ---- 3800 liters/day		12-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
31	DPCC/EC/2/1/2012/2724	BAJWAN FOOD PRODUCTS PLOT NO 140, POCKET-A, SECTOR-2, DSIIDC INDL. AREA, BAWANA	Bawana Industrial Area	Orange Establish	FLOUR MILL Flour Mills	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 50 liters/day • (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...nil	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
32	DPCC/EC/2/1/2012/2733	SINGLA FOODS PLOT NO-150, PKT-A, SEC-2, DSIIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	Flour Mills. Flour Mills	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 50 liters/day • (b) Trade Effluent ---- 0 liters/day		11-10-2012 (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.
33	DPCC/EC/2/1/2012/2740	GIRDHARS INTERNATIONAL PVT. LTD. F-16, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Establish	Mfg. of Candles. Mfg. of Candles having oil fired boiler with trade effluent discharge	• Date of commissioning of project ---- • Built Up Area ---- 979 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 2400 liters/day • (b) Trade Effluent ---- 0 liters/day		15-10-2012 (1)ETP ---- physiochemical (a) AR dated 22.02.2012 issued by .DTU submitted. (b) Effluent analysis report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - stack attached to boilers (a) Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (b)Stack monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	Decision / Recommendation of Screening Committee on 15-10-2012 Recommended for grant of Consent to Establish.	17-10-2012 Consent to Establish granted.

							(b)The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: 28.10.2009 (5) SCN u/s 31(A)/33(A)/5 of EPA details :18.10.2010. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : 21.08.2012. Inspection was conducted on 28.10.2009 and following deficiencies were observed:- 1) No channelization system provided to control emission generated during melting of wax. 2) Brine solution generated during back wash of softening plant is being discharge with out treatment. 3) In the submitted document, only one boiler is reported, however during the inspection two no. of thermic fluid heater and one no. of steam boiler with inadequate stack height are found in the premises. No stack monitoring report submitted to these heaters/ boiler. A letter for rectification of deficiencies was issued to the unit on 25.02.2010. However no reply has been received so far. SCN for refusal of consent and section 31 (A) of Air Act & u/s 33 (A) Water Act were issued to the unit on 18.10.2010. However no reply has been received so far. Refusal of Consent and confirmed closure direction were issued to the unit 02.06.2011. Unit submitted reply on 13.06.2011 along with an affidavit regarding rectification of deficiencies. Bank guarantees of Rs. One Lakh each under Air and Water Act were asked vide letter dated 22.07.2011. The unit has submitted the BG of Rs. One Lakh each under Air & Water Act on 29.09.2011. As decided in the CMC (Orange) dated 11.11.2011, a letter has been issued to the unit for the submission of technical adequacy report of waste water treatment system for regenerated waste water from softening plant on 07.12.2011. Unit submitted its reply on 29.02.012 along with the technical adequacy report and Temporary Revocation of closure directions issued to the unit on 26.03.2012 with the condition to submit a fresh application for Consent to Establish and consent to operate. Again Closure Directions u/s 31 (A) of the Air Act and 33 (A) of the Water Act issued to the unit on 21.08.2012. The unit has approached to National Green Tribunal and tribunal has following order. - if unit files an application within two weeks in proper format,enclosing all documents and fulfilling all requirements prescribed under law, the DPCC shall consider the same and take decision within three weeks from the date of receipt thereof, till a final decision is taken by the DPC on tth said application, no coercive action would be taken against the unit. The unit has now applied for CTE and CTO. The unit has submitted a letter on 08.10.2012 regarding increasing/ providing adequate stack height with DG sets and boilers.		
--	--	--	--	--	--	--	---	--	--