



DELHI POLLUTION CONTROL COMMITTEE

4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /11th Meeting / 2016/ 5964-69 **Dated: 27.9.16**

Subject: Minutes of the 11th Meeting of the Committee for II (b) Category Cases
headed by Member Secretary, DPCC, held on **21.09.2016**, in the Conference
Room of DPCC at ISBT Building Kashmer Gate , Delhi -06.

Please find enclosed herewith the Minutes of the 11th Meeting of the aforementioned
Committee, held on **21.09.2016**, in the Conference Room of DPCC at ISBT
Building Kashmer Gate , Delhi -06.

Concerned Cells are required to take necessary action as per the decisions taken by the
Committee.

(D.K.Singh)
Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

- 1.PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
- 2.In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of
the meeting of the Committee on the website of DPCC .
3. LO -I.

(D.K.Singh)
Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 11th Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous & Other Wastes / Plastic Waste Rules, held on 21.09.2016, in the conference room of DPCC, at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Earlier 11th meeting of the Committee for II (b) Category cases was scheduled to be held on 09.09.2016 in respect of cases of Hotels and Restaurants of Mahipalpur Area, however, since the said meeting could not be held, this meeting is numbered as 11th meeting of the Committee.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

In view of the letter F. No. DPCC/CMC-II/Consent GW-Policy/2016/5025-40 Dated 28.07.2016 issued to Chief Executive Officer, Delhi Jal Board & Secretary (Revenue) cum Divisional Commissioner, Govt. of NCT of Delhi [with copy to Member (Water), Delhi Jal Board and all Dy. Commissioners of 11 Districts], the Committee decided not to hold consent applications on the issue of ground water extraction / use of ground water / outside source for water supply (tankers) and decide the cases from the pollution control point of view so that provisions of the pollution control laws can be implemented / enforced in NCT of Delhi.

The matter regarding deciding the consent / authorization applications received from the units located in Redevelopment Areas was discussed. It was informed that a meeting was held before Secretary (Environment) cum Chairman, DPCC on 13.07.2016 w.r.t. issues / policy regarding units operating in notified redevelopment industrial areas of Delhi as mentioned in the Master Plan of Delhi-2021. The said meeting was attended by representatives of DDA, Industries Department and DPCC. Minutes of the said meeting have been issued on 02.08.2016. In view of the decisions taken in the said meeting, an office order is to be issued which is under process.

In case of the units of redevelopment areas which have applied for Consent/Authorization to DPCC, the Committee decided to ask the units to submit Certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate. Copy of such letters issued to the units may also be sent to the Industries Department.


List of units in redevelopment areas which have applied for Consent/Authorization to DPCC be sent to the Commissioner, Industries Department, Govt. of NCT of Delhi for verification / confirmation of the location of the unit within the boundary of the notified redevelopment areas and subsequently on monthly basis by the concerned CMC i.e. CMC-IV dealing with the matter / issues related to redevelopment areas.

Agenda Item No 1: 122 Pending Cases of Consent to Establish/Operate /Renewal of the period 01.07.2015 to 15.01.2016.

The above mentioned cases excludes cases of Hotels & Restaurants of Mahipalpur area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual Consent to Establish/Operate/Renewal cases and list of 28 no. of Consent to Establish cases including decisions taken in these cases are at Annexure I and list of 94 no. of Consent to Operate / Renewal cases including decisions taken in these cases are at Annexure II.

Contd.2...

The bottom of the page features several handwritten signatures and initials in blue ink. On the left, there is a signature that appears to be 'Rajendra Singh'. In the center, there are several overlapping signatures, including one that looks like 'Rajendra Singh' and another that is more stylized. On the right, there is a signature that appears to be 'Rajendra Singh' and another that is more stylized. The signatures are written over the text 'Contd.2...'.

Following cases though fall in the above mentioned period however not appearing in the software generated list / above mentioned agenda and therefore Committee decided to take up these cases for offline decisions. The Cases were briefed by the concerned engineers and decisions taken are given in the following table:-

Sl. No	CMC	Name & Address	ID No.	Date of Consent to Establish / Operate / Renewal Application	Activity of the Unit	Brief of the Case / Remarks	Decisions taken by the Committee
1	II	M/s Lally Automobiles Pvt. Ltd., D-11, Phase-I, Okhla Industrial Area, New Delhi-110020	11296	14.07.2015 [Consent to Operate (Renewal)]	Servicing of Cars	As decided in meeting on 04.07.2015, inspection is to be conducted.	Expedite inspection.
2	II	M/s Rampur Kitchen (Mughal Darbar), Shop No 47-50, 1st Floor, The India Mall, 1, Community Centre, New Friends Colony, New Delhi-65	11383	24.07.2015 [Consent to Establish]	Restaurant	File is under submission.	Take action as per the decision in file.
3	II	M/s The Oakland, CC-27, Nehru Enclave, Kalkaji, Delhi-39	11455	04.08.2015 [Consent to Establish]	Guest House with Kitchen	File is under submission.	Take action as per the decision in file.

Following Table Agenda Items were taken by the Committee with the permission of chair:-

Table Agenda Item No 1: Case of M/s Capital Vehicles Sales Ltd., C-1, Udyog Nagar Industrial Area, Peeragarhi, Delhi-110041 (ID No. 16069 CTO Dated 05.09.2016 for the activity of Automobile Servicing and Repair Station with Washing & Painting.

The matter was briefed before the Committee by concerned officers of CMC – IV. Unit was inspected on 14.09.2016 and ETP found operational & compliance observed w.r.t. HWM Rules. The Committee decided to grant Consent to Operate & Authorization under HWM Rules.

Contd.3...

[Handwritten signatures and initials]

The Appellate Authority under the Air Act allowed the appeal vide order dated 07.10.2014. The appeal under the Water Act is pending with the Appellate Authority. In the meantime, the hotel has again applied for Consent to Operate (Renewal) five years consent fee (without condonation fee) along with an affidavit stating that the appeal before the Appellate Authority is sub-judiced for restoration of consent on 08.12.2014. The unit has installed Sewage Treatment Plant (STP) (350 KLD) & Effluent Treatment Plant (ETP) (250 KLD). The hotel is having two D.G. Sets of 1010 KVA each, one D.G. Set of 1000 KVA, one D.G. Set of 1250 KVA & one D.G. Set of 200 KVA with common wet scrubber system and stack height of 10 meter above ground level. The hotel is having three PNG boilers (3.5 KL/Hours each, natural gas & low sulphur HSD in case of emergency). The hotel is having 3 Rain Water Harvesting Pits, Organic Waste Converter and Solar Water Heating System. The hotel is having one active borewell registered with CGWA.

In view of the above and also considering the Legal Opinion, the Committee decided to grant Consent to Operate (Renewal) with the following conditions besides the conditions applicable to the hotel in respect of Hotels (3 Star and above) as decided by DPCC in its Board Meeting on 22.03.2016 and Terms & Conditions mentioned in the earlier Consent issued to the Hotel on 04.07.2012:-

- (a) Hotel shall provide adequate stack height for 2 D.G. Sets of 1010 KVA each as per the Gazette Notification of Ministry of Environment & Forests, Govt. of India Dated 09.07.2002 and stack height for sets [Engine rating more than 0.8 MW(800 KW)] commissioned after 01.07.2003 shall be maximum of following, in meter (i) $14 Q^{0.3}$ (Q-Total SO₂ emission from the plant in kg/hr) (ii) Minimum 6 meter above the building where generator set is installed (iii) 30 meter within three months.
- (b) Hotel shall meet the Emission Standards for Diesel Engines (Engine rating more than 0.8 MW (800 KW) for Power Plant, Generator Set Applications and other Requirements as mentioned in the Gazette Notification of Ministry of Environment & Forests, Govt. of India Dated 09.07.2002 and shall submit stack monitoring report for D.G. Set emissions for the parameters mentioned in the said notification from any of the empanelled laboratories of DPCC within three months.
- (c) The Renewal of Consent to Operate is granted for w.e.f. 19.12.2014 to 18.12.2019. The period of current consent is subject to the decision on the issue of appeal filed by M/s **CJ International Hotels Ltd (Le - Meridien)** challenging the revocation Consent Order dated 29.01.2013 for violation of Consent Order dated 04.07.2012.

Contd.4...

Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (**Annexure I & II**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.


In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC


(D.K. Singh)
SEE, CMC-II



(M. Anil)
SEE, CMC- V



(P.S. Pankaj)
EE, CMC- IV



(B.L. Chawla)
SEE, CMC-I


(Satender Kumar)
SEE, CMC-III


(D.K. Srivastava)
EE, CMC-III


(N.K. Joshi)
EE, CMC-III


(Sanjay Vatts)
EE, CMC-II


(Shyam Sunder)
EE, CMC-I











(Ramesh Chandra)
EE, CMC-II


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV


(K. Kumar)
EE, CMC-IV

Attendance Sheet for 11th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes /Plastic Waste Rules of the units under Category II (b), for the Pending Consent to Establish / Operate/ Renewal cases of the period 01.07.2015 to 30.06.2016, held on 21.09.2016 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
4.	Sh. P. S. Pankaj	EE(~~CMC~~) / Incharge CMC IV), DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh Satender Kumar	SEE(CDC) (CMC III), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	On Leave
9.	Sh. N.K.Joshi	EE(CDC) (CMC III), DPCC	
10.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 11th meeting on 21.09.2016 w.r.t. Agenda Item No 1 -- 28 Pending Cases of Consent to Establish of the period 01.07.2015 to 15.01.2016 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	AUTO VIKAS SALES & SERVICE PVT. LTD.	B-239 PH-I OKHLA INDL. AREA	03-07-2015	DPCC/EC/2/1/2015/11214	Authorised service station. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 19-01-2012 Authorisation Status Approved Authorisation Issue Date 29-05-2012 Authorisation Expiry Date 18-01-2017 HWM Application No. 2 Application Date 03-07-2015 Authorisation Status Pending			11-01-2016 (1)ETP -- Proposed (2)ECS - N/A (3)D.G.Set: 125 KVA (Proposed) Ground Water: Nil Water Consumption: 800 litres/day (Source-Outside (Bill enclosed)). Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 DPCC laboratory collected the sample and analyze w.r.t. NGT order dated 12.08.2015 in Q.A. No. 300/2013 and Minutes of Meeting dated 30.09.2015, the analysis report reveals that parameter of Oil & Grease was not meeting the prescribed standards. SCN u/s 33(A) of Water Act was Issued to unit on 24.05.2016 as Effluent analysis report reveals that Oil & Grease is not meeting the prescribed standard. Unit submitted its representation on 08.06.2016 w.r.t. SCN and stated that they have already closed down the activity from last few months. At present M/s MCTC Exim Pvt. Ltd is	21-09-2016 Consent to Establish dated 03.07.2015 and Consent to Operate dated 03.07.2015 and authorization application dated 03.07.2015 be made infructuous and Authorization issued on 29.05.2015 (valid upto 18.01.2017) be revoked since unit has been closed and the same has been verified through inspection. Premises owner be directed to ensure safe storage of hazardous waste generated by earlier unit at the site as per Hazardous and Other Waste Rules, 2016.

											running business of Automobile Service Station and they have already applied for Consent. unit vide letter dated 06.07.2016 informed that they have surrender the consent and Authorization on 09.05.2016 to DPCC. M/s MCTC Exim Pvt Ltd submitted a letter on 08.08.2016 informing that M/s Auto Vikas Sales Pvt. Ltd have already closed down the activity and M/s MCTC EXIM PVT Ltd have applied for Consent to Operate with all required documents. Remarks/ATR on 26-04-2016 Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No Test Reports:- Air (Emissions) - Test Report of Paint Booth within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Report of DG Set within norms.		
2	SHIVSHAKTI PLASTIC	B-152, SECTOR-3, DSIDC, BAWANA INDUSTRIAL AREA	13-07-2015	DPCC/EC/2/1/2015/11281	Reprocessing of plastic waste with trade effluent discharge. Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-Proposed 2. ECS- Proposed 3. D.G. set- N/A Plot Area- 100 sq mt Date of commencement- 01.09.2015. Status of Ground Water Extraction-No 1. Water consumption-200 L/day. a) Source of water- DSIDC (copy of water bill not submitted) Status of Inspection-No	Effluent analysis report - N/A. Stack monitoring report - N/A. Noise monitoring report - N/A	20-09-2016 .	21-09-2016 Inspection be conducted.	
3	COMFORT LIVING HOTELS PVT. LTD.	A-3, GREEN PARK	15-07-2015	DPCC/EC/2/1/2015/11300	HOTEL WITH RESTAURANT AND LODGING. Hotels with atleast 20 bed rooms having kitchen	Orange Establish	Non-SPI					02-03-2016 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: 250 KVA (Proposed)	21-09-2016 Inspection be conducted, thereafter file be put up administratively.

					and/or laundry and connected to public/municipal/DJB sewer with Boiler						Ground Water: Nil Water Consumption:8000 litres/day (Source- Corporation (Bill enclosed)) MCD License valid upto 31.03.2015 Delhi Police License valid upto 31.03.2015 Remarks: Unit is required to submit the following documents:Copy of valid MCD license (unit has submitted copy of MCD license (valid upto 31.03.2015) and copy of receipt dated 21.04.2015 for applying renewal of the said license) Closure direction Issued on 19.02.2014/22.12.2014 and temporary revocation of direction Issued. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 File is yet to be put up.	
4	ATTIC PRODUCTS	A-103/1 OKHLA INDUSTRIAL AREA PHASE - 2	27-07-2015	DPCC/EC/2/1/2015/11390	Assembly and packaging of Handicraft items. Paint and Varnishes (Blending, Mixing) Process Involving Buffing Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI				07-04-2015 (1)ETP ---- N/A (2)ECS -Proposed (3)D.G.Set: ...N/A... Unit has submitted an application online, Enquiry Counter of DPCC has provided online generated Consent fee receipt/ statement and it reveals that unit has transaction sucessfully for amount Rs. 1,122.71. However, hard copy of relevant documents are not provided. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 File was put up administratively and as decided, an inspection of the unit was carried out by Officials/ representatives of DPCC on 20.09.2016 and following were observed:	21-09-2016 Issue show cause notice u/s 5 of EP Act since unit is not complying with the provisions of HWM Rules. Unit be asked to submit fresh application for consent to establish and consent to operate for the present activities of the unit since the activities / processes mentioned in the submitted application for consent to establish are different from the process observed during the inspection on 20.09.2016.

/

- Unit found in operation and engaged in the Assembling and Packing of Handicrafts items.
- As informed, Ready products of handicrafts items purchased from different suppliers and the same are match with buyers sample and packed in corrugated boxes.
- Damaged and defective products is repaired and refinishing including spray painting done before packing in corrugated boxes.
- Unit has provided channelization / ducting with spray painting section with adequate sack height.
- Unit is not complying with the provisions of Hazardous waste Management Rules.
- One borewell found exist but permission from CGWA/ DJB not shown.
- As informed, they will submit revised application for CTE with correct process.

Remarks/ATR on 25-06-2016

Unit has submitted hard copies of consent application on 27.07.2015 along with signed copy of Consent Application Form, undertaking, Detailed Project Report, Layout Plan, Location Plan, Perpetual Lease and Delhi Jal Board bill.

Enquiry Counter of DPCC has remarked on the receipt that unit has required to submit undertaking in prescribed format, CA Certificate, two documents regarding proof of commissioning of activity or submit condonation fee w.e.f. 01.06.1991, copy of pan card, details of water suppliers.

Unit has submitted undertaking on 17.09.2015 and not submitted other

										documents as mentioned in Consent to establish application receipt	
										Recommendation / Action Taken Details (EE/AEE) on 21-07-2015 As decided on 13.05.2015, letter was issued to the unit on 29.05.2015 w.r.t. submit hard copies of consent application along with required documents (signed copy of Consent Application Form, undertaking with statements as prescribed in the format of Affidavit, Detailed Project Report, Layout Plan, Location Plan, Proof of Possession of the Premises etc.), unit can be asked to use treated water from existing CETPs and STPs. and also submit the details of Water supplier (s) including source of water with documentary evidence from within 15 days. Letter was returned back and undelivered.	
5	AGGARWAL SWEET CORNER PVT. LTD.	PLOT NO 15, MLU POCKET, SECTOR-12, DWARKA	31-07-2015	DPCC/EC/2/1/2015/11424	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI			02-03-2016 (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 82.5KVA & 125 KVA Ground Water-Nil Water Consumption- 2500 litres/day MCD License valid upto 31.03.2016 Delhi Police License valid upto 30.03.2016 Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 File under submission. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 File has been administratively put up and now file is under	21-09-2016 Take action as decided in file.

submission.

Remarks/ATR on 25-06-2016

Complaint has been received against the unit regarding operating without installing pollution control device.

Show Cause Notice u/s 25/26 of the water Act & u/s 21 of the Air act issued to the unit on 03.11.2014.

Some more public complaints have been received against unit regarding air and water pollution.

Inspection of the unit carried out on 30.04.2015 and following deficiencies were observed.

- Unit has installed an ETP but found in defunct condition.
- Unit having two DG Set of 82.5 KVA & 125 KVA with acoustic enclosure but not having adequate stack height.
- unit having proper channelization system in kitchen (1st floor) but food processing unit at 3rd floor does not have proper channelization system.
- Unit having one borewell but no permission shown and also having DDA water connection (bill provided)

Show Cause Notice u/s 33(A) of the water Act & u/s 31(A) of the Air act issued to the unit on 13.07.2015.

Unit has submitted replies on 20.07.2015, 28.07.2015, 05.08.2015, 12.08.2015 & 10.09.2015 informing that they have applied for Consent to establish & Consent to Operate and informed that installed ETP is fully operational, proper channelization provided with

										adequate stack height, increase stack height of DG set & closed borewell permanently.	
6	PALACE OF DREAMS (A UNIT OF DKS HOTEL PRIVATE LIMITED)	E-1,UDYOG NAGAR INDUSTRIAL AREA , NEW ROHTAK ROAD ,PEERA GARHI ,DELHI	04-08-2015		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer	Orange Establish	Non-SPI			03-03-2016 (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Water Consumption-85 Liters/Day -Unit has not submitted the hard copy of CTE application along with requisite documents. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 -A letter yet to be issued regarding submission of hard copies of consent application along with required documents within 15 days.	21-09-2016 Implement the decision taken on 25.06.2016.
7	ARUN ENTERPRISES	B-28, 1ST FLOOR, GTK ROAD INDUSTRIAL AREA	13-08-2015	DPCC/EC/2/1/2015/11556	Agriculture Seeds Seed Food With Trade Effluent Discharge without Boiler / Furnace	Orange Establish	Non-SPI			03-03-2016 1. ETP- N/A. 2. ECS-N/A 3. Plot Area: 734 sq yard 4. D.G. Set : Nil. 5. Water consumption: 500 L/day. a) Source of water: Outside vendor(copy of bill not submitted) b) Ground water- Nil Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection conducted on 05.09.2016. Inspection Findings are- 1. Unit found in operation and engaged in the activity of mfg. of agricultural seeds. (mushroom seeds). 2. One borewell found exists with permission from CGWA/DJB.	21-09-2016 Re-inspection be conducted to check the trade effluent discharge.

										3.. No effluent discharge/waste water was seen in the unit. Remarks / ATR on 24-06-2016 Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction: No 1. Water consumption: 500 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Status of Inspection: No Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A Plot Area: 734 sq yard Proposed date of commencement: 01.01.2009	
8	DELHI KNIGHTERS RESTAURANT (A UNIT OF DELHI KNIGHTERS RESTAURANT & CATERERS PVT LTD)	PLOT NO-4, R. G. CITY CENTRE COMPLEX, MOTIA KHAN, PAHAR GANJ,	18-08-2015	DPCC/EC/2/1/2015/11579	RESTAURANT AND BAR SERVICES (UPTO 80 SEATS).	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 29 sq. m Date of establishment- 01.07.2013 Status of Ground Water Extraction-No 1. Water consumption-500 L/day. a) Source of water- Outside(copy of water bill submitted) Status of Inspection- Yes (15.07.2015) SCN was Issued on 21.07.2015 as restaurant was operating without consent from DPCC and for deficiencies observed during inspection. Modified direction was issued on 10.08.2015 for 45 days. Unit was again inspected on 05.01.2016 . Letter was issued on 25.01.2016 to rectify the deficiencies observed during inspection on 05.01.2016	Effluent analysis report - N/A. Stack monitoring report - N/A. Noise monitoring report - N/A	20-09-2016 . 21-09-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									and to apply for Consent to operate and submit with requisite documents. Photographs for ETP, MCD license, health license submitted			
9	RUBY CYCLE INDUSTRIES PVT. LTD.	C-46, PHASE-I, OKHLA INDUSTRIAL AREA	10-09-2015	DPCC/EC/2/1/2015/11755	MFG. OF CONCENTRATE (FLAVORS) AND SYRUP. Food Additives, Nutrients and Flavors with Electric Furnace	Orange Establish	Non-SPI				22-04-2016 (1)ETP ---- N/A (a) AR dated July, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 08-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Ground Water:- Nil Water Consumption:- Approx. 133 ltr/ day (Source:- MCD water supply (DJB), DJB bill enclosed). Remarks:- Unit has submitted copy of letter submitted to DPCC on 08.04.2015 regarding closing of earlier activity i.e. Mfg. of Carbonated Water and an undertaking stating that the activity carbonated water soft drinks concentrated syrup has been totally closed since 31.03.2015 and activity of the unit is Concentrate (Flavors) and syrup. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 Inspection is yet to be carried out.	21-09-2016 Expedite inspection.
10	SHANTI STEEL	A-92, WAZIRPUR INDUSTRIAL AREA	05-10-2015	DPCC/EC/2/1/2015/11978	Manufacturing of Utensils with Buffing. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction :No Source of Water: 0.02 KLD from home for drinking purpose only (as per undertaking)	N/A	24-06-2016 Modified direction was issued on 04.05.2016 to M/s Shanti Steel to apply for consent to operate within 45 days. The unit has not applied for CTO so far. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection of the unit has been conducted by	21-09-2016 Issue show cause notice for refusal of consent and show cause notice u/s 31(A) of Air Act.

									Earlier, a Complaint has been received through PGMS against illegal unit existing at A-92, WIA. Thereafter, inspection was carried on 29.06.2015, no. of unit found existing at the above said address. SCN u/s 31(A) of the Air Act issued to the unit M/s Shikha Steel and M/s Alam nabi and Ram Dhami on 31.07.2015. Reply received from M/s Shanti Steel wherein it is mentioned that M/s Shikha Steel and M/s Alam nabi and Ram Dhami has been left out and sold their plant and machinery to M/s Shanti Steel.		DPCC officials on 15.09.2016 and following were observed: -The unit was found in operation. -Emission Control System installed with buffing addas were not found in working condition. Earlier, Modified directions were issued on 04.05.2016 to M/s Shanti Steel to apply for consent to operate within 45 days, however, unit neither replied w.r.t said Modified directions nor applied for Consent to Operate.	
11	BHARAT ENTERPRISES	E-760, DSIDC, NARELA INDUSTRIAL AREA	13-10-2015	DPCC/EC/2/1/2015/12089	Job work of Jeans Washing. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (5 KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction: No 1. Water consumption: 5500 L/day. a) Source of water: MCD (copy of MCD bill not submitted) Plot Area: 350 sq.mt. Proposed date of commencement: 01.11.2015 Status of Inspection: Yes Inspection was conducted on 11.01.2016 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans with spray painting works w/o consent from DPCC. 2. No ETP Installed. waste water is being discharged directly into sewer w/o any treatment. 3. Coal is being used in boiler causing air pollution. No ECS installed. 4. HWM rules not complied with. 5. Borewell connection exists w/o permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	21-09-2016 Take action as decided in common file.

									issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorisation issued on 29.04.2016 Reply received on 09.06.2016 in which installed ETP and requested time for testing reports & also ordered diesel fired boiler.			
12	ADDA BY STRIKER (A UNIT OF SOI HOSPITALITY PVT LTD)	N-4, N BLOCK MARKET, GREATER KAILASH, PART-I	23-10-2015	DPCC/EC/2/1/2015/12197	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwals and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set Noise Report : 62.5 (Proposed) Status of Ground Water extraction :Nil Water Consumption - 3000 ltrs /day Source of water - DJB (bill provided) MCD & Delhi Police License valid upto 31.03.2016 for 90 seats Complaint received from Sh. G Singh against Restaurants operating in N Block Market, Greater Kailash, Part-I, New Delhi-48 through PGMS bearing ID No. 201541074, accordingly an inspection of the unit was carried out by representatives of DPCC on 08.10.2015 and following were observed- - Unit found operational by trade name Adda by Striker engaged in the activity of Restaurant cum Bar with seating capacity 140 nos. - ETP found under installation & waste water generated from kitchen being discharge without any treatment. - Channelization system provided in kitchen with adequate stack height above roof level. - 1 DG Set of capacity 65 KVA installed with adequate stack height	N/A	29-06-2016 As Modified Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air issued to the unit on 24.05.2016 to submit Surety Bond of Rs 5 lakhs within 15 days but the unit has not submitted surety bond of Rs 5 lakhs till date. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 Now file is under submission.	21-09-2016 Take action as decided in file.

									above roof level. - Unit has not provided MCD health & Delhi Police License. - Source of water is DJB as informed. However, copy of DJB bill not provided. - As per record of DPCC, Unit was operating without consent from DPCC. Unit has applied for Consent to Establish on 23.10.2015 for Restaurant (90 Seats) Show cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air issued to the unit on 28.10.2015. Unit submitted representation on 09.11.2015 w.r.t. said Show Cause Notice & informed that ETP was already Installed as taken over pre-running premises previously run by M/s Urban Knights and Connections. It was also informed that you will adhere to any further mandatory requirements as directed and guided by DPCC and submitted MCD Health License) & Delhi Police Licenses for 90 seats valid upto 31.03.2016. Modified Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air issued to the unit on 24.05.2016 to submit Surety Bond of Rs 5 lakhs within 15 days, Submit Effluent Analysis Report of ETP & submit Noise Monitoring Report of DG Set from any of the approved laboratories of DPCC, Install flow meter at outlet & inlet of ETP & maintain Log Book for operation of ETP with full details including reading of Inlet & outlet of flow meter and Submit application for Consent to Operate with all required documents /Reports within 45 days.			
13	SAGAR RATNA RESTAURANT PVT, LTD	H-9/1, MOHAN CO-OPERATIVE, INDUSTRIAL AREA, NEW MATHURA ROAD	23-10-2015	DPCC/EC/2/1/2015/12203	RESTAURANT, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of	Orange Establish	Non-SPI		(1)ETP- Yes Effluent analysis report dated 17.10.2015 issued by FICCI Research and Analysis Centre submitted. Parameters within Limit-Yes	Effluent analysis report dated 17.10.2015 issued by FICCI Research and Analysis Centre submitted. Parameters within Limit-Yes	12-07-2016 As decided on file, letter to provide logbook of ETP and install adequate stack height with channellisation system of kitchen and a	21-09-2016 File be put up administratively.

36)/Sweet Shops/
Halwais and Other
such Establishments
(with Annual
Average Production
of One Tonne/Day
or more)/ Banquet
Halls/Party-Lawns
(with minimum Floor
Area of 100m²)
connected to
public/municipal/DJB
sewer

(2)ECS - Yes

(3)D.G.Set: N/A

Groundwater-Nil shown in
the application but one
borewell found at the time
of inspection.

Water Consumption- 2000
ltr/day, Source- Outside
Tanker (Bill Enclosed)

MCD license and Delhi
Police license valid upto
31.03.2016

Status of Inspection:

As decided, an inspection
was carried out by official
of DPCC on 07.09.2015
and following were found:
1. ETP installed in the
premises for waste water
treatment generated from
the unit found non-
functional/ defunct.
2. Logbook of ETP not
maintained.
3. Water taken from B-
I/H1 premises and said
premises having bore-
well.

As decided, Show Cause
Notice u/s 33(A) of the
Water Act and 31(A) of
the Air Act dated
12.10.2015 was issued to
the unit.

A letter was issued to Dy.
Commissioner on
12.10.2015 to take
necessary action w.r.t.
Notification of Govt. of
NCT of delhi dated
12.07.2010 regarding
drawl / extraction of
groundwater for bore-well
from premises no. B-I/H1.

Unit has submitted its
reply on 28.10.2015
informing that Logbook is
maintained, ETP has been
installed and is
operational, unit is
consuming tanker water
from supplier and they
have already applied for
Consent to Establish and
requesting some time for
filing Consent to Operate.

Another inspection of the
unit was carried out by
representatives of DPCC
on 13.06.2016 and
following were observed:
-Unit has installed ETP and
same found not operated

reminder letter to DC
(South-East) to take
necessary action w.r.t.
groundwater extraction
regarding notification
dated 12.07.2010 is
yet to be issued.

									properly. -Logbook of ETP is not maintained properly. -Channelisation system provided in kitchen with stack height about 1 meter above roof level. -Unit having one borewell connection which is installed by the premises owner.			
14	DENIM WORLD	J-55, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	29-10-2015	DPCC/EC/2/1/2015/12247	JOB WORK OF WASHING OF READYMADE GARMENTS. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- Proposed 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 12000 L/day. a) Source of water: DSIIDC (copy of DSIIDC bill submitted) Plot Area: 250 sq.mt. Proposed date of commencement: 25.11.2015 Status of Inspection: Yes Inspection was conducted on 21.09.2015 by the officials of DPCC and inspection findings are as follows: Unit found operating and engaged in the activity of jeans dyeing. 1 No ETP Installed, waste water discharges directly into the sewer. 2 Coal used in the boiler as fuel causing air pollution. 3 No valid consent obtained from DPCC. 4 Bore well is used without permission from DJB/CGWA. 5 HWM rules are not complied with. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Replied on 09.11.2015 stated that unit exists in the name of M/s Denim world, ETP work is going on, using oil fired instead of coal & effluent discharge with CETP & requested to give time to apply for CTO, adequacy report, stack monitoring report etc	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection conducted on 19.09.2016 Inspection Findings are- 1. Unit found operating and engaged in the activity of jeans dyeing. 2. No ETP Installed, waste water discharges directly into the sewer. 3. Coal used in the boiler as fuel causing air pollution. 4. Diesel boiler under installation. 5. Bore well is used without permission from DJB/CGWA. 6. HWM rules are not complied with. 7. D.G. set of 80 KVA found installed but with inadequate stack height.	21-09-2016 File be put up administratively for taking necessary action w.r.t. violations observed during inspection including use of coal in the boiler which is not permitted without ESP.
15	GLOBAL WASH	C-211, SECTOR-1,	29-10-2015	DPCC/EC/2/1/2015/12248	JOB WORK OF	Orange	Non-SPI		Status of Pollution Control	Test Reports:	27-06-2016	21-09-2016

		DSIIDC, BAWANA INDUSTRIAL AREA			WASHING OF READYMADE GARMENTS (WITH OIL FIRED BOILER). Readymade Garment (with Washing) with Boiler	Establish			system/Devices: 1. ETP- Proposed (14 KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 15000 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Plot Area: 250 sq.mt. Proposed date of commencement: 28.11.2015 Status of Inspection: Yes Inspection was conducted on 22.09.2015 by the officials of DPCC and inspection findings are as follows: unit found operating and engaged in the activity of jeans dyeing. No valid consent from DPCC. ETP under Installation, waste water discharges directly into the sewer without treatment. One boiler (horizontal) (1 tonne/hr) found in use and coal is used as fuel causing air pollution. No ECS installed. HWM rules are not complied with. One Borewell exists without permission from DJB/CGWA. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Replied on 09.11.2015 stated ETP work is going on, using oil fired instead of coal & effluent discharge with CETP & requested to give time to apply for CTO, adequacy report, stack monitoring report etc	Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	- Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted.	Expedite inspection.
16	PIND BALLUCHI GRILLS & PLATTERS (A UNIT OF CLASSIC HOSPITALITY)	A-3 GROUND FLOOR, PAMPOSH ENCLAVE, GREATER KAILASH-I	02-11-2015	DPCC/EC/2/1/2015/12269	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Installed (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water	N/A	29-06-2016 As approved in file inspection is yet to be carried out. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 As decided, inspection of the unit was carried	21-09-2016 Issue show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act for the deficiencies observed during inspection.

					Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				extraction :Nil water consumption - 5000 ltrs /day Source of water - Delhi Jal Board -(bill provided) MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016 Complaint has been received against the Hotels / restuarant operating at A-3 & A-5, Pamposh enclave, GK-1, ND-48. An inspection of the unit was carried out on 06.01.2015 and following deficiencies were observed - Unit has not installed an ETP and wastewater generating from kitchen process is being discharged into sewer without any treatment. - Source of water is Delhi Jal Board (bill not available) SCN u/s 33(A) of Water act & u/s 31(A) of the Air was issued to the unit on 19.02.2016. Unit has submitted its representation on 01.03.2016 w.r.t. Show Cause Notice along with photographs of ETP, copy of DJB bill and bill for packaged drinking water and informing that they have installed ETP at their premises, in process of testing of Noise Monitoring of DG Set and the source of water from DJB and buy packaged drinking water from outside. Unit has also requested for 60 days time to comply with DPCC regulations.	out by officials of DPCC on 20.09.2016 and following were the observations: 1. The unit was found in operation. 2. ETP found installed but same found non operational. 3. Kitchen emissions have been channelized through a stack above roof level. 4. Unit is procuring water through DJB (as informed).		
17	CAFE DIVA (A UNIT OF RIGA FOODS PVT. LTD.)	N-8, FF, N BLOCK MARKET, GREATER KAILASH PART-I	02-11-2015	DPCC/EC/2/1/2015/12281	Eating House with 48 Seating Capicity Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP installed (a) Effluent analysis report dated 18-12-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report :	Effluent analysis report dated 18-12-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 23-12-2015 issued by DPCC submitted. Noise	12-07-2016 Unit has submitted application for consent to operate alongwith required documents and test reports on 02.03.2016, however they have not submitted reply w.r.t. Modified direction dated 09.02.2016 and also not submitted surety bond for an	21-09-2016 Consent to Establish granted. Inspect the unit before deciding consent to operate.

					Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 23-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground water- Nil Water consumption- 3000 ltrs/day, Source- DJB (Bill enclosed) MCD license and Delhi Police license valid upto 31.03.2016 Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 08.10.2015 and following was observed: -Unit has not installed ETP. - Channelization with kitchen found with inadequate stack height. - Wood fired oven exists with inadequate stack height. - Stack height with DG set found inadequate. SCN u/s 31(A) of Air Act and 33(A) of Water Act was issued to unit on 28.10.2015. Unit has submitted its representation w.r.t. SCN on 18.11.2015 and requested to complete all the formalities within 2 months. As approved on file Modified direction u/s 31(A) of Air Act and 33(A) of Water Act was issued to unit on 09.02.2016 to submit surety bond for an amount of five lakhs only for one year period within 15 days, installation of ETP, installation of flow meter at outlet and inlet of ETP, removal of wood fired oven as wood is not an approved fuel and submit application for CTO along with required documents and test report.	monitoring report within Limit - Yes	amount of five lakhs only for one year period and not informed regarding installation of flow meter at outlet and inlet of ETP, removal of wood fired oven as wood is not an approved fuel in compliance of the said modified direction.	
18	COLOR CREATION	O-17, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	03-11-2015	DPCC/EC/2/1/2015/12302	Job work of Washing of Readymade Garments (With oil fried boiler) Readymade	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A	27-06-2016 - Recommendation / Action Taken Details	21-09-2016 Take action as decided in common file.

					Garment (with Washing) with Boiler				Status of Ground Water Extraction: No 1. Water consumption: 11500 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Plot Area: 250 sq.mt. Proposed date of commencement: 22.11.2015	Noise Test Report- N/A	(EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	
									Status of Inspection: Yes Inspection was conducted on 22.09.2015 by the officials of DPCC and inspection findings are as follows: 1 Unit found operating and engaged in the activity of jeans dyeing. 2 No ETP Installed, waste water discharges directly into the sewer. 3 No HWM rules complied with. 4 No valid consent taken from DPCC. 5 Borewell exists without permission from DJB/CGWA. 6 Coal used as fuel in boiler causing air pollution. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Replied on 09.11.2015 stated ETP work is going on, using oil fired instead of coal & effluent discharge with CETP & requested to give time to apply for CTO, adequacy report, stack monitoring report etc			
19	SUPER WASH	J-218, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA	18-11-2015	DPCC/EC/2/1/2015/12386	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FRIED BOILER). Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction: No 1. Water consumption: 11000 L/day. a) Source of water: Other source (copy of Other source bill not submitted) Plot Area-150 sq.mt. Proposed date of commencement- 07.11.2015	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	27-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	21-09-2016 Take action as decided in common file.

									Status of Inspection: Yes Inspection was conducted on 21.09.2015 by the officials of DPCC and inspection findings are as follows: 1 Unit found operating and engaged in the activity of jeans dyeing. 2 No ETP installed, waste water discharges directly into the sewer. 3 1- Boiler exists and Coal/rubber waste used as fuel causing air pollution. 4 No consent obtained from DPCC. 5 Borewell connection exists without permission from DJB/CGWA. 6 HWM rules are not complied with. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015			
20	M/S INKA HOME CRAFTS PVT.LTD.	E-25,B-I,EXT.MOHAN COOPRATIVE,INDUSTRIAL ESTATAE,NEW DELHI-110044	18-11-2015	DPCC/EC/2/1/2015/12393	manufacturing and washing of readymade garments with washing Readymade Garment (with Washing)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Installed (found Operational) (2) ECS - N/A (3)D.G.Set: 50 KVA Status of Ground Water extraction : Having borewell, permission not submitted, as informed during inspection on 19.05.2016 not using the borewell Water Consumption - 16200 ltrs /day Source of water - Outside (tanker bill not submitted) An inspection of the unit was carried out on 27.08.2015 during survey of MCIE and following were observed- a) ETP found Installed and found not in operational condition. Effluent was being by passed by a flexible pipe through effluent lifting pump provided for lifting of effluent to reaction taken. No dry/wet sludge seen. b) The unit was not complying with the provisions of HWM Rules w.r.t. not provided the	N/A	24-06-2016 Based on inspection on 19.05.2016 and deficiencies observed Show Cause Notice u/s 33(A) of the Water Act, u/s 31 (A) of the Air Act and u/s 5 of EP Act issued to the unit on 23.06.2016 & reminder letter to Dy. Commissioner (South-East) has been issued on 23.06.2016 for taking necessary action to ensure stoppage of use of borewell. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 File has been put up administratively and as decided in file inspection is yet to be carried out.	21-09-2016 Inspection be conducted as decided in file.

display board, not storing the hazardous waste in leak-proof container, containers not marked with specified label, not storing the hazardous waste in isolated area, containers not stored on pucca floor & in covered area, not indicating the date of beginning of storage on each container and not maintaining the record of hazardous waste in Form-III.
c) No permission for extraction of ground water shown.

Show cause Notice u/s 33(A) of the Water Act, u/s 31 (A) of the Air Act and u/s 5 of Environment (Protection) Act issued to the unit on 07.09.2015 & letter to Dy. commissioner (South-East) on 07.09.2015 for taking necessary action w.r.t. Notification of gov. of NCT of Delhi dated 12.07.2010 regarding extraction/drawl of groundwater through borewell.

Unit submitted reply on 29.09.2015 w.r.t. said Show Cause Notice along with undertaking informing that you have installed ETP for treating the waste effluent, applied for Consent to Establish online & informed that Consent to Operate along with Adequacy report of ETP, Analysis Report of ETP & document will be submitted very soon and Authorization under HWM Rules shall be submitted very soon and requested for 45 days time.

Inspection of the unit was again carried out by DPCC Representatives on 19.05.2016 and following were observed-

- No wet /dry sludge observed at site.
- Unit is not complying with the provisions of Hazardous Waste Management Rules.
- Record of Hazardous waste is not being maintained.
- Unit having bore well however permission not shown. As informed, they

									are not using the same and using out source Tanker water (Tanker Bill could not be shown). - Logbook of ETP is not being maintained properly.			
									Another Show cause Notice u/s 33(A) of the Water Act, u/s 31 (A) of the Air Act and u/s 5 of Environment (Protection) Act issued to the unit on 23.06.2016 & reminder letter to Dy. commissioner (South-East) has been issued on 23.06.2016 for taking necessary action w.r.t. Notification of gov. of NCT of Delhi dated 12.07.2010 regarding extraction/drawl of groundwater through borewell.			
21	HOTEL AMALTAS INTERNATIONAL	6, GREEN PARK MAIN ROAD,	24-11-2015	DPCC/EC/2/1/2015/12440	GUEST HOUSE (30 ROOMS) WITH KITCHEN. Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer with Boller	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP / Oil & Grease trap cum Settling tank ---- N/A (2)ECS - N/A (3)D.G.Set: .160 KVA Status of Ground Water extraction : Nil (However during inspection unit having borewell but without permission) Water consumption- 4000 ltrs /day Source of Water - tanker water (bill not provided) A complaint was filed by Ms. Aruna Bhowmick and Shri R.N. Bhagi in PGC on 12.09.2013 regarding covering the drain and choking of drainage /sewerage system in Green Park Area. Various orders have been passed by Public Grievance Commission including directions to DPCC and other Departments to jointly inspect the Hotels in the said area and take necessary action. As directed by PGC vide order dated 08.07.2015, Secretary (Environment), Govt. of NCT of Delhi, constituted a Committee, consisting of officials from various Deptt. including DPCC, SDMC, Env Deptt.	N/A	29-06-2016 Unit has failed to submit CTO application & surety Bond and also not submit any reply w.r.t. letter dated 02.06.2016. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 File has been put up administratively and as approved Directions u/s 31 (A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33(A) of the Water (Prevention & Control of Pollution) Act, 1974 was issued to unit on 26.08.2016. Unit has submitted a Demand Draft of Rs. 10,00,000 on 31.08.2016 in place of Surety Bond of Rs. Ten Lakh. Unit has submitted its reply on 09.09.2016 along with copy of application for Consent to Operate and requested to revoke the direction issued on 26.08.2016 and to refund the Demand Draft of Rs. 10,00,000 dated 31.08.2016. A letter was issued to unit on 14.09.2016 regarding return of	21-09-2016 File be put up administratively.

etc to inspect the Hotels at Green Park Area. Inspection of Hotels including M/s Hotel Amaltas was carried out on 01.09.2015 and following were the main observations-

- Hotel M/s Le Traventino has been closed and M/s Hotel Amaltas International is operating at the said premises with the activity of Hotel (30 rooms) cum in-house Restaurant (53 seats) and basement hall.
- Sewer connection of the Hotel needs to be verified by Delhi Jal Board, as no documents were shown at site. However, the team observed the sewage flow from unit through a channel flowing into sewer line/ mainhole in the front side of unit.
- There is separate storm water drain in front side of unit. Very slight flow of waste water was observed in the storm water drain. However, no outfall channel of waste water from this unit could be found in the inspected portion of storm water drain located in front of the unit (covered with RCC slab).
- No ETP/ STP found installed and trade effluent generated from kitchen is being discharged into sewer without any treatment.
- No Oil & Grease Trap provided in the kitchen.
- 1 borewells located in the basement of the premises and was in used for ground water extraction, no permission was shown.
- 1 Hot water generator located at roof top of building without stack.
- 1 DG Set (160 KVA) located at roof top without adequate stack height.
- Unit has applied for obtaining MCD (Health) License (copy of receipt provided). However, police license is yet to be applied.
- No channelization system provided in the kitchen.

Show Cause Notice u/s

Demand Draft of Rs. 10,00,000 in original and directed to submit Surety Bond of Rs. Ten Lakh and to comply with directions given vide letter 18.11.2016 & 02.06.2016.

Unit has submitted its reply on 15.09.2016 w.r.t Directions issued on 26.08.2016 stating that :-

- Unit has applied for sewer water connection in DJB (receipt enclosed).
- Unit has installed ETP (photographs enclosed).
- Unit has installed Oil & Grease Trap (photographs enclosed).
- Unit has disconnected the borewell and stated that they will not use the ground water till get the permission of DJB. Till then, unit is taking water from private tanker (photographs enclosed).
- Unit has installed stack on hot water generator located on top of roof and stack monitoring has been done by approved lab of DPCC (copy enclosed).
- Unit has increased the stack height of DG Set as per norms and noise monitoring has been done by approved lab of DPCC (copy enclosed).
- Unit has installed the channelization system in kitchen as per norms of DPCC.
- MCD and Delhi police License photographs enclosed.
- Unit has repaired the storm water drain for waste water.

Further, Unit has requested to revoke the direction issued on 26.08.2016 and grant necessary Consent.

31(A) of the Air Act and 33(A) of the Water Act was issued to M/s Hotel Amaltas International on 02.09.2015 and Dy. Comm. (South) was also requested vide letter dated 02.09.2015 to take necessary action for extraction / drawl of groundwater through borewells.

unit has submitted representations on 16.09.2015 & 23.09.2015 and informed that they are in process to rectify the deficiencies observed during inspection and requested to grant 2 months time to comply the same.

Direction u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued on 18.11.2015 to install adequate pollution control devices (ETP/STP), install adequate stack height with channellization system of kitchen, hot water generator & DG Set and submit consent applications with required documents & reports and surety bond for an amount of Rs 10 Lakhs within 45 days.

Reminder letter has been issued on 18.11.2015 to Dy. Comm. (South) to take necessary action for extraction / drawl of groundwater through borewells.

Unit has submitted representation on 09.02.2016 and stating that they have installed ETP and Oil & grease trap and submit application for Consent to Establish. However they have requested to grant sometime to comply the Directions.

Personal hearing given to the hotel by Member Secretary, DPCC on 15.02.2016.

Mr. Prakash Singh Badal (Co-ordinator) and Mr. Ravi Kumar (Accountant) attended the Personal Hearing on 15.02.2016 and submitted a

									representation stating that they are in process to complete the deficiencies / directions issued by DPCC vide letter dated 18.11.2015 and submit the compliances with respect to direction issued by DPCC by 26.02.2016. Unit has submitted representation on 25.02.2016 stating that they have installed ETP and Oil & grease trap and submitted application for Consent to Establish. However they have requested to another 15 days time to install adequate stack height with channelization system of kitchen, hot water generator & DG Set and submit consent applications with required documents & reports and surety bond for an amount of Rs 10 Lakhs. Unit has not submitted application for Consent to Operate alongwith required documents & test reports and also failed to submit surety bond for an amount of Rs 10 Lakhs. As approved in common file , letter was issued to unit on 02.06.2016 to submit Surety Bond for an amount of Rs 10 Lakhs and application for Consent to Operate along with required documents / test reports within 15 days in compliance of earlier directions dated 18.11.2015. However unit has failed to submit CTO application & surety Bond and also not submit any reply. Reminder letter has been issued on 02.06.2016 to Dy. Comm. (South) to take necessary action for extraction / drawl of groundwater through borewells, however no reply received so far.			
22	EDESIA FOODS LLP (TRATTORIA LOUNGE)	30, 2ND FLOOR (REAR PORTION), HAUZ KHAS VILLAGE	26-11-2015	DPCC/EC/2/1/2015/12465	EATING HOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - CETP installed (common for building) ((2)ECS - N/A (3)D.G.Set: Nil	N/A	29-06-2016 Even after 5 months of Modified Directions unit has not applied for Consent to Operate Recommendation / Action Taken Details (EE/AEE) on 20-09-	21-09-2016 Take action as decided in file.

					such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				Status of Ground Water extraction : Nil Water consumption - 1800 ltrs/day Source of water- DJB (Bill not provided) MCD & Delhi Police License License valid upto 31.03.2016 for 48 seats In compliance of order of Honourable Minister of Home, Power, PWD, Health & Industries in its Minutes of Meeting held on 31.08.2015. A rapid survey of Restaurant / Eating House in Hauz Khas Village was carried out by the representatives of Delhi fire service (DFS), South Delhi Municipal Corporation (SDMC) and DPCC on 17.09.2015 and it was observed that unit is operating without Consent from DPCC and as Informed connected to Common Effluent treatment Plant. SCN u/s 33(A) of water Act & u/s 31(A) of the Air Act issued to the unit on 05.10.2015. Unit has submitted reply on 16.10.2015 w.r.t. SCN & stating that they are in process of submitting applications for CTE & CTO and requested for 45 days time for the same. Unit has applied for CTE on 26.11.2015 Modified Directions u/s 33(A) of water Act & u/s 31(A) of the Air Act issued to the unit on 15.01.2016 to submit application of Consent to Establish & Operate alongwith required documents / test reports.		2016 File under submission.	
23	SBM PROCESSORS	C-37/6, 1ST FLOOR, LAWRENCE ROAD INDUSTRIAL AREA	04-12-2015	DPCC/EC/2/1/2015/12566	Washing only of garments Readymade Garment (with Washing)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction :Nil Source of Water: 1.5 KLD	N/A	24-06-2016 , Recommendation / Action Taken Details (EE/AEE) on 14-09-2016 Letter seeking proof regarding date of establishment / start of	21-09-2016 Inspection be conducted.

									from DJB		the unit and other required documents was issued on 20.07.16 and also on 03.08.16 but no response from the unit has been received.	
									Status of Inspection :No			
									SCN u/s 31(A)/33(A)/5 of EPA details :No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
									Enquiry counter raised the point that there are two other User IDs of the unit exist, One User ID of the unit is having request for water testing of ETP dated 03.11.2015 and another User ID created by the unit without having consent/lab status. One another User ID in the name of M/s S.B.M. Creations also exist under the proprietorship of Ms. Poonam Gupta having Consent to Establish for the activity of Dyeing & Washing of Garments issued on 10.12.2004 valid upto 09.12.2005. Unit has created new User ID itself and applied for consent to establish under Orange category online and submitted consent fee through credit card. Unit has selected its activity under the head of Readymade Garments (with Washing) as per DPCC categorization. Unit is required to submit the following documents: - (i) CA certificate as per column no. 5 of Consent Application Form as unit is operating (ii) to file atleast two documents to prove its commissioning w.e.f. 01.10.2014 (mentioned in consent application form) OR to submit condonation fee w.e.f. 1st June, 1991 as required vide office order dated 17.04.2013 (iii) to file consent to operate application along with required documents (iv) request letter for deactivation of User ID created by the unit.			
24	ZOOM ROADYS	C-2/9, PHASE-II, MAYAPURI INDUSTRIAL AREA	16-12-2015	DPCC/EC/2/1/2015/12773	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 17-08-2016 Authorisation Status Pending	Source of Water: Delhi Jal Board (Cat-II) Name not matched but address matched. Water Consumption:1500 Litre/ Day Status of Ground Water extraction : Nil Status of Pollution Control	Noise- unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	24-06-2016 SCN u/s 31(A) and u/s 33(A) yet to be issued Remarks/ATR on 21-09-2016 .	21-09-2016 Unit has submitted its reply along with photographs on 20.09.2016 regarding rectification measures taken w.r.t. deficiencies observed during inspection. Inspection be carried out to verify the facts.
											Recommendation /	

									System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set- 1 D.G Set of 62.5 KVA installed -A complaint received through PGMS on 24.05.2016 an an inspection was approved. Status of Inspection : an inspection was conducted by DPCC officials on 24.05.2016 and following were observed: -ETP installed in the premises but found non operational. -DG Set installed at backside of the unit with inadequate stack height. -SCN u/s 31(A) and u/s 33(A) details : yet to be issued		Action Taken Details (EE/AEE) on 19-09-2016 -SCN for closure u/s 31(A) and u/s 33(A) issued on 28.06.2016. -As decided, an inspection was carried out by DPCC officials on 15.09.2016 and following observations were made: -ETP installed in the premises found non-operational. -Log book of the ETP not shown. -Hazardous waste management rules found as per norms.	
25	GRANDEUR BUSINESS SOLUTIONS PRIVATE LIMITED	A-39, BAWANA INDUSTRIAL AREA, SECTOR 5,DSIDC,	22-12-2015		Manufacturers and Installers of BIO Toilets Sanitary Goods with Casting (except cupola furnace) without Buffing and Electroplating	Orange Establish	Non-SPI		-	-	24-06-2016 Unit has applied online. Hard copy and requisite documents are not submitted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter Issued on 25.07.2016 to submit hard copies of consent application along with required documents within 15 days. However, no reply received till date.	21-09-2016 Issue show cause notice for refusal of consent.
26	SUNIL VARSHNEY	PLOT NO.164 POCKET-J SECTOR-2 DSIIDC INDUSTRIAL COMPLEX BAWANA INDUSTRIAL AREA DELHI	06-01-2016		MFG OF ELECTRICALS GOODS (SWITCH, PIN SOCKET, PLUGS AND BULB HOLDERS ETC.) WITHOUT TRADE EFFLUENT Bakelite Powder mfg. using Phenol Formaldehyde Resin As Raw Material and Bakelite Products	Orange Establish	Non-SPI		-	-	24-06-2016 Unit has applied online. Hard copy and requisite documents are not submitted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter issued on 25.07.2016 to submit hard copies of consent application along with required documents within 15 days. However, no reply received till date.	21-09-2016 Issue show cause notice for refusal of consent.
27	NO FILTER CAFE AND BAR (A UNIT OF RESIDENCY	C-18, FF, COMMUNITY CENTRE, SAFDARJUNG DEVELOPMENT AREA OPP. IIT MAIN GATE	11-01-2016	DPCC/EC/2/1/2016/13210	Restaurant and Bar 48 Seats. Restaurants/Eating	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes	Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within	08-08-2016 Unit has also applied for Consent to Operate on 25.04.2016.	21-09-2016 Consent to Establish granted.

	HOSPITALITY SERVICES PVT. LTD.)				Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				(a)Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-03-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Water consumption- 4000 ltrs/day , Source- Outside MCD license valid up to 31.03.2016 Delhi police license valid up to 31.03.2016	Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-03-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes		
28	PEBBLE STREET (A UNIT OF PAPRIKA HOSPITALITY PVT LTD)	MUNSHI LAL BUILDING N BLOCK CONNAUGHT PLACE	15-01-2016	DPCC/EC/2/1/2016/13289	Restaurant 77 Seats. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Water Consumption: Source of Water: NDMC Connection (copy of bill provided) name and address matched Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ----- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No NDMC valid upto 31.03.2015 and Delhi Police License valid upto 31.03.2018	Water Effluent: (b) Effluent analysis report dated 25-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-07-2016	21-09-2016 Consent to Establish granted.



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 11th meeting on 21.09.2016 w.r.t. Agenda Item No 1 -- 94 Pending Cases of Consent to Operate / Renewal of the period 01.07.2015 to 15.01.2016 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	THRUST MOTORS (P) LTD.	62, RAMA ROAD, NAJAFAGARH ROAD INDUSTRIAL AREA	01-07-2015	DPCC/EC/2/1/2015/11196	SERVICE STATION OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-07-2015 Authorisation Status Pending			19-02-2016 (1)ETP ---- ETP Installed. (a) AR dated May, 2015 issued by M/s Jamia Millia Islamia submitted. (b) Effluent analysis report dated 02.01.2015 Issued by DPCC submitted and parameters found within limit. (2)ECS - N/A (3)D.G. Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 4000 Lt/day (Outside. Bills from M/s Nagpal Water Supply enclosed) Recommendation / Action Taken Details (EE/AEE) on 01-09-2016 As approved, an inspection was carried out by DPCC officials on 12.07.2016 and unit found closed during inspection, as unit closed on Tuesday.	21-09-2016 Re-Inspection.
2	KAMAL BHARDWAJ	340/14-A, GALI NO.1B, FRIENDS COLONY INDUSTRIAL AREA	01-07-2015	DPCC/EC/2/1/2015/11200	MANUFACTURING OF AUTO PARTS (FRICTIONAL MATERIAL). Process Involving Buffing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-06-2011 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - DUST Collector (3)D.G.Set: ...N/A... (4) Water Consumption: 50 L/ Day Source: DJB	AR dated Oct 2010 issued by GGSIPU submitted. Stack monitoring report dated 16-06-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	20-09-2016 Inspection be conducted.	21-09-2016 Inspection be conducted.

									(5) Ground Water: Nil		
3	MOHANS LEELA BANQUET	A-8/3, WAZIRPUR INDUSTRIAL AREA	01-07-2015	DPCC/EC/2/1/2015/11203	Banquet Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 31-10-2005 Authorisation Status Pending HWM Application No. 2 Application Date 11-04-2008 Authorisation Status Pending		02-03-2016 (1)ETP ---- ETP - Biological (a) AR not submitted. (b) Effluent analysis report dated 22.03.2015 issued by DPCC submitted. (2)ECS Channelization is provided (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 125 KVA 82.5 KVA and 62.5 KVA. Noise monitoring report dated 29-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground Water: Nil Source of Water: 3.0 KLD from DJB (bill in the name of Rath Brand Candel and Human works enclosed) Enquiry Counter raised the point that unit has submitted a letter along with undertaking stating that they have changed the name of the unit i.e M/s Mohan leela Royal (A unit of Mittal Hotels Pvt. Ltd.). Unit has also submitted copy of reply dated 29.02.2012 received under RTI Act, 2005 issued by PIO, Licensing unit, pollution station, Defence Colony, New Delhi mentioning that no registration certificate is being issued by the office of Licensing unit, Delhi Police in respect of Banquet Halls. It related to MCD and an undertaking that there is no Delhi Police License required for banquet Hall. Unit is required to submit the following documents:- a) Adequacy Report of ETP, in original, from empanelled consultants of DPCC.	21-09-2016 Consent to Operate granted. Earlier Consent to Operate application dated 26.07.2002, authorization applications dated 31.10.2005 & dated 11.04.2008 be made infructuous.

											(Unit is submitted the copy of receipt dated 14.08.2014 requesting for Adequacy Report from Jamia Millia. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 As per PGMS complaint this unit was inspected on 07.06.2016 and deficiency w.r.t height of channelization system was observed. Accordingly, a letter to the unit was issued on 18.07.2016. Unit has submitted its reply vide letter dt 28.07.2016 along with photographs of channelization system and informed that the stack height was raised 15 ft above the roof level. Remarks/ATR on 01-07-2016 A unit has submitted their adequacy report dated March 2015 issued by Jamia Millia Islamia on 29.02.2016.	
4	OME VERMA INDUSTRIES	WH-29, PHASE-I, MAYAPURI INDUSTRIAL AREA	03-07-2015	DPCC/EC/2/1/2015/11210	ALUMINIUM DIE CASTING (AUTO PARTS). Aluminium Pressure Die Casting	Orange Operate	Non-SPI				01-03-2016 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 23-06-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 300 Lt/day (DJB (bill enclosed) and outside)	21-09-2016 Consent to Operate granted.
											21-09-2016	

5	AUTO VIKAS SALES & SERVICE PVT. LTD.	B-239 PH-I OKHLA INDL. AREA	03-07-2015	DPCC/EC/2/1/2015/11215	Authorised Service Station (Servicing, Repairing and Washing of Vehicles) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-01-2012 Authorisation Status Approved Authorisation Issue Date 29-05-2012 Authorisation Expiry Date 18-01-2017 HWM Application No. 2 Application Date 03-07-2015 Authorisation Status Pending	11-01-2016 (1)ETP ---- ETP - Physiochemical (a) AR dated 14.11.2015 issued by DTU submitted. (b) Effluent analysis report dated 18-04-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 28-04-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (a) Noise monitoring report of 140 KVA dated 27.04.2015 issued by DPCC submitted and noise levels are within limit. Ground Water:- Nil Water Consumption:- 800 ltr/day (Source:- Outside (Bill enclosed)). Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 DPCC laboratory collected the sample and analyze w.r.t. NGT order dated 12.08.2015 in Q.A. No. 300/2013 and Minutes of Meeting dated 30.09.2015, the analysis report reveals that parameter of Oil & Grease was not meeting the prescribed standards. SCN u/s 33(A) of Water Act was issued to unit on 24.05.2016 as Effluent analysis report reveals that Oil & Grease is not meeting the prescribed standard. Unit submitted its representation on 08.06.2016 w.r.t. SCN and stated that they have already closed down the activity from last few months. At present M/s MCTC Exim Pvt. Ltd is running business of Consent to Establish dated 03.07.2015 and Consent to Operate dated 03.07.2015 and authorization application dated 03.07.2015 be made infructuous and Authorization issued on 29.05.2015 (valid upto 18.01.2017) be revoked since unit has been closed and the same has been verified through inspection. Premises owner be directed to ensure safe storage of hazardous waste generated by earlier unit at the site as per Hazardous and Other Waste Rules, 2016.
---	--------------------------------------	-----------------------------	------------	------------------------	--	----------------	---------	---	--

										Automobile Service Station and they have already applied for Consent. unit vide letter dated 06.07.2016 informed that they have surrender the consent and Authorization on 09.05.2016 to DPCC. M/s MCTC Exim Pvt Ltd submitted a letter on 08.08.2016 informing that M/s Auto Vikas Sales Pvt. Ltd have already closed down the activity and M/s MCTC EXIM PVT Ltd have applied for Consent to Operate with all required documents. Remarks/ATR on 26-04-2016 Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No Test Reports:- Air (Emissions) - Test Report of Paint Booth within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Report of DG Set within norms.	
6	SHARMA TRADERS	834/78 NEW MANDOLI INDL AREA	03-07-2015	DPCC/EC/2/1/2015/11218	Mfg. of Copper Wire Bars Ingot Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI			02-03-2016 (1)ETP ---- N/A (2)ECS - Yes AR dated: 10.10.2011 issued by DTU submitted (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-06-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Ground water: Nil (5) Water Consumption : 1500 lit/day	21-09-2016 Inspection be conducted. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

										(6) SCN u/s 31 of (A) of Air Act: 29.05.2015 (7) Inspection Details: Inspection Details: A survey was conducted in January 2016 (file under process) (8) Existence Proof: 12.09.1996 (As per Registration certificate) (9) Online Monitoring System: Not installed Remarks/ATR on 21-09-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 Earlier, SCN u/s 21/22 and 25/26 was issued on 28.05.2015 for 15 days. A reply was received on 06.07.2015 wherein it is stated that they have submitted original Adequacy Report and Noise Monitoring Report. They have also applied for Consent to Operate on 03.07.2015. Stack Monitoring Report submitted on 20.08.2015 Noise Monitoring Report submitted on 26.06.2015	
7	SOHUM TRADING COMPANY	B-10/6-7, GROUP WAZIRPUR INDUSTRIAL AREA	07-07-2015	DPCC/EC/2/1/2015/11240	MFG. OF STAINLESS STEEL UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI			02-03-2016 (1)ETP ---- N/A (2)ECS - Yes (a) AR not submitted. (b) Stack monitoring report dated 09-06-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA, Noise monitoring report dated 13-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted. Earlier consent application dated 30.12.2008 be made infructuous.

										Ground Water:Nil Source of Water: 0.1 KLD from DJB(bill in the name of Smt. Mithlesh Kumari enclosed) Unit is required to submit the following documents:- a) Adequacy Report of ECS, in original, from empanelled consultants of DPCC. (Unit is submitted the copy of receipt dated 01.07.2015 requesting for Adequacy Report from Jamia Millia. Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 This case again deferred in the meeting dated 18.07.2016. Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 This case again deferred in the meeting dated 18.07.2016. Recommendation / Action Taken Details (EE/AEE) on 11-07-2016 This case deferred in the meeting dated 04.07.2016. Remarks/ATR on 01-07-2016 Unit has submitted a adequacy report on 24.05.2016 issued by Jamia Millia Islamia dated Naovember, 2015.	
8	LAVISH THE PARTY LAWN (A UNIT OF M/S CHANDRA FEROUAS ALLOYS AND REAL CO.(PVT) (LTD)	KH NO 23/2 VILLAGE ALIPUR LANDMARK NEAR PALLA MORE CITY	07-07-2015	DPCC/EC/2/1/2015/11241	PARTY LAWN. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not	Orange Renewal	Non-SPI			26-04-2016 1. ETP- Yes. a) Adequacy report of ETP dated 03.01.2012 2015 Issued by DTU submitted. b) Effluent analysis report dated 07-04-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes. 2. ECS-Kitchen emission Channelized a) Air (Emissions)- Test Reports -N/A	21-09-2016 Consent to Operate (Renewal) application was received on 07.07.2015. As per the decision taken by DPCC in its Board meeting on 22.03.2016, the units falling under RESDH Sector and the area not having sewerage system are required to provide STP to treat the entire effluent generated including toilet & bathroom. In view of this, Consent to Operate (Renewal) granted with the condition that unit will install Sewage Treatment Plant (STP) within 03 months as per latest RESDH policy.

connected to
public/municipal/DJB
sewer

3. D.G. Set(s): Nil

4. Water
consumption: 8500
L/day.

5. MCD permission
valid upto 31.03.2016
6. Status of Ground
water extraction: a)
Ground Water- Nil
b) Source of water:
Outside Tankers.

7. Status of
Inspection: No

**Recommendation /
Action Taken Details
(EE/AEE) on 20-09-
2016**

**Recommendation /
Action Taken Details
(EE/AEE) on 01-07-
2016**

Status of Pollution
Control
system/Devices:
1. ETP- Yes (5 KLD)
2. ECS- Kitchen
emission Channelized
a) Adequacy report of
ETP dated 03.01.2012
2015 Issued by DTU
submitted.
3. D.G. Set(s): No

Plot Area- 10,000 sq
mt
Proposed Date-
01.01.2011

4. Water
consumption: 8500
L/day
a) Source of water:
Outside Tankers
(copy of outside
water bill submitted)

5. MCD permission
valid upto 31.03.2016

Status of Inspection:
No

Provisional Consent to
Operate (Renewal)
granted on
30.05.2016 for 6
months with the
condition that the unit
will submit either
permission of
extraction of ground
water from CGWA /
Delhi Jal Board or
valid water
connection bill from
Delhi Jal Board .

											Reply received on 01.07.2016 stating that there is no borewell in the premises. Water is purchased from outside for cooking and drinking purpose (bill enclosed) Water (Effluent)- ETP outlet Effluent analysis report dated 07.04.2015 from Shriram Institute for Industrial Research. Parameters are within prescribed limit. Air (Emission)-N/A Noise Test Report-N/A	
9	CLUB & SPORTS CENTRE (I.U.A. TRUST (REGD.))	SECTOR -XIII, ROHINI	09-07-2015	DPCC/EC/2/1/2015/11261	RECREATIONAL CENTRE / CLUB AND SPORTS CENTRE. Hotels (3 star and above) having kitchen and/or laundry	Orange Operate	Non-SPI		Status of Pollution Control System (1) STP (a) AR dated May, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 12-06-2015 issued by SHRIRAM INSTITUTE submitted. The analyzed parameter are within limit, however, the parameter phosphate (as P) not analyzed. (2) ECS - N/A (3) D.G. Set Noise Report : 2 -The unit has 2 D.G. Set(s) of 500 KVA and 500 KVA. Noise monitoring report dated 06-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Ground Water- Nil (5) Source of Water-DJB Copy of MCD license (valid up to 31.03.2016) and Delhi Police license (valid up to 31.03.2016) submitted.	1. Effluent analysis report dated 12-06-2015 issued by SHRIRAM INSTITUTE submitted. The analyzed parameter are within limit, however, the parameter phosphate (as P) not analyzed. 2. Noise monitoring report dated 06-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes .	01-07-2016 Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection of the unit has been conducted by DPCC officials on 16.09.2016 and following were observed: -STP was not found in operation and septic conditions were prevailing on various parts of STP. -Oil & Grease trap were filled with oil & grease and condition shows that it is not cleaned regularly. -A by-pass arrangement was observed from aeration tank. -No motor was installed with two blowers. -It was reported that same has been sent for winding/repairing purpose. -Channelization system has been provided with the both kitchens. -Adequate stack height has not been provided with the both D.G set.	21-09-2016 Issue show cause notice for refusal of consent, show cause notice u/s 33(A) of Water Act & u/s 31(A) of Air Act for the deficiencies observed during inspection.
10	AIMIL PHARMACEUTICALS(1) LTD.	A-13/2, NARAINA INDUSTRIAL AREA PHASE - I	09-07-2015	DPCC/EC/2/1/2015/11267	AYURVEDIC MEDICINE. Medicines / Pharmaceutical Formulation- with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 16-01-2004 Authorisation			02-03-2016 (1)ETP ---- Other ETP Name : ETP (a) AR dated 29.07.2010 issued by Delhi Technological University submitted. (b) Effluent analysis	21-09-2016 Implement the decision dated 02.07.2016. Inspection be conducted.

								Status Approved Authorisation Issue Date 20-09-2004 Authorisation Expiry Date 19-09-2006 HWM Application No. 2 Application Date 01-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 19-07-2016 Authorisation Status Pending		report dated 06-07-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 26-05-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G. Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 07-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 10800 Lt/day (DJB (Bill enclosed) and CGWA(Permission enclosed) Recommendation / Action Taken Details (EE/AEE) on 19-09-2016 -Letter yet to issued regarding submitting copy of drug license and apply for authorization under HWM Rules within 30 days.
11	TARUN UDYOG	A-3, GROUP, WAZIRPUR INDUSTRIAL AREA	13-07-2015	DPCC/EC/2/1/2015/11286	CIRCLE CUTTING MFG. OF S.S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		02-03-2016 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated Nov 2010 issued by GGSIU submitted. (b) Stack monitoring report dated 09-06-2015 Issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Ground Water: Nil Source of Water: 0.04 KLD from outside. Enquiry counter raised the point that unit is required to	21-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted.

										submit the following:- a) Details of suppliers of water (Name , Address and Contact details of the Agency(ies) supplying water through tankers including bill) and its valid permission from concerned Agency(ies) for extraction/ drawl of ground water. Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 This case again deferred in the meeting dated 18.07.2016. Recommendation / Action Taken Details (EE/AEE) on 11-07-2016 This case deferred in the meeting dated 04.07.2016.	
12	R.M.P. INTERNATIONAL	PLOT NO A-51, PHASE-I, OKHLA INDUSTRIAL AREA	14-07-2015	DPCC/EC/2/1/2015/11290	MFG. OF READYMADE GARMENTS WITH WASHING. Readymade Garment (with Washing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-12-2008 Authorisation Status Pending		02-03-2016 (1)ETP ---- N/A (a) AR dated June 2015 issued by Jamia Millia Islamia, New Delhi. (b) Effluent analysis report dated 20-05-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-06-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	21-09-2016 Consent to Operate (Renewal) granted. Authorization application dated 18.12.2008 be made infructuous.

											Ground water- Nil	
											Remarks/ATR on 19-09-2016 As per office order dated 12.04.2016, case of the unit falls under category II (b).	
13	ONORA HOSPITALITY PRIVATE LTD.	KHASRA NO. 14/26, 15/8,15/9,15/10,15/26 NH-1, GT KARNAL ROAD, VILLAGE SINGHOLA, NEAR SINDHU BORDER	14-07-2015	DPCC/EC/2/1/2015/11295	MOTEL / RESORT / RECREATION. Hotels with less than 20 bed rooms having kitchen and/or laundry and not connected to public/municipal/DJB sewer with Boiler	Orange Operate	Non-SPI				26-04-2016 1. STP- Yes (a) AR dated June, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 27-04-2015 Issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. ECS-Kitchen emission Channelized a) Stack analysis report dated 03.04.2015 issued by Shreeram Institute for Industrial Research. 3. D.G. Set(s): 2 x 250 KVA, 1 x 125 KVA, a) Noise monitoring reports dated 24-04-2015 Issued by DPCC submitted. Noise monitoring report within Limit - Yes 4. Water consumption: 22000 L/day (on full load). Other days 350L/day 5. Status of Ground water extraction: a) Ground Water- Nil b) Source of water: Outside / Tankers (Copy of bill submitted). 5. MCD Health License valid upto 31.03.2016 6. Applied for renewal of police license 7. Status of Inspection: No Recommendation / Action Taken Details (EE/AEE) on 04-07-2016 Provisional Consent to Operate granted for 6 months with the condition that the unit will submit either permission of extraction of ground water from CGWA /	21-09-2016 Consent to Operate granted.

										Delhi Jal Board or valid water connection bill from Delhi Jal Board .	
										Permission of extraction of ground water from CGWA / Delhi Jal Board reply is not submitted.	
14	MANISHA ENTERPRISES	F-24, PH-II, 2ND FLOOR, MAYAPURI INDUSTRIAL AREA	16-07-2015	DPCC/EC/2/1/2015/11313	JOB V/ORK OF WASHING OF COTTON CLOTHES, BLANKETS, BED SHEETS ETC. (LAUNDRY WORK) WITHOUT BOILER. Readymade Garment (with Washing)	Orange Renewal	Non-SPI			02-03-2016 (1)ETP ---- ETP installed. (a) AR dated July, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 19.01.2015 issued by DPCC submitted and parameters were found within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 27-01-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 7000 Lt/day (Outside) Unit has submitted an undertaking stating that earlier unit has proposed dyeing activity but unit is not doing dyeing activity.	21-09-2016 Inspection be conducted.
15	S AND S PIONEER CORP. (BRAND NAME - GRAND DREAMS)	A-29 AND 30, PHASE-I, MAYAPURI INDUSTRIAL AREA	20-07-2015	DPCC/EC/2/1/2015/11329	Banquet Hall, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²)	Orange Operate	Non-SPI			02-03-2016 (1)ETP ---- ETP - Biological (a) AR dated July, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 04-05-2015 Issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 380	21-09-2016 Inspection was carried out on 26.08.2016 and ETP found operational and channelization system provided for the kitchen emissions. Consent to Operate granted.

					connected to public/municipal/DJB sewer						KVA, 380 KVA and 380 KVA. Noise monitoring report dated 15-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 380 KVA, 380 KVA and 380 KVA. Noise monitoring report dated 15-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 380 KVA, 380 KVA and 380 KVA. Noise monitoring report dated 15-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details: No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption: 15000 Lt/day (DJB, Bill enclosed and Tanker) (8) Seating Capacity: 700 Seats. (9) MCD license: Not submitted. However, unit has submitted copy of applying receipt dated 28.01.2015. (10) Delhi Police: - Unit has submitted an undertaking that there is no any restaurant in premises, hence, no eating house license required from concerned department.	
16	BROOKLYN ENINGEERS (I) PVT. LTD.	PLOT NO. 493, PATPARGAND INDUSTRIAL AREA	23-07-2015	DPCC/EC/2/1/2015/11364	Servicing and washing of vehicles (Four wheelers) Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 01-10-2004 Authorisation Expiry Date 30-09-2006			02-03-2016 (1)ETP ---- Installed (a) AR dated July 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 23-04-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise	21-09-2016 Expedite inspection w.r.t. compliance of Hazardous Waste Rules.

										issued on 13.07.2015 Temporary revocation Issued on 30.07.2015 Ground Water: Nil Remarks/ATR on 20-09-2016 As per office order dated 12.04.2016 case of the unit falls under category II(b).		
18	DTC HASANPUR	HASANPUR DEPOT	28-07-2015	DPCC/EC/2/1/2015/11402	REPAIR AND MAINTENANCE OF BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 10-12-2003 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 04-12-2006 Authorisation Status Approved Authorisation Issue Date 20-02-2007 Authorisation Expiry Date 19-02-2009 HWM Application No. 3 Application Date 22-01-2009 Authorisation Status Pending HWM Application No. 4 Application Date 07-05-2015 Authorisation Status Pending	(1)ETP - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption : 16 KLD Source of Water : Corporation or ground water (as per undertaking). AR dated June, 2015 issued by Steel Authority of India Limited submitted. Effluent analysis report dated 15.07.2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 15-07-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes. The unit has 2 D.G. Set(s) of 60 KVA (not in use) and 125 KVA, Noise monitoring report dated 29-04-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	21-09-2016 Recommended for inspection.	21-09-2016 Inspection be conducted.	
19	MGM CLUB SOCIETY	19, ANSARI ROAD	31-07-2015	DPCC/EC/2/1/2015/11435	CLUB.	Orange	Non-SPI		Status of Pollution Control	Effluent analysis report-	20-09-2016	21-09-2016

		DARYAGANJ			Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Operate			system/Devices- 1. ETP- Yes 2. ECS- Channelisation system provided for kitchens emissions. 3. D.G. set- 1X125 KVA and 1X500 KVA Plot Area- 1844 sq mt Date of establishment- 01.10.2014 Status of Ground Water Extraction-No 1. Water consumption-22000 L/day. a) Source of water-DJB (copy of DJB water bill submitted) Status of Inspection-No Photographs of ETP submitted. Delhi police and MCD license submitted for 49 seats.	Yes, issued from DPCC on 11.06.2015 submitted. Parameters are within prescribed limit. Emission monitoring report - N/A Noise monitoring report - Yes, issued from DPCC on 29.06.2015 submitted. Parameters are within prescribed limit.		Consent to Operate granted.
20	V.R. CREATIONS	B-34, LAWRENCE ROAD INDUSTRIAL AREA	04-08-2015	DPCC/EC/2/1/2015/11468	Job work in washing Readymade Garments with Boiler Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 30-09-2010 Authorisation Status Approved Authorisation Issue Date 21-07-2011 Authorisation Expiry Date 29-09-2015			03-03-2016 (1)ETP ---- ETP - Physiochemical (a) Effluent analysis report dated 08-07-2015 Issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack monitoring report dated 17-07-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 13-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: 26.08.2015, - Unit is engaged in washing of jeans, waste water generated is treated by ETP. - ETP found in operation, It was informed that sludge is handed over to M/s Bharti Oil and waste management company, Gaziabad. - Two nos of boiler installed. Oil fired boiler is in operation. One coal fired boiler is also lying fitted with cyclone and in operational condition. - Raw water is taken through tankers (copy of tankers bill	21-09-2016 Inspection be conducted.

										provided). One borewell found in non operational condition. It was reported that two borewells closed under pucca floor and not in use. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) A letter issued to unit on 07.10.2015 for removal/dismantalling the coal fired boiler. (8) Unit replied on 09.02.2016 and informed that boiler is in damaged condition will be sold out very soon.	
21	LE GRAND BANQUETS (A UNIT OF SRK HOSPITALITY)	E-2, UDYOG NAGAR INDUSTRIAL AREA, PEERA GARHI	06-08-2015		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m2) connected to public/municipal/DJB sewer with Boiler	Orange Operate	Non-SPI			03-03-2016 (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Water Consumption- 5000 Liters/Day -Unit has not submitted the hard copy of CTO application along with requisite documents. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 -A letter yet to be issued regarding submission of hard copies of consent application along with required documents within 15 days.	21-09-2016 Implement the decision dated 04.07.2016.
22	CHHABRA FARM (A UNIT OF SHRINAGAR HOTELS PVT. LTD.)	G-1, PUSHPANJALI FARM, DWARKA LINK ROAD, BIJWASAN	10-08-2015	DPCC/EC/2/1/2015/11507	FARM HOUSE, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production	Orange Operate	Non-SPI			27-04-2016 (1)ETP ---- Other ETP Name : STP (a) AR dated August, 2015 Issued by Jamia Milli Islamia submitted. (b) Effluent analysis report dated 04-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes	21-09-2016 Consent to Operate granted.

					of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer							(2)ECS - N/A (3)D.G.Set: ...N/A... Remarks:- Unit is required to submit the following:- 1. Copy of valid MCD license. 2. Copy of valid Delhi Police license. 3. Details of Suppliers of water (Name, Address and contact details of the Agency(ies) supplying water through tankers including bill) and its valid permission from Concerned Agency(ies) for extraction/drawl of ground water. Ground Water:- Nil Water Consumption:- 60,000 ltr/day (source: Corporation tankers) As decided on 10.07.2015, Revocation of Direction u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued on 09.09.2015.	
23	KHANDELWAL SALES CORPORATION	M-19 NEW MANDOLI INDUSTRIAL AREA	10-08-2015	DPCC/EC/2/1/2015/11512	MFG. OF COPPER INGOTS BY CASTING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI					02-03-2016 (1)ETP ---- Installed (a) AR dated: not submitted. (2)ECS - Installed (a) AR dated September 2009 issued by Jamia Millia Islamia submitted. (b) Stack monitoring report dated 22-09-2015 Issued by DPCC submitted. Stack Test Report within Limit - Yes OLMS not Installed. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 62.5 KVA. Noise monitoring report dated 18-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	21-09-2016 Expedite inspection.

											(4) Inspection details: A survey was conducted in January 2016(File under process) (5) Water Consumption: 1000 L/d Source : outside (6) Groundwater: Nil (7) Existence Proof: 09.12.2005 (Energisation Date as per Electricity Bill) Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	
24	CHANDRA ROLLING MILLS PVT LTD	J-1,VISHNU GALI MANDOLI INDL. AREA	10-08-2015	DPCC/EC/2/1/2015/11513	MFG. OF RE-ROLLING OF FERROUS AND NON-FERROUS METALS. Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI				02-03-2016 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated September 2015 issued by Jamia Millia Islamia University submitted. (b) Stack monitoring report dated 22-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 200 KVA. Noise monitoring report dated 18-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 200 KVA and 62.5 KVA. Noise monitoring report dated 28-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) SCN u/s 21/22 of Air Act & 25/26 of Water Act :	21-09-2016 Expedite inspection.

										01.06.2015	
										(5) Closure directions u/s 31(A) details : 28.08.15	
										(6) Temporary Revocation: 10.09.2015	
										(7) Inspection details: A survey was conducted in January 2016 (File under process)The unit has also informed and as seen during the inspection that they have installed the OLMS	
										(8) Existence Proof: Energisation Date: 28.11.2005 (As per Electricity bill)	
										(9) Groundwater: Nil	
										(10) Water Consumption: 40 L/d Source : Purchase Water	
										Recommendation / Action Taken Details (EE/AEE) on 20-09-2016	
										Inspection yet to be conducted.	
25	AGGARWAL SWEET CORNER PVT. LTD.	PLOT NO 15, MLU POCKET, SECTOR-12, DWARKA	10-08-2015	DPCC/EC/2/1/2015/11514	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI			03-03-2016 (1)ETP - Installed (as per letter dated 28.07.2015) (a) AR not submitted. (b) Effluent analysis report not submitted (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 25-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Conducted on 30.04.2015 various deficiencies were observed. (5) SCN u/s 31(A)/33(A) : Issued on 13.07.2015 (6) Closure directions	21-09-2016 Take action as decided in file.

u/s 31(A)/33(A)/5 of
EPA details : No

Ground Water : Nil (as informed vide letter dated 28.07.2015 that they have closed the borewell permanently).

MCD License valid upto 31.03.2016
Delhi Police Licence valid upto 31.03.2016

Remarks/ATR on 21-09-2016
Complaint has been received against the unit regarding operating without installing pollution control device.

Show Cause Notice u/s 25/26 of the water Act & u/s 21 of the Air act issued to the unit on 03.11.2014.

Some more public complaints have been received against unit regarding air and water pollution.

Inspection of the unit carried out on 30.04.2015 and following deficiencies were observed.

- Unit has installed an ETP but found in defunct condition.
- Unit having two DG Set of 82.5 KVA & 125 KVA with acoustic enclosure but not having adequate stack height.
- unit having proper channelization system in kitchen (1st floor) but food processing unit at 3rd floor does not have proper channelization system.
- Unit having one borewell but no permission shown and also having DDA water connection (bill provided)

Show Cause Notice u/s 33(A) of the water Act & u/s 31(A) of the Air act issued to the unit on 13.07.2015.

										Unit has submitted replies on 20.07.2015, 28.07.2015, 05.08.2015, 12.08.2015 & 10.09.2015 informing that they have applied for Consent to establish & Consent to Operate and informed that installed ETP is fully operational, proper channelization provided with adequate stack height, increase stack height of DG set & closed borewell permanently. File under submission.		
26	SURYA KIRAN METAL PVT LTD.	77,RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA .G.T.K RD.	10-08-2015	DPCC/EC/2/1/2015/11517	MFG. OF PLASTIC SUTALI AND PLASTIC RASSI. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated October 2015 Issued by Jamia Millia submitted. 2. ECS-Yes 3. D.G. set- No Plot Area- 220 sq mt Propsed Date- 01.08,2008 Status of Ground Water Extraction:No 1. Water consumption: 1400 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: Yes (30.04.2015) as complaint received against the unit & following deficiencies observed were: 1. Unit found operating & engaged in the activity of mfg. of plastic sutli & strip using Virgin & scrap/ waste plastic. 2. Channelization system & stack height not adequate. 3. Washing of scarp exists at ground floor(backside) 4. No ETP installed to treat the effluent generated from washing. 5. Burning of mesh used in extruder being carried out on the top floor. 6.One borewell being used without permission from DJB/CGWA. SCN was issued on 13.05.2015 for deficiencies observed during inspection dated 30.04.2015. Subsequently unit has submitted photographs of sealed borewell & consent application	Effluent analysis report of outlet of ETP dated 02.07.2015 from DPCC lab. Parameters are within prescribed limit. Emission monitoring report dated 18.08.2015 issued by DPCC lab submitted. Parameters are within prescribed limit. Noise Test Report- N/A	01-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 .	21-09-2016 Inspection be conducted, thereafter file be put up administratively.
27	COMPETENT AUTOMOBILES CO. LTD.	P NO. 3 GAZIPUR	11-08-2015	DPCC/EC/2/1/2015/11532	Authorized Maruti Service and Repair Unit (With Washing) Automobile	Orange Renewal	Non-SPI	HWM Application No. 1 Application 28-10-			02-03-2016 (1)ETP ---- ETP - Physiochemical (a) AR dated June 2015 Issued by Jamia	21-09-2016 Expedite inspection.

					public/municipal/DJB sewer							(b) Stack monitoring report (for more than 1000 KVA) dated Issued by submitted and parameters within limit / not satisfactory. (4) Inspection details: Conducted on 30.04.2015 and vaious deficiencied were observed (5) SCN u/s 31(A)/33(A): issued on 13.07.2015 and 03.11.2014 (6) Closure directions u/s 31(A)/33(A): No MCD License valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016 Ground water: Nil Remarks/ATR on 12-07-2016 Unit has submitted his reply on 30.07.2015 w.r.t. SCN u/s 31 (A) of Air Act stating that unit have applied for online for Consent to Operate on 13.06.2015. Unit also stating that: 1. Unit maintaining Logbook (copy enclosed). 2. Unit has submitted application for testing (copy enclosed). 3. Unit purchasing water from the supplier (bill enclosed). 4. Unit has enclosed copy of valid licenses. Remarks/ATR on 12-07-2016 Unit has submitted his reply on 30.07.2015 w.r.t. SCN u/s 31 (A) of Air Act stating that unit have applied for online for Consent to Operate on 13.06.2015. Unit also stating that: 1. Unit maintaining Logbook (copy
--	--	--	--	--	-------------------------------	--	--	--	--	--	--	--

											enclosed). 2. Unit has submitted application for testing (copy enclosed). 3. Unit purchasing water from the supplier (bill enclosed). 4. Unit has enclosed copy of valid licenses.	
29	RAJU HOSIERY FACTORY	B-13, JHILMIL INDUSTRIAL AREA	13-08-2015	DPCC/EC/2/1/2015/11538	MFG. OF ALUMINIUM CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 21-08-2006 Authorisation Status Pending			02-03-2016 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - Scrubber (a) AR dated September 2010 issued by Guru Gobind Singh Indraprastha University submitted. Fresh adequacy Report have not been submitted. (b) Stack monitoring report dated 24-07-2015 Issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 10 KVA, Noise monitoring report dated 16-07-2015 Issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Water consumption: 200 l/d Source: Corporation Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection was carried out on 03.08.2016 and the following observations were: 1. The unit was found in operation -Hot Rolling, Circle cutting, Cold rolling was found going on. 2. No hood over the furnaces used alternatively were	21-09-2016 Inspection be conducted to verify the rectification measures taken by the unit.

										provided by the unit. However, the furnaces were placed in a room and duct in connected to wet scrubber system through the said room opening in the top of room exists and leakage observed from the temporary cover provided over the said opening. 3. Wet scrubbing system was found defunct. 4. Significant emission from hot rolling process also seen due to application of lubricant oil on hot plate during rolling. Further, SCN u/s 33(A) and 31(A), SCN u/s 5 and SCN for Refusal was issued on 01.09.2015. A reply has been received on 16.09.2016.	
30	ARUN ENTERPRISES	B-28, 1ST FLOOR, GTK ROAD INDUSTRIAL AREA	13-08-2015	DPCC/EC/2/1/2015/11557	Agriculture Seeds Seed Food With Trade Effluent Discharge without Boiler / Furnace	Orange Operate	Non-SPI			03-03-2016 1. ETP- N/A. 2. ECS-N/A 3. Plot Area: 734 sq yard 4. D.G. Set : Nil. 5. Water consumption: 500 L/day. a) Source of water: Outside(copy of bill not submitted) b) Ground water- Nil Earlier application for consent to establish was infructuous in view of water pollution caused vide decision taken in consent committee(Green) in its meeting dated 19.05.2009 and decided that unit to apply under orange category. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection conducted on 05.09.2016. Inspection Findings are- 1. Unit found in operation and engaged in the activity of mfg. of agricultural seeds. (mushroom	21-09-2016 Re-inspection be conducted to check the trade effluent discharge.

											seeds). 2. One borewell found exists with permission from CGWA/DJB. 3.. No effluent discharge/waste water was seen in the unit. Recommendation / Action Taken Details (EE/AEE) on 04-07-2016 Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G, set- No Plot Area- 734 sq mt Proposed Date- 01.01.2009 Status of Ground V/ater Extraction: No 1. Water consumption: 500 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Status of Inspection: No Water(Effluent)-N/A Air (Emission)-N/A Noise Test Report- N/A	
31	HALDIRAM MARKETING PVT. LTD	B-1/H-8, MATHURA ROAD, MOHAN CO-OPERATIVE INDUSTRIAL AREA	20-08-2015	DPCC/EC/2/1/2015/11586	MFG. OF SWEETS, NAMKEENS AND EATING HOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m2) connected to public/municipal/DJB sewer with Boiler	Orange Renewal	Non-SPI		Cancellation/Withdrawal/Revocation of Consent under Air & Water Act was issued to unit on 29.05.2015 w.r.t notice dated 02.03.2015 of Honble Chairman, DPCC. A letter was issued to unit on 19.08.2015 w.r.t letter dated 29.05.2015 and unit representation dated 08.06.2015 & 15.07.2015, regarding submission of fresh application for CTR under Air & Water Act with requisite Consent fee after adjusting the remaining balance fee with DPCC subsequent to the date of revocation of Consent. Unit has filed a new application for Renewal of Consent on 20.08.2015 with company name M/s HALDIRAM MARKETING CO. PVT. LTD w.r.t letter dated 19.08.2015. MCD License valid upto 31.03.2016 for 150 seats issued by SDMC. Delhi Police License valid upto 31	1. ETP Installed. Effluent analysis report dated 01-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. ECS - N/A Stack monitoring report dated 25.08.2015 issued by DPCC submitted. Stack Test Report within Limit - Yes 3. D.G,Set Noise Report : 3 The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 16-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-09-2016 Unit has applied for Consent to Operate(Renewal).	21-09-2016 Consent to Operate (Renewal) granted.

								March, 2016.			
								1. ETP installed. Effluent analysis report dated 01-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. ECS - N/A Stack monitoring report dated 25.08.2015 issued by DPCC submitted. Stack Test Report within Limit - Yes 3. D.G.Set Noise Report : 3 The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 16-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes A letter was submitted by unit on 16.09.2015 regarding correction of company name from M/s HALDIRAM MARKETING CO. PVT. LTD CO. PVT. LTD to HALDIRAM MARKETING PVT. LTD.			
32	MANTRA AMALTAS (A UNIT OF GOSHIV HOSPITALITY PVT. LTD.)	23, FRIENDS COLONY WEST	26-08-2015	DPCC/EC/2/1/2015/11618	GUEST HOUSE (42 ROOMS). Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer	Orange Operate	Non-SPI			03-03-2016 (1)ETP : ETP (a) AR dated August 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 10-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: N/A MCD License valid upto 31.03.2016 Delhi police License valid upto 31.03.2016 (4) Inspection details: Conducted on 05.12.2014 and various deficiencies were observed. (5) SCN u/s 31(A)/33(A): Issued on 19.06.2013 (6) Directions u/s 31(A)/33(A) : Issued on 05.01.2015 (7)Ground Water: As informed dismantled/ discontinue of borewell (photographs provided)	21-09-2016 Consent to Operate granted. Directions for closure be revoked.

											Temporary revocation of direction issued to unit on 16.07.2015	
											Remarks/ATR on 19-09-2016 As per office order dated 12.04.2016, case of the unit falls under category II (b).	
33	PACCO INDUSTRIAL CORPORATION	D-31, PHASE-I, OKHLA INDUSTRIAL AREA	26-08-2015	DPCC/EC/2/1/2015/11621	MANUFACTURING CARBURETTORS, CARBURETTORS KITS AND OTHER AUTO COMPONENTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 03-02-2004 Authorisation Status Approved Authorisation Issue Date 05-10-2004 Authorisation Expiry Date 04-10-2006 HWM Application No. 2 Application Date 06-11-2006 Authorisation Status Pending			03-03-2016 (1)ETP ---- N/A (2)ECS - N/A (a)Stack monitoring report dated 25-08-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within limit - Yes (b) Stack monitoring report dated 25-08-2015 Issued by SHRIRAM INSTITUTE submitted. Stack Test Report within limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Ground water: Nil (8) Water consumption: 1500 ltr/day , Source- Local Market (Bill enclosed) Remarks/ATR on 19-09-2016 As per office order dated 12.04.2016, case of the unit falls under category II (b).	21-09-2016 Consent to Operate (Renewal) granted. Earlier authorization dated 06.11.2006 be made infructuous.
34	VAKARTUND ASSOCIATES	KH. NO 79/80, HANUMAN GALI, NEW MANDOLI INDL. AREA, SABOLI	26-08-2015	DPCC/EC/2/1/2015/11627	RE-ROLLING OF COPPER. Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI				02-03-2016 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 28.11.11 issued by DTU submitted. (b) Stack monitoring report dated 20-08-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

											2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 200 KVA. Noise monitoring report dated 23-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4)Delhi police License valid upto 31.03.2016 (5) Inspection details: conducted on 23.05.2013 (6) SCN u/s 31(A)/33(A): issued on 19.06.2013 (7) Closure directions u/s 31(A)/33(A) : Issued on 05.01.2015 Temporary revocation of direction u/s 33(A)/31(A) issued on 20.01.2015 Remarks/ATR on 20-09-2016 Unit submitted its representation on 05.08.2016 along with the copy of application of CTO and stated that earlier they have deposited a bank guarantee of Rs 3 lakhs on 20.01.2015 for one year. the said period of 1 year has been expired on 20.01.2016. Further they have applied for CTO on 26.08.2015 in which they have already deposited Rs 1.5 lakhs for five years for their unit. Unit has requested to refund their bank guarantee of Rs. 3 lakhs which has already become due in January 2016. Remarks/ATR on 19-09-2016 As per office order dated 12.04.2016, case of the unit falls under category II (b).	
36	ELROY MOTORS	A-2, PHASE-I, OKHLA	31-08-2015	DPCC/EC/2/1/2015/11675	AUTOMOBILES	Orange	Non-SPI	HWM			26-04-2016	21-09-2016

PRIVATE LIMITED	INDUSTRIAL AREA	WORKSHOP (WITH WASHING).	Operate	Application No. 1	(1)ETP ---- N/A (a) AR dated September, 2015 Issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 06-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Issue show cause notice for refusal of consent, show cause notice for revocation of authorization under HWM Rules, show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act.
		Automobile Servicing and Repair Station with Washing Activity with burner		Application Date 31-08-2015 Authorisation Status Approved Authorisation Issue Date 05-05-2016 Authorisation Expiry Date 30-08-2020	(2)ECS - N/A (a) Stack monitoring report dated 09-07-2015 Issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 30-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No Test Reports:- Air (Emissions) - Test Report of Paint Booth within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Reports of DG Set within norms.	
					Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 As decided, an inspection of the unit was carried out by Officials/ representatives of DPCC on 20.09.2016 and following were observed: -Unit found in operation. -unit has installed ETP and same found not in operation. -No wet/ dry sludge	

										seen/ available at site. -Untreated wastewater is being discharged without any treatment through bypass treatment. -Unit is not complying with the provisions of Hazardous Waste Management Rules. -As informed, paint booth and body shop has been removed from this premises and shifted to 13-14, DSIDC Shed, Phase-II, OIA. -Logbook of ETP and record of Hazardous waste not maintained. -As informed, source of water is through water tanker (a copy of bill provided).	
37	SHREE MAHAVIR INDUSTRIES	PLOT NO 409, SECTOR-5, POCKET-E, DSIIDC, BAWANA INDUSTRIAL AREA	31-08-2015	DPCC/EC/2/1/2015/11677	MANUFACTURING OF DALL MILL. Dal Mills	Orange Operate	Non-SPI			26-04-2016 1. ETP-N/A. 2. ECS- Yes a) Adequacy report of ECS (bag house) dated April 2015 issued by Jamia Millia Islamia submitted. b) Stack analysis report dated 28.04.2015 Issued DPCC. Parameters are within limit- Yes 3. D.G. Set(s): Nil 4. Water consumption:360 L/day. 5. Status of Ground water extraction: a) Ground Water- Nil b) Source of water: out side source (copy of bill submitted) 6. Status of Inspection: No Remarks/ATR on 20-09-2016 . Recommendation / Action Taken Details (EE/AEE) on 01-07-2016 Status of Pollution Control system/Devices: 1. ETP- No 2. ECS- Yes (Bag Filters) a) Adequacy report of ETP dated April, 2015 issued by Jamia Millia submitted. 3. D.G. Set(s)- No	21-09-2016 Consent to Operate granted.

											Plot Area- 250 sq mt Proposed Date- 27.04.2010 4. Water consumption: 360 L/day a) Scurce of water: Outside (copy of outside water bill submitted) Status of Inspection: No Provisional Consent to Operate granted on 31.05,2016 for 2 months with the condition that the unit will submit either permission of extraction of ground water from CGWA / Delhi Jal Board or valid water connection bill from Delhi Jal Board . The unit shall ensure that it obtains water only from the source which has permission to extract ground water / authorized source under the law. Water(Effluent)-N/A Emission moniotring report dated 29.04,2015 issued by DPCC lab submitted. Parameters are within prescribed limit. Noise Test Report- N/A	
38	DALIP TRADING PVT. LTD. (AN UNIT OF DEE MARKS HOTEL & RESORTS)	KH. NO 365/2, 379 & 394, VILLAGE RANGPURI, NH-8,	02-09-2015	DPCC/EC/2/1/2015/11690	MOTEL / HOTEL RESTAURANT AND BAR. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (b) Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 04-08-2015 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA, Noise monitoring report dated 28-06-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes	(a) The unit has 1 D.G. Set(s) of 320 KVA, Noise monitoring report dated 28-06-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes 09-09-2016 .	21-09-2016 Consent to operate dated 02.09.2015 be made infructuous since unit has again applied for Consent to Establish and Consent to Operate on 06.07.2016 with increased rooms as decided in the earlier meeting.	

									(b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory.			
									Status of Ground Water extraction :			
									Status of Inspection :no			
									SCN u/s 31(A)/33(A)/5 of EPA details :no			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
39	AUTOMOBILES STERLING INDIA PVT. LTD.	B-1, JHILMIL INDUSTRIAL ESTATE, SHAHDARA	02-09-2015	DPCC/EC/2/1/2015/11691	SERVICE STATION OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-09-2015 Authorisation Status Approved Authorisation Issue Date 18-05-2016 Authorisation Expiry Date 01-09-2020			27-04-2016 1) Status of Pollution Control System/Devices: (ETP: Yes) (D.G. Set) 2) Status of Ground Water extraction: No Borewell 4) Source of Water: Tankers bill not Submitted 5) Status of inspection: No 6) Air (Emission)- Test Report of ECS within norms 7) Water (Effluent)- Test Report of ETP within norms 8) Noise - Test Report of D.G. Set Noise within norms unit has submitted Adequacy Report Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 Recommended for Inspection.	21-09-2016 Inspection be conducted.
40	DURATUF GLASS INDUSTRIES PVT. LTD-II	S-69, BADLI INDUSTRIAL ESTATE	02-09-2015	DPCC/EC/2/1/2015/11701	Mfg. of Safety/ Toughened Glasses Toughening of Glass	Orange Renewal	Non-SPI		1. ETP- Yes a) Adequacy report of ETP dated october 2015 submitted 2. ECS- No 3. D.G. Set: No. Plot Area- 400 sq.mtr Proposed Date- 01.01.2000 4. Water consumption: 1500 L/day a) Source of water: DJB (copy of DJB water bill submitted) CTO(R) applied & same address S-69 is mentioned in test report issued by DPCC, electricity bill, DJB water bill, CETP receipt as issued CTO(R). However, consent	Effluent analysis report of outlet of ETP dated 11.06.2015 from DPCC lab submitted. Parameters are within prescribed limit. Air (Emission)-N/A Noise Test Report- N/A	01-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter issued on 25.07.2016 to clarify regarding addition of address S-68. However, no reply received till date.	21-09-2016 Issue reminder.

									application form, undertaking & CA certificate is having address S-68-69.			
41	ORANA HOTEL & MOTEL (A UNIT OF FRIENDSHIPTIME.COM PVT LTD.)	SAMALKHA NH-8	08-09-2015	DPCC/EC/2/1/2015/11735	Motel With 49 Rooms Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer with Boiler	Orange Operate	Non-SPI		Source of Water- Water Consumption-85000 Litres/ Day Status of Ground Water extraction : Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - Working (3)D.G.Set Noise Report : 2 D.G Set of 180 KVA and 500 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD license valid upto 31.03.2016 (No. of beds: 98) (No. of Rooms: 49) (No. of seats: 150) (Coffee house seats: 48)	Water Effluent- Effluent analysis report dated 04-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Air Emission- Stack monitoring report dated 13-10-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 21-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise- (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 20-07-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - No (b)The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 20-07-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - No	01-07-2016 . Remarks/ATR on 21-09-2016 -As decided, an inspection was conducted by DPCC officials on 18.08.2016 and following observations were made: -Two D.G Sets found of 500 KVA and 180 KVA with acoustic enclosure and adequate stack height. -Proper channelization provided in kitchen with adequate stack height of chimney. -ETP and STP found operational. Log book shown and maintained properly.	21-09-2016 Consent to Establish and Consent to Operate granted.
42	SHRI SHAKTI ENTERPRISES	KHASRA NO. 47, NEW MANDOLI, INDUSTRIAL AREA	09-09-2015	DPCC/EC/2/1/2015/11739	Mfg. of Copper And Aluminum Ingots. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 01.06.2015. Reply received on 11.08.2015, informing stack monitoring conduction & requested Jamia Millia Islamia for adequacy report. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 27.08.2015. A representation was received from the unit on 15.09.2015 requesting for revocation of issued Closure directions by submitting Security Bond of Rs. 5,00,000/- that their unit is established prior to 7th Feb. 2007 and further stating that the other compliance have also done. Temporary Revocation of Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OLMS, etc. A representation was received	AR dated Sep 2015 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 03-08-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 08-10-2015 issued by DPCC submitted.	02-07-2016 As approved in file inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

									from the unit on 30.11.2015 informing the installation of OLMS. (1)ETP ---- N/A (2)ECS - Cyclone and Wet Scrubber (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 Litres/ Day Source: Purchase (5) Ground Water: Nil				
43	THE RETREAT MOTAL (RUN BY JINGAL BELL AMUSEMENT PARK PVT. LTD.)	ALIPUR, MAIN G.T. KARNAL ROAD	09-09-2015	DPCC/EC/2/1/2015/11750	motel of 47 no. rooms with resturant of 40 seats Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes (5 KLD) 2. ECS- Kitchen emission Channelized a) Adequacy report of STP dated August 2015 issued by Jamia Millia submitted. 3. D.G. Set(s)- 1x250KVA Plot Area- 1000 sq mt Proposed Date- 01.01.2011 4. Water consumption: 17500 L/day a) Source of water: Outside Tankers (copy of outside water bill submitted) 5. MCD permission valid upto 31.03.2016 Status of Inspection: yes Provisional Consent to Operate granted for 2 months with the condition that the unit will submit either permission of extraction of ground water from CGWA / Delhi Jal Board or valid water connection bill from Delhi Jal Board . The unit shall ensure that it obtains water only from the source which has permission to extract ground water / authorized source under the law. Directions for closure revoked. Letter be issued to SDM for effective sealing of borewell. Reply recieved on 01.07.2016 stating that borewell was already sealed by SDM in the premises. Water is purchased from outside for cooking and drinking purpose(bill enclosed).It is also stated that they are taking treated water from Badli CETP for commercial use (authorization letter from Badli CETP regarding treated water use for industrial purpose submitted).	Effluent analysis report of Inlet/Outlet of ETP dated 20.08.2015 submitted from DPCC lab. Parameters are within prescribed limit. Air (Emission report)-N/A Noise monitoring report dated 17.08.2105 by center for occupational and environmental health submitted. Noise monitoring report within limit.	04-07-2016 - Remarks/ATR on 21-09-2016 .	21-09-2016 Consent to Operate granted. Consent to operate dated 06.06.2013 be made infructuous.	
44	RUBY CYCLE INDUSTRIES PVT. LTD.	C-46, PHASE-I, OKHLA INDUSTRIAL AREA	10-09-2015	DPCC/EC/2/1/2015/11756	MFG. OF CONCENTRATE (FLAVORS) AND SYRUP. Food Additives, Nutrients and Flavors with Electric Furnace	Orange Operate	Non-SPI					22-04-2016 (1)ETP ---- N/A (a) AR dated July, 2015 Issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 08-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes	21-09-2016 Expedite inspection.

									processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 29.09.2015. A representation was received from the unit on 30.9.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and compliance of other directions. Temporary Revocation of Direction of Closure for 45 days was issued on 16.10.2015 directing the unit to apply for installation of OLMS, testing/monitoring etc. report etc. unit was installed online stack monitoring systems. inspection was carried out by DPCC Officials on 22.01.2016 and SCN was issued by hand on 22.01.2016 to the unit for u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 (1)ETP --N/A (2)ECS - Copper ingots (3)D.G.Set Noise Report : 1 (4) Water Consumption: 100 L/ Day Source: Outside (5) Ground Water: Nil	22-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.		
47	BALAJI COPPER (P) LTD	P-16 NEW MANDOLI INDUSTRIAL AREA	17-09-2015	DPCC/EC/2/1/2015/11817	Mfg. of Copper Re Rolling Mill (Copper Rods) Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued on 27.05.2015 for submission of application for CTE & CTO. A reply was received on 09.07.2015 requested time for submission of full compliance report. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 28.08.2015. A representation was received from the unit on 29.09.2015 and on 01.10.2015 requesting for revocation of Closure directions issued to them. Temporary Revocation of Direction of Closure for 45 days	AR report dated Nov, 2015 issued by JAMIA MILLIA ISLAMIA submitted Stack monitoring report dated 03-11-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 28-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 750 KVA. Noise monitoring report dated 22-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed	01-07-2016 As approved on file Inspection be expedite. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

									was issued on 13.10.2015 directing the unit to apply for installation of OLMS, monitoring report etc. unit was Submitted Adequacy Report, Stack Monitoring Report & Noise Monitoring Report on 09.12.2015. (1)ETP --N/A (2)ECS - Copper ingots (3)D.G.Set : Noise report: 1 (4) Water Consumption: 40 L/ Day Source: Outside (Purchase and Market) (5) Ground Water: Nil	which are within limit / beyond prescribed limit.		
48	JAISHRI METAL CO.	PLOT NO P-11-C, MAHAVIR GALI, NEW MANDOLI INDL. AREA	18-09-2015	DPCC/EC/2/1/2015/11823	MFG. OF COPPER AND ALUMINIUM INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 02.06.2015. Reply received on 24.06.2015, informing that the unit operating after installing required pollution control device and as adequacy report received will be submitted and will apply for CTE/CTO. A communication was also received on 11.08.2015 along with stack monitoring report and noise monitoring report. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 08.09.2015. A representation was received from the unit on 18.09.2015 and a letter dated 23.09.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and further stating that the other compliance are In process. Temporary Revocation of Direction of Closure for 45 days was issued on 30.09.2015 directing the unit to apply for installation of OLMS, adequacy report etc. (1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR dated Sep 2015 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 03-08-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 28-07-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
49	SWAGATH	M-48, CONNAUGHT PLACE, NEW DELHI	18-09-2015	DPCC/EC/2/1/2015/11832	Restaurant. Restaurants/Eating Houses / Dhabas	Orange Operate	Non-SPI		Source of Water: Outside (copy of bill not provided) Water Consumption: 3500 Litres/ Day (5) Ground Water: Nil	Water Effluent: Effluent analysis report dated 12.05.2015 issued by Water Lab, DPCC	01-07-2016 water bill copy not provided.	21-09-2016 Consent to Establish and Consent to Operate granted.

					and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: ...N/A... NDMC License and Delhi Police valid upto 31.03.2018 Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	submitted and water effluent are parameters within limit-yes		
50	G.M. OFFSET	PLOT NO. 257,, F.I.E. PATPARGANJ INDL. AREA, DELHI	29-09-2015	DPCC/EC/2/1/2015/11909	OFFSET PRINTING PRESS (WITH TRADE EFFLUENT). Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-09-2015 Authorisation Status Pending	(1)ETP ---- Other ETP Name : ETP (2)ECS ---- N/A (3)D.G. Set ---- N/A (4) Water Consumption: 300 L/ Day Source: Can Water Supply (5) Ground Water: Nil	AR dated Sep 2015 issued by JAMIA MILLIA ISLAMIA submitted. Effluent analysis report dated 23.04.2015 issued by DPCC submitted.	01-07-2016 Recommended for CTO and Authorization. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.
51	BARBEQUE NATION (A UNIT OF BARBEQUE NATION HOSPITALITY LTD)	GROUND FLOOR, 101 & 102, AGGARWAL CORPORATE HEIGHTS, A-7, NSP	29-09-2015	DPCC/EC/2/1/2015/11926	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) AR not submitted. (b) Effluent analysis report dated 29-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 4.0 KLD from DJB Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD Licence valid date not visible. Delhi Police Licence valid upto 31.03.2014	Effluent analysis report not submitted.	01-07-2016 Unit has submitted a letter that they have applied for adequacy report and water analysis report as soon as they receive it they will submit the same in our office.	21-09-2016 As per the effluent analysis report of DPCC laboratory dated 29.09.2015, unit is meeting the prescribed limit. Consent to Operate granted.
52	MANOHAR LAL	S-45, PH-I, BADLI INDL. AREA	01-10-2015	DPCC/EC/2/1/2015/11964	MANUFACTURING OF PRESSURE COOKER WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS-Yes a) Adequacy report of ETP dated 16.02.2012 issued by DTU submitted. 3. D.G. set- No Plot Area- 412 sq.mtr	Water(Effluent)-N/A Emission monitoring report dated 12.08.2015 issued by DPCC submitted. Parameters are within prescribed limit. Noise Test Report- N/A	01-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 .	21-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted.

									Proposed Date- 01.01.2011			
									Status of Ground Water Extraction:No 1. Water consumption: 30 L/day. a) Source of water: DJB (copy of DJB water bill submitted)			
									Status of Inspection: No			
53	DELHI TRANSPORT CORPORATION	WAZIRPUR DEPOT, RING ROAD	05-10-2015	DPCC/EC/2/1/2015/11976	REPAIR AND MAINTENANCE OF CNG LOW FLOOR BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-02-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 12-07-2005 Authorisation Status Pending HWM Application No. 3 Application Date 11-09-2008 Authorisation Status Pending HWM Application No. 4 Application Date 05-10-2015 Authorisation Status Pending	Status of Pollution Control System (1)ETP Unit has submitted empanelled Adequacy report. (a) AR dated Aug. 2015 issued by Steel Authority of India Limited submitted. (b) Effluent analysis report dated 25.05.2015 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 29-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Source of Water: 10 KLD from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report dated 25.05.2015 issued by DPCC submitted. Report within Limit - Yes 2. Noise monitoring report dated 29-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.
54	DTC NETAJI SUBHASH PLACE	SUBHASH PLACE DEPOT,	05-10-2015	DPCC/EC/2/1/2015/11979	Repair and Maintenance of CNG Low Floor Buses. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-10-2003 Authorisation Status Pending	Status of Pollution Control System (1)ETP Unit has submitted empanelled adequacy report. (a) AR dated Aug. 2015 issued by Steel Authority of India Limited submitted. (b) Effluent analysis report dated 17.06.2015 issued by DPCC submitted.	1. Effluent analysis report dated 17.06.2015 issued by DPCC submitted. Report within Limit - Yes 2. Noise monitoring report dated 24-06-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.

								HWM Application No. 2 Application Date 13-07-2006 Authorisation Status Approved Authorisation Issue Date 13-03-2007 Authorisation Expiry Date 12-03-2009 (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-06-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Source of Water: 12 KLD from DJB Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No HWM Application No. 3 Application Date 23-01-2012 Authorisation Status Pending Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
55	GLOBUS MOTORS PVT. LTD	B-35/3, G.T. KARNAL ROAD INDUSTRIAL AREA	05-10-2015	DPCC/EC/2/1/2015/11998	Service Station Two Wheelers. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-07-2014 Authorisation Status Pending Status of Pollution Control system/Devices: 1. ETP- Yes (5 KLD) a) Adequacy report of ETP dated Feb, 2016 issued by Jamia Millia submitted. 2. ECS-No 3. D.G. set- No Plot Area- 250 sq.mtrs Proposed Date- 01.11.2013 HWM Application No. 2 Application Date 05-10-2015 Authorisation Status Pending Status of Ground Water Extraction:No 1. Water consumption: 1100 L/day. a) Source of water: Outside from CETP (copy of CETP water bill not submitted) Status of Inspection: No SCN was issued on 18.01.2016 as the Effluent analysis Report dated 22.12.15 revealed that parameters (TSS, BOD, O&G) are exceeding the limits. A reply was received from the unit stating that due to short circuit in the electrical supply, one of the motor of the ETP plant stopped working, due to this ETP was non functional but on 08.09.2015, officials of DPCC conducted a analysis indicating that parameters are very much in prescribed limit (Report enclosed)	Effluent analysis report of Outlet of ETP dated 17.09.2015 submitted from DPCC lab. Parameters are within prescribed limit. Air (Emission)- N/A Noise Test Report- N/A	04-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection conducted on 08.09.2016. Inspection Findings are- 1. Unit found in operation and engaged in the activity of servicing and repairing of vehicles (2-wheeler) with washing. 2. ETP found installed and in operation. 3. HWM rules are complied with.	21-09-2016 Consent to Operate (Renewal) and Authorization under HWM Rules granted. Authorization application dated 17.07.2014 be made infructuous since unit has again applied for authorization on 05.10.2015.
56	GOYAL DALL PRODUCTS PVT. LTD.	PLOT NO I-2267, NARELA INDUSTRIAL AREA	06-10-2015	DPCC/EC/2/1/2015/12020	DALL MILL. Dal Mills	Orange Operate	Non-SPI	Status of Pollution Control system/Devices: 1. ETP- No 2. ECS-Yes a) Adequacy report of ECS issued by Jamia Millia dated September	Water(Effluent)-N/A Emission monitoring report dated 03.08.2015 by DPCC submitted. Parameters are within prescribed limit.	04-07-2016 - Remarks/ATR on	21-09-2016 Consent to Operate granted.

									2014 submitted. 3. D.G. set- No Plot Area- 350 sq.mtr Proposed Date- 25.10.2013 Status of Ground Water Extraction:No 1. Water consumption: 1000 L/day. a) Source of water: Outside (copy of Outside water bill not submitted) Status of Inspection: No	Noise Test Report- N/A	20-09-2016 .	
57	R. N. POLYMERS	E- 919, DSIDC NARELA INDUSTRIAL AREA	12-10-2015	DPCC/EC/2/1/2015/12073	MANUFACTURING OF DANA WITH (REPROCESSING AND WASHING) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated October, 2015 issued by Jamia Milia submitted. 2. ECS-Yes 3. D.G. set- No Plot Area- 350 sq.mtr Proposed Date- 01.01.2002 Status of Ground Water Extraction:No 1. Water consumption: 3360 L/day. a) Source of water: PNC (copy of PNC water bill submitted) Status of Inspection: Yes Inspection was conducted on 22.04.2015 by the officials of DPCC and inspection findings are as follows: Unit found operating & engaged in the activity of mfg. of plastic granules (reprocessing) using plastic scrap as raw material. Operating without valid consent/ registration under Plastic Rules 2011. ETP found installed but same is lying defunct & dry. ECS channelization with ducting installed with one Extruder at basement. Stack found broken. One borewell exist w/o permission SCN u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 07.05.2015 Replied on 29.06.2015 stated that applied for adequacy & air monitoring to Shriram Lab. ETP test report is meeting the norms. Application for registration form 2 under plastic rules submitted. As per DPCC lab test report dated 28.04.2016 sample lifted from bypass of ETP (ETP was non- operational). Parameters found exceeding the norms.	Effluent analysis report dated 20.06.2015 from Shriram Institute for Industrial Research submitted. Parameters are within prescribed limit. However total metal is not mentioned Emission monitoring report dated 19.09.2015 from Shriram Institute for Industrial Research. Parameters are within prescribed limit. However stack height is inadequate(10.05 mt from ground floor) Noise Test Report- N/A	01-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09- 2016 Show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act issued on 25.07.2016. Unit replied on 29.09.2016 submitting fresh test report of ETP issued from DPCC on 19.09.2016. Parameters are within prescribed limit.	21-09-2016 Inspection be conducted.
58	MAHARAJA RESIDENCY	PLOT NO B-20, B-21 & B-126/10, GURU	19-10-2015	DPCC/EC/2/1/2015/12132	BANQUET HALL WITH 31 ROOMS.	Orange Operate	Non-SPI		(1)ETP ---- Other ETP Name : ETP	AR - Nil	01-07-2016 Recommended for	21-09-2016

		NANAK PURA, LAXMI NAGAR			Hotels with less than 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				(2)ECS - N/A (3)D.G.Set Noise Report : 2 (4) Water Consumption: 4000 L/ Day Source: Corporation and Drinking Water Suppliers (5) Ground Water: Nil	Effluent analysis report dated - 22-04-2015 issued by DPCC submitted. Stack monitoring report dated 21-09-2015 issued by DPCC submitted. The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted. The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted.	Inspection. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 letter yet to be issued and also Inspection yet to be conducted.	Implement the decision dated 04.07.2016.
59	MAYBELL TRADINGS PVT. LTD.	PLOT NO B-27, JHILMIL INDUSTRIAL AREA	28-10-2015	DPCC/EC/2/1/2015/12230	COPPER WIRE DRAWING AND SUPER ENAMELLING ON COPPER WIRE. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-10-2015 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - Catalytic Converter. (3)D.G.Set Noise Report : 1 (4) Water Consumption: 170 L/ Day Source: Corporation (5) Ground Water: Nil	AR - Nil Stack monitoring report dated 18-09-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted.	01-07-2016 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.
60	SANJAY GUPTA / SHIV SHAKTI INDUSTRIES	P-5, P-7, KH. NO 45, MAHAVIR GALI, NEW MANDOLI REDEVELOPMENT AREA	29-10-2015	DPCC/EC/2/1/2015/12251	CASTING OF COPPER INGOT. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued on 01.06.2015 for submission of application for CTE & CTO. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 08.08.2015. A representation was received from the unit on 14.08.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and seeking time for compliance of other directions. Temporary Revocation of Direction of Closure for 45 days was issued on 18.09.2015 directing the unit to apply for installation of OLMS, adequacy report etc.	AR dated 27.02.2012 issued by DTU submitted. Stack monitoring report dated 28-09-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 22-09-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

									The unit has submitted compliance and also applied for CTO. (1)ETP ---- N/A (2)ECS - Scrubber (3)D.G.Set Noise Report : 1 (4) Water Consumption: 180 Liters/ Day Source: Out Source (5) Ground Water: Nil			
61	SUBHASH KUMAR VINOD KUMAR	B-74, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12261	MANUFACTURE OF STAINLESS STEEL SINK AND S.S. HARDWARE WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 17.01.2011 issued by DTU submitted. (b) Stack analysis report dated 26.10.2015 issued by FICCI RESEARCH AND ANALYSIS CENTRE submitted. (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.1 KLD from DJB (bill enclosed) Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Stack analysis report dated 26.10.2015 issued by FICCI RESEARCH AND ANALYSIS CENTRE submitted. 01-07-2016 Unit has submitted a letter along with copy of letter submitted to DPCC on 15.10.2015 and an undertaking stating that they have changed its name from M/s Subhash Kumar Vinod Kumar to M/s Jain Brothers and requesting to update the same in DPCC record. Old file not traceble. Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 This case again deferred in the meeting dated 18.07.2016. Recommendation / Action Taken Details (EE/AEE) on 11-07-2016 This case deferred in the meeting dated 04.07.2016.	21-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted.	
62	AGRAWAL DRUGS PVT. LTD.	421, FIE PATPARGANJ INDL. AREA	02-11-2015	DPCC/EC/2/1/2015/12282	Re-packaging of pharmaceutical drugs and chemicals (with In house small lab) Pharmaceuticals Formulation With Washing Operation	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-12-2011 Authorisation Status Approved Authorisation Issue Date 21-06-2012 Authorisation Expiry Date 25-12-2016	A survey conducted by DPCC/DSIIDC in Industrial Area w.r.t Orders of Honorable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. In industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act, 1981 issued to the unit on 08.09.2015. Unit submitted a reply and said that they have applied for CTR in Orange category vide ID DPCC/EC/2/1/2016/12282 applied on 02.11.2015 and requested to withdraw the above said notice. (1)ETP ---- Yes 2) ECS -- N/A (3)D.G. Set: Nil	AR dated 12.12.2011 issued by DTU submitted. Effluent analysis report dated 29-10-2015 issued by DPCC submitted. 01-07-2016 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.	

									(4)Water Consumption: 1000 L/d Source: Outside			
									(5) Ground water: Nil			
63	SATISH KUMAR	C-38, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12295	Mfg. of Utensils with buffing. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.11.2011 Issued by DTU submitted. (b) Stack monitoring report dated 08-10-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.2 KLD from DJB (bill enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Stack monitoring report dated 08-10-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	01-07-2016 Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 This case again deferred in the meeting dated 18.07.2016. Recommendation / Action Taken Details (EE/AEE) on 11-07-2016 This case deferred in the meeting dated 04.07.2016.	21-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted.
64	PRAKASH OFFSET PRINTING PRESS	C-450, DSIDC, NARELA INDUSTRIAL AREA	05-11-2015	DPCC/EC/2/1/2015/12328	Printing press with plate making, Washing and Binding. Printing with Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-07-2004 Authorisation Status Approved Authorisation Issue Date 05-08-2004 Authorisation Expiry Date 04-08-2006 HWM Application No. 2 Application Date 08-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 05-11-2015 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated September, 2015 issued by Jamia Millia submitted. 2. ECS-No 3. D.G. set- 1x125KVA. Plot Area- 350 sq.mtr Proposed Date- 01.01.2003 Status of Ground Water Extraction:No 1. Water consumption: 600 L/day. a) Source of water: DSIDC (copy of DSIDC water bill submitted) Status of Inspection: No	Effluent analysis report dated 24.08.2015 submitted from Shriram Institute for Industrial Research. Parameters are within prescribed limit except Bio assay test (0% of survival of fish) Air (Emission)-N/A Noise monitoring report dated 28.07.2015 by DPCC submitted. Noise monitoring report within limit.	01-07-2016 Not meeting the norms. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted.	21-09-2016 Expedite inspection.
65	REKHA PRINTERS	A-102/1, PHASE-II,	06-11-2015	DPCC/EC/2/1/2015/12344	OFFSET PRINTING.	Orange	Non-SPI	HWM	Status of Pollution Control System	Effluent analysis report	01-07-2016	21-09-2016

http://www.dpcc.delhi.govt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

					Servicing and Repair Station with Washing Activity			Application Date 09-11-2015 Authorisation Status Pending	(3)D.G.Set: ...N/A... (4)Water Consumption: 100 L/d Source: DJB (5) Groundwater:Nil		Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	Rules. IT Cell to correct the categorization of the unit i.e. Copper Wire Drawing without Super Enamelling, Pickling (Dry Process).
68	NORTHERN STEEL INDUSTRIES (UNIT-II)	A-53, GROUP WAZIRPUR INDUSTRIAL AREA	26-11-2015	DPCC/EC/2/1/2015/12466	MFG. OF S. S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 08.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 16-11-2015 Issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.05 KLD from outside source through jars. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Stack monitoring report dated 16-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes	01-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 This case again deferred in the meeting dated 18.07.2016. Recommendation / Action Taken Details (EE/AEE) on 11-07-2016 This case deferred in the meeting dated 04.07.2016.	21-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted.
69	SAGAR RATNA RESTAURANTS PVT. LTD	FD-2, GROUND FLOOR, PITAMPURA (NEAR METRO STATION)	26-11-2015	DPCC/EC/2/1/2015/12471	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) AR not submitted. (b) Effluent analysis report dated 17-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A Channelization system provided. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No Status of Ground Water extraction : Nil Source of Water: 2.5 KLD from Outside source through tanker (as per undertaking) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD Licence valid upto 31.03.2016 Delhi Police Licence valid upto 31.03.2016.	1. Effluent analysis report dated 17-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report dated 09-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No	01-07-2016 . Remarks/ATR on 20-09-2016 The name of the unit is not listed in the list of 26 cases of PGMS. However unit was inspected on 25.07.2016 and following were observed 1. Unit found operational and engaged in the activity of restaurant (90 seats). 2. ETP found installed and in operation. However, no proper treatment is being done as (poly) dosing tank is empty and clear water tank is having greyish waste water. No logbook of ETP is being maintained. 3. One borewell exists and permission for the same could not be shown. Also, DJB water connection exists within premises. 4. Channelization system provided in	21-09-2016 Inspection be conducted.

											the kitchen but adequate stack height above roof level has not been provided. 5. One D.G set of 62.5KVA found existing and having a stack height of 12 ft above with acoustic enclosure provided. 6. MCD and Delhi Police licence not shown. Also, the copy of MCD license and Delhi Police submitted along with consent application have been issued for 48 seats only. Accordingly, Show Cause Notice for refusal of consent to establish and consent to operate and Show Cause Notice u/s 33(A) of Water Act and 31(A) of Air Act was issued on 11.08.2016 and a letter was also issued to MCD and Delhi Police regarding no. of seats being used by the unit. Unit has submitted its replies vide letters dated 31.08.2016 and 14.09.2016 alongwith copy of MCD and Delhi Police License, photo of stack of D.G set and informed that 1. Seats have been reduced and maintained as per MCD license i.e. 48 seats. 2. ETP (Batch Type) installed and is operational. Chemicals have been filled and dosing is being done properly. 3. The log book has been maintained. 4. Existing borewell belongs to landlord and only DJB water is being used. 5. Adequate stack height has been provided above roof level. Unit has not submitted any documentary proof of logbook and permission of existing borewell.	
70	WANG	PLOT NO 41, SEC-2,	26-11-2015	DPCC/EC/2/1/2015/12473	MANUFACTURING	Orange	Non-SPI	HWM	Status of Pollution Control	Effluent analysis report of	01-07-2016	21-09-2016

	PHARMACEUTICALS AND CHEMICALS	PKT-C, DSIDC BAWANA INDL. AREA			OF BASIC RAW MATERIALS FOR PHARMACEUTICAL FORMULATION. Pharmaceuticals Formulation With Washing Operation	Operate		Application No. 1 Application Date 26-11-2015 Authorisation Status Pending	system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated February, 2015 issued by Jamia Millia submitted. 2. ECS-No 3. D.G. set-Yes, 1x 82.5 KVA Plot Area- 150 sq.mtr Proposed Date- 01.10.2013 Status of Ground Water Extraction:No 1. Water consumption: 515 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: No	ETP dated 14.10.2015 submitted from DPCC lab. Parameters are within prescribed limit. Air (Emission)-N/A Noise monitoring report dated 09.10.2015 from DPCC submitted. Noise monitoring report within limit.	- Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted.	Expedite inspection.
71	GAURAV METALS PVT. LTD.	12/8-9, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	27-11-2015	DPCC/EC/2/1/2015/12480	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 03-10-2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-12-2012 Authorisation Status Rejected Authorisation Refused Date 20-08-2015 HWM Application No. 4 Application Date 27-11-2015 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - Wet Scrubber with Super Enameling Plant (3)D.G.Set Noise Report : 1 (4) Water Consumption: 100 L/ Day Source: Can Water Supply (5) Ground Water: Nil	AR - NIL Stack monitoring report dated 26-10-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-10-2015 issued by DPCC submitted.	01-07-2016 This is a case of redevelopment area i.e North of GT Road. As the unit failed to submit MCD license and authenticated map issued by Industries department the previously previous application for CTO and authorization under HW rules submitted on 20.12.2012 were refused on 31.08.2015 and also SCN u/s 33 (A) of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 31 (A) of Air (Prevention and Control of Pollution) Act, 1981 also issued. Unit apply a fresh for CTO on 27.11.2015 and for Authorization under HW rules on 27.11.2015. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.
72	CHING WAH CHINESE	A-81/A, LAJPAT	02-12-2015	DPCC/EC/2/1/2015/12533	RESTAURANT.	Orange	Non-SPI		Status of Pollution Control System	Effluent analysis report	01-07-2016	21-09-2016

	& JAPANESE RESTAURANT	NAGAR-II,			Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Renewal			(1)ETP- Yes (a) AR dated February,2015 issued by Jamla Millia Islamia submitted. Effluent analysis report dated 19-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Ground Water- Nil Water Consumption-8000 ltrs/day , Source- DJB (Bill Enclosed) MCD license & Delhi Police license valid upto 31.03.2017	dated 19-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - No	As per note on Noise Monitoring Report of DG set from DPCC laboratory dated 06.10.2015, that the DG set monitored is not meeting the permissible limit as per the G.S.R. 371 (E) dated 17th May 2002 and amended till date. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 Matter was discussed with Sh. Trilok Chand , EE of DPCC laboratory regarding mentioned of NA w.r.t. Insertion loss in the Noise Monitoring Report, it was informed that DG set of unit is installed without acoustically treated at roof top of building, hence insertion loss of acoustic enclosure was mentioned NA. Noise Monitoring Report also reveals that DG set is not meeting the permissible limit as per the G.S.R. 371 (E) dated 17 May 2002.	Ask the unit to provide acoustic enclosure with D.G. Set and submit fresh noise monitoring report of D.G. Set.
73	M.T. ENTERPRISES	P-9 & 10, NEW MANDOLI INDL AREA	02-12-2015	DPCC/EC/2/1/2015/12546	Mfg. of Copper Ingots by Casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 02.06.2015. Reply received on 08.07.2015, informing the submission of adequacy report and Air monitoring report but the letter was without enclosures as claimed. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 27.08.2015. A representation was received from the unit on 21.09.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and further stating that the other compliance are in process. Temporary Revocation of Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OLMS, adequacy report etc.	AR dated issued by submitted. Stack monitoring report dated 03-11-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

									(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 62 KVA. (4) water Consumption: 200 Liter/Day Source: outside (5) Ground Water: Nil			
74	CONNAUGHT PLAZA RESTAURANTS PVT. LTD.	MILAP NIKETAN, FLAT NO 4F3A TO GF4D, GROUND FLOOR, 8-A, BAHADURSHAH ZAFAR MARG	03-12-2015	DPCC/EC/2/1/2015/12554	RESTAURANT (EATING HOUSE). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Water Consumption: 5000 Litre/Day Source of Water- Outside (copy of bill provided) Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 200 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No -MCD License and Delhi Police License valid upto 31.03.2016	Water Effluent- Effluent analysis report dated 29-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 23-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016	21-09-2016 Consent to Operate granted.
75	GANGANAGAR AUTOMOBILES PVT. LTD.	56 (PART), RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	07-12-2015	DPCC/EC/2/1/2015/12599	SERVICE STATION (WASHING, REPAIRING, DENTING AND PAINTING OF CARS). Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-12-2015 Authorisation Status Pending	Source of Water: Trough tanker (copy of bill enclosed) Water Consumption:3500 Litre/day Source of Ground Water Extraction:Nil Status of Pollution Control System (1)ETP - working (2)ECS -working (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent: (a) Effluent analysis report dated 16-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Emission: (a) Stack monitoring report dated 18-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 Remarks/ATR on 19-09-2016 -As decided, an inspection was carried out by DPCC officials on 15.09.2016 and following observations were made: -ETP found installed but same was not operational, no sludge found, sludge drying bed found dry. -Hazardous waste management guidelines not being followed. -Authorization for hazardous waste for spent oil shown. -One D.G Set found with acoustic enclosure, but not provided adequate stack height. Recommendation / Action Taken Details (EE/AEE) on 12-07-2016	21-09-2016 Issue show cause notice for refusal of consent, show cause notice u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act.

										As decided an inspection was carried out by DPCC officials on 11.07.2016 and following observations were made: -Unit found operational and engaged in the activity of car service station. -ETP found operational. One D.G Set found installed in the premises with accoustic enclosure. -Source of water not		
76	THE BLACK OLIVE RESTRO-BAR	PLOT NO 1 MLU, POCKET-5, SEC-12, DWARKA,	10-12-2015	DPCC/EC/2/1/2015/12643	RESTAURANT, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 26-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil MCD license & Delhi Police license valid upto 31.03.2016 Inspection details: inspection conducted on 06.05.2015 and various deficiencies observed. (5) SCN u/s 31(A)/33(A) : 13.01.2015 issued (6) Closure directions u/s 31(A)/33(A) : 13.07.2015 issued Temporary revocation of Direction issued on 21.08.2015. Unit submitted reply on 15.10.2015 and applied for consent to operate on 10.12.2015	Effluent analysis report dated 26-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	~~01-07-2016~~ Case of CTE was taken up by committee headed by MS, DPCC in its meeting held on 25.06.2016 and it was decided that File be put up administratively.	21-09-2016 File is to be put up administratively.
77	RAJAT INDUSTRIES PVT. LTD.	E-655-656, DSIDC NARELA INDL. AREA	10-12-2015	DPCC/EC/2/1/2015/12653	MFG. OF PAN MASALA AND ZARDA, Tobacco Products without Raw Tobacco Processing	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes, Bag house a) Adequacy report of ECS dated December, 2015 issued by Jamia Millia submitted. 3. D.G. set-2x200 & 250 KVA Plot Area- 350 plus 350-700 sq.mt. Commissioning Date- 01.01.2009. Status of Ground Water Extraction:No 1. Water consumption: 1000	Water(Effluent)-N/A Emission moniotring report dated 20.11.2016 issued by DPCC submitted. Parameters are within prescribed limit. Noise monitoring report dated 23.12.2015 issued by DPCC submitted. Parameters are within prescribed limit	21-07-2016 - Remarks/ATR on 20-09-2016	21-09-2016 Inspection be conducted, thereafter file be put up administratively. Also seek clarification from Department of Food Safety, Govt. of NCT of Delhi regarding permissibility of the activity of Manufacturing of Pan Masala & Zarda using Tobacco as an Ingredient w.r.t. notification dated 13.04.2016 issued by Department of Food Safety and whether DPCC can issue consent to

									L/day. a) Source of water: DSIIDC (DSIIDC water bill copy submitted) Inspection-Yes (07.08.2015) inspection findings are as follows: Unit found in operation & engaged in the mfg. of gutka Pan masala zarda tobacco products with packing tin pouches. Unit found operating without valid consent from DPCC. Samples of zardha (chewing tobacco) & pan masala pouch products taken in record. SCN for closure u/s 31 (A) of Air act and u/s 5 of EPA (plastic rules) issued on 21.09.2015 Replied on 15.10.2015/28.10.2015 stated that proper channelization has been installed with adequate stack height for ECS applied for adequacy report, stack monitoring report & noise monitoring report and asked 45 days time to comply with all the formalities required by DPCC. Subsequent, unit has applied for Consent to operate. Undertaking submitted that unit will abide by and comply with plastic waste management rules 2016. License for pan masala (valid upto 08.07.2018) issued by Dept of Food Safety (fssai), Delhi Govt. submitted.		the unit considering the said notification and court orders etc. if any.
78	R.K. METAL	KH. NO 69 KRISHNA GALI SAMBOLI INDL. AREA	11-12-2015	DPCC/EC/2/1/2015/12694	Mfg. of Copper Wire Bars Ingot Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI	A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued for submission of application for CTE & CTO. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 08.06.2015. A representation was received from the unit on 15.0-9.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and compliance of other directions. Temporary Revocation of Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OLMS, adequacy report etc. The unit has submitted compliance and also applied for CTO. (1)ETP ---- N/A	AR --N/A Stack monitoring report dated 03-11-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 62.5 KVA(not in use) and 62.5 KVA. Noise monitoring report dated 01-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	01-07-2016 As approved in the file inspection be expedite. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

									(2)ECS - applied on 19.10.2015 (3)D.G.Set Noise Report : 1 (4) water Consumption: 200 Liter/ Day Source: outside (5) Ground Water: Nil			
79	I.G. HOMEO REMEDIES PVT. LTD.	316, FIE, PATPARGANJ INDUSTRIAL AREA	11-12-2015	DPCC/EC/2/1/2015/12697	Mfg. of Homeopathic Medicines and Heral Cosmetics (syrup, Tables, Mother Tinctures, Dilution, Shampoo and oil) Medicines / Pharmaceutical Formulation- without Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-09- 2006 Authorisation Status Pending HWM Application No. 2 Application Date 11-12- 2015 Authorisation Status Pending	A survey conducted by DPCC/DSIIDC In Industrial Area w.r.t Orders of Honorable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. in industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act,1981 issued to the unit on 08.09.2015. Unit submitted a reply and said that they have applied for CTR in Orange category vide ID DPCC/EC/2/1/2015/12697 applied on 11.12.2015 and requested to withdraw the above said notice . (1)ETP ---- Yes (2) ECS - N/A (3)D.G.Set: Nil (4)Water Consumption: 600 KL/days, Source: Water Tanker (5) Groundwater:Nil	AR dated Feb 2016 issued by Jamia Melia Islamia submitted. Effluent analysis report dated 28-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted.	01-07-2016 Re commanded for Consent to Operate and Authorization under HW Rules. Recommendation / Action Taken Details (EE/AEE) on 20-09- 2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.
80	VERNA METAL INDUSTRIES	BC-341, MANGOLPURI INDUSTRIAL AREA, PHASE-II	16-12-2015	DPCC/EC/2/1/2015/12748	Casting and Assembly of Sanitary Fittings and Accessories (Without Electroplating and without buffing) Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Stack monitoring report dated 25- 09-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Status of Ground Water extraction : No Source of Water: 0.1 KLD from DJB (bill enclosed) Earlier, a compliant has been received against this unit, thereafter inspection carried on 25.06.2015 during inspection unit found engaged in the activity of mfg. of sanitary fittings and accessories (with casting and electroplating) without taking any control measures. Afterthat, a SCN was issued on 16.07.2015. Subsequently, unit submitted its reply on 26.08.2015 and stating that they have closed the electroplating section and buffing activity and doing only casting and assembly of sanitary fittings and accessories for which	Stack monitoring report dated 25-09-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes	01-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 20-09- 2016 INSPECTION HAS BEEN DONE, THIS UNIT IS OPERATING IN GF AND FF. CASTING AND BUFFING OF BATHROOM FITTINGS IS DONE BY THE UNIT. AT SF AND TF ANOTHER UNIT IN THE NAME OF M/S COOPER METAL, IS OPERATING FOR WHICH UNIT HAS INFORMED THAT THEY HAVE OBTAINED CTE AND UNDER PROCESS FOR APPLYING FOR CTO. INSPECTION OF OTHER UNIT MAY ALSO BE CONDUCTED.	21-09-2016 Inspection conducted and unit is engaged for the activity of Casting and Assembly of Sanitary Fittings and Accessories (Without Electroplating and without buffing). Consent to Operate granted. Also inspection be conducted w.r.t. M/s Cooper Metal.

									they have installed chimneys (photograph enclosed). A modified direction was also issued on 08.10.2015 with the condition to apply for consent to establish and operate along with all requisite documents within 45 days. Now unit has applied for both CTE and CTO in the activity of Casting and Assembly of Sanitary Fittings and Accessories (Without Electroplating and without buffing) on 16.12.2015.			
81	AMBROSIA FOODS	PLOT NO.-317, FIE PATPARGANJ INDUSTRIAL AREA	16-12-2015	DPCC/EC/2/1/2015/12759	FOOD PROCESSING. Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	Orange Renewal	Non-SPI		(1)ETP ---- yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Boiler :...Diesel fired (4) Water Consumption: 550 L/ Day Source: Local Water Supply (5) Ground Water: Nil	AR dated March 2011 issued by GGSIPU submitted. Effluent analysis report dated 13-10-2015 issued by DPCC submitted. Stack monitoring report dated 18-09-2015 issued by DPCC submitted.	01-07-2016 The unit applied for CTR. The effluent analysis report dated 14.10.2015 indicated that the analysed parameters are within the limit. The stack monitoring report dated 21.09.2015 also indicated the analysed parameter is within the prescribed limit. Remarks/ATR on 21-09-2016 Recommended for Inspection.	21-09-2016 Inspection be conducted.
82	BAGGA LINK SERVICE LTD	G.F. 1141/2, RITHALA, DELHI	16-12-2015	DPCC/EC/2/1/2015/12772	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-11-2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) AR dated 17.10.2014 issued by DTU submitted. (b) Effluent analysis report dated 26-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 23-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Source of Water: 2.5 KLD from DJB and outside water supply Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report dated 26-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report dated 23-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 Earlier, CTO case deferred since the documents required w.r.t. proof of conformity etc. is to be decided by MS, DPCC. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 VISIT TO THE UNIT WAS MADE ON 15.09.2016 BUT THE UNIT WAS CLOSED AND FOUND LOCKED FROM OUTSIDE SO INSPECTION COULD NOT BE DONE. Recommendation / Action Taken Details (EE/AEE) on 11-07-2016 This case deferred in the meeting dated 04.07.2016.	21-09-2016 Inspection be conducted.
83	TIRUPATI UDHYOG	B-47B (F), JHILMIL INDUSTRIAL AREA, SHAHDARA	21-12-2015	DPCC/EC/2/1/2015/12829	MFG. OF ALUMINIUM SHEETS AND CIRCLES. Aluminium Casting (except cupola furnace only),	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Cyclone and Wet Scrubber (3)D.G.Set: ...N/A...	AR dated Jan 2016 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 24-09-2015 issued	01-07-2016 Based upon a complaint the unit was inspected on 11.05.2016 and accordingly for deficiencies a SCN u/s	21-09-2016 Expedite Inspection.

						Rolling (with capacity less than 25 MT/day) and Annealing Annealing using Electric Furnace/Oven	(4) water Consumption: 350 L/ D Source: Corporation (5) Ground Water: Nil	by SHRIRAM INSTITUTE submitted.	31 (A) of Air Act, 1981 was issued. Reply was submitted by the unit on 19.06.2016 informing the compliance. To check the compliance inspection was conducted again on 11.09.2016. For the deficiencies modified direction u/s 31 (A) of Air Act, 1981 was Issued on 01.12.2015. A reply along with the photographs showing the compliance was submitted by the unit on 27.04.2016. As approved a letter was than issued to the unit on 07.04.2016 directing them to Install On Line Monitoring System (OLMS) and to submit the compliance report within 90 days. Compliance report is awaited. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 A reply was received on 12.08.2016 wherein it is stated that they are not in position to install a OLMS due to high cost. A letter was issued on 06.09.2016 to the unit for giving some more time for installation Online Monitoring System. Remarks/TR on 01-07-2016 Based upon a complaint the unit was inspected on 11.05.2015 and accordingly for deficiencies a SCN u/s 31 (A) of Air Act, 1981 was issued. Reply was submitted by the unit on 19.06.2015 informing the compliance. To check the compliance inspection was conducted again on 11.09.2015. For the deficiencies modified direction u/s 31 (A) of Air Act, 1981 was Issued on 01.12.2015. A reply along with the photographs showing
--	--	--	--	--	--	--	---	---------------------------------	--

											the compliance was submitted by the unit on 27.04.2016. As approved a letter was than issued to the unit on 07.04.2016 directing them to install On Line Monitoring System (OLMS) and to submit the compliance report within 90 days. Compliance report is awaited.	
84	R.K. METALS	B-47 B (E), JHILMIL INDUSTRIAL AREA, SHAHDARA	21-12-2015	DPCC/EC/2/1/2015/12830	MFG. OF ALUMINIUM SHEETS. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing Annealing using Electric Furnace/Oven	Orange Operate	Non-SPI		(1)ETP ---- Sedimentation Tank provided for scrubbing water treatment. (2)ECS - Cyclone and Scrubber (3)D.G.Set: ...N/A... (4) Water Consumption: 250 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR: Nil Stack monitoring report dated 25-09-2015 issued by SHRIRAM INSTITUTE submitted. The analysed parameter was within the prescribed limit.	01-07-2016 Based upon a complaint the unit was inspected on 11.05.2015 and accordingly for deficiencies a SCN u/s 31 (A) of Air Act, 1981 was issued 09.06.2015. A reply was submitted by the unit on 22.06.2015 informing the compliance. To check the compliance inspection was conducted again on 11.09.2015. For the deficiencies Closure Direction u/s 31 (A) of Air Act, 1981 was issued to the unit on 24.11.2015. A representation was received on 22.01.2016, 09.02.2016 and on 17.03.2016 requesting for revocation of closure directions issued along with documentary proof and some computer based photographs showing the compliance. As approved the Closure Direction issued on 24.11.2015 was than temporary revoked on 07.04.2016 directing to install On Line Monitoring System (OLMS) and to submit the compliance report within 90 days. Compliance report is awaited. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.
85	S.G.M. ENTERPRISES	A-26,SECTOR -1	23-12-2015	DPCC/EC/2/1/2015/12937	MANUFACTURING	Orange	Non-SPI		Status of Pollution Control System	Effluent analysis report of	04-07-2016	21-09-2016

		BAWANA INDUSTRIAL AREA			OF KATHA. Manufacturing of Katha with Distillation and with Trade Effluent Discharge	Operate			Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated Dec, 2015 issued by Jamia Millia submitted. 2. ECS-No 3. D.G. set- No Plot Area- 200 sq mt Proposed Date- 01.01.2015 Status of Ground Water Extraction:No 1. Water consumption: 700 L/day. a) Source of water: Outside (copy of outside water bill submitted) Status of Inspection: Yes Inspection was conducted on 25.10.2014 by the officials of DPCC and inspection findings are as follows: Unit was operational without consent and without ETP. One borewell exist without permission from CGWA/DJB. SCN for closure u/s 31 (A) of Air act and 33(A) issued on 25.11.2014. Reply received on 05.01.2015 stated that ETP is to be installed and shall going to apply for consent copy of voluntary disclosure of borewell submitted. Unit was also listed in DSIDC list those were not connected with CETP,Therefore, Direction for closure U/s 33(A) of water Act issued on 24.07.2015. Later on unit was connected with CETP and closure direction revoked temporarily for 45 days vide letter dated 05.10.2015.	ETP dated 05.11.2015 submitted from FICCI. Parameters are within prescribed limit. Air (Emission)-N/A Noise Test Report- N/A	- Remarks/ATR on 20-09-2016 .	Inspection be conducted, thereafter file be put up administratively.
86	WEAR WELL INDIA PVT. LTD	B-134, PHASE I, OKHLA INDUSTRIAL AREA	28-12-2015	DPCC/EC/2/1/2015/12990	MFG. OF READYMADE GARMENT WITH WASHING. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-10-2006 Authorisation Status Pending HWM Application No. 2 Application Date 06-11-2009 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (a) AR dated March 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 19-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS -N/A (Unit is having 4 Oil fired boiler) (a) Stack monitoring report dated 21-10-2015 & 26.10.2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 125 KVA 250 KVA and 250 KVA. Noise monitoring report dated 17-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground water- Nil Water consumption-3250 ltrs/day, Source- DJB (bill enclosed)	Effluent analysis report dated 19-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report dated 21-10-2015 & 26.10.2015 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 3 D.G. Set(s) of 125 KVA 250 KVA and 250 KVA. Noise monitoring report dated 17-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 DPCC laboratory have collected the sample on 09.03.2016 and as per remarks unit was found in operation and ETP was not operational at the time of monitoring. Sample was collected from bypass of unit and effluent analysis report dated 28.04.2016 reveals that parameter of BOD was not meeting the prescribed standard. As approved on file, SCN u/s 33(A) of the Water Act and 31 (A) of the Air Act was issued to unit on 28.06.2016. Reply awaited. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016	21-09-2016 Case deferred.

											The unit has submitted its reply w.r.t. SCN on 29.07.2016 along with photographs of ETP and copy of receipt of Consent to Operate application and informed that during sampling of DPCC on 09.03.2016 their ETP was not operational because motor was damage and sample collected by DPCC during that time and now they have new motor for ETP and same is fully operational. As decided, letter for submission of Fresh Effluent Analysis Report of treated effluent was issued to unit on 08.09.2016. Reply awaited.	
87	SUPER METALS	A-6/2, JHILMIL INDUSTRIAL AREA	04-01-2016	DPCC/EC/2/1/2016/13117	MFG. OF ALUMINIUM CIRCLE WITH CASTING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-10-2006 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption: 300 Liters/ Day Source: Corporation (5) Ground Water: Nil	AR -- Nil Stack monitoring report dated 30-10-2015 issued by SHRIRAM INSTITUTE submitted. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted.	12-07-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	21-09-2016 Expedite inspection.
88	CONTINENTAL ENTERPRISES	495, FIE, PATPARGANJ INDUSTRIAL ESTATE	04-01-2016	DPCC/EC/2/1/2016/13118	S.S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4)Water Consumption: 200 L/d Source: Purchase Water (5) Ground water: Nil	AR -- Nil Stack monitoring report dated 30-10-2015 issued by SHRIRAM INSTITUTE submitted. The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 04-12-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted.	12-07-2016 Recommended for CTO. Remarks/ATR on 21-09-2016 Recommended for CTO.	21-09-2016 Consent to Operate granted. Subsequently, inspection be conducted.
89	CHANDER TRADERS	L-8, KHASRA NO 77, HANUMAN GALI	05-01-2016	DPCC/EC/2/1/2016/13135	Mfg.of Aluminium and Zinc INGots by casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		To comply with the directions of PGC, surprise inspection along with SDM concerned of the area was visited along with SDM on 09.05.2016 and for violation spot closure of direction u/s 31 (A) of Air Act, 1981 was issued and SDM concerned has also closed the unit effectively. On the basis of the compliance revocation of Closure directions has been issued on 11.7.2016. (1)ETP ---- N/A (2)ECS - Yes	AR dated Dec-2015 issued by JAMIA MILLIA ISLAMIA, submitted. Stack analysis report dated 28-9-2015 issued by DPCC submitted.	12-07-2016 Redevelopment Area. As approved on file unit be inspected after 06 months. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 Inspection yet to be conducted as decided in file.	21-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

									(3)D.G.Set: ...N/A...			
									(4) Water Consumption: 100 Liters/ Day Source: Purchase Water			
90	BHARAT BATH INDUSTRIES	196, FIE, PATPARGANJ INDUSTRIAL AREA	05-01-2016	DPCC/EC/2/1/2016/13140	Mfg. of Bath Room Fitting Without Electroplating With Buffing. Buffing on Metal	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 11-02-2005 Authorisation Status Pending HWM Application No. 2 Application Date 26-09-2006 Authorisation Status Pending	(5) Ground Water: Nil A survey conducted by DPCC/DSIIDC in Industrial Area w.r.t Orders of Honorable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. In industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act, 1981 issued to the unit on 07.12.2015. Unit submitted a reply and said that they have applied for CTO in Orange category vide ID DPCC/EC/2/1/2016/13140 applied on 05.01.2016 and requested to withdraw the above said notice. (1)ETP -- N/A (2)ECS - Cyclone (3)D.G. Set: Nil (4)Water Consumption: 765 L/d Source: Out Source (5) Ground water: Nil	AR dated Dec 2015 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 09-10-2015 issued by DPCC submitted.	12-07-2016 Recommended for CTO. Remarks/ATR on 21-09-2016 Recommended for CTO.	21-09-2016 Consent to Operate granted. Subsequently, inspection be conducted. Consent application dated 14.02.2005 and authorization application dated 11.02.2005 & dated 26.09.2006 be made infructuous.
91	TONIKA AUTOMOBILES	A-15, WAZIRPUR INDUSTRIAL AREA	08-01-2016	DPCC/EC/2/1/2016/13185	Automobile Workshop Cum Service Center Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 25-10-2004 Authorisation Expiry Date 24-10-2006 HWM Application No. 2 Application Date 10-08-2006 Authorisation Status Approved Authorisation Issue Date 07-11-2007 Authorisation Expiry Date 06-11-2009 HWM Application 3	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP AR not submitted, (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction : 1.2 KLD (Voluntary Disclosure enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	(1). Effluent analysis report dated 14-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - No . (2). Stack monitoring report dated 23-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes	11-07-2016 Unit has submitted copy of receipt dated 01.10.2015 w.r.t adequacy report to M/s Jamia Millia Islamia University. As per earlier decision dated 19.08.2015 inspection of the unit yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 File is under submission for the proposal of refusal of consent to operate (renewal) submitted on 08.01.2016 and confirmation of proposed directions issued vide letter dated 04.08.2016.	21-09-2016 Take action as per decision in file.

								No. Application Date 21-12-2010 Authorisation Status Pending HWM Application No. 4 Application Date 08-01-2016 Authorisation Status Pending			
92	INDIRA PRINTERS	C-63/5, PHASE-II, OKHLA INDUSTRIAL AREA	08-01-2016	DPCC/EC/2/1/2016/13188	Offset Printing. Printing with Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-01-2004 Authorisation Status Approved Authorisation Issue Date 25-10-2004 Authorisation Expiry Date 24-10-2006 (1)ETP installed. (a) AR dated January, 2012..... issued by Jamia Millia Islamia..... submitted. (b) Effluent analysis report dated 18-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set: Yes (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Groundwater: Nil Water Consumption: 2500ltr/day , Source: DJB HWM Application No. 2 Application Date 26-10-2006 Authorisation Status Pending HWM Application No. 3 Application Date 26-10-2010 Authorisation Status Approved Authorisation Issue Date 10-09-2012 Authorisation Expiry Date 25-10-2015 HWM Application No. 4 Application Date 08-01-	Effluent analysis report dated 18-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-07-2016 Unit has applied for Renewal for Consent to Operate on 08.01.2016. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 As decided, an inspection of the unit was carried out by Officials/ representatives of DPCC on 20.09.2016 and following were observed: -Unit found closed and removed plant and machinery. -Renovation work is going on. -As informed, unit was closed and plant and machinery has been sold out since about 4-5 months.	21-09-2016 Consent to Operate application dated 08.01.2016, authorization applications dated 08.01.2016 & dated 26.10.2006 be made infrctuous since unit has closed its activity and removed plant and machinery as observed during inspection on 20.09.2016. Premises owner be directed to ensure safe storage of hazardous waste generated by earlier unit at the site as per Hazardous and Other Waste Rules, 2016.

								Date Authorisation Status	2016 Pending				
93	H.J. INDUSTRIES (METAL)	A-60, JHILMIL INDUSTRIAL AREA	11-01-2016	DPCC/EC/2/1/2016/13209	Sanitary Goods i.e. Manufacturing of Bathroom Fittings and its Accessories. Process Involving Buffing	Orange Operate	Non-SPI			(1)ETP ---- N/A (2)ECS - Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR - nil Stack analysis report dated - 18-9-2015 - issued by - DPCC - submitted. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted.	12-07-2016 CTE issued with condition to to submit the proof that the water is being obtained from the authorized source. Reply is awaited. Remarks/ATR on 21-09-2016 Recommended for Inspection.	21-09-2016 Inspection be conducted.
94	SINTEX SERVICE STATION	883, RITHALA INDUSTRIAL AREA, DELHI	15-01-2016	DPCC/EC/2/1/2016/13287	WASHING AND REPAIRING OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 05-06-2014 Pending	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a) AR dated 30.05.2014 issued by DTU submitted. (b) Effluent analysis report dated 12-01-2016 Issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction :Nil Source of Water: 2.2 KLD from outside water tanker Earlier, modified direction was issued on 20.01.2016 to submit application for CTO with fresh test report of effluent treatment plant from approved lab, documentary proof regarding hazardous waste storage on pucca floor, covered area, date of storage, isolated place etc along with daily record within 45 days. In response of that unit reply alongwith photographs w.r.t HW handling, record of HW with application for consent to operate alongwith effluent report dated 12.01.2016, the result of effluent reveals that parameter are within prescribed limit.	1. Effluent analysis report dated 12-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 INSPECTION OF THE UNIT HAS BEEN DONE. ETP WAS FOUND INSTALLED BUT THE SAME WAS NOT FOUND IN OPERATIONAL STATUS. FOR DENTING PAINTING, A BOOTH (WOODEN) WAS UNDER MAKING. WATER METER WAS ALSO INFORMED TO BE FIXED UP RECENTLY FOR ETP. INSPECTION REPORT HAS BEEN UPLOADED ALSO.	21-09-2016 Issue show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act for the deficiencies observed during inspection. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.