



CONSENT MANAGEMENT

Agenda No. 1 - Annexure II - 43 Cases of Consent to Operate and Consent to Operate (Renewal) under Orange Category w.e.f. 31.07.2011 to 01.07.2011 (in reverse chronology) excluding the cases of redevelopment areas recommended by Screening Committee as (2c category) on 09.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37519 04-07-2011	M.G. AUTOSALES 44, SSI INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	SERVICING AND WASHING OF VEHICLES. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 1100 (in sq. meter) - Water Consumption ---- 2500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 1500 liters/day		08-08-2012 (1)ETP ---- physicochemical treatment (a) AR dated 28.010.2010 issued by GGSIU submitted. (b) Effluent analysis report dated 19-04-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil	09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
2	37522 04-07-2011	KHANNA AUTOMOBILES C-124 A, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	WORKSHOP OF MOTOR CYCLES WITH WASHING. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 250.83 (in sq. meter) - Water Consumption ---- 5500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3000 liters/day		07-08-2012 (1)ETP ---- physio-chemical (a) AR dated 08.06.2009 issued by DTU submitted. (b) Effluent analysis report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...1 (a)Noise monitoring report of - 5 KVA dated - 17.06.2011 - issued by - DTU - submitted and noise levels are within limit / beyond limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	09-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
3	37526 04-07-	TAJ INDUSTRIES A-77,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	ferrous and non ferrous metal. Casting Of Ferrous/ Non Ferrous Metal (By Using			07-08-2012 (1)ETP ---- N/A (2)ECS - N/A	09-08-2012 Recommended to inspect the unit.

	2011				Pit Furnace Only)	• Date of commissioning of project ---- 01-01-1981 • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 85 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		(b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...nil Note: Old record is not traceble.	
4	37529 05-07-2011	PRAG DISTILED WATER ICE FACTORY AND PRAG COLD STORAGE 3754-XII, OLD SUBZI MANDI	NORTH	Orange Renewal	ICE Manufacturing and cold storage. Ice-cream	• Date of commissioning of project ---- • Built Up Area ---- 2807.74 (in sq. meter) • Water Consumption ---- 45197 liters/day • Ground Water ---- 27387 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 21-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 21-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Note: old file is not tracable	09-08-2012 Recommended to put up file administratively. Also IT Cell be requested to correct the categorization of the activity of the unit.
5	37534 05-07-2011	ROOTS B-96/1, 2ND FLOOR, NARAINA INDUSTRIAL AREA, PHASE-I	Naraina Industrial Area Phase - I	Orange Operate	Mfg. of Ready Made Garments. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 4000 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP - Physiochemical (a) AR dated 03.07.2011 issued by submitted. (b) Effluent analysis report dated 03-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 04-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: inspection conducted on 07.09.2010 and observed that unit found operational and engaged in the activity of readymade garments. - washing activity carried out (no use of any chemical only normal washing occur).	09-08-2012 Recommended for grant of Consent to Operate.

								-One DG set of 35 KVA found at site with acoustic enclosure and proper stack height. (5) SCN u/s 33(A)/5 of EPA details : issued on 20.12.2012 under water act. (6) Closure directions u/s 33(A)/5 of EPA details : issued on 21.06.2011 and revocation of direction issued to the unit on 23.09.2011.	
6	37548	RAGHUBIR ELECTRIC WORKS 07-07-2011 F-125, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Job work of Hard chrome (electroplating) Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 134 (in sq. meter) • Water Consumption ---- 280 liters/day • Ground Water ---- 280 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 170 liters/day		07-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 18.08.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	09-08-2012 Recommended to seek the stack monitoring report from empanelled laboratory of DPCC.
7	37554	J.S. SAHNI SONS ENERGY SYSTEM 07-07-2011 B-26, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	mfg. of electric storage batteries. Lead Acid Battery Reconditioning/Assembly (without grid casting, oxide mfg & paste mixing)	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Wet Scrubber, bag filter (a) AR dated 23.06.2011 issued by DTU submitted. (3)D.G.Set: 62.5 and 125 KVA (a)Noise monitoring report of 62.5 KVA and 125 KVA dated 17.06.2011 issued by DTU submitted and noise levels are within limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	09-08-2012 Recommended to inspect the unit.
8	37555	AJIT ALLOYS PVT. LTD 07-07-2011 C-60/1WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Buffing of S.S. Utensils. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 8.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 08-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test	09-08-2012 Recommended for grant of Consent to Operate.

							Report within Limit - Yes	
							(3)D.G.Set: ...Nil...	
9	37556	FRONTIER BISCUIT FACTORY PVT.LTD. 07-07-2011 C-61 PHASE-II MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	Manufacturing of Biscuits. Food And Fruit Processing Industry Bakery Biscuit Production	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day	07-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - (Stack connected to Oven) (a) Stack monitoring report dated 30-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	09-08-2012 Recommended for grant of Consent to Operate.
10	37562	NIRMAL TRADING CO. 07-07-2011 A-13, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	DYEING OF SILK YARN. Dyeing, Bleaching (Cotton Textile) (Upto 100 Workers in All Shifts, 1 Acre Of Land, 100 Kld Water)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 8800 liters/day • Ground Water ---- 8800 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 8500 liters/day	07-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .17.06.2008issued by .GGSIU submitted. (b) Effluent analysis report dated 14-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 15 KVA and 30 KVA. Noise monitoring report dated 02-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	09-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
11	37563	PANACEA BIOTEC LTD. 07-07-2011 B-1 EXTN., A-24-25, MATHURA	Mohan Co-operative Industrial Area	Orange Operate	RESEARCH AND DEVELOPMENT OF MEDICINES LABS. Medicines /		06-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedDecember, 2010..... issued byGGSIU..... submitted.	09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

	2011	ROAD, MOHAN CO-OPERATIVE INDUSTRIAL AREA			Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1100 (in sq. meter) • Water Consumption ---- 3050 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2050 liters/day (b) Trade Effluent ---- 800 liters/day		(b) Effluent analysis report dated 28-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 08-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 08-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 30.04.10 & following were observed: a) It was observed that the unit is yet to be established. b) Construction work and ETP installation work are in progress. c) As reported, approx 1 month time is still required to establish the unit. d) One bore well exists. As decided by the CMC (O) in its meeting held 27.08.10, letter was issued to the unit on 08.10.10 to apply for CTO & letter to DJB for ground water extraction was also issued on 08.10.10. Earlier CMC decision 16.03.2009 Ask the unit to submit status of installation of ETP with adequacy report from any of the empanelled consultants of DPCC. Also SIT-II to inspect and report. Call on 29.04.2009. 11.05.2009 Issue final reminder for full compliance of earlier CMC decision. Also inspection to be expedited by SIT-II. Call on 24.06.2009 24.06.2009 Shift to CMC(BMW). 12.02.10 Issue Consent to Establish. Subsequently, inspection be conducted. 27.08.10 Ask the unit to apply for Consent to Operate prior to its operation. Inform to DJB regarding ground water extraction.	
12	37568 08-07-2011	GEE ESS PEE LAND DEVELOPERS (P) LTD (OWNER OF BRIJ GREEN FARM)	SOUTH	Orange Operate	BENQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)			06-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated28.06.2011..... issued byDelhi Technical University..... submitted.	09-08-2012 Recommended for grant of Consent to Operate.

		A-35, VILLAGE SATBAHRI, MEHRAULI				• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 1369 (in sq. meter) • Water Consumption ---- 8300 liters/day • Ground Water ---- 8300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 7000 liters/day		(b) Effluent analysis report dated 30-11-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 63 KVA and 35 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 63 KVA and 35 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by DPCC officials on 09.03.11 w.r.t a RTI matter & following were observed: a) No ETP/STP has been installed to treat the waste water generated from the unit b) As reported waste water of both the kitchen are collected separately in an underground tank and disposed off out side the premises w/o any treatment through tanker. c) No channelization system has been provided with the temporary kitchen meant for party purpose. d) Adequate stack height has not been provided with the D.G Set of 32KVA, 62KVA, 2X125 KVA. e) Two bore well exist for withdrawal of ground water. f) No RWH system provided. (5) SCN u/s 33(A) details : issued on 21.03.11. A letter was also sent to DJB on 21.03.11 for ground water extraction. (6) Closure directions u/s 33(A) details : issued on 09.05.11. Since, the unit failed to submit its reply with in stipulated time in response to SCN issued on 21.03.11. The unit submitted its reply on 20.04.11 & 27.04.11 in response to SCN. The unit submitted its reply on 13.05.11 along with photographs of ETP informing that they have installed ETP and applied for technical adequacy report to DTU. It is also mentioned that they have applied to DPCC lab for noise monitoring of DG set & are in the process to apply for CTO. Unit has submitted its reply on 11.07.11. As approved, letter was issued on	
--	--	--	--	--	--	---	--	---	--

							03.10.11 for submission of Bank Guarantee of Rs. One Lakh under Water Act valid for one year. Unit has submitted its reply on 17.10.11 along with above said bank Guarantee. As decided by the CMC (O) in its meeting held on 10.08.11, CTE, letter for submission of effluent analysis report & revocation of closure directions were issued on 21.10.11. Unit has submitted its reply on 22.12.11 along with the effluent analysis report of ETP. EARLIER CMC DECISION 10-08-2011 Applied for CTO on 08.07.2011 and reply received on 11.07.2011. Closure directions be revoked and issue consent to establish. Also ask the unit to submit effluent analysis report from approved laboratory of DPCC.	
13	37576 11-07-2011	MAYA ENGG. WORKS C-314, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Bright Steel Bars. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 350 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 40 liters/day	08-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated June, 2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
14	37578 11-07-2011	SHRI NIWAS DALL & BESAN MILLS C-21, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	PROCESSING AND MFG. OF DALL AND BESAN. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 750 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 16.07.2008 issued by 30.06.2011 submitted. (b) Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil..	09-08-2012 Recommended for grant of Consent to Operate.

15	37583	SIDHARTH WIRE PRODUCTS 11-07-2011 PLOT NO 29-B-30, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Manufacturing of Wire Drawing with Super Enameling. Copper Wire Drawing With Super Enamelling. (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 93.65 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 13-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by DPCC officials on 22.05.10 & following observations have been made: 1) Unit found in operation 2) No water pollution is generated 3) To control air pollution, catalytic convertor has been installed 4) No H.W is generated 5) DG set is provided with A/E 6) Catalytic convertor is more effective, better ECS. as evident during inspection. (5) SCN u/s 21/22 & 25/26 was issued on 21.03.2011 for operating unit without Consent from DPCC. EARLIER CMC DECISION 12.02.2010/15.02.2010 issue consent to establish subsequently inspection be conducted. 27.08.10 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act to M/s Siddharth Wire Products.	09-08-2012 Recommended for grant of Renewal of Consent to Operate and authorization under HWM Rules.
16	37591	HALDIRAM MANUFACTURING CO. PVT. LTD 12-07-2011 B1/F-10 & 12, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Renewal	MFG. OF NAMKEENS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 1440 (in sq. meter) • Water Consumption ---- 225000 liters/day • Ground Water ---- 225000 liters/day • Waste Water generation (a) Domestic Effluent ---- 25000 liters/day (b) Trade Effluent ---- 200000 liters/day	08-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR datedAugust, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 31-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes.	09-08-2012 Recommended for grant of Renewal of Consent to Operate.

Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes.

Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes.

Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes.

Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes.

(3)D.G.Set Noise Report : 3
(a) The unit has 3 D.G. Set(s) of 500 KVA, 320 KVA and 160 KVA. Noise monitoring report dated 22-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.

The unit has 3 D.G. Set(s) of 500 KVA, 320 KVA and 160 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.

The unit has 3 D.G. Set(s) of 500 KVA, 320 KVA and 160 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.

(4) Inspection details: conducted by DPCC officials on 23.01.07 & following were observed:

a) The dosing tank were found empty and no dosing was being done at the time of inspection. It was informed by the representative that the same is not being done since last one year.

b) The USAB was having the silt/ sludge deposited/ settled in the peripheral channels.

c) Approx. 150 gunny bags, containing slurry of oil & grease were found lying in the open on back street and spillage/ leakages were also seen.

d) The settling tank/ tube settler was found empty at the time of inspection and it was informed by the representative that it was so because they were trying to determine sludge volume in dose. Hence, sample could not be collected.

e) The tank meant for storing the

							activated sludge was receiving/ having clear water & no facility was observed for removal & dewatering and disposal of sludge. f) The all around the ETP the smell was observed which was due to the anaerobic decomposition of biological matter leading to septic condition. As decided by the CMC (O) in its meeting held on 03.09.08, CTR was issued on 11.09.08. EARLIER CMC DECISION 09.10.07 (PGRC case) After inspection done in January, 07, the unit was found to be having several deficiencies. The unit has filed an application saying deficiencies is corrected. Unit may be asked to file bank guarantee of Rs. one lakh under each of three Acts. The same team which inspected earlier may inspect the unit again and put up the case on 14.11.07. The all his papers must also be checked whether unit is paying cess fully to DPCC or not. 07.12.07 The information provided by the PGRC indicated that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC. 23.04.08 Unit has failed the self assessed cess and weeks time to file the adequacy report. Time allowed upto 21.05.2008. Case may be put up on 21.05.2008. 23.05.08 Call on 25.06.2008 with renewal application. Call for test reports of the both units and report in CMC on 31.07.2008. 07.12.07 The information provided by PGRC indicates that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC. 25.06.08 Call for the test reports of the both units and report in CMC on 31.07.2008. 03.09.08 Issue renewal of consent to operate. File may be sent back to concerned CMC and consent order to be issued by concerned CMC. 30.01.09 No action 22.05.09 No action	
17	37593	TRIVENI	Narela	Orange	DAL MILL.			09-08-2012

	12-07-2011	INDUSTRIES F-1739, DSIDC, NARELA INDUSTRIAL AREA	Industrial Area	Renewal	Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	07-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Note: Old record is not traceble.	Recommended for grant of Renewal of Consent to Operate.
18	12-07-2011	SINGLA AUTOMOBILES A-96, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	SERVICING AND REPAIRING CENTRE OF MOTOR CYCLES. Automobile Repair and Servicing (Without Washing)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 5000 liters/day	08-08-2012 (1)ETP ---- Phycicochemical (a) AR dated 23.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	09-08-2012 Recommended for grant of Renewal of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the categorization of the activity of the unit.
19	12-07-2011	MACHINO TECH INDUSTRIES A-114/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFINF OF S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 397 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	07-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	09-08-2012 Recommended for grant of Consent to Operate.
20	13-07-	HALDIRAM MARKETING CO. PVT. LTD B-1/H-8,	Mohan Co- operative Industrial Area	Orange Renewal	MFG. OF SWEETS. Restaurant/ Eating House/ Dhaba With Minimum Seating		07-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR datedMarch, 2011..... issued byGGSIU..... submitted.	09-08-2012 Recommended for grant of Renewal of Consent to Operate.

2011	MATHURA ROAD, MOHAN CO- OPERATIVE INDUSTRIAL AREA	Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 1220 (in sq. meter) • Water Consumption ---- 200000 liters/day • Ground Water ---- 200000 liters/day • Waste Water generation (a) Domestic Effluent ---- 20000 liters/day • (b) Trade Effluent ---- 180000 liters/day	(b) Effluent analysis report dated 31-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by DPCC officials on 23.01.07 & following were observed: a) Equalization tank was under ground & almost covered but it had two manholes for removal of oil & grease. The slab of the tank was also fixed. The unit is advised to make suitable arrangements for proper removal of oil & grease & settled solids/ sludge. b) Primary tanks (3 Nos) do not have the proper arrangements at the bottom of the tank for convenient/ regular removal of settled sludge/ material. c) The media provided for growth of bacteria in the aeration tank was chocked at some places & filter press was lying defunct. d) A sample of treated effluent from ETP outlet was taken. Sample marked as sample no. 2. e) Ducting arrangement needs to be done for proper channelization of fumes generated. f) No facility for sludge removal
------	---	---	---	---

								dewatering & disposal. As decided by the CMC (O) in its meeting held on 03.09.08, CTR was issued on 11.09.08. A letter was received from HDFC bank on 03.12.08 for release for BG (3 Nos) of Rs. one lakh which was expired on 21.11.08. Bank Guarantee released on 26.06.09. EARLIER CMC DECISION 09.10.07 (PGRC case) After inspection done in January, 07, the unit was found to be having several deficiencies. The unit has filed an application saying deficiencies is corrected. Unit may be asked to file bank guarantee of Rs. one lakh under each of three Acts. The same team which inspected earlier may inspect the unit again and put up the case on 14.11.07. The all his papers must also be checked whether unit is paying cess fully to DPCC or not. 07.12.07 The information provided by PGRC indicates that the adequacy report is yet to be submitted and the self assessment under the case act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC. 23.04.08 Ask the unit to correct the deficiencies. No further action 25.06.08 (In case of M/s Halidarm Mfg. Co. Pvt. Ltd., B-I/ F-10 &12, MCIE, New Delhi-44): Call for the test reports of both units and report in CMC on 31.07.08. 13.08.08 Cases of PGRC are to be put up Administratively 03.09.08 Issue renewal of consent to operate. File may be sent back to concerned CMC and consent order to be issued by concerned CMC. 30.01.09 No action.	
21	37603 13-07-2011	MAHALAXMI ROLLER FLOUR MILLS C-35/14, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Atta (Wheat Flour) Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 584 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 16.07.2008 issued by DTU submitted. (b) Stack monitoring report dated 12-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A...	09-08-2012 Recommended for grant of Renewal of Consent to Operate.

								Note: old record is not tracable	
22	37609	PREM INDUSTRY A-56, GROUP WAZIRPUR INDUSTRIAL AREA 13-07-2011	Wazirpur Industrial Area	Orange Renewal	1.MFG. OF PLASTIC HOUSE HOLD ITEMS BY INJECTION MOULDING MACINE.2. PRESSING OF UTENSILS AND BUFFING. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 30.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 30- 05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	09-08-2012 Recommended for grant of Renewal of Consent to Operate.
23	37613	D.N. INDUSTRIES F-1701, DSIDC, NARELA INDUSTRIAL AREA 14-07-2011	Narela Industrial Area	Orange Renewal	DALL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 09.06.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 28- 06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil Note: Old record is not traceble.	09-08-2012 Recommended for grant of Renewal of Consent to Operate.
24	37614	ANAND UDYOG F-1702, DSIDC COMPLEX, NARELA INDUSTRIAL AREA 14-07-2011	Narela Industrial Area	Orange Renewal	DAL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Bag filter (a) AR dated 28.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 28- 06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: nil Note: Old record is not raceble.	09-08-2012 Recommended for grant of Renewal of Consent to Operate.
25	37628	PRIME PAPYRUS PRODUCTS PVT. LTD. B-18/2, PHASE- II, OKHLA INDUSTRIAL AREA 14-07-2011	Okhla Industrial Area	Orange Operate	Offset Printing with Washing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 975.482 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 500 liters/day		06-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedApril 2008..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 07-06- 2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1	09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

							(a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 05.10.09, CTE was issued on 23.10.09 with the activity of printing of paper. EARLIER CMC DECISION 13.12.2007 Let the unit apply for authorization under HWM Rules also. 05.10.2009 Issue Consent to Establish.	
26	37634	ADVANCED TECHNOLOGIES 15-07-2011 A-32, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MANUFACTURING OF SHEET METAL COMPONENTS WITH DRY POWDER COATING. (WITHOUT PHOSPHATING). Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 75.25 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	26-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	09-08-2012 Recommended to seek the stack monitoring report for powder coating process from emapanelled laboratory of DPCC.
27	37635	IMPRESARIO ENTERTAINMENT & HOSPITALITY PVT. LTD 15-07-2011 C-86, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF FOOD PRODUCT. Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- 01-12-2008 • Built Up Area ---- 392.5 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day	06-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly, 2009..... issued by ...JAMIA MILIA ISLAMIA..... submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 04-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes 4) SCN u/s 33(A) details : issued on 23.12.10 in view of exceeding parameter & other deficiencies in documents submitted by the unit. SCN for refusal of consent was also issued on 23.12.10. However, no reply has been received from the unit. (5) Closure directions u/s 33(A) details : issued on 23.02.11. Refusal of consent was also issued on 23.02.11.	09-08-2012 Recommended for grant of Consent to Operate.

							Unit has submitted its replies on 01.03.11, 03.03.11, 07.03.11 and 16.03.11 informing that now the ETP is working and also applied for DPCC lab for testing. As approved, letter was issued on 18.04.11 for submission of proper affidavit regarding proper working of ETP and removal/ rectification of deficiencies and also submit the Bank Guarantee of Rs. 1Lakh under Water Act valid for one year. Unit has submitted its reply on 02.05.11 above said affidavit and Bank Guarantee of Rs. One lakh under Water Act valid for one year. As approved, revocation of closure directions was issued on 16.06.11 to apply for CTO within 15 days. Unit has submitted its reply on 29.06.11 stating that they have applied for water analysis report & NMR and as soon as they receive the report they shall submit the CTO application. EARLIER CMC DECISION 11.10.2010 Issue SCN for refusal of consent and SCN u/s 33(A) of the Water Act in view of exceeding parameter(s) and other deficiencies in documents submitted by the unit.	
28	37638 15-07-2011	UNITED FUEL STATION SITE NO 2 PITAMPURA OPPOSITE WAZIRPUR DISTT. CENTRE PITAMPURA	NORTH WEST	Orange Operate	PETROL PUMP FILLING CUM SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 20015 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 1100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1000 liters/day	08-08-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30.05.2011 issued by DTU submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Inspection of the unit was conducted on 09.05.2012 and following were observed: (a) no washing of vehicles observed due to non issuance of CTE & CTO. (b) unit has ETP which is yet to be operate. (c) DG set installed with acoustic enclosure.	09-08-2012 Recommended for grant of Consent to Establish and Consent to Operate and Authorization under HWM Rules.
29	37664	MANN SERVICE STATION	NORTH WEST	Orange Renewal	petrol pump cum service station.		02-08-2012 (1)ETP ---- ETP - Physiochemical	09-08-2012 Recommended for grant of Renewal of

	19-07-2011	PUSA BOAD RAJENDRA PLACE			Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 118 (in sq. meter) • Water Consumption ---- 2240 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day	(a) AR dated 16.07.2008 issued by Delhi College of Engineering submitted. (b) Effluent analysis report dated 14-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 14-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Consent to Operate and Authorization under HWM Rules.
30	37668 19-07-2011	GOYAL FOOD PROCESSORS A-201, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL AND BESAN MILL. Dal Mills	• Date of commissioning of project ---- 01-01-1993 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 0 liters/day	07-08-2012 (1)ETP ---- N/A (2)ECS - cyclone (a) AR dated 29.07.2008 issued by DCE submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	09-08-2012 Recommended for grant of Renewal of Consent to Operate.
31	37672 20-07-2011	RAJIV AUTOMOBILES A-1, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	REPAIRING, SERVICING AND WASHING OF TWO WHEELERS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2500 liters/day	27-09-2011 (1)ETP ---- Physico-chemical (a) AR dated18.07.11..... issued byDTU..... submitted. (b) Unit has not submitted Effluent analysis report along with CTO application. (2)ECS - N/A (3)D.G.Set: ...30 KVA... Unit has submitted a letter along with the CTO application stating that NMR shall be submitted after restoration of electricity & Water supply. (4) Inspection details: conducted on 01.12.2010: 1) Unit found in operation and was engaged in washing &servicing of bajaj motorcycle. 2) Washing of motorcycle was done in	09-08-2012 Recommended to seek effluent analysis report of ETP and noise monitoring report of D.G. Set from emanelled consultant of DPCC and also inspect the unit.

						groundfloor and waste water was directly discharged into public sewer. 3) Water from drawn from bore well. 4) At 2nd floor, machine one air compressor and one DG set without acoustic enclosure was found. These machines were enclosed in a room of 2.5m x 2m. 5) DG set had improper stack height which ended inside the room only. 6) The person contacted informed that the unit was established 10 years ago with its head office at Durgapur. (5) SCN u/s 31(A) & 33(A) details : issued on 27.12.10. However, no reply has been received in response to the SCN. (6) Closure directions u/s 31(A) & 33(A) details : issued on 08.03.2011. Unit has submitted its reply on 10.05.11 & 27.06.11. As approved, letter was issued on 20.07.11 for submission of Bank Guarantee of Rs. One lakh each under Air Act, water Act & HWM Rules and also submit technical adequacy report of ETP, application for CTO & HW authorization. Unit has submitted above said BG on 01.08.11 along with technical adequacy report of ETP, CTO application & application for HWM Rules authorization. As approved, revocation of closure directions issued on 24.08.11. As decided by the CMC (O) in its meeting held on 14.09.11, CTE was issued on 07.10.11. Unit has submitted a letter along with the CTO application stating that test report of ETP & NMR shall be submitted after restoration of electricity & Water supply. EARLIER CMC DECISION 14.09.11 Issue consent to establish.	
32	37678	CHARU MOTORS PVT. LTD. M-22-23, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	DENTING PAINTING REPAIRING AND SERVICING OF CARS. Automobile Servicing And Repair Station With Washing Activity • Date of commissioning of project ---- • Built Up Area ---- 1872.92 (in sq. meter) • Water Consumption ---- 8500 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5600 liters/day	07-08-2012 (1) ETP ---- (a) AR dated 12.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 12-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Stack monitoring report dated 12-07-2011 issued by DELHI COLLEGE OF	09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

							ENGINEERING submitted. Stack Test Report within Limit - Yes	
							(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	
33	37682	UNIVERSAL SWITCH GEAR CONTROL 21-07-2011 PLOT NO-14,PKT-E,SEC-3,BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Control Panel with Powder Coating (Without phosphating and without Trade Effluent) Powder Coating without phosphating	• Date of commissioning of project ---- 01-02-2006 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 30.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	09-08-2012 Closure directions already revoked temporarily. Recommended to put up file administratively.
34	37715	YADAV FLOUR MILLS 22-07-2011 S-12,13, PH-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MANUFACTURING OF FLOUR. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 10.09.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 18-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil Note: Old record is not traceable.	09-08-2012 Renewal of Consent to Operate granted.
35	37716	BATHLA MOTELS LTD. 22-07-2011 KHASARA NO. 51/1MIN, 51/10 MIN,51/26 & 52/6 AT VILLAGE BAKOLI ALIPUR MAIL G. T. KARNAL ROAD	NORTH WEST	Orange Operate	MOTEL AND FARM HOUSE. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts) Hotel With Less Than 20 Bedrooms	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 1289.77 (in sq. meter) • Water Consumption ---- 15000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 80000 liters/day	07-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 28.04.2011 issued by DTU submitted. (b) Effluent analysis report dated 28-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Note: old record uis not tracable	09-08-2012 Recommended for grant of Consent to Operate.
36	37728	TIRUPATI FOOD INDUSTRIES 25-07-2011 B-17, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 1350 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 30.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	09-08-2012 Recommended for grant of Consent to Operate.

37	37736	SOM PAN PRODUCTS PVT. LTD. (UNIT-2)	Naraina Industrial Area Phase - I	Orange Operate	mfg. of Marketing of Pan Masala. Pan Masala (Mixing Only)	• Date of commissioning of project ---- • Built Up Area ---- 880 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - stack connected to dryers (b) Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 4 (a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 07-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 07-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA	09-08-2012 Recommended to take action as decided in concerned file.
	25-07-2011	C-123 NARAINA INDUSTRIAL AREA						

							and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: conducted on 08.05.2012 by officials of DPCC and observed that: (a) unit found operational and engaged in manufacturing of pan masala/ gutka with its packing. (b) brand names are: dilbaag and talab. (c) pouches material is paper coated with aluminium (d) hood and channelisation provided but not properly maintained/ not fully operated as required. (e) pouches are being packed in plastic material and paper also. (f) samples were collected containing pouches out of packed materials, packets containing large number of pouches during inspection in the presence of Mr. I.D. Tripathi (Director) (5) SCN u/s 31(A)/5 of EPA details : and for refusal of consent under Air and Water Act issued on 28.05.2012 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO In reference to issue of pouches of pan, masala and gutka case is under process. Regarding prosecution case is being dealt by legal cell.	
38	37739 26-07-2011	MODI FLOUR MILLS PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Renewal	FLOUR MILLING. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 2856 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated July, 2008 issued by GGSIU submitted. (b) Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 11-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 11-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes.	09-08-2012 Recommended for grant of Renewal of Consent to Operate.

							Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 23-06-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 03.06.09, reminder letter was issued on 18.06.09 to file permission from DJB for ground water extraction. Unit has submitted CGWA clearance on 16.09.09. Unit has submitted its representation on 07.10.09 along with SMRs dated 25.09.10. EARLIER CMC DECISION 23.04.09 Ask the unit to file permission from DJB for ground water extraction. Call on 03.06.2009 03.06.09 Issue final reminder. Call on 22.07.2009	
39	37743 26-07-2011	VAIBHAV FILLING STATION A. BLOCK, COMMUNITY CENTRE, VIKASPURI	WEST	Orange Renewal	PETROL PUMP CUM SERVICES STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 216 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 1800 liters/day	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 04.08.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1	09-08-2012 Unit is already having valid Authorization under HWM Rules. Recommended for grant of Renewal of Consent to Operate.

							(a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	
40	37744	AIMIL LTD A-8, MOHAN CO-OPERATIVE INDUSTRIAL AREA, MATHURA ROAD 26-07-2011	Mohan Co-operative Industrial Area	Orange Operate	Mfg. of Trading of Scientific Instruments. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 2030 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	03-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 04-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 437.5 KVA and 125 KVA. Noise monitoring report dated 28-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by CMC (O) in its meeting 07.05.2011, CTE was issued on 07.06.2010. EARLIER CMC DECISION 07.05.2010 Issue Consent to Establish.	09-08-2012 Recommended for grant of Consent to Operate.
41	37755	SHAILESH KUMAR AGGARWAL PLOT NO 1/536-B/14, GALI NO 5, FRIENDS COLONY INDUSTRIAL AREA 27-07-2011	Friends Colony Industrial Area	Orange Operate	ALUMINIUM WIRE DRAWING WITH SUPER ENAMELLING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 51.83 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: a. Unit found in operation & engaged in mfg. of wire drawing with super enamelling. b. Wet scrubber installed with the wire drawing plant/ S/E plant. c. Unit have 1DG Set of 125 KVA w/o Acoustic enclosure & inadequate stack height. d. CTO not applied. As decided by CMC (O) in its meeting on 12.05.10, CTE was issued on 04.06.10. (5) SCN u/s 31(A) of Air Act details : issued on 20.06.2011 (6) Closure directions u/s 31(A) of Air Act: issued on 19.09.2011	09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

								A representation recieved from the unit on 04.10.2011 regarding complainece of the decisions and requested for revocation. Unit submitted the Bank gaurantee of Rs. 1,00,000 on 16.11.11. Revocation of directions issued to the unit on 22.11.11. Letter was received on 05.12.11 from SDM stating that the unit is de-sealed. EARLIER CMC DECISION 12.05.2010 Issue consent to establish.Subsequently, inspectionj be copnducted. Ask the unit to apply for consent to operate immediately. 07.08.10 Issue SCN u/s 31(A) of the Air Act.	
42	37766 28-07-2011	A.T. INDUSTRIES C-99, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING AND BACKLITE MOULDING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 340 liters/day	09-08-2012 Recommended to seek the stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC.	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 09.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	09-08-2012 Recommended to seek the stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC.
43	37773 29-07-2011	SAHRAWAT FLOUR MILL PLOT NO G-46, SECTOR-2, DISDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Flour Mill. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 18.02.2011 issued by GGSIU submitted. (b) Stack monitoring report dated 12-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...NIL	09-08-2012 Recommended for grant of Consent to Operate.