



DELHI POLLUTION CONTROL COMMITTEE

4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /12th Meeting / 2016/ 5970-74 **Dated: 27/9/16**

Subject: Minutes of the 12th Meeting of the Committee for II (b) Category Cases headed by Member Secretary, DPCC, held on 22.09.2016, in the Conference Room of DPCC at ISBT Building Kashmer Gate , Delhi -06.

Please find enclosed herewith the Minutes of the 11th Meeting of the aforementioned Committee, held on 22.09.2016, in the Conference Room of DPCC at ISBT Building Kashmer Gate , Delhi -06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

- 1.PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
- 2.In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC .

(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Following Table Agenda Item was taken by the Committee with the permission of chair:-

Table Agenda Item No 1: Case of M/s Som Pan Products Pvt. Ltd. (Unit-2), C-123, Naraina Industrial Area, Phase-I, New Delhi-110028 (ID No. 8232/8233 CTE/CTO Dated 23.06.2014 for the activity of Manufacturing & Marketing of Pan Masala without using Gutka/Tobacco.

The matter was briefed before the Committee by concerned officers of CMC – IV. Unit is having valid license from Food Safety & Standards Authority of India issued on 20.02.2015 with validity upto 19.02.2018 for Manufacturing of Pan Masala. Inspection of the unit was carried out on 13.07.2016 and a show cause notice for closure u/s 31(A) of Air Act was issued to the unit on 16.08.2016 for the deficiencies observed during said inspection. The unit has submitted reply on 29.08.2016 and informed regarding installation of dust collector at katha grinding and attached photographs, submitted noise monitoring report of D.G. Sets and emission monitoring report (for 05 dryers) of DPCC laboratory. The submitted reports found within prescribed limit.

The Committee decided to grant Consent to Establish and Consent to Operate.

Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (Annexure I & II). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC


(D.K. Singh)
SEE, CMC-II


(N. Anil)
SEE, CMC-V



(P. S. Pankaj)
EE, CMC-IV



(B.L. Chawla)
SEE, CMC-I


(Satender Kumar)
SEE, CMC-III



(D.K. Srivastava)
EE, CMC-III


(N.K. Joshi)
EE, CMC-III


(Sanjay Vatts)
EE, CMC-II


(Shyam Sunder)
EE, CMC-I








(Ramesh Chandra)
EE, CMC-II


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV


(K. Kumar)
EE, CMC-IV

Attendance Sheet for 12th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes /Plastic Waste Rules of the units under Category II (b), for the Pending Consent to Establish / Operate/ Renewal cases of the period 16.01.2016 to 30.06.2016, held on 22.09.2016 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
4.	Sh. P. S. Pankaj	EE(~~CDC~~) / Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh Satender Kumar	SEE(CDC) (CMC III), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	on Leave
9.	Sh. N.K.Joshi	EE(CDC) (CMC III), DPCC	
10.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 12th meeting on 22.09.2016 w.r.t. Agenda Item No 1 -- 23 Pending Cases of Consent to Establish of the period 16.01.2016 to 30.06.2016 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	THE BEER CAFE (A UNIT OF BTB MARKETING PVT. LTD.)	8-A, FF, HAUZ KHAS VILLAGE	19-01-2016	DPCC/EC/2/1/2016/13332	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP / Oil & Grease Trap cum Settling Tank--- - Proposed (2)ECS - N/A (3)D,G,Set: Nil (However found during inspection of 50 KVA) Status of Ground Water extraction : Nil Water consumption - 5000 ltrs /day Source of water - DJB (Bill provided) Unit was not inspected during survey on 17.09.2015. However, as per list provided & informed by Delhi Fire Service unit is operational. Show Cause Notice u/s 33(A) of the Water Act (Prevention & Control of Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 was issued to the Addressee, on 05.10.2015. The unit has submitted its reply on 13.10.2015 and informing that they will submit application for Consent to Establish & Consent to Operate within	N/A	29-06-2016 Unit has not submitted CTO application even after more than 5 months and also not submitted w.r.t. SCN dated 15.01.2016. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 File has been administratively put up and now file is under submission.	22-09-2016 Take as decided in file.

									60 days and requested to grant time to complete all work. However, no information was provided regarding operation of ETP. The unit was inspected on 19.10.2015 and it was observed that unit has installed Effluent Treatment Plant (ETP) but same was not in operation, chemical dosing tank was dried & log book of ETP not maintained. Stack height of channelization system & DG Set found inadequate. Unit is operating without Consent from DPCC. Another Show Cause Notice u/s 33(A) of the Water Act (Prevention & Control of Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 was issued to the Addressee, on 15.01.2016.			
2	GLACIER GARMENTS	H-200, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	01-02-2016	DPCC/EC/2/1/2016/13472	Washing of Readymade Garments with Boiler. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP-Proposed (5KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 4004 L/day. a) Source of water:Outside (copy of Outside bill not submitted) Status of Inspection: Yes Inspection was conducted on 12.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Washing of jeans without consent from DPCC. 2. No ETP installed effluent is being discharged directly into sewer without any treatment. 3. Cyclone has been provided with coal fired boiler at roof top floor. 3. One borewell connection exists without	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 to Kunal Industries. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 05.02.2016 & 01.03.2016 stating that unit exists by the name of Glacier garments, applied for CTE on 01.02.2016 under orange category, requested two months time to apply for CTO, to install ETP etc, coal fired boiler is replaced by oil fired boiler and borewell connection has been removed. Reply again received on 30.05.2016 in which applied for CTE, installed ETP (photographs submitted), converted coal into oil fired boiler (photographs submitted), requested two months time to submit necessary documents and apply for CTO.			
3	UMESH RANA	PLOT NO 308/1, OLD ROHTAK ROAD, SHAHZADA BAGH INDUSTRIAL AREA	09-02-2016	DPCC/EC/2/1/2016/13576	Dhaba With Four Seat. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS-N/A 3. D.G. set- N/A Plot Area- 54 sq mt Date of establishment- 31.07.2015. Status of Ground Water Extraction-No 1. Water consumption-200 L/day. a) Source of water-DJB (copy of water bill not submitted) Status of Inspection-No	Effluent analysis report - N/A. Stack moniotring report - N/A. Noise monitoring report - N/A	20-09-2016 .	22-09-2016 Consent to Establish granted.
4	PIONEER	P-41 AND	12-02-2016	DPCC/EC/2/1/2016/13651	JOB WORK OF	Orange	Non-SPI		Status of Pollution Control	Test Reports:	24-06-2016	22-09-2016

CREATIVE BLUES	48, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA	WASHING OF READYMADE GARMENTS (WITH OIL FIRED BOILER).	Establish	system/Devices: 1. ETP- Proposed (14KLD) 2. ECS- N/A 3. D.G. set- No	Air (Emission)-N/A Water (Effluent)-N/A	-	Take action as decided in common file.
		Readymade Garment (with Washing) with Boiler		Status of Ground Water Extraction:No 1. Water consumption: 15000 L/day, a) Source of water: Outside source Status of Inspection: Yes Inspection was conducted on 13.01.16 by the officials of DPCC and inspection findings are as follows: 1. The Unit has not installed ETP. Waste water is being discharged without treatment. 2. Coal is being burnt in the boiler. No ECS installed with the boiler. 3. Emission control measures not taken with the spray booth chamber. 4. Borewell is used for water extraction without permission from DJB/CGWA, 5. Consent/Authorization not obtained from DPCC. HWM measures has not been taken, Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04,2016 Reply received on 31.05,2016/14.06,2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler, Requested few	Noise Test Report- N/A	Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted, As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	

5	CREATIVE CLUB	H-1402, DSIIDC, NARELA INDUSTRIAL AREA	11-03-2016	DPCC/EC/2/1/2016/13945	Job work of Washing of Readymade Garments (Without Boiler) Readymade Garment (with Washing)	Orange Establish	Non-SPI		days time to apply for Consent to Operate. Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day, a) Source of water:Out Side (copy of Out Side bill not submitted) Status of Inspection: Yes Inspection was conducted on 11.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans w/o consent from DPCC. 2. No ETP installed waste water is being discharged directly into sewer w/o any treatment and not connected with conveyance system of CETP. 3. No ECS over paint booths provided. 4. HWM rules not complied with. 5. Borewell connection exists w/o permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04,2016 Reply received on 31.05,2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments and spray painting. Further stating	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.
---	---------------	--	------------	------------------------	--	------------------	---------	--	---	---	--	--

									that they are approaching the lab for getting test reports of ETP & boiler, Requested few days time to apply for Consent to Operate.			
6	SHAN ENTERPRISES	B-2618, II FLOOR, DSIIDC, NARELA INDUSTRIAL AREA	15-03-2016	DPCC/EC/2/1/2016/13973	Job work of washing of readymade Garments (With oil Fired Boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (8KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 9000 L/day. a) Source of water:Out Side (copy of Out Side bill not submitted) Status of Inspection: Yes Inspection was conducted on 19.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans w/o consent from DPCC, 2. No ETP installed waste water is being discharged directly into sewer w/o any treatment, 3. Waste rubber is being used as fuel in the boiler causing air pollution, Thick black smog observed from the stack, No ECS installed, 4. HWM rules not complied with. 5. One borewell exists w/o permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted, As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
7	SHIV KUMAR (UNIT-I)	N1-112, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	15-03-2016	DPCC/EC/2/1/2016/13974	Job work of Washing of Readymade Garments (With oil Fired Boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 11000 L/day. a) Source of water:Out Side (copy of Out Side bill not submitted) Status of Inspection: Yes Inspection was conducted on 13.01.16 by the officials of DPCC and inspection findings are as follows: 1. Water is being discharged without any treatment, 2. Water is being discharged into open drain (not into sewer) which is the conveyance system leading to the CETP. 3. During the inspection, it was observed that unit is using wood/biomass (briquettes)- livgreen solid biofuel. No diesel/oil is used in the boiler. 4. Borewell is used for water extraction without permission from DJB/CGWA. 5. The unit is operating without ConseNt/Authorization from DPCC. HWM measures has not been taken. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms &	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									to apply for consent & authorization issued on 29.04.2016			
									Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
8	Y C FOODS AND BEVERAGES	50-D HAUZ KHAS VILLAGE	15-03-2016	DPCC/EC/2/1/2016/13975	COFFEE SHOP. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap cum settling tank. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption- 195 liters/ day, Source- DJB (Bill enclosed) A rapid survey of restaurants / eating house in Hauz Khas Village was carried out by representatives of DFS, SDMC and DPCC on 17.09.2015 and it was observed that unit (M/s Yummy Coffee) is operating without consent from DPCC and not installed Oil and Grease Trap cum settling tank. SCN u/s 31(A) of Air Act and 33 (A) of Water Act was issued to unit on 05.10.2015. Unit has submitted its reply on 29.10.2015 w.r.t SCN and stated that they have installed Oil and Grease Trap cum settling tank (photographs enclosed) and requested 60 days time to submit application for Consent to Establish and Consent to Operate. As decided, Modified	N/A	20-09-2016	22-09-2016 Consent to Establish granted.

									direction u/s 31(A) of Air Act and 33 (A) of Water Act was issued to unit on 05.01.2016. Now unit has applied for Consent to Establish on 15.03,2016 and Consent to Operate on 18,03,2016			
9	VINTAGE AVENUE RESTAURANTS	2516 FIRST FLOOR HUDSON LINE KINGSWAY CAMP	15-03-2016	DPCC/EC/2/1/2016/13986	Eating House Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 15,52 sq mt Date of commencement- 25.11,2014 Status of Ground Water Extraction-No 1. Water consumption-500 L/day. a) Source of water-DJB (copy of DJB water bill submitted) Status of Inspection-No MCD and Police License submitted for 34 seats.	Effluent analysis report- N/A Emission moniotring report - N/A Noise monitoring report - N/A	20-09-2016	22-09-2016 Consent to Establish granted.
10	BACK IN TIME RESTAURANTS	2516 2ND FLOOR HUDSON LANE KINGSWAY CAMP	15-03-2016	DPCC/EC/2/1/2016/13987	Eating House Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 15,52 sq mt Date of commencement- 25.11,2014 Status of Ground Water Extraction-No 1. Water consumption-500 L/day. a) Source of water-DJB (copy of DJB water bill submitted) Status of Inspection-No MCD and Police License submitted for 34 seats.	Effluent analysis report- N/A Emission moniotring report - N/A Noise monitoring report - N/A	20-09-2016	22-09-2016 Consent to Establish granted.
11	THE BACKYARD (A UNIT OF SLURP HOSPITALITY)	GROUND FLOOR, 49, NORTH WEST AVENUE, PUNJABI BAGH EXTN	16-03-2016	DPCC/EC/2/1/2016/14007	RESTAURANT (98 Seats) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) Name not matched and address matched Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A		20-07-2016	22-09-2016 Consent to Establish granted.

					(with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				(3)D.G.Set: ..250 KVA Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD and Delhi Police License valid upto 31.03.2016			
12	GOLDEN CROWN BANQUET (A UNIT OF M/S FIESTA EATERY PVT. LTD.)	GROUND FLOOR, A-38, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE, MAIN MATHURA ROAD	18-03-2016	DPCC/EC/2/1/2016/14033	Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP (Work order issued for installation of ETP) (2)ECS - N/A (3)D.G.Set: 125 KVA Water consumption 4000 ltrs /day Source of water - Outside (bill not provided) Status of Ground Water extraction : Nil Inspection of the unit carried out on 10.09.2015 during the survey of MCIE. During the inspection it was observed that unit had not installed ETP and was operating without consent of DPCC therefore Show Cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air Act was issued to the unit on 12.10.2015. Unit has submitted reply on 09.11.2015 and 11.01.2016 w.r.t. Show Cause Notice informing that they are in process to install ETP & work order for installation of ETP has been given and it may be completed in a month and in process to submit application for Consent to Establish & Consent to Operate. It was also informed that applied for Adequacy report & test report of ETP & after getting Adequacy & test report of ETP they will	N/A	24-06-2016 The unit mentioned date of establishment as April, 2016 whereas found existing during the inspection on 10.09.2015 and therefore unit be asked to submit proof regarding actual date of establishment for calculation of Consent fee. As decided in file inspection is yet to be carried out. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 As decided a letter was issued to unit on 04.08.2016 to submit proof regarding actual date of establishment for calculation of Consent fee. And inspection is yet to be carried out.	22-09-2016 Expedite inspection.

									submit application for Consent to Operate and requested for one month to apply for Consent to Establish and three months for Consent to Operate. Unit has applied for Consent to Establish under Air & Water Acts on 18.03,2016 for the activity of Banquet Hall with year of establishment April 2016, however during inspection on 10.09.2015 unit found established, Unit has not applied for Consent to Operate so far and therefore matter was submitted in file and as approved an inspection is to be carried out to verify the facts.			
13	SIDH ENTERPRISES	E-43, SECTOR-4, DSIIDC INDUSTRIAL AREA, BAWANA	21-03-2016	DPCC/EC/2/1/2016/14076	Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (15KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 14.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Washing of Jeans. 2.ETP found under installation, Reaction cum settling tank filters are lying on roof top floor. 3.Effluent being discharge without treatment into direct sewer/conveyance system. 4. No ECS found installed with coal fired boiler. 5. One borewell exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act & 33(A) of Water Act issued on 24.02.2016.	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act giving 45 days time to comply with the pollution control norms & to apply for consent,etc. issued on 29.04.2016			
									Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
14	GLOBAL WASH	B-155, SECTOR-2, DSIIDC INDUSTRIAL AREA, BAWANA	22-03-2016	DPCC/EC/2/1/2016/14088	Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (14KLD) 2. ECS- N/A 3. D.G. set- 1 X 50 KVA (Proposed) Status of Ground Water Extraction:No 1. Water consumption: 17000 L/day, a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 12.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Washing of Jeans. 2. No ETP installed, effluent discharge without treatment into direct sewer/conveyance system, 3. No ECS found installed with coal fired boiler, 4. One borewell exists without permission from DJB/CGWA, Show Cause Notice u/s 31 (A) of Air Act & 33(A) of Water Act issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A)	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									of Water act giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016			
									Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
15	COLOR COMBINATION	H-19, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	29-03-2016	DPCC/EC/2/1/2016/14122	Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 12.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans without consent from DPCC. 2. One Coal fired boiler is in use causing air pollution. No ECS installed. 3. No ECS/Channelization provided over spray paint booths. 4. No ETP installed waste water is being discharged directly into sewer without any treatment. 5. HWM rules not complied with. 6. One borewell connection exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									Water Act & u/s 5 of EPA issued on 24.02.2016 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
16	RESHMA ENTERPRISES	H-191, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	29-03-2016	DPCC/EC/2/1/2016/14123	Job work of washing of readymade garments (With oil Fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 11100 L/day, a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 12.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans without consent from DPCC. 2. One Coal fired boiler is in use causing air pollution, No ECS installed. 3. No ECS/Channelization provided over spray paint booths. 4. No ETP installed waste water is being discharged directly into sewer without any treatment. 5. HWM rules not complied with. 6. One borewell	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									connection exists without permission from DJB/CGWA, Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments and spray paint. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
17	KAVERI WASH	H-1351 DSIIDC INDUSTRIAL AREA NARELA	04-04-2016	DPCC/EC/2/1/2016/14186	Washing of Readymae garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 9800 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Plot Area: 350 sq.mt. Status of Inspection: Yes Inspection was conducted on 11.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans w/o consent from DPCC. 2. No ETP installed, waste water is being dicahrged directly into sewer w/o any treatment. 3. Two boilers (1T/hr, 500 kg/hr) exists. One boiler (500kg/hr) was in use &	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time, proposal of Directions for closure is already put up in common file.	22-09-2016 Take action as decided in common file.

									coal, wood used as fuel causing air pollution. No ECS installed. 4. HWM rules not complied with. 5. Ground water extracted through borewell w/o permission from DJB/CGWA, Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorisation issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.			
18	BOHEMIA (A UNIT OF HIGH HAT FASHIONS)	N-1, IIND FLOOR, GREATER KAILASH, PART-I	05-04-2016	DPCC/EC/2/1/2016/14192	RESTAURANT (48 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP / Oil & Grease Trap cum Settling tank - Proposed (2)ECS - N/A (3)D.G.Set: 62.5 KVA (Proposed) Water Consumption - 3500 ltrs /day Source of water - DJB (Bill provided) Status of Ground Water extraction : Nil MCD & Delhi Police License valid upto 31.03.2018 for 48 seats Complaint received from Sh. G Singh against Restaurants operating in N	N/A	29-06-2016 During inspection of the unit on 08.10.2015 it was found that unit having 98 seats. However, unit has applied for Consent to Operate for 48 seats. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 File has been put up administratively and as decided in file direction u/s 33 (A) of Water Act and 31 (A) of Air Act was issued to unit on 19.08.2016 as unit has not submitted any reply/representation	22-09-2016 Inspection be conducted.

									Block Market, Greater Kailash, Part-I, New Delhi-48 through PGMS bearing ID No. 201541074, accordingly an inspection of the unit was carried out by representatives of DPCC on 08.10,2015 and following were observed: - Unit found operating with activity of Restaurant cum Bar with 98 seats. - Unit has installed only Oil & Grease trap but not installed Effluent Treatment Plant (ETP). - Channelization system in kitchen with inadequate stack height. - 1 DG set of capacity 125 KVA with Inadequate stack height. - Source of water is DJB.Copy of Bill obtained. - Unit has not provided MCD health & Delhi Police License. Show Cause Notice under Water & Air Act issued to the unit on 28.10.2015. Reply not received from unit so far. Reminder Show Cause Notice under Water & Air Act issued to the unit on 09.02.2016. No reply received however they have applied for Consent to establish on 05.04.2016. Unit has applied for Consent to Establish for the activity of Restaurant (48 seats) on 05.04,2016. However, unit has not submitted application for Consent to Operate, so far. Unit has not submitted any reply to any of the two notices w.r.t. deficiencies observed in the inspection. During inspection of the unit on 08,10,2015 it was found that unit having 98 seats. However, unit has applied for Consent to Operate for 48 seats.		w.r.t SCN and also not applied for CTO. Unit has submitted its reply/representation on 02.09,2016 w.r.t direction issued to unit on 19,08,2016 stating that : 1. They have 48 seating restaurant and have Consent to Establish certificate for that, MCD & Delhi Police license copy attached. 2. They have already ordered the ETP and installation process is in process (copy enclosed). 3. They will raise the stack height of channelization system in kitchen upto permissible limit. 4. They will raise the stack height of DG Set upto permissible limit and will also apply for stack monitoring certificate through DPCC. Unit has requested 30 day time to apply for CTO and to complete all prescribed formalities adhering to all norms mentioned as per DPCC.	
19	GAURVA UNIVERSAL WASH	F-200, SECTOR-5, DSIIDC,	27-04-2016	DPCC/EC/2/1/2016/14467	JOB WORK OF WASHING OF READYMADE	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD)	Test Reports: Air (Emission)-N/A	24-06-2016 -	22-09-2016 Take action as decided in common

		BAWANA INDUSTRIAL AREA			GARMENTS (WITH OIL FIRED BOILER). Readymade Garment (with Washing) with Boiler				2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day, a) Source of water: Outside source (copy of Outside source bill submitted) Plot Area: 100 sq.mt. Status of Inspection: Yes Inspection was conducted on 14.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans without consent from DPCC. 2. No ETP installed. Waste water is being dicahrged directly into sewer without any treatment, 3. One wood fired boiler exists causing air pollution. No ECS installed, 4. HWM rules are not complied with, 5. One borewell connection exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016. Directions for closure u/s 31(A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA issued on 29.04.2016 Reply received on 17.05.2016 stated that they are not doing Dying and doing washing of ready made garments. Coal fired boiler is converted into oil fired. Requested for revocation of closure directions and 45 to 60 days time short to submit ETP report, stack monitoring report etc,to fulll fill other documents.	Water (Effluent)-N/A Noise Test Report- N/A	Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. As unit has failed to apply for Consent to Operate after giving sufficient time. Directions for closure was issued on 29.04.2016. Proposal of Compliance of closure directions from concerned authorities is already put up in common file.	file.
20	PASCOS	B1/I-3, MOHAN CO-	11-06-2016		sales, service, spares, parking,	Orange Establish	Non-SPI		The unit has applied for Consent to Establish for	N.A	24-06-2016 Unit has not	22-09-2016

		OPERATIVE INDUSTRIAL ESTATE, MAIN MATHURA ROAD,			repairs etc Automobile Servicing and Repair Station with Washing Activity				the Activity of Automobile Service Station with washing through online mode however has not submitted the Hard Copy of the Consent application and other required documents to DPCC so far.		submitted the Hard Copy of the Consent application and other required documents to DPCC and therefore a letter may be issued seeking the same within 15 Days. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 As decided, a letter was issued to unit on 02.08,2016 to submit hard copies of consent application along with required documents within 15 days.	Issue show cause notice for refusal of consent. Also inspection be conducted.
21	WEDDING OPERA (A UNIT OF S G HOSPITALITY)	B 9 LAWRENCE ROAD INDL AREA	27-06-2016	DPCC/EC/2/1/2016/15214	BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set: ...125 KVA (Proposed) Status of Ground Water extraction : Nil Source of Water: 20 KLD from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Unit has submitted the following: 1. Copy of License dt 20.06,2016 issued by Department of Labour, 2. Copy of receipt to apply for MCD License dt, 23.06,2016. 3. Copy of License dt 27.05,2016 issued by the Controller legal Metrology.	N/A	20-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 14-09-2016 File is under submission for decision wrt Directions u/s 33 (A) of Water Act and u/s 31(A) of Air Act.	22-09-2016 Take action as decided in file.
22	TWIN TREE (A UNIT OF FARSIGHT HOSPITALITY PVT LTD)	A 19 NARAINA VIHAR	29-06-2016	DPCC/EC/2/1/2016/15282	GUEST HOUSE ACTIVITY. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms	Orange Establish	Non-SPI		Source of Water: DJB, Category-II (copy of bill provided) Name and address matched, Water Consumption:1000 litre/day Status of Ground Water	.	21-07-2016 . Recommendation / Action Taken Details (EE/AEE)	22-09-2016 Inspection was conducted and oil & grease trap found installed. The hotel is having less than 50 rooms and kitchen is there for which channelization system has been

					(single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Extraction: Nil D.G. Set: Nil M,C,D. License valid up to 31.03.2016 N,D,MC. License valid up to 31.03.2017 Status of Pollution Control System (1) Oil & Grease Trap: Proposed (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		on 22-09-2016 No action warranted against unit in file decision. CTE may be granted.	provided. Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
23	RAJINDER SERVICE STATION	2, SHAM NATH MARG	30-06-2016	DPCC/EC/2/1/2016/15378	PETROL PUMP CUM SERVICE STATION OF CARS. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- proposed 2. ECS- N/A 3. D.G. set- 1x82.5 KVA Plot Area- 1124.12 sq mt Date of commencement- 01.01.1976 Status of Ground Water Extraction: No 1. Water consumption: 3000 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No Unit has applied online and not submitted the following documents: (i)Sanctioned building plan(DDA/MCD) (ii) Approved layout plan (DDA/MCD) (iii) Allotment letter/dealership agreement is valid as on date (iv) Letter from oil company that dealership agreement is valid as on date (v) Authority letter, in original, regarding filling/signing of consent/authorization application.	Effluent analysis report - N/A Air (Emission)-N/A Noise Test Report- N/A	20-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter issued, Reply awaited. Remarks/ATR on 30-08-2016 -	22-09-2016 Expedite inspection.



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 12th meeting on 22.09.2016 w.r.t. Agenda Item No 1 -- 82 Pending Cases of Consent to Operate / Renewal of the period 16.01.2016 to 30.06.2016 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	JULIE PACKING PVT. LTD	C-525, DSIDC NARELA INDUSTRIAL AREA	21-01-2016	DPCC/EC/2/1/2016/13356	Gravure Printing, Gravure printing (Dry process)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 21-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 21-01-2016 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- No 2. ECS-No 3. D.G. set- No Plot Area- 350 sq.mtr Proposed Date- 01.01.1995 Status of Ground Water Extraction:No 1. Water consumption: 120 L/day. a) Source of water: DSIIIDC (copy of DSIIIDC water bill submitted) Status of Inspection: No	Water(Effluent)-N/A Air (Emission)-N/A Noise Test Report- N/A	06-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted.	22-09-2016 Expedite inspection,
2	PANDIT & CO.	53, PHASE-II, OKHLA INDUSTRIAL AREA	01-02-2016	DPCC/EC/2/1/2016/13466	Denting, Painting, Repairing and Servicing Automobile Workshop with Washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-02-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D,G,Set: Nil Status of Ground Water extraction : Nil Water Consumption - 1000 ltrs /day Source of water - Delhi Jal Board (bill provided) Inspection of the unit was carried out on 23.11.2015 during survey of Okhla Indl. Estate, During the inspection it was observed	Effluent analysis report dated 20-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within limit, Stack monitoring report of Paint Booth dated 07-12-2015 issued by SHRIRAM INSTITUTE submitted and found within limit, Paint Booth dated 07-12-2015 issued by SHRIRAM INSTITUTE submitted and found within limit, Inspection of the unit was carried out on 23.11.2015 during survey of Okhla Indl. Estate, During the inspection it was observed	11-07-2016 The unit has also applied for Authorization under HWM Rules on 01.02.2016. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 As decided, inspection of the unit was carried out by officials of DPCC on 20.09.2016 and following were the observations: 1. The unit was found in operation at the time of inspection, 2. ETP (Batch type) found installed but was not in operation at the time of inspection, 3. The entire trade effluent	22-09-2016 Issue show cause notice for refusal of consent, show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act,

									that - - Unit found operational, engaged in the activity of Automobile Workshop and Body Shop. - ETP found installed but the same was not found operational and waste water (trade Effluent) was being discharged directly into storm water drain without any treatment. - 1 no. of Paint Booth installed (diesel fired) & inadequate stack height above roof level. - Washing activity, painting and polishing of cars, body transplant, detailing etc are carried out at the unit. - As informed servicing of vehicles engine is not carried out, and only certain activities mentioned above are carried out. - Logbook of ETP not maintained. - Unit was not complying with provisions of HWM Rules i.e. Display Board not provided, Hazardous Waste not stored in leak proof container, containers not stored/kept in isolated area and also date is not indicated (beginning & end) on the containers. Show Cause Notice u/s 33(A) of the Water Act, u/s 31(A) of the Air Act and u/s 5 of the EP Act was issued on 07.12.2015. Unit submitted reply on 17.12.2015 & 04.01.2016 w.r.t. the said Show Causes Notice along with copy of Water Bill informing that the ETP is now operational and all connections have been done and no waste water is being discharged directly, Paint Booth has adequate stack height i.e. 2 m above roof level, logbook of ETP is maintained properly , Display Board has been provided at front gate and complying with all condition of DPCC related to HWM Rules and leak proof container stored in isolated area. Unit submitted representation on 09.02.2016 & 16.03.2016 alongwith Adequacy Report of ETP, The unit has informed that they had applied for Consent to Establish, Consent to Operate & Authorization under HWM Rules on 01.02.2016.	is required to be treated before discharging it as it was observed that part of trade effluent is discharge in that treatment. 4. The records of Hazardous waste needs to be maintained. 5. Hazardous waste needs to maintained as per HMW Rules,
--	--	--	--	--	--	--	--	--	--	--

3	DEEP AUTOTEC PVT. LTD.	PLOT NO 1, ROAD NO 1, INDUSTRIAL AREA, MUNDKA UDYOG NAGAR (SOUTH SIDE)	02-02-2016	DPCC/EC/2/1/2016/13486	Servicing, Repairing of Four Wheeler Car. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 02-02-2016 Pending	Source of Water- DJB (Cat-II) name and address matched Water Consumption- 8000 Kitres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D,G, Set(s) of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water- - Effluent analysis report dated 04-02-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes Noise- The unit has 1 D,G, Set(s) of 125 KVA, Noise monitoring report dated 20-11-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted, Noise monitoring report within Limit - Yes	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 19-09-2016 -As decided, an inspection was carried out by DPCC officials on 16,09,2016 and following observations were made: -3 D,G Sets found installed, out of which 2 D,G Sets are non-working but acoustically treated, One D,G Set of approx 25 KVA found without acoustic enclosure and inadequate stack height, -ETP found installed but same found in non-operational,Dosing tanks were found empty -No wet and dry sludge observed. -No ETP log book found maintained. -HWM rules not being complied. -Any documentary proof of saling of used oil to authorized dealer not provided.	----- Issue show cause notice for refusal of consent & authorization, show cause notice u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
4	GULLUS	UNIT NO 14, PLOT NO 15-16, GF, DISTRICT CENTRE, JANAKPURI	04-02-2016	DPCC/EC/2/1/2016/13511	TAKEAWAY. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI			Source of Water- Tanker (copy of bill provided) Consumption of Water- 500 Litre/Day Ground Water-Nil (1)Oil and Greese Trap cum Settling tank - Working (2)ECS - N/A (3) D.G.Set: No (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No MCD License and Delhi Police license expired on 31.03.2016 Seating capacity of take away is of 20.	.	28-06-2016 .	22-09-2016 Consent to Operate granted.
5	GULLUS	PLOT NO 9B, SHOP NO 4A, ITL TWIN TOWER, NETAJI SUBHASH PLACE, PITAMPURA	04-02-2016	DPCC/EC/2/1/2016/13512	TAKEAWAY. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI			Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.5 KLD from supplier. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD Licence valid upto	N/A	11-07-2016 .	22-09-2016 Consent to Establish and Consent to Operate granted,

									31.03.2016 Delhi Police licence valid upto 31.03.2016.			
6	MOHD. ANIS	SHOP NO 463A, SHAHZADA BAGH EXTN., PHASE-I	04-02-2016	DPCC/EC/2/1/2016/13518	DHABA SERVICES (BELOW 20 SEATS). Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- N/A Plot Area- 20 sq mt Date of establishment- 30.09.2008, Status of Ground Water Extraction-No 1. Water consumption-500 L/day. a) Source of water-DJB (copy of water bill submitted) Status of Inspection-No	Effluent analysis report - N/A. Stack moniotring report - N/A. Noise monitoring report - N/A	20-09-2016 .	22-09-2016 Consent to Establish and Consent to Operate granted.
7	AVANTOR PERFORMANCE MATERIALS INDIA LIMITED	E-42, FIRST FLOOR,OKHLA INDUSTERIAL AREA,PHASE-II	05-02-2016	DPCC/EC/2/1/2016/13540	Service and Research and Development Centre of diagnostics Products/ instruments. Pharmaceuticals Formulation With Washing Operation	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-02-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (a) AR dated December,2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 16-11-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption- 1750 ltrs/day , Source- Outsourced supply	Effluent analysis report dated 16-11-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes	11-07-2016 Proof of water bill not provided, Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 As decided, an inspection of the unit was carried out by Officials/ representatives of DPCC on 20.09.2016 and following were observed: -As informed, unit has discontinued the Research and Development activity in relation to Pharmaceutical formulation and diagnostic products/ instruments alongwith washing operations at the premises. -At present only Repair and Servicing of Diagnostic machines is in operation in half portion of first floor of the premises, rest of half portion of first floor found vacant. -ETP has been removed in this premises. No water polluting activity observed during the inspection.	22-09-2016 File be put up administratively.
8	AMAR AUTOS	B-29, JHILMIL INDUSTRIAL AREA	09-02-2016	DPCC/EC/2/1/2016/13572	SERVICING OF VEHICLES WITH WASHING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-02-2016 Authorisation Status Pending	(1)ETP - ETP (2)ECS - N/A (3)D.G.Set - N/A (4) Water Consumption: 1200 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR - Nil Effluent analysis report dated 09-11-2015 issued by SHRIRAM INSTITUTE submitted, Effluent Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.	12-07-2016 Inspection. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	22-09-2016 Expedite inspection.
9	SUPRA CERAMICS	322, FIE PATPARGANJ INDUSTRIAL AREA	09-02-2016	DPCC/EC/2/1/2016/13582	Mfg. of Sanitary Bathroom Fittings with Buffing without Electroplating. Process Involving Buffing	Orange Operate	Non-SPI		A survey conducted by DPCC/DSIIDC in Industrial Area w.r.t Orders of Honrable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. in industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act,1981 issued to the unit on 07.12.2015. Unit submitted a reply and said that they have	AR: N/A Stack monitoring report dated 08-12-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 08-01-2016 issued by DPCC submitted.	12-07-2016 Recommended for CTO. Remarks/ATR on 21-09-2016 Recommended for CTO.	22-09-2016 Consent to Operate granted. Subsequently, inspection be conducted.

										applied for CTO in Orange category vide ID DPCC/EC/2/1/2016/13582 applied on 09.02.2016 and requested to withdraw the above said notice . (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4)Water Consumption: 300 KL/d Source: Purchase water (5) Groundwater:Nil		
10	SUNPAC AUTO (INDIA) PVT. LTD	H-54, UDYOG NAGAR INDUSTRIAL AREA	09-02-2016	DPCC/EC/2/1/2016/13592	Mfg. of Auto Parts (Auto Light) Process Involving Buffing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 03-08-2011 Authorisation Status Pending	Source of Water- borewell Water Consumption-500 Litres/ Day Status of Ground Water extraction : CGWA permission enclosed Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Dust Collector (3)D.G.Set Noise Report : 1 Set(s) of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : NoI Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air Emission- (a) AR dated 26.03.2012 issued by DELHI TECHNICAL UNIVERSITY submitted, (b) Stack monitoring report dated 17-12-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes Noise- (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-12-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2016 Consent to Operate be granted	22-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted. Authorization application dated 03.08.2011 be made infructuous, IT Cell to deactivate the other four applications which are in duplicate.
11	UMESH RANA	PLOT NO 308/1, OLD ROHTAK ROAD, SHAHZADA BAGH INDUSTRIAL AREA	09-02-2016	DPCC/EC/2/1/2016/13594	Dhaba With Four Seat, Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS-N/A 3. D.G. set- N/A Plot Area- 54 sq mt Date of establishment- 31.07.2015, Status of Ground Water Extraction-No 1. Water consumption-200 L/day, a) Source of water-DJB (copy of water bill not submitted) Status of Inspection-No	Effluent analysis report - N/A, Stack moniotring report - N/A, Noise monitoring report - N/A	20-09-2016 .	22-09-2016 Consent to Operate granted,
12	GOGIA FLOUR MILLS PVT. LTD. UNIT-III	B-40, LAWRENCE ROAD INDUSTRIAL AREA	11-02-2016	DPCC/EC/2/1/2016/13621	FLOUR MILL. Flour Mills	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - (a) AR dated Jan, 2016 issued by Jamia Millia Islamia submitted, (b) Stack analysis report dated 14.10.2015 issued by DPCC submitted. (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil (as per application) But Source of Water: 0.55 KLD from Ground Water/DJB (as per undertaking submitted)	Stack analysis report dated 14.10.2015 issued by DPCC submitted. Report within limit - Yes	11-07-2016 .	22-09-2016 Consent to Operate granted,

											Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		
13	GTS EXPORTS PVT. LTD,	63/12B (BACK SIDE), RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	12-02-2016	DPCC/EC/2/1/2016/13646	MECHANICAL REPAIR AND SERVICING (WITH WASHING) OF TWO WHEELER AUTOMOBILES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 12-02-2016 Pending	Source of Water- DJB (CAT-II) name not matched and address matched Water Consumption- 1400 Litres/ Day Status of Ground Water extraction : Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- a) AR dated sepetember, 2014 issued by Jamia Milia Islamia submitted, b)Effluent analysis report dated 08-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	11-07-2016 Remarks/ATR on 19-09-2016 -above mentioned detailed inspection report is typographical error. -As decided, an inspection was carried out by DPCC officials on 15.09,2016 and following observations were made: -ETP found installed and same found in operational condition and log book found maintained properly. -One D.G Set combined for whole premises exist in the premises. -Hazardous waste management rules are being complied. Recommendation / Action Taken Details (EE/AEE) on 19-09-2016 -As decided, an inspection was carried out by DPCC officials on 15.09,2016 and following observations were made: -ETP found installed but same was not operational, no sludge found, sludge drying bed found dry. -Hazardous waste management guidelines not being followed. -Authorization for hazardous waste for spent oil shown. -One D.G Set found with acoustic enclosure, but not provided adequate stack height.	22-09-2016 Inspection report peruse by the Committee and it was observed that ETP found operational and HWM Rules are being complied. Consent to Operate and Authorization under HWM Rules granted.
14	KANIKA EXPORTS	A-187, PH-I, OKHLA INDUSTRIAL AREA	18-02-2016	DPCC/EC/2/1/2016/13724	MFG OF READYMADE GARMENT WITH WASHING. Readymade Garment with Electric/ Gas fired boiler (with Washing)	Orange Operate	Non-SPI			Status of Pollution Control System (1)ETP installed. (a) AR dated 22.02,2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 25-01-2016 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a)The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 28-01-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Effluent analysis report dated 25-01-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 28-01-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-07-2016 Unit has applied for Renewal of Consent to Operate on 18.02,2016.	22-09-2016 Consent to Operate granted.

										Status of Ground Water extraction : Nil Water Consumption: 6900 to 11900 ltr/day, Source: Outside DPCC laboratory collected effluent sample on 28.04,2016 under NGT order dated 12.08,2015 in Q.A. No. 300/2013 and all parameters were meeting the prescribed standards. SCN u/s 21(A) of Air act and u/s 25/26 of Water Act was issued to the unit on 30.06,2016, to submit application for Renewal of Consent to Operate with required documents within 30days.			
15	REGAL AUTOMOBILES (INDIA)	18/32 A, GALT NO 5 (RLY LINE SIDE), ANAND PARBAT INDUSTRIAL AREA	18-02-2016	DPCC/EC/2/1/2016/13726	Mfg. of Auto parts. Asbestos Based Products	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 11-02-2015 Authorisation Status Pending	Source of water:DJB, Category-II (Copy of bill enclosed) name and address matched. Water consumption:80 Litre/day Status of ground water extraction:Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - working (3)D.G.Set: ...N/A... Status of Inspection:No SCN u/s 31(A)/33(A)/5 of EPA details :No Cpsure directions u/s 31(A)/33(A)/5 of EPA details :No	Air Emission: Stack monitoring report dated 05-02-2016 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2016 Consent to Operate be granted	22-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.	
16	O2 MULTICUISINE RESTAURANT	23-A, GROUND & FIRST FLOOR, NN TOWER, B-BLOCK, ROAD NO-44, PITAMPURA	01-03-2016	DPCC/EC/2/1/2016/13804	Serve to Customer (Restaurant) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP (a) AR not submitted. (b) Effluent analysis report dated 18-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No Status of Ground Water extraction : Nil Source of Water: 7.0 KLD from DDA (provisional water bill enclosed)	1. Effluent analysis report dated 18-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report dated 15-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No	11-07-2016 Note: Unit has submitted information about ETP in place of adequacy report and copy of receipt w.r.t submission of fee for adequacy report to M/s Jamia Millia Islamia dated 15.12.2015 since unit is having 98 seats. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection of the unit has been conducted by DPCC officials on 15.09.2016 and following were observed: -The unit has installed an ETP which was found in operational condition. -The unit has provided channelization system in the kitchen followed by a duct above roof top of the premises. -The unit has provided acoustic enclosure and adequate stack height with the D.G set of 125 KVA.	22-09-2016 Consent to Operate granted.	

									Delhi Police licence valid upto 31.06.2016 MCD Licence valid upto 31.03.2016. In the application of CTE, committee has decided to grant the CTE and also inspect the unit, Acc, inspection carried out by representative of DPCC officials on 20.10.2015. Based on inspection, a SCN u/s 33(A) of Water and 31(A) of Air Act and a letter for list of all the restaurants in DDA complex issued to DDA on 27.11.2015. In response of that unit has submitted reply and has rectified all the deficiencies observed at the time of inspection. However has not submitted application of CTO. Afterthat, a modified directions to submit the application of CTO within 30 days issued on 17.03.2016. In response of our direction, unit has submitted its reply that application for CTO has been submitted alongwith fresh waste water analysis report and NMR, but without adequacy report. The unit has also submitted copy of letter addresses to The Registrar Jamia Millia Islamia for adequacy report of ETP. Now unit has submitted a letter and stating that sitting capacity of restaurants has been reduced from proposed 192 capacity to 98 capacity and has submitted copy of cancellation of lease deed, copy of letter for reduction of seats to Deputy Health officer, The Chief Fire Officer, copy of letter issued by Assistant Commissioner (Restaurant) GNCTD, Office of Commissioner of Exercise, Entertainment & Luxury Tax. Afterthat, competent Authority has decided to inspect the unit to verify the facts as asked in the SCN dated 27.11.2015.		-The unit has not expanded its activity and cancel the lease agreement of the area.	
17	CAFE DIVA (A UNIT OF RIGA FOODS PVT. LTD.)	N-8, FF, N BLOCK MARKET, GREATER KAILASH PART-I	02-03-2016	DPCC/EC/2/1/2016/13807	Eating House with 48 Seating Capicity Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP installed (a) Effluent analysis report dated 18-12-2015 issued by DPCC submitted. Effluent Test	Effluent analysis report dated 18-12-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s)	12-07-2016 Unit has submitted application for consent to operate alongwith required documents and test reports on 02.03.2016. however they have not submitted reply w.r.t. Modified	22-09-2016 Inspection be conducted.

					Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party- Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer					Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 23-12-2015 issued by DPCC submitted, Noise monitoring report within Limit - Yes Ground water- Nil Water consumption- 3000 ltrs/day, Source- DJB (Bill enclosed) MCD license and Delhi Police license valid upto 31.03,2016 Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 08.10.2015 and following was observed: -Unit has not installed ETP. - Channelization with kitchen found with inadequate stack height. - Wood fired oven exists with inadequate stack height. - Stack height with DG set found inadequate. SCN u/s 31(A) of Air Act and 33(A)of Water Act was issued to unit on 28.10,2015. Unit has submitted its representation w.r.t. SCN on 18.11.2015 and requested to complete all the formalities within 2 months. As approved on file Modified direction u/s 31(A) of Air Act and 33(A)of Water Act was issued to unit on 09.02.2016 to submit surety bond for an amount of five lakhs only for one year period within 15 days, installation of ETP, installation of flow meter at outlet and inlet of ETP, removal of wood fired oven as wood is not an approved fuel and submit application for CTO along with required documents and test report.	of 40 KVA. Noise monitoring report dated 23-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	direction dated 09.02,2016 and also not submitted surety bond for an amount of five lakhs only for one year period and not informed regarding installation of flow meter at outlet and inlet of ETP, removal of wood fired oven as wood is not an approved fuel in compliance of the said modified direction.
18	DEV MATTEL INDUSTRIAL	1/424/63,GALI NO IB FRIENDS COLONY INDUSTRIAL AREA	02-03-2016	DPCC/EC/2/1/2016/13811	WIRE DRAWING WITH SUPER ENAMELLING(DRY PROCESS), Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 16-10-2012 Authorisation Status Approved Authorisation Issue Date 07-10-2013	(1)ETP ---- N/A (2)ECS - Wet Scrubber (3)D.G.Set Noise Report : 2 (4) Water Consumption: 150 L/ Day Source: Outside Ground Water : Nil	Emission Monitoring Report dated 18.09.2015 submitted, The unit has 2 D.G. Set(s) of 82.5 KVA and 82.5 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-09-2016 Recommended For Inspection, Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 As decided, Show Cause Notice for refusal of consent was issued to unit on 02.08.2016.	22-09-2016 Inspection be conducted.

								Authorisation Expiry Date	15-10- 2017	Consent for Authorization issued on 09.12.2013.			
19	SHIV PLASTICS	56-A/2, RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	02-03-2016	DPCC/EC/2/1/2016/13813	Manufacturing of PVC Dana From PVC Waste/Scrap with washing. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Renewal	Non-SPI			Source of Water- DJB (Cat-II) Name and address matched Water Consumption- 1100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - Satack attached to extruders at first floor (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- (a) Adequacy Report dated December, 2015 issued by Jamia Millia Islamia submitted, (b) Effluent analysis report dated 29-12-2015 issued by DPCC submitted, Effluent Test Report within Limit - Yes Air Emissions- Stack monitoring report of Satack attached to extruders at first floor dated 08-12-2015 issued by DPCC submitted, Stack Test Report within Limit - Yes	28-06-2016 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2016 Letter issued on 29.08.2016, No reply received till date	22-09-2016 Issue show cause notice for refusal of consent.
20	CHHANGA MAL AGGARWAL	7-A, NAJAFGARH ROAD INDUSTRIAL AREA	02-03-2016	DPCC/EC/2/1/2016/13815	MFG. OF STAINLESS STEEL UTENSILS (WITHOUT PICKLING). Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI			Source of Water- Delhi Jal Board (Name and address matched) Water Consumption- 150 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (3)D.G,Set Noise Report : 1 D.G, Set(s) of 125 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Factory License valid upto 31.03.2016	Air Emission- (a) AR dated 14.11.2011 issued by Delhi Technological University submitted (b)Stack monitoring report dated 28-01-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes Noise- The unit has 1 D.G, Set(s) of 125 KVA, Noise monitoring report dated 10-02-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted, Noise monitoring report within Limit - Yes	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2016 Consent to Operate (R) may be granted	22-09-2016 Consent to Operate (Renewal) granted. Subsequently, inspection be conducted,
21	SATYAM ENTERPRISES	P-17 MAHAVEER GALI, NEW MANDOLI INDUSTRIAL AREA	03-03-2016	DPCC/EC/2/1/2016/13856	MFG. OF COPPER INGOTS BY CASTING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI			(1)ETP ---- N/A (2)ECS - Applied on 27.01.2016 (3)D.G,Set Noise Report : 1 (4) water Consumption: 300 Liter/ Day Source: outside (5) Ground Water: Nil	AR - Applied. Stack monitoring report dated 06-06-2016 issued by DPCC submitted. The unit has 1 D.G, Set(s) of 25 KVA, Noise monitoring report dated 29-04-2016 issued by DPCC submitted.	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016	22-09-2016 Inspection be conducted, Ask the unit to submit certificate, in original, from Industries Department, Govt, of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
22	HITESH METALS	L-9, NEW MANDOLI INDUSTRIAL AREA, SHAHDARA	04-03-2016	DPCC/EC/2/1/2016/13863	Pit Furnace (Casting of copper ingot) unit. Casting of Ferrous/ Non	Orange Operate	Non-SPI			Temporary revocation of closure directions was issued for 30 days for submission stack monitoring report etc.	AR dated September 2014 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report	12-07-2016 Redevelopment area. Inspection be conducted.	22-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries

					Ferrous Metal (except cupola furnace Only)					Inspection was also be carried out. (1)ETP ---- N/A (2)ECS - Scrubber (3)D.G.Set: ...N/A (4) water Consumption: 160 Litres/ Day Source: out source (5) Ground Water: Nil	dated 02-02-2016 issued by DPCC submitted.	Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016	Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
23	ASCO MOTORS	80, FIE, PATPARGANJ INDUSTRIAL AREA	04-03-2016	DPCC/EC/2/1/2016/13873	Show Room Cum Service station of Bikes. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-03-2016 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - N/A (3)D.G.Set: N/A (4) Water Consumption: 2500 Liters/ Day, Source: Outside (5) Ground Water: Nil	AR dated Jan 2016, issued by JAMIA MILLIA ISLAMIA, submitted. Effluent analysis report dated 29.09.2015 issued by DPCC submitted.	12-07-2016 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	22-09-2016 Expedite inspection.	
24	S.M.S. EXPORTS	W-7, PHASE-II, OKHLA INDUSTRIAL AREA	11-03-2016	DPCC/EC/2/1/2016/13941	Manufacturing of Readymade garments with Washing with boiler. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP installed (a) Effluent analysis report dated 06.11.2015 issued by SHRIRAM INSTITUTE submitted, (2)ECS - N/A (One boiler) (a) Stack monitoring report dated 29-02-2016 issued by SHRIRAM INSTITUTE submitted, Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... Ground water- Nil Water consumption-5500 ltrs/day , Source -DJB (Bill enclosed) A complaint was received against the unit and SCN u/s 21 of the Air Act and u/s 25/26 of the Water Act was issued to unit on 17.12.2015 for not applied Renewal of Consent to Operate, Unit has submitted its representation on 15.01.2016 and stated that they are in process to apply to CTO (Renewal) and they have applied for adequacy report to Jamia Millia Islamia. They have also requested 30 days time to complete the formalities for submission of application for Consent to Operate (Renewal).	Effluent analysis report dated 06.11.2015 issued by SHRIRAM INSTITUTE submitted. Effluent test report with in limit- Yes One boiler (a) Stack monitoring report dated 29-02-2016 issued by SHRIRAM INSTITUTE submitted, Stack Test Report within Limit - Yes	12-07-2016 Unit has submitted application for CTO (Renewal) on 11.03.2016	22-09-2016 Consent to Operate (Renewal) granted.	
25	OM SHIV INDUSTRIES	198, F.I.E., PATPARGANJ INDUSTRIAL AREA	14-03-2016	DPCC/EC/2/1/2016/13959	Mfg. of Audio/Video Cabinets with Powder Coating Without Phosphating, Powder Coating without phosphating	Orange Renewal	Non-SPI		(1)ETP ---- N/A (2)ECS - Cyclone, (3)D.G.Set: ...N/A... (4) Water Consumption: 200 L/ Day, Source:	AR N/A Stack analysis report dated 30.10.2015 issued by Shri Ram Institute For industrial Research submitted. The value of	12-07-2016 Recommended for CTO. Remarks/ATR on 21-09-2016 Recommended for CTO.	22-09-2016 Consent to Operate(Renewal) granted. Consent to Operate (Renewal) application dated 14.09.2005 be made infructuous.	

					Use of Furnace (excluding Arc/induction Furnace)				Purchase Water (5) Ground Water: Nil	analysed parameter found within the limit,		
26	BANSAL TRADERS	PLOT NO.1/488-504, DAMODAR PARK, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	14-03-2016	DPCC/EC/2/1/2016/13961	COPPER WIRE DRAWING WITH SUPER ENAMELLING. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 3 Application Date 22-08-2006 Authorisation Status Pending HWM Application No. 4 Application Date 25-01-2012 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - Wet Scrubber. (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 L/ Day Source: Can Water Supply (5) Ground Water: Nil	AR - Nil Stack analysis report dated 18.09.2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 110 KVA, Noise monitoring report dated 09-03-2016 issued by DPCC submitted,	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 Redevelopment Area Case,	22-09-2016 Inspection be conducted, Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
27	MURTI HOSPITALITY PVT. LTD. (CITY PARK WEST)	85/15/2,86/12/2,86/19,86/20,86/1,86/10,86/11/1,86/12/1 & 78/21, VILLAGE GHEWRA, HIRANKUNDNA MORE	14-03-2016	DPCC/EC/2/1/2016/13967	Hotels/ Motels for 16 rooms. Hotels with less than 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) AR dated 25.04.2014 issued by DTU submitted, (b) Effluent analysis report dated 11.12.2015 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 250,250 and 250 KVA, Noise monitoring	1. Effluent analysis report dated 11.12.2015 issued by DPCC submitted, Report within Limit - Yes 2. Noise monitoring report dated 06-11-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted, Noise monitoring report within Limit - Yes	11-07-2016 .	22-09-2016 Inspection be conducted,

								report dated 06-11-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Source of Water: 45 KLD from DJB and tanker (as per undertaking)(copy of DJB bill enclosed) Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
28	Y C FOODS AND BEVERAGES	50-D HAUZ KHAS VILLAGE	18-03-2016	DPCC/EC/2/1/2016/14042	COFFEE SHOP. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI	Status of Pollution Control System (1)Oil and Grease Trap cum settling tank. (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption- 195 liters/ day, Source- DJB (Bill enclosed) A rapid survey of restaurants / eating house in Hauz Khas Village was carried out by representatives of DFS, SDMC and DPCC on 17.09.2015 and it was observed that unit (M/s Yummy Coffee) is operating without consent from DPCC and not installed Oil and Grease Trap cum settling tank. SCN u/s 31(A) of Air Act and 33 (A) of Water Act was issued to unit on 05.10.2015. Unit has submitted its reply on 29.10.2015 w.r,t SCN and stated that they have installed Oil and Grease Trap cum settling tank (photographs enclosed) and requested 60 days time to submit application for Consent to Establish and Consent to Operate. As decided, Modified direction u/s 31(A) of Air Act and 33 (A) of Water Act was issued to unit on 05.01.2016, Now unit has applied for Consent to Establish on 15.03.2016 and Consent to Operate with the name of M/s Y C Foods and Beverages on 18.03.2016	N/A	20-09-2016	22-09-2016 Consent to Operate granted.
29	PANEX	B-270 , PH-I OKHLA INDUSTRIAL AREA	22-03-2016	DPCC/EC/2/1/2016/14083	Mfg. of Readymade	Orange	Non-SPI	(1)ETP - Installed .	Effluent analysis report	12-07-2016	22-09-2016

	OVERSEAS				Garments with washing, Readymade Garment (with Washing) with Boiler	Operate			(2)ECS - N/A (having oil fired boiler) (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set of 125 KVA. Noise monitoring report dated 05-11-2015 issued by DPCC submitted, Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Ground water- Nil Water Consumption- 1050 ltrs/day , Source- Outside (Copy of Water Supplier (Pvt. Agency) bill enclosed)	dated 05-01-2016 for ETP , issued by DPCC submitted, Effluent Test Report within Limit Stack monitoring report dated 02-02-2016 for Oil Fired Boiler issued by DPCC submitted and found meeting the standards. Noise monitoring report dated 05-11-2015 for DG Set of 125 KVA issued by DPCC Lab submitted, and found meeting the standards,	Earlier the unit was engaged in Mfg. of readymade garments without washing and Consent was valid upto 29.10.2024 now the unit has applied Consent to Operate for readymade garments with washing with Boiler on 22.03,2016.	Consent to Operate granted.
30	BACK IN TIME RESTAURANTS	2516 2ND FLOOR HUDSON LANE KINGSWAY CAMP	28-03-2016	DPCC/EC/2/1/2016/14114	Eating House Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 15.52 sq mt Date of commencement- 25.11.2014 Status of Ground Water Extraction-No 1. Water consumption-500 L/day. a) Source of water-DJB (copy of DJB water bill submitted) Status of Inspection-No MCD and Police License submitted for 34 seats.	Effluent analysis report- N/A Emission moniotring report - N/A Noise monitoring report - N/A	20-09-2016	22-09-2016 Consent to Operate granted.
31	VINTAGE AVENUE RESTAURANTS	2516 FIRST FLOOR HUDSON LINE KINGSWAY CAMP	28-03-2016	DPCC/EC/2/1/2016/14115	Eating House Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 15.52 sq mt Date of commencement- 25.11.2014 Status of Ground Water Extraction-No 1. Water consumption-500 L/day. a) Source of water-DJB (copy of DJB water bill submitted) Status of Inspection-No MCD and Police License submitted for 34 seats.	Effluent analysis report- N/A Emission moniotring report - N/A Noise monitoring report - N/A	20-09-2016	22-09-2016 Consent to Operate granted.
32	CELEBRATION MOTORS PVT. LTD.	PLOT NO 27, FIE, PATPARGANJ INDUSTRIAL AREA	29-03-2016	DPCC/EC/2/1/2016/14124	Repair and Servicing of Automobiles (Two Wheelers only) With washing. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-03-2016 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Water Consumption: 3000 L/ Day, Source: given/written, Corporation/ground water in undertaking and outside source in application,	AR: N/A Effluent analysis report dated 18-03-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit,	12-07-2016 CTE was granted with condition to submit either permission of extraction of ground water from CGWA / Delhi Jal Baord or valid bill from Delhi Jal Board within 02 months. The unit shall ensure that it obtain the water only from the source which has permission to extract ground water / authorized source under	22-09-2016 Issue show cause notice for refusal of consent & authorization.

									(5) Ground Water: Nil		the law. No authenticated document for source of water submitted. Remarks/ATR on 20-09-2016 . Remarks/ATR on 20-09-2016 Inspection was carried out on 08.08,2016 and the following observations were: 1. The work shop was found in operation washing of two vehicles were going on. 2. the pipe connected to O & G & collection tank from washing platform was found broken & trade effluent was spilled all over the passage. 3. ETP was found installed but the same was found not in operation. Although the ETP was newly installed but the condition reveals that the same is not being operated as no wet & dry sludge was seen in the single drying bed. 4. No emission control System with Spray painting work was taken, which is being under taken in the basement. 5. logbook not maintained. Further, SCN u/s 33(A) and u/s 31(A) was issued. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	
33	KASHYAP MOTORS INDIA PRIVATE LIMITED	46, PHASE-III, OKHLA INDUSTRIAL ESTATE	29-03-2016	DPCC/EC/2/1/2016/14129	CAR REPAIRING, SERVICING WITH AUTOMOBILE WITH SHOW ROOM. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status 1 29-03-2016 Pending	Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 82.5 KVA Water consumption:-3000 litres/day Source of water:- DJB (Bill enclosed) Ground water - Nil An inspection of the unit was carried out on 21.08,2015 during survey of Okhla Indl. Estate, and following were observed: 1- Unit found in operation and engaged in the activity of Automobile repairing and servicing with washing. 2-As informed, workshop	Effluent analysis report dated 14-03-2016 issued by SHRIRAM INSTITUTE submitted and found within limit. Noise monitoring report for 82.5 KVA DG Set dated 03-03-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted mentioning year of manufacturing as March, 2014 however the said is not as required under the EP Rules for DG Set.	11-07-2016 Noise monitoring report for DG Set is not as per requirement under EP Rules. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted.	22-09-2016 Expedite inspection.

is in operation since about one month back,
3- ETP is under installation and trade effluent generated from washing activity is being discharged into sewer without any treatment.
4-One drum of waste oil lying outside the washing area,
5-Unit has not comply with the provisions of Hazardous Waste Management (HWM) Rules,
6-Unit has not applied for consent and authorization,
7-Stack height with DG set found inadequate,
8-No record of waste oil was maintained by the unit,

Show Cause Notice u/s 33(A) of Water Act and 31(A) of Air Act and 5 of Environment Protection Act was issued to unit on 07.09.2015 w.r.t. deficiencies observed during inspection dated 21.08.2015.

Unit submitted its reply on 29.09.2015 and stated that:

1- Unit has applied for Consent to Establish on 15.09.2015 and they are also going to apply consent to operate with Authorization,
2- Effluent Treatment plant is under installation it is completed within 60 days they are under process regarding complete the ETP,
3- They put two leak proof drum for collection of waste oil.
4- As per provisions of Hazardous Waste Management (HWM) Rules i.e. display board has installed in the form of unit, and leak proof container is marked with specific label in red colour. Container is kept in an isolated area, HW is being stored on pucca floor & in covered area. they began storage in each container,
5- Stack height of DG Set is process as per DPCC norms,
6- They will maintain record for Waste oil,

Directions u/s 33(A) of Water Act, 31 (A) of Air Act and 5 of Environment Protection Act was issued to unit on 17.12.2015 to submit Surety Bond of Rs 5 Lakhs within 15 days, proper operate & maintain ETP & submit effluent analysis report, install

									flow meter at inlet & outlet of ETP, provide adequate stack height with the DG Set & submit Noise Monitoring Report and comply with provision of HWM Rules within 45 days. Unit submitted its reply on 28.03.2016 w.r.t, Directions issued to unit and informing that- 1. They are enclosing the surety bond for an amount of Rs. 5 lac for one year period for installation adequate Effluent treatment plant, 2. They have installed Effluent Treatment Plant to meet the prescribed standards and have enclosed the original test report of Noise monitoring, water test report and receipt of adequacy from approved laboratory of DPCC with Consent to Operate and photocopy of application for adequacy report. 3. They have installed Flow meter at outlet and inlet of ETP. Copy of log book enclosed. 4. They have provide adequate stack height with DG set and copy of Noise Monitoring test report enclosed. 5. They also have applied for Consent to Operate and authorization.		
34	COAST CAFE (A UNIT OF OGAAN INDIA PVT LTD,)	H-2, HAUZ KHAS VILLAGE, 2ND & 3RD FLOOR,	30-03-2016	DPCC/EC/2/1/2016/14145	RESTAURANT (48 SEATS), Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (2)ECS - N/A (3)D.G.Set: Nil Water Consumption- 3660 litres/day , Source-DJB (Bill enclosed) MCD License valid upto 31.03.2016 Delhi Police License was valid upto 31.03.2016 Status of Ground Water extraction : Nil Status of Inspection : A joint inspection of the unit was carried out by representatives of DPCC, DFS and SDMC on 17.09.2015 and it was found that ETP found operational and having 200 KVA of DG set. A letter was issued to unit to submit application for Consent to Operate alongwith valid MCD (Haelth & Police) license	Effluent analysis report dated 30-03-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - No 12-07-2016 Unit has submitted its application for Consent to Operate on 30.03.2016 along with MCD health license and Police license valid upto 31.03.2016 Unit has not disclosed the DG set in its application for CTO and also not submitted noise monitoring report of the same ,however a DG set of 200 KVA was found during the joint inspection on 17.09.2015. Effluent analysis report submitted by the unit along with CTO application from FICCI dated 30.03.2016 reveals that parameters of Oil & Grease (85.8mg/l) is not meeting the prescribed standards (latest). Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 As decided, Show Cause Notice for refusal of consent was issued to unit on 23.08.2016. Unit submitted its reply/representation on 16.09.2016 w.r.t Show	22-09-2016 Issue final reminder,

										with reired document. Unit has failed to submit the same with in stipulated time.		Cause Notice for refusal of consent stating that at the time of inspection DG Set was not operational, now DG Set is operational for that they will submit fresh test reports within 15-20 days	
										SCN u/s 31(A) of Air Act and 33(A) of Water Act was issued to unit on 15,01,2016			
										Unit has submitted its representation on 18,02,2016 and 21,01,2016 requesting more time to submit the CTO application,			
35	A.P.S. ENTERPRISES PVT. LTD,	KH. NO 43, PLOT NO 2-4, NEW MANDOLI REDEVELOPMENT AREA	06-04-2016	DPCC/EC/2/1/2016/14194	Mfg. of Aluminium Wire and Rod by Casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only) Wire Drawing (without Pickling/ Galvanizing)	Orange Renewal	Non-SPI	HWM Application No. Application Date Authorisation Status	1 04-03-2014 Pending	Based upon the deficiencies found during the inspection conducted on 07,01,2016 in a PGC case, a SCN u/s 33 (A) of Water Act, 1974 and u/s 31 (A) of Air Act, 1981 was issued on 29.04.2016. Reply was submitted by the unit requested for time for installation of OLMS. (1)ETP ---- N/A (2)ECS - Cyclone ((3)D.G.Set Noise Report : 3 (4) water Consumption: 200 Litres/ Day Source: Purchase Water (5) Ground Water: Nil	AR dated March 2016 issued by JAMIA MILLIA ISLAMIA submitted. Stack analysis report dated - N/A - issued by - N/A - submitted. The unit has 3 D.G. Set(s) of 125 KVA, 250 KVA and 320 KVA. Noise monitoring report dated 08-10-2015 issued by DPCC submitted. The unit has 3 D.G. Set(s) of 125 KVA, 250 KVA and 320 KVA. Noise monitoring report dated 08-10-2015 issued by DPCC submitted. The unit has 3 D.G. Set(s) of 125 KVA, 250 KVA and 320 KVA. Noise monitoring report dated 08-10-2015 issued by DPCC submitted.	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016	22-09-2016 Online Monitoring System has been installed and provided User Name & Password to DPCC, Joint inspection was conducted by DSITDC & DPCC, the premises of the unit is located within the boundary of redevelopment area. Consent to Operate (Renewal) granted for five years provided the fee is deposited within 15 days and authorization under HWM Rules granted for management of hazardous waste as per Hazardous and Other Waste Rules, 2016.
36	DECENT ELECTRICALS	7/22, KIRTI NAGAR INDUSTRIAL AREA	07-04-2016	DPCC/EC/2/1/2016/14208	MFG. OF ELECTRICAL HOME APPLIANCES WITH POWDER COATING, PAINT AND VARNISH (WITHOUT PHOSPHATING / WITHOUT TRADE EFFLUENT DISCHARGE). Polishing, Painting, Varnishing etc on goods, furniture etc. Powder Coating without phosphating	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 07-04-2016 Pending	Water Consumption- 200 Litres/ Day Source of Water-DJB (Cat-II) (NAME NOT MATCHED AND ADDRESS MATCHED) Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Working (3)D.G.Set Noise Report : 1 D.G. Set(s) of 30 KVA. Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Noise- (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 07-03-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes Air Emission- (a) Stack monitoring report dated 01-03-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes (b)Stack monitoring report dated 01-03-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes (c)Stack monitoring report dated 01-03-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes (d)Stack monitoring report dated 01-03-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes (e) Stack monitoring report dated 01-03-2016 issued by DPCC	11-07-2016 , Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 -As approved, an inspection was carried out by DPCC officials on 20.09,2016 and following observations were made: -Four no. of powder coating both installed and four are attached with stack. -One diesel fired oven found installed. -One DG Set of capacity 30 KVA found installed with proper stack and adequate acoustic enclosures. -HWM guidelines found followed.	22-09-2016 Consent to Operate and Authorization under HWM Rules granted.

37	MALWA AUTOMOBILES PVT. LTD.	29, SSI , G.T. KARNAL ROAD INDUSTRIAL AREA	08-04-2016	DPCC/EC/2/1/2016/14236	Servicing, Denting, Painting and Repairing of Vehicles with Washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-04- 2016 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS-Yes 3. D.G. set- No Plot Area- 1010 sq.mt. Proposed Date- 01.02.2016 Status of Ground Water Extraction:No 1. Water consumption: 2500 L/day. a) Source of water: Outside (copy of Outside water bill not submitted) Status of Inspection: No	submitted, Stack Test Report within Limit - Yes Effluent analysis report of outlet of ETP dated 29.02.2016 issued by FICCI submitted. Parameters are within prescribed limit. Emission monitoring report dated 24.02.2016 issued by FICCI submitted, Parameters are within prescribed limit. Noise Test Report- N/A	06-07-2016 Emission monitoring report of stack attached to paint booth. Letter for submission of Pay order & documents for adequacy of ETP for servicing of vehicles,However,adequacy report not submitted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection conducted on 05.09.2016. Inspection Findings are- 1. Unit found in operation and engaged in the activity of automobile repairing and servicing with washing. 2. ETP found installed and in working condition. 3. Stack provided with paint booth and stack height is adequate. 4. HWM rules are complied with.	22-09-2016 Consent to Operate and Authorization under HWM Rules granted.
38	YASH INDUSTRIES	T-7, KH. NO 29, BALAJI GALI, NEW MANDOLI	13-04-2016	DPCC/EC/2/1/2016/14286	MANUFACTURING OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 02.06.2015. Reply received on 16.06.2015, informing the submission of adequacy report and Air monitoring report but the letter was without enclosures as claimed, As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 16.07.2015. The Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was again issued to the unit on 28.09.2015. unit was sealed by SDM on 17.10.2015. A representation was received from the unit on 19.10.2015 requesting for de-sealed & unit have submitted Security bond Rs, 5, 00,000/- A representation was received from the unit on 13.04.2016 requesting for de-sealed & unit have applied for CTO. Temporary Revocation of Direction of Closure for 15 days was issued on 19.04.2016 directing to submitting the stack Monitoring Report etc. Stack monitoring report conducted on 12.05.2016	AR dated 10.04.2012 issued by DTU submitted. Stack monitoring report dated 16-05-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016	22-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

									received, the value of analyzed parameter was found within the prescribed limit. (1)ETP ---- N/A (2)ECS - Wet Scrubber and Cylcone (3)D,G,Set Noise Report : N/A (4) water Consumption: 40 Liter/ Day Source: Cane Water (5) Ground Water: Nil			
39	SABHARWAL AUTOMOBILES	KH NO 1144 VILLAGE RITHALA INDUSTRIAL AREA	15-04-2016		REPAIR AND MAINTENANCE OF TWO WHEELERS ONLY WITH WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 15-04-2016 Authorisation Status Pending	(1)ETP ---- Yes (2)ECS - N/A (3)D,G,Set: ...,N/A,... (4)Status of Inspection :N/A (5)SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6)Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A (7)The unit has not submitted hard copies of the application for consent and HWM as yet.	Not submitted	20-09-2016 Unit has not submitted its hard copies of the consent application and HWM application till date. Test report also not submitted.	22-09-2016 Ask the unit to submit hard copies of consent application along with required documents. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit. Also inspection be conducted.
40	SIKKA KARS GLOBAL PRIVATE LIMITED	A-10 PHASE-II, MAYAPURI INDUSTRIAL AREA,	19-04-2016	DPCC/EC/2/1/2016/14364	AUTOMOBILES SERVICING AND REPAIRING STATION WITH WASHING ACTIVITY. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-04-2016 Authorisation Status Pending	Water Consumption- 4500 Litres/ Day Source of Water-DJB (Cat-II) (Name not matched and address matched) Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - Stack attached to paint booth (3)D.G.Set Noise Report : 1 D.G. Set(s) of 63 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent-(b) Effluent analysis report dated 18-02-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes Air Emission-(b) Stack monitoring report dated 05-04-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes Noise-(a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 17-03-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	11-07-2016 , Remarks/ATR on 21-09-2016 -Paint booth installed in the premises without adequate, - D.G Set installed in the premises in an acoustic enclosure below roof, -HWM Rules complied, Recommendation / Action Taken Details (EE/AEE) on 19-09-2016 As decided, an inspection was carried out by DPCC officials on 15.09.2016 and following observations were made: -ETP installed in the premises found functional, -Log book of the ETP maintained, -Paint booth installed in the premises.	22-09-2016 Consent to Operate and Authorization under HWM Rules granted,
41	J. P. INDUSTRIES	BLOCK-A, SHED NO. 8, DSIDC, JHILMIL INDUSTRIAL AREA	19-04-2016	DPCC/EC/2/1/2016/14368	COPPER WIRE DRAWING AND SUPER ENAMELLED WIRE. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 25-04-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - Catalytic Converter (3)D,G,Set Noise Report : 1 (4) water Consumption: 200 Litres/ Day Source: MCD Water (5) Ground Water: Nil	AR : N/A Stack monitoring report dated 28-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, The value of parameter analysed found within the prescribed limit. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-01-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes number of	12-07-2016 Recommended for CTO and inspection thereafter, Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted,	22-09-2016 Expedite inspection.

										parameters analyzed which are within prescribed limit.			
42	AGGARWAL PLACTICS	G-1028, DSIDC NARELA INDUSTRIAL AREA	22-04-2016	DPCC/EC/2/1/2016/14410	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Operate	Non-SPI			Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS-Yes 3. D.G. set- No Plot Area- 350 sq.mt. Proposed Date- 17.05.2016 Status of Ground Water Extraction:No 1. Water consumption: 3000 L/day. a) Source of water: Outside (copy of Outside water bill submitted) Application for registration form 2 under plastic rules submitted. Status of Inspection: Yes Inspection was conducted on 12.03.15 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating and engaged in the activity of mfg. of PVC conduit pipes by reprocessing. 2.Effluent from washing of scrap being discharged w/o any treatment. 3.One Borewell exists, copy of application for voluntary disclosure shown. Notice for closure u/s 31 (A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EPA (Plastic Rules) issued to M/s Aggarwal Plastics on 19.08.2015 . Another Notice u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA giving 15 days time for compliance may be issued failing which closure will issued on 01.02.2016	Effluent analysis report of outlet of ETP dated 07.01.2016.2016 issued by Shriram Institute For Industrial Research submitted. All Parameters are within prescribed limit except BOD i.e., not detected & Total Metals which is not mentioned in the report. Emission monitoring report dated 14.01.2016 issued by Shriram Institute For Industrial Research submitted. Parameters are within prescribed limit, Noise Test Report- N/A	06-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter issued on 25.07.2016 to submit fresh complete effluent analysis report of ETP from empanelled laboratory of DPCC. Unit replied on 20.09.2016 wherein submitting effluent analysis report on 19.09.2016 issued by DPCC. Parameters are within prescribed limit,	22-09-2016 Inspection be conducted.
43	BHARGAVI AUTO SERVICES	OPP. VIRENDER NAGAR, JANAKPURI	28-04-2016	DPCC/EC/2/1/2016/14506	SERVICING AND WASHING OF LIGHT VEHICLES. Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-04-2016 Authorisation Status Pending	Source of Water- Outside (copy of bill not provided) Water Consumption- 3200 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ----Working (2)ECS - N/A (3)D,G,Set Noise Report : 1 D.G. Set(s) of 30 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- The unit has submitted effluent analysis report dated 28.12.2015 issued by Water Lab, DPCC . All parameters are found within the limits - yes Noise- The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 06-11-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted, Noise monitoring report within Limit - No	11-07-2016 Copy of outsource water bill not provided. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 -As decided, an inspection was conducted by DPCC officials on 19.09.2016 and following observations were made: -One D,G Set of capacity 30 KVA installed with acoustic enclosure and adequate stack height. -ETP installed and same was found operational. -Log book of ETP maintained. -Authorization for used oil provided. -HWM Rules being complied,	22-09-2016 Consent to Operate and Authorization under HWM Rules granted. Consent application dated 17.08.2005 be made infrutuous.	
44	UPPER INDIA TRADING CO. (DELHI) PVT LTD.	PLOT NO. 49 (C & D) RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	29-04-2016	DPCC/EC/2/1/2016/14523	SERVICE STATION OF TWO WHEELERS WITH WASHING. Automobile Servicing and	Orange Operate	Non-SPI	HWM Application No. 1 Application 29-04-	Source of Water-Outside (copy of bill not provided) Water Consumption-4000 Litres/ Day Status of Ground Water	Water Effluent- Effluent analysis report dated 05-02-2016 issued by DPCC submitted.	11-07-2016 copy of outside purchase water bill not provided.	22-09-2016 Inspection be conducted.	

					Repair Station with Washing Activity			Date Authorisation Status	2016 Pending	extraction : Nil Status of Pollution Control System (1)ETP ---- Working (2)ECS - N/A (3)D,G,Set: ...N/A...	Effluent Test Report within Limit - Yes		
								HWM Application No, Application Date Authorisation Status	2 29-04-2016 Pending	Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
45	ASHWANI PLASTIC	C-516, NARELA INDUSTRIAL AREA	02-05-2016	DPCC/EC/2/1/2016/14535	MANUFACTURING OF PLASTIC DANA WITH WASHING, Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Operate	Non-SPI			Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS-Yes 3. D,G, set- No Plot Area- 350 sq.mt. Proposed Date- 06,05,2015 Status of Ground Water Extraction:No 1. Water consumption: 4000 L/day, a) Source of water: Outside (copy of Outside water bill submitted) Status of Inspection: Yes Inspection was conducted on 12.03.15 by the officials of DPCC and inspection findings are as follows: Unit namely Ashwani Plastic found operating engaged in reprocessing of plastic with trade effluent discharge without ETP and without consent/ registration from DPCC. One borewell exist w/o permission SCN u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 30.04.2015 Modified Direction u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA giving 45 days time to apply for consent/authorization issued on 08.12.2015. Replied on 11.03.2016, water & air sampling reports attached and requested to give one month time to give adequacy report, Application for registration form 2 under plastic rules submitted.	Effluent analysis report of outlet of ETP dated 18.01,2016 issued by Shriram Institute For Industrial Research submitted. All Parameters are within prescribed limit except total metal which is not mentioned in the test report. Emission monitoring report dated 14.01,2016 issued by Shriram Institute For Industrial Research submitted. Parameters are within prescribed limit. Noise Test Report- N/A	06-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter issued on 25.07.2016 to submit fresh complete effluent analysis report of ETP from empanelled laboratory of DPCC. Unit submitted effluent analysis report on 07.09,2016 issued by DPCC. Parameters are within prescribed limit.	22-09-2016 Inspection be conducted.
46	THE PAVILION	KHASRA NO 789, 790, 791, 782, 764, 765 AND 766, SHARMA FARM CHATTARPUR, MEHRAULI	06-05-2016	DPCC/EC/2/1/2016/14609	LAWN FOR MARRIAGE PARTY, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and	Orange Operate	Non-SPI			(1)ETP installed. (a) Effluent analysis report dated 10-02-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	Effluent analysis report dated 10-02-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G, Set(s) of 250 KVA, Noise monitoring report dated 13-01-2016 issued by MAULANA AZAD MEDICAL	12-07-2016 As per the decision taken up by the committee headed by Chairman, DPCC on 05.08.2015, inspection yet to be carried out. Unit has applied for Consent to Operate on 06.05.2016.	22-09-2016 Take action as decided in file.

					/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set: Yes (a)The unit has 1 D.G. Set(s) of 250 KVA, Noise monitoring report dated 13-01-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes Ground Water: Nil Source:- 5000 ltr/day, Source: Tankers Unit has submitted a copy of letter dated 31.12.2015 issued by South Delhi Municipal Corporation regarding permission for holding social function at Fram House (permission is valid upto one year or for a maximum 120 functions) and MCD receipts dated 29.02.2016 & 31.03.2016 for conducting soical functions.	COLLEGE submitted. Noise monitoring report within Limit - Yes	Remarks/ATR on 21-09-2016 File under submission.	
47	MAHADEV INDUSTRIES	L-7 KHASRA NO 77 HANUMAN GALI, NEW MANDOLI INDUSTRIAL AREA	09-05-2016	DPCC/EC/2/1/2016/14621	CASTING OF FERROUS / NON FERROUS METAL (EXXPET COUPLA FURNANCE ONLY). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 ltr/ day Source: out source (5) Ground Water: Nil	AR : Nil Stack monitoring report dated 25-04-2016 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 125 KVA, Noise monitoring report dated 12-04-2016 issued by DPCC submitted.	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016	22-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
48	ADVIKA METALS	KHASRA NO, 18/21, MANDOLI INDUSTRIAL AREA, SHAHDRA	11-05-2016	DPCC/EC/2/1/2016/14650	copper wire rod manufacturing Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		Based upon the deficiencies found during the inspection conducted on 11.01.2016 in a PGC case, a SCN u/s 33 (A) of Water Act, 1974 and u/s 31 (A) of Air Act, 1981 was issued on 22.04.2016. Reply was submitted by the unit requested for time for installation of OLMS. (1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 300 Liters/ Day Source: Outside (5) Ground Water: Nil	AR —Nil, Stack monitoring report dated 06-06-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 1000 KVA, Noise monitoring report dated 24-05-2016 issued by DPCC submitted. Report within Limit - Yes	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016	22-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
49	SITA ALLOYS PVT. LTD.	M-3, VISHNU GALI, NEW MANDOLI INDUSTRIAL AREA, SABOLI	11-05-2016	DPCC/EC/2/1/2016/14651	manufacturing of copper ingots Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		The unit was inspected during the area survey on 07.01.2016. A SCN u/s 31 (A) of the Air Act, 1981 and u/s (33 (A) of Water Act, 1974 was issued on 25.04.2016. Reply submitted by the unit and requested for time for installation OLMS & rectification in ECS.	AR — Nil Stack monitoring report dated 26-05-2016 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 25 KVA, Noise monitoring report dated 23-05-2016 issued by DPCC submitted.	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016	22-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies

								(1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 150 Liters/ Day Source: Outside (5) Ground Water: Nil			in respect of the consent application, if any, submitted by the unit.
50	SHAKTI SHYAM UDYOG	KH. N O-66, KRISHNA GALI NEW MANDOLI INDUSTRIAL AREA	11-05-2016	DPCC/EC/2/1/2016/14656	CASTING OF COPPER INGOT. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI	A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued on 01.06,2015 for submission of application for CTE & CTO. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under u/s 31 (A) Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 28.08.2015. A representation was received from the unit on 09.10.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb, 2007 and compliance of other directions. The inspection was carried out by DPCC officials on 11.12.2015 Direction of Closure under u/s 31 (A) Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 10.03.2016. A representation was received from the unit on 07.04.2016 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb, 2007 and compliance of other directions. Temporary Revocation of Direction of Closure for 10 days was issued on 10.06.2015 for unit only for the propose of removing the material lying. The unit has submitted compliance and also applied for CTO on 11.05.2016. (1)ETP ---- N/A	AR dated JAN 2016 issued by JAMIA MILLIA ISLAMIA submitted, Stack analysis report dated 08.10,2015 issued by DPCC submitted. Noise monitoring report of 62.5 KVA or 62.5 (not in use) dated 08,10,2015 issued by DPCC submitted and noise levels are within limit / beyond limit.	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 Redevelopment area case. However the unit was establish after 07th Feb. 2007, as previous unit operating at the same address was reportedly also having proprietorship by one of the partner of existing unit.	22-09-2016 File be put up administratively.

									(2)ECS - Wet Scrubber (3)D.G.Set Noise Report : 2 (4) water Consumption: 135 Liter/ Day, Source: out Source (5) Ground Water: Nil			
51	R,B, PRODUCTS	PLOT NO.-25, POCKET-B, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA	13-05-2016	DPCC/EC/2/1/2016/14673	MANUFACTURING OF BISCUITS AND CONFECTIONERY. Bakery Products and Confectionery with Trade Effluent/Emission Discharge with Boiler Food and Fruit Processing Industry Bakery Biscuit Production	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS- Stack with oven 3. D.G, set- No Plot Area- 250 sq.mt, Proposed Date- 01.06.2009 Status of Ground Water Extraction:No 1. Water consumption: 250 L/day. a) Source of water: Outside (copy of Outside water bill submitted) Status of Inspection: No	Effluent analysis report of outlet of ETP dated 09.01.2016 issued by FICCI submitted, Parameters are within prescribed limit, Emission monitoring report (oven) dated 05.01.2016 issued by FICCI submitted, Parameters are within prescribed limit. Noise Test Report- N/A	06-07-2016 - Remarks/ATR on 20-09-2016 .	22-09-2016 Consent to Operate granted,
52	INDERPRASTHA HOLIDAY RESORTS PVT. LTD.	42/44 MIN. (1-14), 44/4(4-16), 44/5(2-8), 44/6(4-16), 44/7(4-16), 44/14/1 MIN.(0-8) , 44/15/1 MIN. (1-12)OF VILLAGE TIKRI KALAN NEW DELHI-110041	16-05-2016		Motel and Banquesting Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water Consumption-12000 Litres/ Day Source of Water- MCD (copy of bill not provided) Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : STP (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G, Set(s) of 62,5 KVA(not in use) and 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Noise- The unit has 2 D.G. Set(s) of 62.5 KVA(not in use) and 125 KVA. Noise monitoring report dated 30-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	11-07-2016 Hard copy of application is not provided. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 -A letter yet to be issued regarding of submission of hard copies of consent application along with required documents,	22-09-2016 Implement the decision dated 12.07.2016. Also inspection be conducted.
53	SNV MOTORS PVT. LTD.	20, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	17-05-2016	DPCC/EC/2/1/2016/14718	TWO WHEELER SERVICING WITH WASHING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-05-2016 Authorisation Status Pending	Source of Water- Water Consumption- DJB (Cat-II) (Name not matched and address matched) Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G, Set(s) of 30 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- Effluent analysis report dated 26-04-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes Noise- The unit has 1 D.G, Set(s) of 30 KVA, Noise monitoring report dated 21-04-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 19-09-2016 -As decided, an inspection was carried out by DPCC officials on 15.09.2016 and following observations were made: -No painting & denting observed, -ETP found installed and same found operational, -Hazardous waste management rule complied, -Log book ETP not provided.	22-09-2016 Consent to Operate and Authorization under HWM Rules granted,

54	CHEMISOFT TECHNOLOGIES PRIVATE LIMITED	127, POCKET L, SECTOR 5, DSIIDC, BAWANA INDUSTRIAL AREA, BAWANA,	18-05-2016		COSMETICS PRODUCTS Manufacturing of Kali Mehandi / Hair Colour in Powder form (Grinding and mixing only) Manufacturing of Soaps (without Trade Effluent) Manufacturing Of Toothpowder, Toothpaste, Talcum Powder And Other Cosmetic Items Manufacturing/formulation of Perfumery and Cosmetics (Not involved in the process – Production and /or industrial use of solvents and Production and/or industrial use of paints, pigments, lacquers ,varnishes, plastics and inks) Perfumes and Cosmetics Soap, Detergent Cake and Powder, Scouring Power and Bar (W/O Trade Effluent) Synthetic Soap (Formulation Only)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS- - 3. D.G. set- No Plot Area- 121.41 sq.mt. Proposed Date- 05.10.2010 Status of Ground Water Extraction:No 1, Water consumption: 500 L/day. a) Source of water: DJB Status of Inspection: No No hard copy submitted,	Water(Effluent)- - Air (Emission)- - Noise Test Report- -	06-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter issued on 25.07.2016 to submit hard copies of consent application along with required documents within 15 days. However, no reply received till date.	22-09-2016 Issue show cause notice for refusal of consent.
55	PALUCK CREATION PVT. LTD.	T-2/137,PH-I MANGOLPURI INDL. AREA	19-05-2016	DPCC/EC/2/1/2016/14727	READYMADE GARMENTS Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP- Physio Chemical (a) AR dated March, 2016 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 04-03-2016 issued by DPCC submitted, Effluent Test Report within Limit – Yes (2)ECS -N/A Stack monitoring reports dated 19-02-2016 issued by DPCC submitted. Stack Test Reports within Limit – Yes (3)D,G,Set Noise Report : 1 (a) The unit has 1 D,G. Set(s) of 35 KVA. Noise monitoring report dated 19-01-2016 issued by DPCC submitted, Noise monitoring report within Limit – Yes Status of Ground Water extraction :Nil Source of Water: 10 KLD from tankers(bill enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit – Yes 2. Stack monitoring reports dated 19-02-2016 issued by DPCC submitted, Stack Test Reports within Limit – Yes 3. Noise monitoring report dated 19-01-2016 issued by DPCC submitted. Noise monitoring report within Limit – Yes	11-07-2016 .	22-09-2016 Consent to Operate granted.
56	AVON ALLOYS	B-8, JHILMIL INDUSTRIAL AREA	24-05-2016	DPCC/EC/2/1/2016/14790	MANUFACTURING OF	Orange	Non-SPI		(1)ETP ----- N/A	AR - requested.	12-07-2016	22-09-2016

	PVT LTD				ALUMINIUM INGOTS AND ALUMINIUM WIRE RODS (LESS THAN 25 MT/DAY) Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Operate			(2)ECS - Wet Scrubber (3)D.G.Set Noise Report : 2 (4)Water Consumption:1000 L/d, Source: DJB (5) Groundwater :Nil	Stack analysis report dated - 08.02.2016 - issued by - DPCC Lab - submitted - Yes, analyzed parameter is within prescribed limit. The unit has 01 D,G, Set(s) of 82,5 KVA , Noise monitoring report dated 08-02-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes, number of parameters analyzed which are within prescribed limit. The unit has 01 D,G, Set(s) of 380 KVA. Noise monitoring report dated 08-02-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes, parameters analyzed which are within limit / beyond prescribed limit.	Recommended for CTO, followed by inspection, Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	Expedite inspection.
57	SYSTEM INDIA PVT LTD	KH. NO.111/7, MUNDKA INDUSTRIAL AREA	25-05-2016	DPCC/EC/2/1/2016/14806	MFG. OF ALUMINIUM PRESSURE DIE CASTING WITH POWDER COATING (DRY). Aluminium Pressure Die Casting Powder Coating without phosphating	Orange Operate	Non-SPI		Water Consumption-500 Litres/ Day (copy of bill provided) Source of Water- Outside Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone (3)D,G,Set Noise Report : 1 D,G, Set(s) of 62 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air Emission- - Stack monitoring report dated 24-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes -Stack monitoring report dated 24-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes Noise- The unit has 1 D,G, Set(s) of 62 KVA. Noise monitoring report dated 15-03-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - No	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2016 Case may be decided as per the decision taken w.r.t. redevelopment area policy	22-09-2016 Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
58	ATRIO (A UNIT OF SHOKEEN HOTELS & RESORTS PVT LTD)	KH NO 13/31, 17/7/1 AND 17/27 KAPASHERA CHOWK TO NH-8 ROAD, VILLAGE KAPSHERA	26-05-2016	DPCC/EC/2/1/2016/14834	MOTEL AND BANQUET HALL, PARTY LAWN. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: borewell and packaged bottles for drinking as per affidavit Water Consumption: 20930 Litres/ Day Status of Ground Water extraction : using Ground Water and permission for same not provided Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D,G,Set Noise Report : 3 D,G Set of 500, 180 and 320 KVA installed Status of Inspection : No	Water Effluent- Effluent analysis report dated 11-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Monitoring Reports-a) The unit has 3 D.G, Set(s) of 500 KVA,380 KVA and 140 KVA. Noise monitoring report dated 13-04-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes b) The unit has 3 D,G, Set(s) of 500 KVA,380 KVA and 140 KVA. Noise monitoring report dated 13-04-2016 issued by DPCC submitted, Noise monitoring report within	06-07-2016 .	22-09-2016 Consent to Operate granted. Subsequently, inspection be conducted.

									SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License and Delhi Police License valid upto 31.03,2016	Limit - Yes c) The unit has 3 D.G. Set(s) of 500 KVA,380 KVA and 140 KVA. Noise monitoring report dated 13-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
59	GARG UDYOG	H-1438,DSIDC NARELA INDUSTRIAL AREA	27-05-2016	DPCC/EC/2/1/2016/14857	DAL MILL, Dal Mills	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1, ETP- N/A 2, ECS- Yes(Bag filters) a) Adequacy report of ECS dated 22.07,2008 issued by University School of Environment Management, G.G.S.I.P.U submitted 3, D,G, set- No Plot Area- 350 sq.mt, Proposed Date- 21.05.2005 Status of Ground Water Extraction:No 1, Water consumption: 250 L/day. a) Source of water: Outside (copy of Outside water bill not submitted) Status of Inspection: No	Water(Effluent)-N/A Emission monitoring report dated 03.12,2015 issued by Shriram Institute For Industrial Research submitted, Parameters are within prescribed limit. Noise Test Report- N/A	06-07-2016 - Remarks/ATR on 20-09-2016 .	22-09-2016 Consent to Operate (Renewal) granted, Consent to Operate (Renewal) application dated 28.07,2008 be made infructuous.
60	TARANG GARDENS AND BANQUETS PVT. LTD.	A-9, ROAD NO. 56, GHAZIPUR, MAIN ROAD DELHI	30-05-2016	DPCC/EC/2/1/2016/14862	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP ---- ETP (2)ECS - Kitchen emissions channelized. (3)D,G,Set Noise Report : 2 4) water consumption: 6000 liters/ Day Source : Corporation Water 5) Ground Water: Nil (6) A RTI received on 18.08,2015 followed by complaint received against the unit, the unit was inspected and for deficiencies SCN e u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 followed by modified directions were issued and for non - compliance, Direction for Closure u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 has been issued on 20.5.2016. A communication has been received from the unit on 02.06,2016 informing the compliance and requested for revocation of direction by stating the compliance of the norms.	ETP test Report dated 17.02,2016 issued by DPCC submitted The unit has 3 D,G, Set(s) of 82,5 KVA(not in use), 125 KVA and 125 KVA. Noise monitoring report dated 03-03-2016 issued by DPCC submitted.	12-07-2016 CTE has been granted with the condition to submit valid MCD licence within three months, Temporary revocation of direction may be issued for 30 days. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted,	22-09-2016 Expedite inspection.
61	NITIN OVERSEAS	A-63, WAZIRPUR INDUSTRIAL AREA	30-05-2016	DPCC/EC/2/1/2016/14866	MFG. OF UTENSILS WITH BUFFING AND COLD RE-ROLLING.	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A	Stack monitoring report dated 10-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE	11-07-2016 .	22-09-2016 Inspection be conducted.

					Cold Re-Rolling without Pickling of S .S. Sheets (with capacity less than 25 MT/ day) Manufacturing of Stainless Steel Utensils (with Buffing Activity)				(2)ECS - Cyclone Stack monitoring report dated 10-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes (3)D,G,Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.1 KLD from DJB (bill enclosed) Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	submitted, Stack Test Report within Limit - Yes	Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 This case again deferred in the meeting dated 18.07.2016.	
62	PEARL GRAND EMPEROR (A UNIT OF UJJWAL PEARL HOSPITALITY)	B-5, GAZIPUR	01-06-2016	DPCC/EC/2/1/2016/14891	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP ----- Proposed (2)ECS - N/A (3)D.G.Set Noise Report :4 (1x500 KVA, 3x250 KVA) capacity. 4) water consumption: 19000 liters/ Day, Source : Corporation Water 5) Ground Water: Nil (6) A RTI received on 18.08.2015 followed by complaint received against the unit, the unit was inspected and for deficiencies SCN e u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 followed by modified directions were issued and for non - compliance, Direction for Closure u/s 33(A) of Water (Prevention and Control of Pollution) Act,1974 and u/s 31(A) of Air (Prevention and Control of Pollution)Act, 1981 has been issued on 20.5.2016. A communication has been received from the unit on 02.06.2016 informing the compliance and requested for revocation of direction by stating the compliance of the norms	AR report -N/A Effluent analysis report dated 05-04-2016 issued by DPCC submitted. The unit has 4 D.G. Set(s) of 250 KVA,250 KVA,250 KVA and 500 KVA. Noise monitoring report dated 03-03-2016 issued by DPCC submitted,	12-07-2016 CTE was granted with the condition to submit valid MCD licence within 03 months. Temporary Revocation of closure directions may be issued for 30 days. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted,	22-09-2016 Expedite inspection.
63	M. M, ENTERPRISES	15/5 MANDOLI INDUSTRIAL AREA	01-06-2016	DPCC/EC/2/1/2016/14902	CASTING OF FERROUS / NON FERROUS METAL (EXCEPT CUPOLA FURNACE ONLY). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ----- N/A (2)ECS - Wet Scrubber (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 L/ Day Source: Out Source (5) Ground Water: Nil	AR- Nil Stack monitoring report dated 25-04-2016 issued by DPCC submitted, the analysed parameter are within the prescribed limit The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 12-04-2016 issued by	12-07-2016 Redevelopment Area case for CTO. Recommendation / Action Taken Details (EE/AEE) on 21-07-2016 Redevelopment Area Case,	22-09-2016 Inspection be conducted, Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent

										DPCC submitted the analysed parameter is within the prescribed limit..		application, if any, submitted by the unit.
64	SUNRISE AUTOWORLD PRIVATE LIMITED	205, F.I.E., PATPARGANJ INDUSTRIAL ESTATE	03-06-2016	DPCC/EC/2/1/2016/14915	SHOW ROOM CUM SERVICE STATION OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-06-2016 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - N/A (3)D.G.Set Noise Report : 2 (4) Water Consumption: 5500 L/ Day, Source: Outside (5) Ground Water: Nil	AR: N/A. Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit. Stack analysis report of the stack attached to paint booth dated 11-02-2016 issued by DPCC submitted analysed parameter found within the prescribed limit. The unit has 2 D.G. Set(s) of 63 KVA and 200 KVA. Noise monitoring report dated 26-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 09-02-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.	12-07-2016 Recommended for CTO. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection was carried out on 08.08.2016 and the following observations were: 1. The premise was found in operation and engaged in washing of vehicle were going on. 2. the unit having a ETP installed at roof top and the washing effluent was being collected in plastic collection tanks installed at basement beside washing bay. 3. ETP was found in operation collection and treatment was going on. Sludge drying beds having wet as well as dry sludge indicating operation of ETP. 4. The process emission being trapped in the paint booth. Shop having filter arrangement and fugitive emission as well as flue gases from HSD fired burners were being dispersed through suction, hood & stack arrangement. Log book for ETP operation found maintained.	22-09-2016 Consent to Operate and Authorization under HWM Rules granted.
65	GREEN LOUNGE NORTH BANQUETS (A UNIT OF NAGPAL HOSPITALITY PVT. LTD)	C-03, GROUND FLOOR, 1ST FLOOR WAZIR PUR INDUSTRIAL AREA	03-06-2016	DPCC/EC/2/1/2016/14934	BANQUETS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP Effluent analysis report dated 05-04-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring reports dated 08-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Source of Water: 4.0 KLD from DJB (bill enclosed)	1. Effluent analysis report dated 05-04-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring reports dated 08-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	18-07-2016 Unit has also submitted valid MCD Licence and requested to correct the address from C-03 to C-93.	22-09-2016 Expedite inspection as decided in consent to establish application.
66	SEVEN STAR HOTEL AND RESORTS PVT. LTD.	MAIN GT KARNAL ROAD, VILLAGE KHAMPUR, OPP. RADIO STATION	06-06-2016	DPCC/EC/2/1/2016/14943	MOTELS (NO. OF ROOMS 18). Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. STP- Yes (50 KLD) 2. ECS- No 3. D.G. set- Yes, 1x 250 KVA Plot Area- 20841 sq.mt. Proposed Date- 01.06.2015 Status of Ground Water	Effluent analysis report of STP dated 30.12.2015 issued by DPCC submitted, Parameters are within prescribed limit.However parameter phosphate is not measured. Air (Emission)-N/A	06-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Letter issued on 25.07.2016 to submit fresh complete effluent analysis report of	22-09-2016 File be put up administratively.

					Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Extraction:No 1. Water consumption: 35000 L/day. a) Source of water: Outside (copy of Outside water bill not submitted) Status of Inspection: No MCD building plan & completion certificate submitted. Receipt for MCD license submitted,Area is unsevered and parameter phosphate is not measured.	Noise monitoring report dated 13.01.2016 issued by Center for Occupational and Environmental Health(IVPSS) submitted. Parameters are within prescribed limit.	ETP from empanelled laboratory of DPCC. Unit replied on 01.09.2016 wherein submitting effluent analysis report on 30.08.2016 issued by DPCC. Parameters are within prescribed limit.	
67	THE JRD LUXURY BOUTIQUE HOTEL (A UNIT OF JRD BUILDCON PVT. LTD.)	B-7/113A SAFDARJUNG ENCLAVE	06-06-2016	DPCC/EC/2/1/2016/14944	GUEST HOUSE. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) & Outside (Copy of bill DJB provided but not for outside purchase water bill) Water Consumption-10320 Litre/Day Ground Water- Nil Status of Pollution Control System (1)ETP ---- Working (2)ECS - One diesel fired boiler capacity of 2500 Litre/Hour with stack height above roof level 4metre. (3)D.G.Set: . 1 D.G Set of 125 KVA (with acoustic enclosure provided) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- Effluent analysis report dated 11-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Air Emission- Stack monitoring report dated 19-05-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2016 .	22-09-2016 Inspection be conducted.
68	SUPERIOR FILMS PVT LTD (SATYAM SQUARE BUILDING)	19 JANAK PLACE DISTRICT CENTRE JANAKPURI	08-06-2016	DPCC/EC/2/1/2016/14989	COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		Source of water: DJB (copy of bill not provided) Water consumption:1100 Litre/day Status of Ground water extraction: Status of Pollution Control System (1)ETP -installed (2)ECS - N/A (3)D.G.Set: 3 D.G. Sets of 360, 500 & 500 KVA. An inspection was carried out by DPCC, Officials on 10.07.2014 and it was observed that M/s Pizza Hut, M/s Yo China, M/s KFC were existing in the M/s Satyam Cineplex Ltd, a) It was reported that unit is not having ETP Plant for treating effluent generated from kitchen. b) Unit is operating without obtaining consent from DPCC. c) The representative of M/s Satyam Cineplex Ltd (Mr. Ved Chaudhary) did not allow to inspect the unit.	Effluent analysis report and noise monitoring reports not submitted yet.	11-07-2016 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2016 CTE issued on 17.6.2016. Letter is to be issued to the unit to submit effluent analysis report and noise monitoring report of DG Set	22-09-2016 Letter is to be issued to the unit to submit effluent analysis report and noise monitoring report of DG Set.
-Based on the findings of												

								inspection A Show Cause Notice u/s 31 (A) & u/s 33 (A) was issued to the unit namely M/s Pizza Hut, M/s Yo China, M/s KFC and M/s Satyam Cineplex Ltd. on 28.07.2014, - Unit has submitted a reply on 06,08,2014 and stated that they have installed fully functional dual filtration ETP, - Again an inspection was carried out by DPCC, Officials on 10,02,2016 to verify the above mentioned facts and following were observed, (a) ETP installed but was in defunct condition, (b) Unit not applied for consent yet, (c) Restaurant namely M/s Pizza Hut, M/s U.S. China, M/s KFC found operational, (d) By pass arrangements observed. -Again a SCN issued to the unit on 29.02.2016 and unit failed to submit any reply w.r.t SCN. -A closure direction u/s 31 (A) & u/s 33 (A) was issued to the unit on 16.05.2016, - Unit submitted reply on 24.05.2016 and informed that ETP installed and fully functional and there is no by pass arrangements and SCN is not received by them. - Unit apply for CTE and CTO on 08.06.2016, - A revocation of closure direction to M/s Satyam Cineplex Ltd. was issued to the unit on 10.06,2016, - CTE was granted on 17.06.2016.			
69	CHERISH FOREVER UNIT OF WAMIKA HOSPITALITY PVT. LTD.	D-9, UDYOG NAGAR INDUSTRIAL AREA, PEERA GHARI	08-06-2016	DPCC/EC/2/1/2016/15000	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water:(DJB and outside) Water Consumption : 8000 Lt/day Status of Pollution Control System ETP : Working ECS - N/A (3)D.G. Set : 5 D.G Set of 400 KVA, 400 KVA, 200 KVA, 200 KVA and 160 KVA Inspection conducted on 24.12.2014 and following were observed: (i) During inspection, unit found ready for operaton. However, in some part construction finishing was going on. (ii) ETP was under	D.G.Set Noise Report : 5 (a) The unit has 5 D.G. Set(s) of 160KVA, 200KVA, 200KVA, 400KVA and 400 KVA. Noise monitoring report dated 19-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b)The unit has 5 D,G. Set(s) of 160 KVA,200 KVA,200 KVA,400 KVA and 400 KVA. Noise monitoring report dated 19-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c)The unit has 5 D.G. Set(s) of 160KVA, 200KVA, 200KVA, 400KVA and 400 KVA. Noise	06-07-2016	22-09-2016 Consent to Operate granted.

									installation, (iii) Not applied for Consent to Establish yet. (iv) As informed probaby it will be functional in the month of January, 2015 (v) Stack height of DG St was improper. (vi) Kitchen is also under construction, - SCN u/s 31(A) and 33(A) issued on 14.01,2015 -reply received on 23,01,2015 and following is submitted :- (a) unit is under construction and it will take more then three or more months to complete all work, Photograph of the present situation is enclosed, (b) ETP has been under installation but will be install/connect after completion of kitchen, (iii) The stack height of seen generators will be provided as per the DPCC norms before functional of unit and noise monitoring will be also provided from the DPCC authorized labs. (iv) The kitchen will be constructed on the top floor of building and at present, the construction work of ground, first and second floor is running, but it will take two or more months to complete. Therefore the kitchen work will be finalized. -Directions u/s 31(A) and 33(A) issued on 11.02.2015 directing not to start operation till all requisite clearances as per law are taken. -Repy received on 25.02.2015 stating that renovation / interior work is still running, it will not able to start operation. (8) Seating Capacity : 300 Seats (Banquet Hall), (9) Copy of valid MCD license submitted (valid upto 31.03.2015)	monitoring report dated 19-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (d) The unit has 5 D,G, Set(s) of 160KVA, 200KVA, 200KVA, 400KVA and 400 KVA, Noise monitoring report dated 19-05-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes (e) The unit has 5 D,G, Set(s) of 160KVA, 200KVA, 200KVA, 400KVA and 400 KVA, Noise monitoring report dated 19-05-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes		
70	PEARL GRAND GALAXY (A UNIT OF BLACK PEPPER HOSPITALITY)	PLOT NO. - 3, EAST GURU ANGAD NAGAR	09-06-2016	DPCC/EC/2/1/2016/15040	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into	Orange Operate	Non-SPI		(1)ETP ---- STP (2)ECS - N/A (3)D,G,Set Noise Report : 2 (4) Water Consumption: 19000 L/ Day Source: Outside (5) Ground Water: NIL	AR Nil Effluent analysis report dated 05-04-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes, number of parameters analyzed which are within limit. The unit has 2 D,G, Set(s) of 500 KVA and 500 KVA. Noise monitoring report dated 22-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed	12-07-2016 CTE has been granted with the condition to submit the proof i.e, water is being obtained from the authorized source and copy of valid MCD licence. If the unit submit the required documents than CTO be granted. Remarks/ATR on 21-09-2016 Recommended for Inspection.	22-09-2016 Inspection be conducted.

					Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler					which are within limit, The unit has 2 D.G. Set(s) of 500 KVA and 500 KVA. Noise monitoring report dated 22-03-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit,		
71	JMM FINVEST PVT. LTD.	PLOT NO 5, CITY CENTRE, SECTOR-12, DWARKA	17-06-2016	DPCC/EC/2/1/2016/15125	SHOPPING MALL CUM COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - STP (a) Effluent analysis report dated 07-06-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 225 KVA, Noise monitoring report dated 06-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption - 241100 ltrs/day, Source- DJB (Bill enclosed)	Effluent analysis report dated 07-06-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 225 KVA, Noise monitoring report dated 06-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 As decided, inspection of the unit was carried out by officials of DPCC on 20.09.2016 and following were the observations: 1. STP of 50 KLD capacity found installed. 2. STP found operational. 3. Offices are existing at 3rd/4rth & 5th level of the complex. 4. Shops/offices found vacant at other level namely GF, 1st floor & 2nd floor.	21-07-2016 Unit has applied for CTO on 17.06.2016 with required documents. 22-09-2016 Consent to Operate granted.	
72	CHAAYOS (A UNIT OF SUNSHINE TEAHOUSE PVT. LTD.)	26, FIRST FLOOR, HAUZ KHAS VILLAGE	23-06-2016	DPCC/EC/2/1/2016/15183	Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil & Grease Trap cum Settling Tank installed, (2) ECS - N/A One LPG fired boiler with stack of 3 m above roof level (3)D.G.Set : 200 KVA (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-05-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes However unit has not informed about DG Set in its application and undertaking. Water Consumption 2100 ltrs / day Source of water - DJB (bill provided) Status of Ground Water extraction : Nil MCD License valid upto 31.03.2017 for 32 seats issued by SDMC In compliance of order of Honble Minister of Home, Power, PWD, Health & Industries in its Minutes of Meeting held on	(a) The unit has 1 D.G. Set(s) of 200 KVA, Noise monitoring report dated 02-05-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes 30-08-2016 Unit has applied for CTO on 23.06.2016. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 As decided, inspection of the unit was carried out by officials of DPCC on 20.09.2016 and following were the observations: 1. The unit was found in operation at first floor. 2. Oil & Grease Tank with Settling Tank found installed at Ground Floor.	22-09-2016 Consent to Operate granted.	

									31.08.2015, A rapid survey of Restaurant / Eating House in Hauz Khas Village was carried out by the representatives of Delhi fire service (DFS), South Delhi Municipal Corporation (SDMC) and DPCC on 17.09.2015 and it was observed that unit is operating without Consent from DPCC and as informed connected to Common Effluent treatment Plant, Show Cause Notice u/s 33(A) of the Water & u/s 31(A) of the Air Act issued to the unit on 28,10,2015. Modified Direction u/s 33(A) of the Water & u/s 31(A) of the Air Act issued to the unit on 15.01.2016 for 45 days to submit application for CTE & CTO as unit is operating without consent from DPCC. Unit applied for CTE under Air & Water Acts on 21.03.2016, Unit submitted a reply on 21.03.2016 & 29.03.2016 w.r.t. Modified Directions issued to unit informing that they have applied for Consent to Establish and installed Oil & Grease Trap cum Settling Tank, applied for Noise Monitoring of DG Set and requested for grant of sometime to apply for CTO. Unit has applied for CTO on 23.6.2016, informed about installation of Oil & Grease trap in CTO application and submitted NMR of DG Set alongwith CTO.			
73	RIDERS CORNER	B-48, KESHOPUR INDUSTRIAL AREA	27-06-2016	DPCC/EC/2/1/2016/15211	SERVICING, REPAIRING AND WASHING OF TWO WHEELERS, Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 27-06-2016 Authorisation Status Pending	Spurce of Water: outside (copy of bill not provided) Water Consumption: 1100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ----- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Effluent: Effluent analysis report dated 30.12.2015 issued by Water Lab, DPCC submitted. parameters found within limit-yes	21-07-2016 Recommendation / Action Taken Details (EE/AEE) on 19-09-2016 -As decided, an inspection was carried out by DPCC officials on 16.09.2016 and following observations were made: -ETP found installed but no proper dosing observed in dosing tank and hence waste water is not treating properly. -Hazardous waste management guidelines not being followed. -Used oil containers being stored outside in an open area. -No log book shown. -No documentary proof shown for selling used oil to authorized dealer.	22-09-2016 Issue show cause notice for refusal of consent & authorization and show cause notice u/s 33(A) of Water Act & u/s 5 of EP Act.
												22-09-2016

74	RALSON REMEDIES PVT. LTD.	J-38, ROHATAK ROAD, UDYOG NAGAR INDUSTRIAL AREA	27-06-2016	DPCC/EC/2/1/2016/15242	HOMOEOPATHIC MEDICINE AND COSMETICS Medicines / Pharmaceutical Formulation- without Boiler Perfumes and Cosmetics (With Effluent Discharge)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-06- 2016 Authorisation Status Pending	Water Consumption: 1200 Litres/ Day Source of Water: DJB (CAT-II) name and address matched Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D,G,Set Noise Report : 1 D.G, Set(s) of 125 KVA, Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Effluent: Effluent analysis report dated 19-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes Noise: The unit has 1 D,G, Set(s) of 125 KVA, Noise monitoring report dated 12-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes	21-07-2016 , Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 -As decided, an inspection was conducted by DPCC officials on 19,09,2016 and following observations were made: -One D,G Set of capacity 125 KVA installed with acoustic enclosure and adequate stack height, -ETP found installed and same was in under stabilization process, -As per the norms unit has been directed to store hazardous waste in storage containers -HWM Rules are not being complied. - unit has submitted a reply on 20,09,2016 and informed that they have rectified the deficiencies observed during inspection,	-- -- -- -- File be put up administratively.
75	RAJVAIDYA SHITAL PRASAD & SONS	285, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	28-06-2016	DPCC/EC/2/1/2016/15253	MANUFACTURING OF AYURVEDIC MEDICINES, Medicines / Pharmaceutical Formulation- with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-08- 2006 Authorisation Status Pending HWM Application No. 2 Application Date 26-06- 2014 Authorisation Status Pending	(1)ETP ----- ETP (2)ECS - stack attached to suction hood & Fluid Heater (3)D,G,Set Noise Report : 1 (4) Water Consumption: 1000 L/ Day Source: Purchase Water (5) Ground Water: Nil	AR : Nil. Effluent analysis report dated 20-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - No . number of parameters analyzed which are within limit / beyond prescribed limit, Stack monitoring report dated 15-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 15-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 3 D,G, Set(s) of 20, 30, 82.5 KVA, Noise monitoring report dated 15-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	20-07-2016 Redevelopment Area, Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted,	22-09-2016 Expedite inspection, Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit,
76	KNITCRAFT APPARELS INTERNATIONAL PVT, LTD.	A-81, PHASE-I, NARAINA INDUSTRIAL AREA	28-06-2016	DPCC/EC/2/1/2016/15270	MFG. OF READYMADE GARMENTS (WITH WASHING).	Orange Renewal	Non-SPI	HWM Application No. 1	Source of Water: DJB (CAT-II) name not matched and address matched	Effluent: (b) Effluent analysis report dated 02-05-2016 issued by FICCI	21-07-2016 Noise monitoring report fails to meet the prescribed standard,	22-09-2016 Implement the decision dated 31.08,2016,

					Readymade Garment (with Washing) with Boiler				Application Date 25-05-2009 Authorisation Status Pending	Water Consumption: 500 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - Working (3)D.G,Set Noise Report : 1 D.G, Set(s) of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes Emission: -Stack monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes -Stack monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes Noise: (a) The unit has 1 D.G, Set(s) of 125 KVA, Noise monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - No	Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 -A letter yet to be issued regarding submission of fresh noise monitoring report.	
77	ASHOK GUPTA	422-F, PLOT NO 19, GALI NO 7, FRIENDS COLONY INDUSTRIAL AREA	29-06-2016	DPCC/EC/2/1/2016/15287	MFG./ASSEMBLING OF BATHROOM FITTINGS WITH MACHINING AND BUFFING W/O(CASTING,GRINDING AND ELECTROPLATING) Process Involving Buffing	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Dust Collector (3)D.G,Set: ...N/A... (4) Water Consumption: 100 L/ Day, Source: DJB (5) Ground Water: Nil	AR : Nil Stack monitoring report dated 01-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit,	20-07-2016 Recommended for CTE. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted,	22-09-2016 Expedite inspection.	
78	VIKASH DHATU UDYOG	B-15/5, SHAHDARA, JHILMIL INDUSTRIAL AREA	29-06-2016	DPCC/EC/2/1/2016/15299	COPPER WIRE DRAWING WITH SUPER ENAMELING Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-09-2006 Authorisation Status Pending HWM Application No. 2 Application Date 29-06-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - Catalytic Converter (3)D.G.Set: ...N/A... (4) Water Consumption: 100 L/ Day, Source: DJB (5) Ground Water: Nil	AR : N/A Stack monitoring report dated 29-06-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit,	20-07-2016 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted,	22-09-2016 Expedite inspection.	
79	M/S KHANDELWAL AUTOMOBILES	PLOT NO.150, PATPARGANJ INDUSTRIAL AREA, NEW DELHI-110092	30-06-2016	DPCC/EC/2/1/2016/15318	AUTOMOBILE WORKSHOP WITH WASHING, Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending	Inspection was carried out by DPCC officials on 07.12.2015 and for the deficiencies a Notice u/s 33(A) of Water (Prevention & Control of Pollution) Act, 1974 & u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 07.12.2015, No reply was received from the unit accordingly as approved the Closure Directions u/s 33(A) of Water (Prevention & Control of	(a) Effluent analysis report dated 27-06-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes, number of parameters analyzed which are within prescribed limit,	20-07-2016 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted,	22-09-2016 Expedite inspection.	

									Pollution) Act, 1974 & u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 18.03.2016. A representation was received from the unit on 29.04.2016 & 10.05.2016 requesting for 60 days time for the compliance. As approved on file Temporary Revocation of Closure Direction for 15 days was issued on 17.06.2016 directing the unit to submit effluent analysis report from one of the approved labs of DPCC. The unit have submitted application for CTO on 30.06.2016 along with the effluent test report of 27.06.2016. (1)ETP ---- Yes (Physio-Chemical based) (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Water Consumption: 1800 L/ Day Source: Ground Water			
80	CHEMO DRUGS AND CHEMO REMEDIES	A-50, G.T. KARNAL ROAD INDUSTRIAL AREA	30-06-2016	DPCC/EC/2/1/2016/15329	MANUFACTURING OF PHARAMACEUTICAL FORMULATION. Pharmaceuticals Formulation With Washing Operation	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 06-10-2006 Authorisation Status Pending HWM Application No. 3 Application Date 30-06-2016 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS- N/A 3. D,G, set- No Plot Area- 334,45 sq mt Date commencement- 01.04.1996 Status of Ground Water Extraction: No 1. Water consumption: 400 L/day. a) Source of water: Corporation (copy of Corporation water bill submitted) Status of Inspection: No Unit has submitted Form-I under HWM rules. Effluent analysis report dated 29.06.2016 issued by DPCC Submitted,Parameters are within prescribed limit. Air (Emission)-N/A Noise Test Report- No	20-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection conducted on 16,09,2016. Inspection findings are as follows- 1. Unit found operating and engaged in the activity of Mfg. of Pharmaceuticals formulation. 2. ETP found installed and in operation. 3. HWM rules are not complied with except providing display board. Remarks/ATR on 30-08-2016 -	22-09-2016 Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act,	
81	UTILITY FORMS PVT. LTD.	A-24/B-1, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE	30-06-2016	DPCC/EC/2/1/2016/15357	OFFSET PRINTING WITH WASHING.	Orange Operate	Non-SPI	HWM	Status of Pollution Control System	(a) Effluent analysis report dated 21-06-2016	30-08-2016 Unit has applied for CTE	22-09-2016

					Printing with Trade Effluent Discharge				Application No. 1 Application Date 30-06-2016 Authorisation Status Pending (1)ETP -Yes (a) Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D,G,Set: N/A Status of Ground Water extraction : Nil Water Consumption- 770 ltrs/day, Source- Outsource The pictures enclosed with the application of Consent to Operate depict that the ETP is of M/s Utility Forms Pvt Ltd located in the adjacent building with address A-23/B-1, Mohan Co-operative Industrial Estate. Inspection is to be carried out in Utility Forms Pvt Ltd, A-23/B-1, Mohan Co-operative Industrial Estate as per the decision of Competent Authority.	issued by DPCC submitted, Effluent Test Report within Limit - Yes	and CTO on 30.06.2016 and also applied for HMW Authorization on 30.06.2016. Recommendation / Action Taken Details (EE/AEE) on 21-09-2016 Inspection is yet to be conducted.	Expedite inspection.
82	RAJINDER SERVICE STATION	2, SHAM NATH MARG	30-06-2016	DPCC/EC/2/1/2016/15379	PETROL PUMP CUM SERVICE STATION OF CARS, Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending Status of Pollution Control system/Devices: 1. ETP- Yes(Oil and Grease trap) 2. ECS- N/A 3. D,G, set- 1x82.5 KVA Plot Area- 1124.12 sq mt Date of commencement- 01.01.1976 Status of Ground Water Extraction: No 1. Water consumption: 3000 L/day, a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No Unit has submitted Form-I under HWM rules. Unit has applied online and not submitted the following documents: (i)Sanctioned building plan(DDA/MCD) (ii) Approved layout plan (DDA/MCD) (iii) Allotment letter/dealership agreement is valid as on date (iv) Letter from oil company that dealership agreement is valid as on date (v) Authority letter, in original, regarding filling/signing of consent/authorization application. Unit has applied online under HWM and not submitted the following documents: (i) Photograph of container for storage of hazardous waste, (ii) Photograph of display boards.	Effluent analysis report of outlet of ETP (Automobile fuel outlet) dated 30.06.2016 issued by DPCC Submitted.Parameters are within prescribed limit. Air (Emission)-N/A Noise monitoring report dated 30.06,2016 issued by DPCC submitted.	20-07-2016 - Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection is yet to be conducted. Remarks/ATR on 30-08-2016 -	22-09-2016 Expedite inspection.	