



CONSENT MANAGEMENT

Agenda No. 2 - Annexure I - 32 cases of Consent to Operate and Consent to Operate (Renewal)under orange category w.e.f. 18.11.2011 to 30.04.2012(excluding the pending cases of 2(d) category already taken by the concerned committee of Chairman DPCC and excluding the cases of Re-development Areas recommended by Screening Committee as (2b category) on 13.08.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2011/84 21-11-2011	OKAYA POWER LIMITED H-19, UDYOG NAGAR, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	TRADING AND BATTERY CHARGING. Batteries (Lead Acid) And Accessories	• Date of commissioning of project ---- 01-01-1988 • Built Up Area ---- 1182.143 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted and thereafter put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 08-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 09.06.2011 (5) SCN u/s 31(A) & 33 (A) issued on 24.08.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision on 19.12.2011 Unit be asked to submit the details of waste water generation on an affidavit and adequacy report and effluent analysis report of ETP. Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As per recommendation an inspection was carried out by officials of DPCC on 30.07.2012 and observed that:- 1. Unit found operational and engaged in the activity of trading & testing of batteries. 2. Unit has installed an ETP having 500 ltr storage/collection tanks against 400-500 ltr effluent generations per day. ETP found in operational condition. 3. one DG set of 100 KVA found installed	13-08-2012 Adequacy report and effluent analysis report submitted and found meeting the prescribed standards. Recommended for grant of Consent to Operate.

								with acoustic enclosure and 2m stack.	
2	DPCC/EC/2/1/2011/121 23-11-2011	NIPPON PAINT (INDIA) PRIVATE LIMITED 170, F.I.E. PATPAR GANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	COLOUR DEVEOPMENT AND TRAINING (WITHOUT WASHING). Paint (By Mixing Process Only) Except Nitrocellulose and Alkd Resin Based Paints	• Date of commissioning of project ---- • Built Up Area ---- 650 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 750 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted and thereafter put up administratively.	22-12-2011 (1)ETP ---- N/A (2)ECS - Channelization installed (3)D.G.Set: Nil (4) Inspection details:Yes, on dated 4.11.2011 and it was found that relevent machinery to produce auto paints was available.No measures for hazardous waste was taken.Unit in operation. (5) SCN u/s 31(A)/33(A)/5 of EPA details :Yes on dated 13.12.2011. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :not yet. (7) the activity of the unit falls under negative/ prohobited category for which earlier CTE / CTO have already been refused.Now the unit says that they will not produce nitrocellulose/ alkyde resin based automotive paints. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided by the CMC (O) in its meeting held on 29.12.11, letter was issued on 16.01.12 for submission of bank guarantees of Rs. 50,000 each under Air Act and HWM Rules valid for one year and Rs. One Lakh valid for three years to the effect that the earlier activity which was prohibited as per MPD-2021 has been stopped and will not be restarted in future. Unit has submitted above said Bank Guarantee on 03.02.12. The decision of CMC (O) dated 29.12.11 has been complied. As decided by the CMC (O) in its meeting held on 29.12.11, CTE was issued on 20.07.12. As decided, unit was inspected by DPCC officials on 23.07.12 & following were observed: 1. Unit found operational & engaged in the activity of Auto colour development/ matching with training centre. 2. Hazardous waste i.e. paint residue & cleaner is stored in containers. 3. Channelization system is installed over paint booth. EARLIER CMC DECISION 29.12.11	13-08-2012 Consent to Operate and Authorization under HWM Rules granted.

								Consent to establish be issued subject to submission of bank guarantees of Rs. 50,000 each under Air Act and HWM Rules valid for one year and Rs. One Lakh valid for three years to the effect that the earlier activity which was prohibited as per MPD-2021 has been stopped and will not be restarted in future.	
3	DPCC/EC/2/1/2011/146 25-11-2011	CAPITAL BUSINESS SYSTEMS LTD G-13, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	Offset Printing (without Plate Making) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 675.61 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Consent to Operate and Authorization under HWM Rules granted.	26-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 15-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As per approval on file an inspection was carried out by officials of DPCC on 30.07.2012 and observed that: 1. Unit found operational and engaged in the activity of offset Printing. 2. The waste water generated from the activities being treated and discharged through an ETP. 3. ETP found operational and working properly. Sludge drying beds are also found exist at site, wet sludge seen at site. 4. Three DG sets of 2X75 and 1X40 KVA found installed with acoustic enclosure and adequate stack height. 5. As per record maintained by unit w.r.t. HW-3 766.78 KG HW is stared at the end of June 2012. However, at the time of inspection only 50kg found stored.	13-08-2012 Recommended to refuse consent to operate and authorization under HWM Rules. Ask the unit to apply afresh for consent to establish, consent to operate and authorization under HWM Rules for present activity (printing with plate making and waste water discharge).
4	DPCC/EC/2/1/2011/172	DELITE SALES PVT. LTD A-5, PH-II	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR. PVC Footwear		Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted and thereafter put up administratively.	09-05-2012 (1)ETP ---- N/A (2)Channelization system is not provided over injection moulding machine.	13-08-2012 Issue SCN for refusal of consent.

	30-11-2011	MANGOLPURI INDUSTRIAL AREA			(Using Fresh Raw Material) • Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...Nil... (4) Inspection conducted on 20.01.2011 and it is observed that:- - ECS was not installed and D.G Set found without adequate stack height. - Mixing process is highly inflammable & activity of polyurethane form is falls under prohibited list of MPD 2021. (5) SCN u/s 31(A) issued on 25.02.2011 Unit submitted its reply on 16.03.2011 A letter issued to the unit for submission of bank gurantee of Rs 50,000/- & affidavit on 18.05.2011. Unit submitted its reply on 06.07.2011along with photographs of stack height and submitted bank gurantee. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Decession taken on 14.09.2011. Period of three year for which consent fee was submitted already expired. Ask the unit to apply for fresh renewal of consent immediately. Letter issued to the unit for in compliance of decesion taken Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 18.07.2012 and during the inspection it was found that unit has stopped its activity and removed all the mahineries.		
5	DPCC/EC/2/1/2011/203 02-12-2011	SHIVA PLASTIC PLOT NO. D-6, SECTOR-1, DSIDC COMPLEX BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PRINTED FOOD GRADE POLYTHENE BAGS. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Roto and Flexo Printing	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 File be put up administratively.	22-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...82.5 KVA REPORT NOT SUBMITTED... (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Closure direction is temporarily revoked for 45 days issued on 08.05.2012 . Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As decided by the Screening Committee, file was put up administratively.	13-08-2012 Closure directions already revoked on 02.07.2012. Consent to Operate and Authorization under HWM Rules granted.
6	DPCC/EC/2/1/2011/214	ESSCO	Wazirpur	Orange	Manufacturing of		Decision / Recommendation of	09-05-2012	13-08-2012

	05-12-2011	SANITATIONS C-58/1, WAZIRPUR INDUSTRIAL AREA	Industrial Area	Renewal	Bathroom Fittings. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 780 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 0 liters/day	Screening Committee (MS) on 01-06-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for inspection.	(1)ETP ---- N/A (2)ECS - stack attached with casting furnanc Stack monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 Inspection is to be carried out.	Expedite inspection, thereafter file be put up administratively.
7	DPCC/EC/2/1/2011/244 08-12-2011	GORAMAL HARI RAM LTD. 39, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MFG. OF SOAP, DETERGENT CAKE POWDER, SCOURING POWDER AND BAR WITHOUT TRADE EFFLUENT DISCHARGE. Soap, Detergent Cake and Powder, Scouring Power and Bar (W/O Trade Effluent)	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted and thereafter put up file administratively.	24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 300 KVA. Noise monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise	13-08-2012 Renewal of Consent to Operate granted.

17-08-2012

								enclosure and adequate stack height. 5. Used Oil container kept in isolated ground area. 6. Unit provided separate platform for hand washing ect. and connected with sewer line	
8	DPCC/EC/2/1/2011/255 09-12-2011	GURU BEVERAGES PVT. LTD A16, NARAINA INDUSTRIAL AREA PHASE-1	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF DRINKING WATER AND DRINKING SODA. Water Softening and Demineralised Plants	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 15350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 01-06-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for inspection.	07-05-2012 (1)ETP ---- N/A (b) Effluent analysis report dated 05-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: yes conducted on 03.02.2012 durig the inspection one boring exist at site. the Raw Water is obtained through tankers. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Earlier CMC Decision Decision on 20.10.2009 Issue Consent to Establish. Subsequently, inspection be conducted. Decision on 23.03.2010 Ask the unit to apply for consent to operate. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 Inspection conducted on 24.07.2012 and follwing are the observations 1.) Unit has installed R.O treatment plant consisting of units namely fillers, R.O. memberane, UV light Chamber and ozone treatment etc. 2.) R.Os reject water is being utilized for flusing purpose. 3.) During the filling exercise, small quantity of water is being drained as a waste. 4.) Unit has taken all required measures to prevent the wastage of water. 5.) During inspection one more unit namely Orbit Gases LLP. found operational in the same premises and as	13-08-2012 Consent to Operate granted. Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act to M/s Orbit Gases LLP found during inspection.

								per record this unit has not filed the application for seeking the Consent.	
9	DPCC/EC/2/1/2011/307 14-12-2011	CHINTAMANI COMMODITIES A-20,JHIMIL INDUSTRIAL AREA SHAHDARA	Jhilmil Industrial Area	Orange Operate	PIT FURNACE AND COPPER ROLLING. Copper / Aluminium Re-Rolling Industry (Foil and Strips Etc.) With Capacity Less Than 25MT/Day	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted.	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 14-10-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 19-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 25.11.10, revocation of CTE was issued on 25.01.11. Old file of consent to establish dated 16.08.10 of the case are not traced out. EARLIER CMC DECISION 05.10.09 Issue consent to establish 25.11.10 Inspection conducted and it was found that no industrial activity / facility existing at site. Revoke Consent to establish granted earlier and issue consent to establish w.r.t. application dated 16.08.2010 for the pit furnace and copper rolling with the condition that rolling capacity shall be less than 25 MT/day. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.	13-08-2012 Expedite inspection.
10	DPCC/EC/2/1/2011/355 20-12-2011	RUBY PRINTERS PLOT NO-220, PKT-C, SEC-5 DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC AND PVC PVC MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	13-08-2012 File be put up administrativley indicating the full facts.
11	DPCC/EC/2/1/2012/501 06-01-2012	GROW WELL ENTERPRISES 308/12, SHAHZADA BAGH	Shahzada Bagh Industrial Area	Orange Operate	MFG. OF PLASTIC AND PVC PRODUCTS (STATIONERY ITEMS) AND STRACH GLUE.		Decision / Recommendation of Screening Committee on 03-05-2012 File be put up administratively with CTE status.	28-03-2012 (1)ETP ---- N/A (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA	13-08-2012 Consent to Operate granted without using plastic scrap as a raw material.

		INDUSTRIAL AREA			Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 92 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee file was put up administratively and it was decided to take up the case in next CMC meeting for grant of consent to operate.	
12	DPCC/EC/2/1/2012/509 09-01-2012	MAYUR AIR PRODUCTS PVT. LTD B-49, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF OXYGEN GAS. Oxygen / Medical gases without bottling of by-product gases	• Date of commissioning of project ---- • Built Up Area ---- 146 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-05-2012 Implement the earlier decision dated 02.04.2012.	30-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 23.06.09 & following were observed: a) The unit was found operational and deals with the activity of Mfg. of O2 & N2 gases. b) The atmospheric is collected and compressor which is then followed by chilling and lastly air separation is done. c) Cooling is done to absorb the heat generated during heating process. For this cooling tower is there with continuous networking. d) stack height DG set was found to be low & needs to be increased. However, according to the person contacted the DG set is on the verge of being sold out and not use any further. e) Water for the cooling purpose and domestic purpose is procured from water tanks. Bills attached. (5) SCN u/s 31(A) & 33(A) details : issued on 31.08.09 As decided by the CMC(G) in its meeting held on 23.05.11, Consent to establish & renewal of consent to operate were refused on 26.07.11. Unit has submitted its reply on 15.09.11 along with the affidavit stating that they have closed their nitrogen gas manufacturing facility & they would not produce nitrogen gas in future. EARLIER CMC DECISION 07.10.10 (In Green) Ask the unit to comply with the provisions of MPD 2021 and submit an	13-08-2012 Put up administratively.

								affdavit in this regard. 30.12.10 (In Green) Issue reminder 17.02.11 (In Green) Issue SCN for refusal of consent 23.05.11 (In Green) Consent refused as the nitrogen gas manufactured as a by product is supplied for the pharmaceutical usage which is an industrial use and cannot be considered as a medical use. Forward the name to MCD/DDA with a copy to Commissioner of Industries regarding prohibition under MPD-2021. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the CMC in its meeting held on 03.05.12, letter was issued on 25.05.12. Unit has submitted its reply on 11.06.12 along with the affidavit stating that they undertake that they would not capture Nitrogen Gas from their plant and would be use for filling of industrial & Medical Oxygen Gas. The unit will not violates rules as per provision of MPD-2021.	
13	DPCC/EC/2/1/2012/511 09-01-2012	FASHION FACTORY INTRNATIONAL C-68/1, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Manufacturing of readymade Leather Garments with Polishing. Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 530 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-05-2012 Reinspection be conducted.	29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 19-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 24.01.12 & following were observed: (a). Unit found in operation & engaged in the activity of mfg. of readymade leather garment with polishing. (b). One DG set of 125 KVA installed with acoustic enclosure & adequate stack height. (c). Three baby boilers exist within the premises, one electric boiler also exist. (d). Polishing/ colour matching oof pieces are also carried out with the help of spray gun provided with the channelization (hood & suction provided). (e) Bore well exist but not in use. Sourec of water is DJB.	13-08-2012 As informed by EE, CMC-III, all the boilers are electrically operated. Consent to Operate and Authorization under HWM Rules granted.

								(f) Unit is complying with the provisions of HWM Rules. (5) SCN u/s 31(A) details : issued on 11.03.11. As decided by the CMC(O) in its meeting held on 10.08.11, letter was issued on 16.09.11 for submission of BG of Rs. 50,000 under Water Act valid for one year. Unit has submitted its reply on 28.09.11 along with the BG. As decided by the CMC(O) in its meeting held on 10.08.11, CTE was issued on 29.09.11. EARLIER CMC DECISION 30.12.2010(In Green File) Inspection be conducted. 70th(In Green File) Issue SCN for refusal and SCN for closure. Ask the unit to apply under Orange category. 10.08.11 (In Orange CTE File) Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the same, consent to establish be issued. Subsequently, inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, inspection of the unit was conducted by DPCC officials on 07.06.12 & following were observed: 1. Polishing/colour matching of pieces were carried out with the help of spray gun provided with the channelization (Hood and suction provided). 2. DG set of capacity 125 KVA installed in acoustic enclosure at roof top of the building with adequate stack height. 3. Three baby boilers are in use (One electric boiler). 4. Source of water supply is DJB. 5. Unit has complied HWM provisions.	
14	DPCC/EC/2/1/2012/653	AKSHAY GERA E-654,DSIDC, NARELA	Narela Industrial Area	Orange Renewal	MFG. OF PLASTIC DANA/TRIPAL. Plastic Processed		Decision / Recommendation of Screening Committee on 03-05-2012 File be put up administratively.	30-03-2012 (1) Inspection details: was conducted on 03.02.2011. Observations	13-08-2012 Issue SCN for refusal of consent.

	23-01-2012	INDUSTRIAL AREA			Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	1. Basement of the premises is being used by the unit, unit is engaged in mfg. of plastic products. 2. No channelization provided to channelize the emissions. 3. First floor of the premises is being used by the unit for official purpose. (2) SCN u/s 31(A) and for refusal of consent details : was sent to the unit on 26.08.2011. (3) Reply has been received on 12.10.2011 alongwith an affidavit requesting for two month time to install the proper channelization system to channelize the process emission on the machine. (6) Modified directions u/s 31(A) details : for submission of bank guarantee of Rs. 50,000/- user Air Act valid for one year and 60 days time to install proper channelization system to control the process emission was sent to the unit on 14.11.2011. (7) Reply has been received on 30.11.2011 stating that they have installed a well design ducting and channelization to channelize the process emission on the machines. (8) Unit has submitted the bank guarantee of Rs. 50,000/- under Air Act on 30.12.2011. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the Screening Committee file was put up administratively and it was decided to ask the unit to submit fresh application for consent to establish for the added activity. Accordingly a letter was issued to the unit on 17.07.2012. No reply received from the unit till date.		
15	DPCC/EC/2/1/2012/669 24-01-2012	THREE-N-PRODUCTS PVT.LTD. 24-A, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	BLENDING AND PACKAGING OF AYURVEDIC CREAM, SHAMPOO AND GEL Perfumes and Cosmetics	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-05-2012 Put up adminstratively.	30-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-07-2011 issued by DELHI COLLEGE OF	13-08-2012 Issue SCN for refusal of consent.

								ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No According to unit no hazardous waste is generated but as per new DPCC categorization, activity covered in HW Rules. So dummy data has been filled by IT cell in the column 23 of application,to enter the file. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 file submitted administratively. As approved a letter has been issued to the unit on 25.05.2012 for submission of application for authorization under HW Management Rules, 2008. But, unit has failed to submit the same.	
16	DPCC/EC/2/1/2012/715 30-01-2012	VIJAY ADHESIVE INDUSTRIES 6, GALI NO. 4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	MFG. PAPER GUM. Paper Gum using fuel for heating without effluent discharge	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As approved, letter was issued on 26.07.12 to apply for consent under Green category as the paper gum cold process without trade effluent discharge falls under green category.	13-08-2012 File be put up administratively.
17	DPCC/EC/2/1/2012/752 03-02-2012	PRECISION PIPES & PROFILES CO. LTD. B-II/29, MOHAN CO-OPERATIVE INDUSTRIAL AREA, BADARPUR	Mohan Co-operative Industrial Area	Orange Operate	Extruded Profiles, pipes, compound, Pellets, Moulded, Parts (thermoplastic material) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 744.89 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 28-03-2012 Ask the unit to provide adequate stack height with the D.G. Sets and confirm on an affidavit. If unit does so, consent to operate be issued.	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 35 KVA and 200 KVA. Noise monitoring report dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 35 KVA and 200 KVA. Noise monitoring report	13-08-2012 Issue SCN for refusal of consent.

								dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. As per Noise Monitoring report adequacte stack height has not been provided with the DG set of 200 KVA & 35 KVA As decided by the CMC (O) in its meeting held on 22.11.07, CTE issued on 15.02.08 vd CNO 18420. EARLIER CMC DECISION 22.11.07 (In CTE File) consent to establish granted. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the CMC in its meeting held on 28.03.12, letter was issued on 23.05.12 for increase the stack height of the DG set & confirm on an affidavit. Unit has submitted its reply on 21.06.12 & stating they have already increase the stack height of DG set to 3 mtr above the roof of the building. But, the unit has not confirm its reply on an affidavit.	
18	DPCC/EC/2/1/2012/759 06-02-2012	PUNEET PLASTICS B-34, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	ALL TYPES OF PLASTIC MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 46.45 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 28-03-2012 Issue consent to operate and consent to establish.	26-03-2012 (1) Inspection details: WAs conducted on 27.07.2010. Observations 1. Unit is engaged in mfg. of plastic products i.e. plastic toys with the help of five injections moulding machine. 2. Unit not applied for CTE/CTO. (2) SCN u/s 31(A)/33(A) details : was issued to the unit on 11.01.2011. (3) Reply has been not received. (4) Closure directions u/s 31(A)/33(A) details : Was issued to the unit on 16.01.2012. (5)Reply has been received on 27.01.2012 by landlord/owner of the premises stating that M/s Manju Plastic has already vacated the premises and other unit namely M/s Puneet Plastic is operating since 15.01.2012 which is	13-08-2012 Implement the earlier CMC decision dated 28.03.2012.

								enagaged in the activity of mfg. of plastic goods. (6) As per the decision taken up by Competent Authority a letter was issued to Sh. Harender Pal Singh (Land Lord of the premises) for submission of bank guarantee of Rs. 1,00,000/- (One Lakh) under Air Act valid for one year and an affidavit stating that you will not give the premises on rent for establishing industrial unit without prior permission of DPCC was sent to the unit on 13.02.2012. (7) Reply has been received on 16.01.2012 along with an affidavit, bank guarantee of Rs. 1,00,000/- under Air Act and CTE and CTO application in the name of M/s Puneet Plastic. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 The consent has been granted in CMC Meeting but it was not showing in UPDATE CONSENT APPLICATION therefore, we can not able to grant the same. File may be sent to IT Cell for the updation of record.	
19	DPCC/EC/2/1/2012/839 17-02-2012	OM PRAKASH B-52, (BASEMENT) LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	MFG. OF PVC FOOTWEAR STRAP. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 50 (in sq. meter) • Water Consumption ---- 10 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 28-03-2012 File be put up administratively for permanent revocation of closure directions. Issue consent to operate and consent to establish after permanent revocation of closure directions.	22-03-2012 (1) Inspection details: was conducted on 03.06.2011. Observations: 1. Unit found operational in the basement at front side of the premises & engaged in the activity of PVC footwear. 2. No channelization is provided to control the emission generated during the activity. (2) SCN u/s 31(A)/33(A)/5 of EPA details : was sent to the unit on 27.06.2011. (3) Reply has been not received. (4) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent to the unit on 19.01.2012. (5) Reply has been received on 21.02.2012 stating that they ahve applied for Consent to Establish and Consent to operate Vide Id.No.838 and 839 respectively and deficiencies observed during inspection has been rectified. (6) Inspection details: was conducted on	13-08-2012 Implement the decision of CMC meeting dated 28.03.2012.

								15.03.2012 1. Unit is enagaged in mfg. of PVC strap. 2. No channelization found installed to channelize the emissions generated from process emissions. 3. Electricity found disconnected during inspection. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 The consent has been granted in CMC Meeting but it was not showing in UPDATE CONSENT APPLICATION therefore, we can not able to grant the same. File may be sent to IT Cell for the updation of record.	
20	DPCC/EC/2/1/2012/905 27-02-2012	AUTO STEELS 70/B-3, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MFG. OF AUTOMOBILE LEAVES AND SPRINGS. Hardening by Oil Quenching without use of any salt / chemical without trade effluent discharge and with annealing in oil fired furnace	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent in view of use of CBFS as a fuel which is not an approved fuel. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for issuance of SCN for refusal of consent in view of use of CBFS as a fuel which is not an approved fuel.	22-03-2012 (1)ETP ---- N/A (2)ECS - (b) Stack monitoring reports (2 nos) of Furnaces dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier an inspection was approved , as CBSF was reported by Central Excise. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Show Cause Notice for refusal has been issued to the unit in view of the use of CBFS as a fuel. A reply has been recieved from the unit and informed that they are not using CBFS as fuel and using PNG in boiler as a fuel. File has already submitted administratively.	13-08-2012 Renewal of Consent to Operate granted.
21	DPCC/EC/2/1/2012/948 05-03-2012	REGAL CREATIVE PRODUCTS PVT. LTD.	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF SELF ADHESIVE LABELS/STICKERS (WITHOUT TRADE EFFLUENT).			28-03-2012 (1)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF	13-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

		A-16, G.T. KARNAL ROAD INDUSTRIAL AREA			Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 506 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day		ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 2 D.G. Set(s) of 125, 110 KVA. Noise monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	
22	DPCC/EC/2/1/2012/1136 20-03-2012	MAHALAXMI METAL INDUSTRIES 23, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	mfg. of aluminium parts Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-05-2012 Inspection be conducted.	27-04-2012 (1)ETP ---- N/A (2)ECS - Oil fired furnace stack moniotring report submitted dated 13.03.2012 3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details no Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee insepction was conducted by the officials of DPCC on 14.06.2012 and following were observed: a) Unit found in operation and engaged in the activity of aluminium mixing tubes (Burner for Gas Chulha) with aluminium die casting machine b) unit is having one pit furnace appr. 4 above the ground level for melting of aluminium ingites and using diesel fuel. c) Unit has provided hood and suction arrangement over die casting machine and partly of pit furance. d) Unit is recycling cooling water in die casting machine.	13-08-2012 Consent to Operate and consent to establish granted with the condition to use Pit Furnace only.
23	DPCC/EC/2/1/2012/1200 27-03-2012	J.B. METAL INDUSTRIES E-719 DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	ALUMINIUM CASTING. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-05-2012 Inspection be conducted.	27-04-2012 (1)ETP ---- N/A (2)ECS - no (a) Stack monitoring report dated 17-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: Nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	13-08-2012 Consent to operate and consent to establish granted with the condition to use Pit Furnace only.

								Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided by the Screening Committee, Inspection conducted by the officials of DPCC on 13.07.2012 during the inspection following were observed: a) Unit found in operation and engaged in mfg. of aluminium billets including casting of aluminium scrap. b) Unit is having two pit furnaces and has provided hood and suction arrangement overit followed by wet scrubber with the stack height appx. 35 feet above ground level. c) Unit is also engaged in activity of mfg. of aluminium circles in adjacent plot (E-718) for which unit has applied separately inculding detailes of DG set etc. d) There is no specific demarcation for both plots all the activities are being done under one roof for E-718 and E-719.	
24	DPCC/EC/2/1/2012/1272 03-04-2012	ALLIED POLY BAGS (P) LTD A-4/3, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF POLYTHENE PACKING BAGS/ROLLS Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 501.6 (in sq. meter) • Water Consumption ---- 3 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	16-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 03-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 04.02.2009 (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 case was put up administratively, wherein it was decided to carryout an inspection for ascertaining the factual position. Inspection yet to be conducted.	13-08-2012 Expedite inspection.
25	DPCC/EC/2/1/2012/1300	K. D. B UDYOG	Mangolpuri Industrial Area	Orange Renewal	MGF.OF PRINTED PLASTIC PACKAGING		Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	24-04-2012 (1)ETP ---- N/A (2)ECS - N/A	13-08-2012 Renewal of Consent to Operate and

	09-04-2012	A-110, PHASE II, MANGOLPURI INDUSTRIAL AREA			MATERIAL ABOVE 40 MICRON WITH VIRGIN PLASTIC Plastic Processed Goods Roto and Flexo Printing	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee file was put up administratively and it was decided to inspect the unit . Accordingly inspection conducted by th officials of DPCC on 18.07.2012 and during the inspection following was observed: 1. unit found in operation and engaged in the activity of mfg. and printing of packaging material. 2. Unit has provided channelization system over lamination machine. 3. Unit is having one oil fired/thermic fluid boiler with 30 m stack height. Again, it was decided to put up the case in next CMC meeting.	Authorization under HWM Rules granted.
26	DPCC/EC/2/1/2012/1457 14-04-2012	SWASTIK ALUMINIUMS PLOT NO. 103, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	MANUFACTURING OF ALUMINIUM CIRCLE Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	30-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 The case was put up administratively and it was decided to discussed it in next CMC in chronology.	13-08-2012 Consent to Operate granted with the condition to use Pit Furnace only and authorization under HWM Rules be made infructuous.
27	DPCC/EC/2/1/2012/1401	SWASTIK THERMOMETER CO.	Okhla Industrial Area	Orange Operate	MANUFACTURING OF THERMOMETERS.		Decision / Recommendation of Screening Committee on 10-05-2012 Inspection expedited, thereafter, file be put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A	13-08-2012 Consent to Operate granted.

	18-04-2012	B-50, PH-I, OKHLA INDUSTRIAL AREA			Mfg. of Thermometer without Trade Effluent Discharge	• Date of commissioning of project ---- 26-09-1986 • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 31.03.11, CTE was issued on 11.05.11. EARLIER CMC DECISION 31.03.11 (In CTE File) Issue consent to establish. Subsequently, inspection along with Dr. T.K. Joshi be conducted w.r.t mercury management and fluoride management. Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As decided by Screening committee, inspection of the unit was carried out by DPCC official & Dr. T.K. Joshi on 06.06.12 w.r.t mercury management and fluoride management & it was observed that during inspection, unit found in operation. 1. Fluoride not in use. 2. Mercury management found satisfactory.	
28	DPCC/EC/2/1/2012/1428 20-04-2012	GUPTA PLASTIC PLOT NO 139, PKT-P, SEC-5, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PLASTIC DANA AND PLASTIC BAGS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 70 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	07-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the screening committee file was put up administratively and it was decided to wait for the notification of Govt. of Delhi regarding mfg. of plastic bags in Delhi.	13-08-2012 Wait for the notification of Govt. of Delhi regarding mfg. of plastic bags in Delhi.
29	DPCC/EC/2/1/2012/1437	VISHAL INDUSTRIES A-64, GROUP,	Wazirpur Industrial Area	Orange Renewal	COLD RE-ROLLING OF S.S. SHEETS		Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	13-08-2012 Renewal of Consent to Operate granted.

	23-04-2012	WAZIRPUR INDUSTRIAL AREA			Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 15 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day		(4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 File is to be put up administratively.	
30	DPCC/EC/2/1/2012/1489 27-04-2012	MAHESHWARI CABLE INDUSTRIES 340/12, GALI NO.1B, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	MFG.OF PVC PRODUCTS, WIRE AND CABLE, PVC COMPOUND AND WIRE DRAWING Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 167 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 07.05.10, SCN for refusal was issued on 15.06.10. Unit has submitted its reply on 28.06.10 & stating that the channalization with exhaust system have been provided. EARLIER CMC DECISION 16.02.09 Ask the unit to file an affidavit for the pollution control device installed, the process of the manufacture and the product being manufacture. 17.06.09 Issue reminder. 07.05.10 (In CTE File) Issue SCN for refusal of consent. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, file was put up administratively & as approved, unit was inspected by DPCC official on 07.06.12 & following were observed: 1. Unit is engaged in Mfg. of PVC wire & cable with Cu wire drawing. 2. Channelization system provided over extruder m/c s with duct & exhaust fans.	13-08-2012 Consent to Operate and Authorization under HWM Rules granted.
31	DPCC/EC/2/1/2012/1507	SHAKTI	Narela	Orange	MANUFACTURING		Decision / Recommendation of	08-05-2012	13-08-2012

	30-04-2012	PLASTICS H-1207,DSIDC, NARELA INDUSTRIAL AREA	Industrial Area	Operate	OF PLASTIC DANA (WITHOUT PROCESSING) AND PLASTIC BAGS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	Screening Committee on 10-05-2012 File be put up administratively.	(1)ETP ---- N/A (2)ECS - no(channelization system is not provided) (3)D.G.Set: ...no... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee file was put up administratively and it was decided to wait for the finalization of notification regarding ban on manufacturing of plastic bag in NCT of Delhi.	Wait for the finalization of notification regarding ban on manufacturing of plastic bag in NCT of Delhi.
32	DPCC/EC/2/1/2012/1508 30-04-2012	VIKAS CABLE INDUSTRIES 458/466, SHAMBHU NATH COMPOUND, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA G. T. ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MFG. OF PVC WIRE AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 195 (in sq. meter) • Water Consumption ---- 220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 10-05-2012 File be put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil.. (4) Inspection details: conducted on 05.02.09 & following were observed: (A) The unit is engaged in Mfg. of PVC wires and cables at basement, G.F, F.F & found operational. (B) Acoustic enclosure should be provided with DG set. (C) Bore well exists at site. (D) Exhaust fans installed in working area. As decided by the CMC (O) in its meeting held on 17.06.09, letter was issue on 15.07.09 for submission of an affdavit stating that D.G. Set and borewell have been removed from the premises and submit adequacy and efficacy report from empanelled consultant of DPCC. EARLEIR CMC DECISION 16.02.09 File an affidavit for the pollution control devices installed, the process of manufacture & product being	13-08-2012 Renewal of Consent to Operate granted.

								manufacture. 17.06.09 Ask the unit to file an affidavit stating that D.G. Set and borewell have been removed from the premises and submit adequacy and efficacy report from empanelled consultant of DPCC. Call on 19.08.2009 Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, File was put up administratively & as approved, unit was inspected by DPCC officials on 11.07.12 & following were observed: 1. Unit is in operation & engaged in Mfg. of PVC wires & cables and Mfg. of PVC compound by using chemicals like DOP, resin, chalks etc. 2. Channelization system i.e., hood and duct with exhaust fans installed.	
--	--	--	--	--	--	--	--	--	--