



CONSENT MANAGEMENT

Agenda No. 2 - Annexure II - 46 cases of Consent to Operate and Consent to Operate (Renewal)under orange category w.e.f. 18.11.2011 to 30.04.2012(excluding the pending cases of 2(d) category already taken by the concerned committee of Chairman DPCC and excluding the cases of Re-development Areas recommended by Screening Committee as (2c category) on 13.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2011/84 21-11-2011	OKAYA POWER LIMITED H-19, UDYOG NAGAR, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	TRADING AND BATTERY CHARGING. Batteries (Lead Acid) And Accessories	• Date of commissioning of project ---- 01-01-1988 • Built Up Area ---- 1182.143 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted and thereafter put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 08-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 09.06.2011 (5) SCN u/s 31(A) & 33 (A) issued on 24.08.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision on 19.12.2011 Unit be asked to submit the details of waste water generation on an affidavit and adequacy report and effluent analysis report of ETP. Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As per recommendation an inspection was carried out by officials of DPCC on 30.07.2012 and observed that:- 1. Unit found operational and engaged in the activity of trading & testing of batteries. 2. Unit has installed an ETP having 500 ltr storage/collection tanks against 400-500 ltr effluent generations per day. ETP found in operational condition. 3. one DG set of 100 KVA found installed with acoustic enclosure and 2m stack.	13-08-2012 Adequacy report and effluent analysis report submitted and found meeting the prescribed standards. Recommended for grant of Consent to Operate.

2	DPCC/EC/2/1/2011/146 25-11-2011	CAPITAL BUSINESS SYSTEMS LTD G-13, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	Offset Printing (without Plate Making) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 675.61 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Consent to Operate and Authorization under HWM Rules granted.	26-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 15-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As per approval on file an inspection was carried out by officials of DPCC on 30.07.2012 and observed that: 1. Unit found operational and engaged in the activity of offset Printing. 2. The waste water generated from the activities being treated and discharged through an ETP. 3. ETP found operational and working properly. Sludge drying beds are also found exist at site, wet sludge seen at site. 4. Three DG sets of 2X75 and 1X40 KVA found installed with acoustic enclosure and adequate stack height. 5. As per record maintained by unit w.r.t. HW-3 766.78 KG HW is stored at the end of June 2012. However, at the time of inspection only 50kg found stored.	13-08-2012 Recommended to refuse consent to operate and authorization under HWM Rules. Ask the unit to apply afresh for consent to establish, consent to operate and authorization under HWM Rules for present activity (printing with plate making and waste water discharge).
3	DPCC/EC/2/1/2011/214 05-12-2011	ESSCO SANITATIONS C-58/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Manufacturing of Bathroom Fittings. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 780 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 01-06-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for inspection.	09-05-2012 (1)ETP ---- N/A (2)ECS - stack attached with casting furnance Stack monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	13-08-2012 Expedite inspection, thereafter file be put up administratively.

								The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 Inspection is to be carried out.	
4	DPCC/EC/2/1/2011/255 09-12-2011	GURU BEVERAGES PVT. LTD A16, NARAINA INDUSTRIAL AREA PHASE-1	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF DRINKING WATER AND DRINKING SODA. Water Softening and Demineralised Plants	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 15350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 01-06-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for inspection.	07-05-2012 (1)ETP ---- N/A (b) Effluent analysis report dated 05-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: yes conducted on 03.02.2012 during the inspection one boring exist at site. the Raw Water is obtained through tankers. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Earlier CMC Decision Decision on 20.10.2009 Issue Consent to Establish. Subsequently, inspection be conducted. Decision on 23.03.2010 Ask the unit to apply for consent to operate. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 Inspection conducted on 24.07.2012 and follwing are the observations 1.) Unit has installed R.O treatment	13-08-2012 Consent to Operate granted. Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act to M/s Orbit Gases LLP found during inspection.

								plant consisting of units namely fillers, R.O. memberane, UV light Chamber and ozone treatment etc. 2.) R.Os reject water is being utilized for flusing purpose. 3.) During the filling exercise, small quantity of water is being drained as a waste. 4.) Unit has taken all required measures to prevent the wastage of water. 5.) During inspection one more unit namely Orbit Gases LLP. found operational in the same premises and as per record this unit has not filed the application for seeking the Consent.	
5	DPCC/EC/2/1/2011/325 16-12-2011	RAJAT INDUSTRIES PVT. LTD. E-655-656, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	MFG. OF PAN MASALA. Tobbaco Products without Raw Tobacco Processing	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 375 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 01-06-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 22-05-2012 File be put up administratively.	04-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated issued by submitted. (b) Stack monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Conducted on 08.09.2011 during the insoection following were observed: (a) Unit found operational engaged in mfg. of tobacco products, gutka, pan masala with paper foil packaging only. No multilayer plastic packaging carried out. (b) ECS installed work is going on, to control the process emission generated. (c) DG sets fond with acoustic enclosure & adequate stack height. (d) One bore well connection exists. (5) SCN u/s 31(A) issued on 01.07.2011. (6) Closure directions u/s 31(A) issued on 07.10.2011 An again inspection conducted on 29.11.2011 during the inspection following were observed: (a) Unit found operational engaged in	13-08-2012 Implement the decision of inspection taken on file.

								the activity of Mfg. of Tobacco product, Guthka, Pan Masala. (b) ECS found installed with working condition. (C) Sample of each brand collected, No plastic pouch observed. (d) One borewell connection exists. SCN u/s 21/22 & 25/26 issued on 03.01.2012 for without obtaining prior consent to operate from DPCC. Unit submitted its reply on 18.01.2012 along with an affidavit and receipt of CTO application. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the competent authority, file was put up adminitratively.	
6	DPCC/EC/2/1/2011/347 19-12-2011	HITECH GRAIN PROCESSING PVT. LTD. GI-36, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MANUFACTURING OF DALL AND BESAN MILLING AND WHEAT FLOUR MILLING. Dal Mills Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 225 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		20-07-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 29.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	13-08-2012 Recommended for grant of Renewal of Consent to Operate.
7	DPCC/EC/2/1/2011/348 19-12-2011	CHIRANJI LAL JAIN OIL & FLOUR MILL E-47, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 16.12.2011 issued by DTU submitted. (b) Stack monitoring report dated 16-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	13-08-2012 Recommended for grant of Consent to Operate.

								(3)D.G.Set: ...N/A... (4) Inspection conducted on 02.08.2010, accordingly SCN u/s 31(A) was issued on 13.12.2010. Reply received from the unit on 27.12.2010. (6) Closure directions u/s 31(A) issued to the unit on 31.08.2011. Reply received from the unit on 28.09.2011. Revocation of closure directions issued on 09.12.2011.	
8	DPCC/EC/2/1/2012/500 06-01-2012	MAKINO AUTO INDUSTRIES 537-A/3, SHAMBHU NATH COUMPOUND, LANE NO. 08, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Auto Parts viz non ferrous die casting components, sheet metal components/ parts and brake linings. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 1650 (in sq. meter) • Water Consumption ---- 1050 liters/day • Ground Water ---- 1050 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 400 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted w.r.t. use of furnace and process. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection w.r.t. use of furnace and process.	28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 05.01.2009 issued by GGSIPU submitted. (b) Stack monitoring report dated 26-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . 6 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set 500 KVA Noise Report : 1 (a) The unit has 1 D.G. Set of 500 KVA. Noise monitoring report dated 26-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes .3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.	13-08-2012 Expedite inspection.
9	DPCC/EC/2/1/2012/553 13-01-2012	NATIONAL COOPERATIVE UNION OF INDIA (NATIONAL COOPERATIVE	SOUTH	Orange Renewal	Printing and Washing (Plate Making) Printing Press (With		Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Seek complete effluent analysis report for all prescribed parameters and after	29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2008..... issued byGGSIU..... submitted. (b) tHE Unit has submitted incomplete	13-08-2012 Recommended to seek original effluent analysis report submitted on 09.07.2012. If unit submits the same,

		PRINTING PRESS) 3, SIRI INSTITUTIONAL AREA, AUGUST KRANTI MARG			Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 150 liters/day	getting the report and if meeting the prescribed standards, issue renewal of consent to operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended to seek complete effluent analysis report for all the prescribed parameters.	test report (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 09.04.09, CTE issued on 30.04.09 vd CNO 20268. EARLIER CMC DECISION 09.04.09 (In CTO) Issue consent to operate. Call on 19.05.09 22.05.09 (In CTO File) No action. Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As decided, letter was issued on 25.05.12 for seeking complete effluent analysis report for all prescribed parameters. Unit has submitted its reply on 09.07.12 along with effluent analysis report dated 27.05.12 issued by DTU which is within prescribed limits & having complete parameters. As the unit has not submitted original effluent analysis report, so report could not be generated online.	renewal of consent to operate and authorization under HWM Rules be issued.
10	DPCC/EC/2/1/2012/606 19-01-2012	LAVISH THE PARTY LAWN (A UNIT OF M/S CHANDRA FEROUAS ALLOYS AND REAL CO. (PVT) (LTD) KH NO 23/2 VILLAGE ALIPUR LANDMARK NEAR PALLA MORE CITY	NORTH WEST	Orange Operate	PARTY LAWN. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 16-10-2010 • Built Up Area ---- 10700 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 9000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 7200 liters/day	Decision / Recommendation of Screening Committee (MS) on 09- 05-2012 Expedite the inspection. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate.	29-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.01.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 03-01- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 8 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03- 01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit.	13-08-2012 Expedite inspection.

								Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Inspection is to be carried out.	
11	DPCC/EC/2/1/2012/652 23-01-2012	MIRCHI RESTT. (A UNIT OF GULLUS BAR-B-QUE) IST FLOOR PLAZA CINEMA BUILDING CONNOUGHT PLACE	NEW DELHI	Orange Operate	RESTAURANT CUM BAR FOR 80 SEATS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1000 liters/day	Decision / Recommendation of Screening Committee (MS) on 09- 05-2012 Inspection to verify the rectification measures taken by the unit and file be put administratively. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection to verify the rectification measures taken by the unit.	02-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 19.01.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 19-01- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 19- 01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit. (3) Inspection details: was conducted on 19.08.2011. Observations: 1. The premises is being used as a restaurant. 2. Channelization has been provided to channelize the emissions generated during cooking process. 3. Oil and grease trap has been provided to treat the trade effluents generated from washing of utensils etc. 4. As per seating capacity, ETP should be provided by the restaurant but no ETP provided to treat the water effluents generated from the restaurant. 5. Acoustic enclosure has been provided with the DG set of 62 KVA placed on roof of the restaurant but the stack height was inadequate. (4) SCN u/s 31(A)/33(A) details : Was sent to the unit on 02.09.2011. (5) Reply has been received on 04.10.2011 shows their inability to install ETP. (6) Closure directions u/s 31(A)/33(A) details : Was sent to the unit on 23.11.2011. (7) Reply has been received along with an affidavit and requested for temporary revocation of closure direction for reconnection of electricity supply and water supply for installation of ETP.	13-08-2012 Recommended for grant of Consent to Operate.

(8) As per the decision taken up by Competent Authority temporary revocation of closure direction for 30 days with the condition to submit the bank guarantee of Rs. 1 Lakh each under Air Act and Water Act was sent to the unit on 21.12.2011.

(9) Reply has been received on 23.01.2012 stated the following:

1. They have completed installed adequate ETP in our premises, adequacy report of ETP enclosed.
2. They have only one DG Set having 62 KVA placed on the roof of the building which are kept in acoustic enclosure and adequate stack height (1.6 meter above the canopy) as per norms have already installed. Noise monitoring report of 62 KVA enclosed.
3. They have applied for consent to establish and consent to operate application at or department, receipt of the same enclosed.

(10) Inspection details: was conducted on 19.02.2012.

Observations:

1. The unit has installed an ETP at roof top and the same was found operational at the time of inspection.
2. The unit has provided proper channelization system with the kitchen.
3. DG Set of 62 KVA installed at roof top with acoustic enclosure and however exhaust window found in broken condition.

(11) A letter regarding deficiency observed during inspection was sent to the unit on 14.02.2012.

(12) Reply has been received on 05.03.2012 stated that they have repaired the acoustic enclosure of the DG Set.

Recommendation / Action Taken
Details (EE/AEE) on 31-07-2012
 case was put up administratively, wherein it was decided to issue a letter for rectification of deficiencies as observed during inspection on 23.05.2012.
 it was also decided that forfeiture of Bnak guarantee can be decided after reponse of unit with varification by reinspection.

								A letter was issued on 25.06.2012. A reply recieved on 18.07.2012 and submitted that:- plant has been operational after the completion of renovation. unit can be visited and issue the certificate.	
12	DPCC/EC/2/1/2012/696 27-01-2012	INDIRA PRINTERS C-63/5, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Offset Printing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1052 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 600 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Seek complete effluent analysis report for all prescribed parameters and after getting the report and if meeting the prescribed standards, issue consent to operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended to seek complete effluent analysis report for all prescribed parameters.	29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJanuary, 2012..... issued byJamia Millia Islamia..... submitted. (b) The unit has submitted incomplete test report (2)ECS - N/A (3)D.G.Set: The unit has mentioned one DG set of (125 KVA) in its CTE application. However, in the CTO application Nil DG set has been mentioned. The details of DG set is coming from CTE application. As decided by the CMC (O) in its meeting held on 07.05.10, CTE was issued on 07.06.10. A letter was also issued on 11.06.10 to apply for authorization under HWM Rules EARLIER CMC DECISION 07.05.10 (In CTE) Issue consent to establish. Ask the unit to apply for fresh authorization under HWM Rules. Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As decided, letter was issued on 25.05.12 for seeking complete effluent analysis report for all prescribed parameters. Unit has submitted its reply on 20.07.12 along with effluent analysis report dated 12.07.12 issued by DTU which is within prescribed limits & having complete parameters.	13-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
13	DPCC/EC/2/1/2012/711 30-01-2012	DELITE KOM LTD B-233, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Steel Furniture with Phosphating and powder coating. Phosphating &		Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Seek complete effluent analysis report for all prescribed parameters and after getting the report and if meeting the	29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated issued by submitted. (b) The unit has submitted incomplete test report.	13-08-2012 Recommended to seek original effluent analysis report dated 27.05.2012 submitted on 06.07.2012. If unit submits the same, renewal of consent to

					Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 850 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 700 liters/day • (b) Trade Effluent ---- 1800 liters/day	prescribed standards, issue renewal of consent to operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended to seek complete effluent analysis report for all prescribed parameters.	(2)ECS - N/A (b) Stack monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As decided, letter was issued on 25.05.12 for seeking complete effluent analysis report for all prescribed parameters. Unit has submitted its reply on 06.07.12 along with photocopy of effluent analysis report dated 27.05.12 issued by DTU which is within prescribed limits & having complete parameters. As the unit has not submitted original effluent analysis report, so report could not be generated online.	operate and authorization under HWM Rules be issued.
14	DPCC/EC/2/1/2012/719 31-01-2012	WAMIKA HOSPITALITY PVT.LTD. MITHAS BANQUET C-94, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 1961 (in sq. meter) • Water Consumption ---- 7200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 1000 liters/day • (b) Trade Effluent ---- 6500 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Expedite inspection as decided in file. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended to expedite inspection as decided in file.	29-03-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 18.08.2010 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 400 KVA. Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which	13-08-2012 Recommended to put up administrativley.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided by the Competent Authority, inspection of the unit was conducted on 07.06.2012 and following were observed: 1. Banquet not found in operation and flow measuring device not found installed. 2. ETP found installed but non-operational waste material found inside the reaction tank. 3. No sludge found in the sludge drying bed. 4. Spider web were exist on outlet of pipes reveals that ETP non operational since long. 5. Oil & Grease & food material found collected in collection tank which reveals that it was not cleaned/ treated. 6. Two borewell exists and foul smell observed. On the basis of findings of inspection SCN u/s 33(A) of Water Act and SCN for refusal of consent were issued on 22.06.2012. unit submitted its reply on 17.07.2012 along with an affidavit stating that regarding rectification of deficiencies.	
15	DPCC/EC/2/1/2012/754 03-02-2012	MALGUDI (A UNIT OF KTG HOSPITALITY) J-2/12 B.K. DUTTA MARKET. RAJOURI GARDEN	WEST	Orange Operate	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 3900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 2800 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted and thereafter put up the case administratively. Decision / Recommendation of Screening Committee on 28-03-2012 With respect to the representation dated 24.02.2012, unit be informed that it is required to forgo the bank guarantee of Rs. 50,000 in accordance with the letter dated 19.01.2012 due to non operation of the ETP found during inspection dated 05.12.2011. Forfeiture of the bank guarantee be ascertained by the Account Section.	22-03-2012 (1)ETP ---- yes (a) AR dated .27.04.2011issued by DTUsubmitted. (b) Effluent analysis report dated 02.02.12 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set : (a) The unit has D.G. Set of 125 KVA. Noise monitoring reports dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Earlier inspection conducted by PGRC on 14.2.11 w.r.t a public complaint & SCN U/s 31 (A) & U/s 33(A) was issued on 11.3.11 with modified directions on 20.4.11. Unit submitted licences of MCD & DP, Ar & Test reports of ETP, NMR of DG Set and BG of Rs 1 Lakh in Air & Water act. Then file transferred to CMC. CTE issued 24.11.11 as decided in CMC. Inspection again conducted on 05.12.2011 and the observations are as follows:	13-08-2012 Recommended to refuse consent to operate.

								1.) ETP was not found in operation. 2.) No sludge drying beds provided with ETP. 3.) Unit is operating without CTO. A letter issued to the Union Bank ,by Sr. Account Officer on 19.1.12 for forfeiture of BG of Rs 50,000/- under water act with directions to the unit to tender the stamps paper in Bank for further action in r/o fresh BG of 50,000/ under Air Act , as unit submitted a consolidated BG of Rs 1 lakh. Unit submitted a letter On 24.2.2012 in responce to our letter dated 19.01.12 & instead of compliance of orders, unit requested to release the BG. (6) Modified direction issued to the unit on 20.04.2011 unit submitted Bank Guarantees of Rs. 50,000 each under Air and Water Act on 02.05.2011.unit submitted Bank Guarantees of Rs. 50,000 each under Air and Water Act on 17.06.2011 Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Inspection was conducted on 27.07.012 and during visit no such unit exit at site and as informed by the Manager of Ms/ Walk in clouds the premises has been sold out for around four months. construction work is going on by the present owner.	
16	DPCC/EC/2/1/2012/755 03-02-2012	WOK IN THE CLOUDS KTG HOTELS & RESORTS PVT LTD J-2/13, RAJOURI GARDEN	WEST	Orange Operate	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3200 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted and thereafter put up the case administratively. Decision / Recommendation of Screening Committee on 28-03-2012 With respect to the representation dated 24.02.2012, unit be informed that it is required to forgo the bank guarantee of Rs. 50,000 in accordance with the letter dated 19.01.2012 due to non operation of the ETP found during inspection dated 05.12.2011. Forfeiture of the bank guarantee be ascertained by the Account Section.	22-03-2012 (1)ETP ---- yes (a) AR dated .27.04.2011issued by DTUsubmitted. (b) Effluent analysis report dated 02-02-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 100 KVA and 200 KVA. Noise monitoring reports dated 24-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Earlier inspection conducted by PGRC on 14.2.11 w.r.t a public complaint & SCN U/s 31 (A) & U/s 33(A) was issued on 11.3.11 with modified directions on 20.4.11. Unit submitted licences of MCD & DP, Ar &	13-08-2012 Recommended for grant of Consent to Operate.

								Test reports of ETP, NMR of DG Sets and Bg of Rs 1 Lakh in Air & Water act. Then file transferred to CMC. CTE issued 24.11.11 as decided in CMC. Inspection again conducted on 05.12.2011 and the observations are as follows: 1.) ETP was not found in operation. 2.) No sludge drying beds provided with ETP. 3.) Unit is operating without CTO. A letter issued to the Union Bank ,by Sr. Account Officer on 19.1.12 for forfeiture of BG of Rs 50,000/- under water act with directions to the unit to tender the stamps paper in Bank for further action in r/o fresh BG of 50,000/ under Air Act , as unit submitted a consolidated BG of Rs 1 lakh. Unit submitted a letter On 24.2.2012 in responce to our letter dated 19.01.12 & instead of compliance of orders, unit requested to release the BG. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As per recommendation an inspection was carried out by officials of DPCC on 27.07.2012 and observed that: 1. unit found operational and engaged in the activity of restaurant cum bar and Banquet hall. 2. ETP found installed and fuctional properly. 3. DG set of 250 KVA and 125 KVA found installed with acoustic enclosure and adequate stack height. 4. Emissions from kitchen is being discharged through chimney with stack height of 2M above the roof level.	
17	DPCC/EC/2/1/2012/793 09-02-2012	MAHAVIR PRASAD B-68/4, GATE-NO-4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 132.43 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Ask the unit to apply for Consent to Establish. Decision / Recommendation of Screening Committee on 28-03-2012 File is under submission.	26-03-2012 (1)ECS - Bag Filter / Bag House (a) AR dated 07.02.2012 issued by D.T.U submitted. (b) Stack monitoring report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: Was conducted on 13.03.2012. Observations: 1. Unit is engaged in mfg. of stainless	13-08-2012 Recommended for grant of Consent to Operate.

								steel utensils with buffing. 2. Ground Floor of the premises is being used cold re rolling of S.S. Sheets. 3. First Floor of the premises is being used for S.S. circle cutting. 4. Second Floor of the premises is being used for pressing of S.S. sheets with cutting, bending, spinning moulding. 5. Top floor of the premises is being used for buffing of S.S. Utensils. 6. ECS has been provided with buffing machines to channelise the emissions ground from buffing activity. ECS found in operations. However the contacted persons was advised to provide more sheets around the buff of the buffing machines. 7. As informed, the plot no. 68/4, has more other units. The approx area of 68/4 is 1200 sq yard. (3) Refusal of consent was issued vide refusal no 2265. Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 Unit applied for consent to establish on 23.04.2012 and same was granted on 13.06.2012 valid upto 12.06.2013. Decision regarding grant of consent to operate may be taken.	
18	DPCC/EC/2/1/2012/807 13-02-2012	PUSHPANJALI ENTERPRISES PVT. LTD. 340/17, GALI NO. 1, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDRA	Friends Colony Industrial Area	Orange Renewal	MFG.OF ALUMINIUM ROD WITH CASTING AND WIRE DRAWING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only) Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 459.86 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted to ascertain the type of the furnace. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for conducting inspection to ascertain the type of the furnace.	22-03-2012 (1)ETP ---- NO (2)ECS - (stack attached to furnace and scrubber) (a) AR -NO (b) Stack monitoring report dated 23-12-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes . 1 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set : 250 KVA Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 21-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes . 3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO	13-08-2012 Expedite inspection.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
							Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.		
19	DPCC/EC/2/1/2012/817 13-02-2012	INTERNATIONAL PANNACEA LTD. B-208 IST FLOOR PH-I O.I.A INDL. AREA	Okhla Industrial Area	Orange Operate	R AND D LAB OF BIOTECH PRODUCTS. Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 241.6 (in sq. meter) • Water Consumption ---- 650 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 300 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent in view of unsatisfactory effluent analysis report. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for issuance of SCN for refusal of consent in view of unsatisfactory effluent analysis report.	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated25.11.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit. The unit was found in operation without installation of ETP at First floor of the premises during the inspection of M/s AVN Export of the same premises. As decided by the CMC(O) on 31.03.2011, SCN u/s 33 (A) of the Water Act was issued to the unit on 19.05.11. The unit submitted its reply on 07.06.11 along with an affidavit & informed that they have assigned the work for installation of ETP & requested for grant of 2 to 3 months time. As approved in the file, directions u/s 33 (A) of the Water Act was issued to the unit on 27.07.11 to stop the waste water generating activity & install pollution control devices & to submit an affidavit in this regard within 60 days. The unit submitted its reply on 03.08.11 along with affdavit in response to directions issued on 27.07.11. As decided by the CMC (O) in its meeting held on 05.10.11, letter was issued on 07.12.11 for submission of bank guarantee of Rs. 50,000 under Water Act valid for one year. Unit has submitted its reply on 29.11.11 along with the bank guarantee of Rs. 50,000 under Water Act valid for one year.	13-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

								As per the decision of CMC(O) held on 05.10.11, CTE was issued to the unit on 07.12.11 vd CNO. 28372 EARLIER CMC DECISION 05.10.11 (In CTE File) Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the bank guarantee, consent to establish be issued. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, SCN for refusal of consent was issued on 23.05.12 in view of unsatisfactory effluent analysis report. Unit has submitted its reply on 06.06.12 along with effluent analysis report dated 29.05.12 issued by DTU & parameters are within prescribed limits.	
20	DPCC/EC/2/1/2012/823 14-02-2012	BHARATIYAM VILLAGE FOODS AND BEVERAGES PVT. LTD. KH. NO 46/16, 46/17, 46/24, 29, 49/4 VILLAGE BAKOLI PALLA BAKHTAWARPUR ROAD	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for grant of consent to operate and consent to establish.	22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: Was conducted on 12.01.2012. Observations: 1. Premises is having four rooms at ground floor & First Floor, one hall at basement. 2. No ETP installed in the premises. 3. Unit has made 5 pits (1 parking, 2 front lawn, 2 back lawn) for discharge of rain water in the ground water fitted with 4 inch pipe. 4. One collection tank is made near banquet hall for collection and discharge of waste water generated from kitchen in the ground water. 5. D.G. set found installed with acoustic enclosure. 6. As informed unit has started its operation about one year back. (3) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent on 17.03.2010. (4) Reply has been received on	13-08-2012 Expedite inspection.

								30.03.2010 requesting for 60 days time to install the desired ETP and stating that they will not use this facility until the installation of said ETP. (5) Reply has been received on 26.05.2010 along with an affidavit informing that the application for CTE has been submitted (Id. No. 33993 dated 26.05.2010) and the ETP has been installed, fees for the adequacy and test report has been submitted in G.G.S.I.P.U. Further requested to revoke the closure direction and issue CTE. (6) As per the decision taken up CMC (O) dated 26.05.2012, letter was regarding submission of bank guarantee of Rs. 1 lakh under Air and Water Act along with adequacy report and effluent analysis report of ETP. (7) Reply has been received on 05.07.2010 stating that the effluent treatment plant has been installed. (8) Unit has submitted the requisite Bank Guarantee of Rs. 1,00,000 each under Air and Water Act, application for consent to establish and consent to operate on 14.02.2012. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Inspection is to be carried out.	
21	DPCC/EC/2/1/2012/824 14-02-2012	TINA RUHCI FARMS HOUSE KH. NO 43/9-10-12,VILLAGE KHERA KALAN G.T.K ROAD	NORTH WEST	Orange Operate	FARM HOUSE A PARTY LAWN. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 10000 (in sq. meter) • Water Consumption ---- 3200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent and show cause notice u/s 31A of the Air Act. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for issuance of SCN for refusal of consent and SCN u/s 31A of the Air Act in view of non submisison of noise monitoring report to substantiate the compliance of gazette notification dated 17.05.2012 without disclosing the existence of the D.G. Set in the consent to operate application found during earlier inspection as asked vide letter dated 08.08.2011.	22-03-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 15.09.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 31-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit / beyond prescribed limit. (2) Inspection details: Was conducted on 09.06.2010 Observations: 1. Farm House cum party lawn in operation. However no function is going. 2. Kitchen waste water found connected with slump for discharge into ground water through bore well. No ETP/STP installed . 3. 2 x 62.5 KVA with acoustic and 2 x 62.5 KVA without acoustic. Stack height inadequate. 4. Bore well connection exist 01 no.	13-08-2012 Expedite inspection.

								5. MCD permission obtained as reported. (3) Earlier CMC Decision: 17.06.2011 Ask the unit to submit the full compliance of CMC decision dated 13.08.2010 (Ask the unit to submit bank guarantee of Rs. One Lakh each under Air Actand Water ACT valid for one year along with affidavit stating that unit will not operate its operation till installation of pollution control measures within 15 days. Thereafter, unit will submit an adequacy report and effluent analysis report of ETP from approved consultant/ laboratory of DPCC and noise monitoring report of acoustically treated D.G. Set from approved laboratory of DPCC). (4) As per the decision taken up by Consent Management Committee letter for submission of adequacy report, effluent analysis report of ETP, Noise monitoring report of DG set from approved laboratory of DPCC and an affidavit bearing the statement taht you shall stop teh operation of teh unit till installation and commissionng of ETP was sent to the unit on 08.08.2011. (5) Reply has been received on 26.08.2011 along with an adequacy reprot of effluent treatment plant stating that noise monitoring report of D.G. set along with the application of consent to operate will be submitted very soon. Recommendation / Action Taken Details (EE/AEE) on 27-07-2012 In compliance of the decision taken in the CMC meeting held on 20.04.2012, Show Cause Notice for closure u/s 31(A) of Air Act, 1981 and SCN for refusal of consent was issued on 25.05.2012. unit submitted its reply on 13.06.2012 along with the noise mionitoring reports. after that file was put up administratively and it was decided to inspect the unit.	
22	DPCC/EC/2/1/2012/854 21-02-2012	AAR GEE POWER CONTROL PLOT NO-54, POCKET-J, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Electrical control panels etc and other sheet metal work with powder coating. Powder Coating without phosphating	• Date of commissioning of project ---- 01-07-2006 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 25 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 15 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted. Thereafter, file be put up administratively. Decision / Recommendation of Screening Committee on 28-03-2012 Directions of closure issued on	22-03-2012 (1)ETP ---- No (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 25-11-2011 issued by DELHI COLLEGE OF	13-08-2012 Recommended for grant of Consent to Operate.

							26.04.2010 as unit was found carrying out phosphating activity in deviation of the activity shown in its consent to establish application on 20.06.2007 and emission control system attached with the powder coating activity was found non operational. Subsequently, unit has applied for consent to establish on 14.05.2010 indicating the phosphating activity. Effective closure was sent on 08.12.2011 and compliance of the closure received in DPCC. Directions were temporarily revoked on 03.02.2012 for submission of consent to operate application. The unit has applied for consent to operate without mentioning the phosphating activity. In view of frequent shifting of the stand of the unit in order to avoid the installation of ETP, consent to operate be refused, bank guarantees be forfeited and closure directions be reconfirmed.	ENGINEERING submitted. Stack Test Report within Limit - Yes 1number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 10.07.2012 during the inspection following were observed: a) Unit found in operation cyclone with bags found installed for powder coating section and found in operation. b) No phosphating activity found at site however empty tank lying in the permises. c) Baking is along throught LPG over.	
23	DPCC/EC/2/1/2012/859 21-02-2012	RADICURA PHARMACEUTICALS PVT. LTD. B-117, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Pharmaceuticals Formulation with boiler unit. Pharmaceuticlas Formulation With Washing Operation with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 2518 (in sq. meter) • Water Consumption ---- 4750 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 2300 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent since not meeting the effluent standards. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for SCN for refusal of consent in view of unsatisfactory effluent analysis report.	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedFebruary, 2008..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 06-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . In place of Chromium(Hexavalent), total chormium (Cr) has been mentioned in the test report (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 110 KVA, 140 KVA and 35 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 3 D.G. Set(s) of 110 KVA, 140 KVA and 35 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	13-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								Unit is having one boiler. (a) Stack monitoring report dated 10-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit. As decided by the CMC (O) in its meeting held on 07.05.10, CTE issued on 04.06.10 vd CNO 23976. Letter was issued on 17.06.10 EARLIER CMC DECISION 07.05.10 (In CTE File) Issue consent to operate. Ask the unit to apply for authorization under HWM Rules. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, SCN for refusal of consent was issued on 23.05.12 since not meeting the effluent standards. Unit has submitted its reply on 06.06.12 along with effluent analysis report dated 29.05.12 issued by DTU & parameter are within prescribed limits.	
24	DPCC/EC/2/1/2012/899 24-02-2012	SHAKTI FRAGRANCES PVT. LTD. 15, RAJASTHAN UDYOG NAGAR INDL. AREA	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	MANUFACTURING OF PAN MASALA AND ZARDA. Gutka /Supari (Betelnut) Grinding	• Date of commissioning of project ---- • Built Up Area ---- 1505 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 File be put up administratively after inspection. Decision / Recommendation of Screening Committee on 28-03-2012 Inspection be done as decided in file.	28-03-2012 (1)ECS - Bag Filter / Bag House, Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 28.11.2011 issued by D.T.U submitted. (b) Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 09-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 28-11-	13-08-2012 Recommended to carry out inspection by a team.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								(5) Closure directions u/s 31(A)/33(A)/5 of EPA details : was sent to the unit on 22.12.2011. (6) Reply has been received on 28.12.2011 along with an affidavit, noise monitoring report, adequacy report of ECS stating that they have rectified all the deficiencies. (7) A letter for submission of bank guarantee of Rs. 1,00,000/- each under Air Act and HWM Rules valid for one year. (8) Unit has submitted bank guarantee of Rs. One lakh each under Air and HWM Rules on 03.01.2012. (9) Temporary revocation for 30 days was sent to the unit on 10.01.2012. Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 19.04.2012 during the inspection following were observed: a) The unit was in operation during inspection engaged in the mfg. of tobacco products Guthka with paper packing. Sample collected attached with this inspection reports. b) ECS installed for Supari grinding section and mixing and packing section adequacy report and Stack Monitoring report submitted for the said systems. c) Two DG sets with capacity of 160 KVA and 82.5 KVA provided with acoustic enclosure. d) Unit applied for CTE and CTO. After inspection file was be put up administratively. As approved by the Competent Authority permanent revocation was issued to the unit on 15.06.2012.	
25	DPCC/EC/2/1/2012/905 27-02-2012	AUTO STEELS 70/B-3, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MFG. OF AUTOMOBILE LEAVES AND SPRINGS. Hardening by Oil Quenching without use of any salt / chemical without trade effluent discharge and with annealing in oil fired	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent in view of use of CBFS as a fuel which is not an approved fuel. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for issuance of SCN for refusal of consent in view of use of CBFS as a fuel which is not an approved fuel.	22-03-2012 (1)ETP ---- N/A (2)ECS - (b) Stack monitoring reports (2 nos) of Furnaces dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 28-	13-08-2012 Renewal of Consent to Operate granted.

					furnace			11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier an inspection was approved , as CBSF was reported by Central Excise. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Show Cause Notice for refusal has been issued to the unit in view of the use of CBFS as a fuel. A reply has been recieved from the unit and informed that they are not using CBFS as fuel and using PNG in boiler as a fuel. File has already submitted administratively.	
26	DPCC/EC/2/1/2012/1007 06-03-2012	ARYAN VEDS HERBALS A-41, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF COSMETICS. Perfumes and Cosmetics (With Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1500 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 As per the new categorization, the activity of the unit categorized under Orange category. Accordingly, unit was asked to apply for consent to establish under Orange category. However, the unit has already obtained Consent to establish under Green category for the same activity. Recommended for grant of Consent to Operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Ask the unit to apply for consent to establish. Decision / Recommendation of Screening Committee on 26-03-2012 Recommended for grant of renewal of consent to operate and authorization under HWM Rules.	22-03-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 21.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 16 number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: was conducted on 03.08.2011. Observations: 1. Unit is operating without ETP trade discharge directly into sewer. 2. Unit has not appllied for CTE/CTO. (3) SCN u/s 33(A) details : Was sent to the unit on 29.08.2011. (4) reply has been received on 21.09.2011 along with an affidavit stating that they shall install ETP within 60 days that they have obtained the quotation for mfg. of ETP, they shall submit the adequacy report and apply for CTO. (4) Modified directions u/s 33(A) details : was sent to the unit on 11.11.2011. (5) Reply has been received on 08.12.2011 stating that unit M/s Nimson International along with other unit	13-08-2012 As per the new categorization, the activity of the unit categorized under Orange category. Accordingly, unit was asked to apply for consent to establish under Orange category. However, the unit has already obtained Consent to establish under Green category for the same activity. Recommended for grant of Consent to Operate and authorization under HWM Rules.

								namely M/s Aryanveda Herbals both are concern running with same activity & common outlet so they have been installed common ETP plant & applied for adequacy report in registrar D.T.U. Whenever the unit shall be received by them they will submit it with all the documents required for CTO application. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 In compliance of the decision taken in the CMC meeting held on 20.04.2012, a letter issued to the unit on 16.05.2012 to ask the unit to apply for consent to establish. Unit did not apply for consent to establish till date.	
27	DPCC/EC/2/1/2012/966 06-03-2012	DAIJEX AUTO INDUSTRIES 191, SECTOR-2, POCKET-O, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Auto Parts and Accessories. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommended under File Put up Administratively on 08-08-2012 File processed administratively and approval accorded to issue consent to operate. Decision / Recommendation of Screening Committee (MS) on 20-04-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 26-03-2012 File be put up for permanent revocation of the closure directions. Recommended for grant of consent to operate after revocation of closure directions.	21-03-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. 4 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set:NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 08-08-2012 Issue consent to operate. Recommendation / Action Taken Details (EE/AEE) on 27-07-2012 As decided by the Screening Committee, file was put up administratively and it was decided to revoke the closure direction permanently. Accordingly, revocation of closure direction issued to the unit on 04.06.2012. Decision regarding grant of consent to	13-08-2012 Decision taken on file be implemented.

28	DPCC/EC/2/1/2012/1016	BENGALI SWEET CORNER 3, COMMUNITY CENTRE, NARAINA VIHAR	WEST	Orange Operate	HALWAI SHOP/RESTAURANT. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 120 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 26-03-2012 File be put up for permanent revocation of closure directions. Consent to operate be granted after revocation of closure directions.	operate may be taken in CMC meeting. 21-03-2012 1) ETP ---- Oil and Grease Trap (2)ECS - No (channelization system through exhaust fan provided) (3)D.G Set: ...No (4) Inspection details: Inspected on 12.10.2011 as a complaint has been received against the said unit for air and water pollution. (5) SCN u/s 31(A) and u/s 33 (A) issued to the unit on 19.10.2011 as during inspection effluent and emission being discharged without any treatment and unit was operating without obtaining consent from DPCC. (6) Closure directions u/s 31(A) and 33 (A) issued to the unit on 21.01.12 as no reply has been received from the unit. (7)Direction for closure was temporary revoked for 45 days as unit was submitted a representation on 10/01/12 and 16.01.12 and B.G of Rs one lac each under air and water act. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 CTO is issued. file was put up administratively. As approved on file revocation of closure direction has been issued. CTO yet to be decided.	13-08-2012 Recommended for grant of Consent to Operate.
29	DPCC/EC/2/1/2012/1130	VEZLAY FOOD PVT. LTD. 352, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	Manufacturing of Food Items (soya bin Items) Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Expedite the inspection. Decision / Recommendation of Screening Committee on 03-05-2012 Expedite the inspection.	30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated07.12.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) Stack monitoring report dated 15-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	13-08-2012 Recommended for grant of Consent to Operate.

								(3)D.G.Set: ...N/A...	
								As decided by the CMC(O) in its meeting held on 16.03.11, CTE was issued on 05.04.11 vd CNO 27109.	
								Inspection is yet to be conducted.	
								EARLIER CMC DECISION	
								16.03.11 (In CTE File) Issue consent to establish. Subsequently, inspection be conducted.	
								Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, inspection of the unit was conducted by DPCC officials on 16.07.12 & following were observed: 1. Unit is engaged in Mfg. of food items i.e., Soya bean chaps. 2. Unit has installed ETP to treat the effluent generated during the process. ETP is found in operation. 3.Unit has installed oil fired boiler with stack approx 12m from G.L.	
30	DPCC/EC/2/1/2012/1157 21-03-2012	COLOURMAN B-52 2ND FLOOR LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	DYEING AND WASHING OF JEANS. Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 3300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted and file be put up administratively. Decision / Recommendation of Screening Committee on 03-05-2012 File be put up administratively.	27-04-2012 (1)ETP ---- Physiochemical (a) AR dated 06.09.2011 issued by DTUsubmitted. (b) Effluent analysis report dated 16.03.2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:conducetd on 11.12.2010 during the inspection following were observed: (a) Unit found operational and engaged in the activity of dyeing and washing of jeans. (b) No ETP installed waste water is being discharged directly into drain. (c) HWM Rules are not comply. (d) One cold fired boiler body lying dismantled. (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 12.01.2011 Unit submitted its reply along with an affidavit on 03.03.2011. Another inspection was conducted on 03.06.2011. (a) Unit found operational and engaged in the activity of dyeing and washing of jeans. (b) Deficiencies observed during last inspection was found as it is no	13-08-2012 Recommended to refuse the consent to operate and authorization under HWM Rules.

								rectification was done. (6) Closure directions u/s 31(A)/33(A)/5 of EPA issued on 22.06.2011. Unit submitted its representation on 30.06.2011. A letter was issued to the unit regarding submission of bank guarantee on 19.08.2011. Unit submitted its reply along with applications for CTE and CTO and authorization under HWM Rules on 23.03.2012 and requesting for revocation of closure directions. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, inspectioin of the unit was conducted on 13.06.2012 and unit found shifted/closed as premises B-52 found under demolition	
31	DPCC/EC/2/1/2012/1188 26-03-2012	S.A. FRESHNERS PVT. LTD. A-63 AND A-62/5, G.T. KARNAL ROAD INDL. AREA	G.T. Karnal Road Industrial Area	Orange Operate	MFG. OF PAN MASALA, GUTKA AND TOBACCO PRODUCTS. Gutka /Supari (Betelnut) Grinding Supari (Betelnut) and Pan Masala Grinding Tobbaco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 674.72 (in sq. meter) • Water Consumption ---- 1550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted as decided in case of CTE and file be put up administratively. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of Consent to Operate with the condition that unit shall not use plasic sachet / multilayered packaging containing plastic for packing of said products, after implementation of decision taken w.r.t. CTE application.	26-04-2012 (1)ETP ---- N/A (2)ECS - yes (b) Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise	13-08-2012 Recommended for grant of Consent to Operate with the condition that unit shall not use plasic sachet / multilayered packaging containing plastic for packing of said products.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 Consent to Establish was granted on 04.07.2012 valid upto 03.07.2013. Inspection is to be carried out.	
32	DPCC/EC/2/1/2012/1196 26-03-2012	HIMGIRI AUTOMOBILES PVT. LTD A-19, NEW JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	Service Station (Washing and Repairing of Bikes) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 338.3 (in sq. meter) • Water Consumption ---- 8000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted and file be put up administratively. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection.	30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated29-02-2012..... issued by ...DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 29-02- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 29- 02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 15.12.11 & following were observed: (A). Unit operating without CTO w.e.f May, 2007. (B). ETP was found install but not functional. (C) By pass arrangement was found and effluent was being discharged withotu treatment (D) No measures for HW Management was found. (E) DG set was provided with A/E but without adequate stack height. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 06.01.12 as approved on file. Unit has submitted its reply on 23.01.12 along with the photographs of ETP, receipt of lab order of DTU & affidavit stating that the unit has rectify all the deficiencies observed during inspection & will apply for CTO as soon as they get the adequacy report & test report. EARLIER CMC DECISION 24.06.09 (In CTE File) Issue SCN for refusal of consent. Call on 26.08.09 09.09.09 (In CTE File) Inspection to be conducted to know the	13-08-2012 Recommended to refuse consent to establish, consent to operate and authorization under HWM Rules as closure directions has already been issued on 30.07.2012.

								present status.	
								Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, unit was inspected by DPCC officials on 11.07.12 & following were observed: 1. Unit is in operation & engaged in servicing with washing. 2. ETP found installed but in non-operational. As reported, the pump is out of order since last 4-5 days. The waste water is discharging without treatment. 3. D G set found installed in acoustic enclosure & stack of of 6 from enclosure surface. 4. Unit applied for consent to operate. As decided, file was put up administratively & as approved, Direction for closure u/s 33 (A) of the Water Act & 5 of EPA were issued on 30.07.12.	
33	DPCC/EC/2/1/2012/1215 28-03-2012	KAMAL RUBPLAST INDUSTRIES PVT. LTD 308/1, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	MFG.OF RUBBER AUTO PARTS AND RUBBER GOODS Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- • Built Up Area ---- 375 (in sq. meter) • Water Consumption ---- 1600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommended under File Put up Administratively on 08-08-2012 Inspection carried out. File processed administratively and approval accorded for issuance of renewal of consent to operate. Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted and file be put up administratively. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection.	24-04-2012 (1)ETP ---- N/A ((2)ECS - Bag Filter / Bag House (a) AR dated 24.02.2011 issued by GGSIU submitted. (b) Stack monitoring report dated 27-03-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 05-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 05-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: Inspection conducted on 16.06.2010 following observation observed: (a).unit found in operation (b)The unit having suction, duct followed by stack arrangement in the room where the moulding/curing of rubber parts. (c)the unit also having dust collector arrangement over the buffing M/c,	13-08-2012 Decision taken on file be implemented.

								however adequacy have not been obtained for the same. (d)the unit also having DG set installed at the roof top with inbuilt accoustic enlosure. (e)the rubber mixing arrangement i.e. needers, mixing M/cs were found installed at G.F.room in same compound at seperate room. The needing mixing of rubber with different compound in being carried out in a needer cum mixing M/c having enclosed chamber needed rubber. Then but on open mixer /rolling M/c for making rubber sheets. (5) SCN for refusal of consent issued on 01.01.2010 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision on 27.08.2010 Issue SCN for refusal for deficiencies observed during the inspection and ask the unit to submit Adequacy reprot of buffing from empanelled consultant of DPCC. Recommendation / Action Taken Details (EE/AEE) on 08-08-2012 Issue renewal of consent to operate. Recommendation / Action Taken Details (EE/AEE) on 27-07-2012 As decided by the Screening Committee, inspection conducted by the officials of DPCC on 09.07.2012 and following were observed: a) Unit found in operation and engaged in mfg. of rubber auto parts. b) The unit has provided suction dust followed by stack in the moulding section with the stack above roof level. c) The unit has installed dust collector followed by cyclone in grinding section. d) The unit has installed DG set at roof top within acoustic enclosure. e) Channeliation system also provided on kneeder/ mixing machine. f) Adequacy report submitted It was decided to take up the case in CMC meeting.	
34	DPCC/EC/2/1/2012/1316	PERFACT BEVERAGES PVT. LTD. A-268/1 PH-1	Okhla Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER. Water Softening and		Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Inspection to be conducted.	27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...28.02.2012... issued by ..DELHI COLLEGE OF ENGINEERING.. submitted.	13-08-2012 Recommended for grant of Consent to Operate.

	10-04-2012	OKHLA INDL. AREA			Demineralised Plants	• Date of commissioning of project ---- • Built Up Area ---- 147 (in sq. meter) • Water Consumption ---- 6700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	(b) Effluent analysis report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 28.12.11, Consent to establish and letter were issued on 18.01.12 for submission of CTO application within 90 days. Unit has submitted its reply on 30.01.12 stating that they will apply CTO as soon as they get the adequacy report and test report. EARLIER CMC DECISION 28.12.11 (In CTE File) Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, inspection was conducted by DPCC officials on 06.06.12 & following were observed: 1. During inspection, unit found operational. 2. ETP installed and functional. 3. Log book maintained.	
35	DPCC/EC/2/1/2012/1329 11-04-2012	HIM MOTORS (P) LTD. 338, F.I.E., PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Car Service Centre (Repairing and Servicing) Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 975 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 8000 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...23.02.2012... issued by ...DELHI COLLEGE OF ENGINEERING ... submitted. (b) Effluent analysis report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1	13-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

[illegible]

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php 21-08-2012

21-08-2012

								Details (EE/AEE) on 31-07-2012 As decided, file was put up administratively & as approved, revocation of closure directions u/s 33 (A) of the Water Act & 5 of EPA was issued on 27.06.12.	
37	DPCC/EC/2/1/2012/1396 17-04-2012	DADU AGRO (INDIA) PVT LTD. PLOT NO. A-178, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER, SOFT DRINK AND SODA. Aerated Water and Fruit Beverage with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 11000 liters/day • Ground Water ---- 11000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	07-05-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 29.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. NOTE: the parameters i.e. BOD is exceeding the limits (2)ECS - No (b) Stack monitoring report dated 17-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 23.11.2010 during the inhspction following were obseved: (a) unit has one oil fired boiler placed at top floor (b) no ETP provided to treat the trade effluent. (5) SCN u/s 31(A)/33(A) & refusal of consent were issued on 16.03.2011. (6) Closure directions u/s 31(A)/33(A) issued on 15.06.2011. (7) unit submitted its reply along with adequacy report of ETP on 2.09.2011. (8) A letter issued to the unit for the submission of Bank guarntee on 27.01.2012 (9) unit submitted its reply along with b ank guarantee on 13.02.2012 (10) temporary revokation for 30 days of closure direction u/s 33 &31 issued on 9.03.2012. (6) Closure directions u/s 31(A)/33(A)/5	13-08-2012 Closure directions has already been revoked on 10.07.2012.Recommended for grant of Consent to Operate.

								of EPA details :	
								Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 File was sent to IT cell for change of name.	
38	DPCC/EC/2/1/2012/1458 17-04-2012	IDEAL UDYOG-UNIT II PLOT NO. 90, BADLI INDUSTRIAL ESTATE PHASE-II	Badli Industrial Estate	Orange Renewal	BRASS/COPPER CASTING BY PIT FURNACE Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	07-05-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 11.04.2012 issued by DTU submitted. (b) Stack analysis report dated 11.04.2012 issued by DTU - submitted. (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As decided by the competent authority, file was put up administratively.	13-08-2012 Implement the decision dated 16.05.2012.
39	DPCC/EC/2/1/2012/1411 19-04-2012	THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Operate	FOOD PROCESSING. Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 48000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 17500 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Status awaited from DDA. Recommended to put up file administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	08-05-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated26.03.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 01.09.10 & following were observed:- 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla	13-08-2012 Wait for DDA reply.

									Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : issued on 29.09.10 in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11. The unit has submitted a letter on 11.07.11 requested to use biocoal briquettes in the boiler to generate steam in place of diesel, as increase the price of diesel. It is submitted that the conversion of coal fired boiler to diesel fired boiler was done in compliance of decision of DPCC board meeting held on 09.12.09 & also biocoal briquettes is not an approved fuel as per notification of DPCC.
--	--	--	--	--	--	--	--	--	--

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

21-08-2012

								held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11 Unit has submitted a copy of letter along with CTE & CTO application from F.3 (288)66. MP dated 11.09.1968 issued by D.D.A. in the name of M/s THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD certifying that the plot land is designated for light manufacturing use according to Delhi Master Plan. EARLIER CMC DECISION 09-11-2010 Directions for disconnection of electricity / water supply be issued. 09-12-2010 Consent applications be refused. 13-01-2011 In view of the subsequent representation that unit has converted coal fired boiler into oil fired one. Unit be asked to submit Bank Guarantee of Rs. 1 Lakh under Air Act valid for one year. If unit does so, closure directions be revoked. For deciding the consent to operate application, reminder be sent to DDA on the conformity. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided file was put up administratively & as approved, Reminder letter was issued on 25.07.12 to DDA.	
41	DPCC/EC/2/1/2012/1443 23-04-2012	NIRULAS CORNER HOUSE PVT. LTD BAWA POTTERIES COMPLEX, KISHAN GARH, VASANT KUNJ	SOUTH WEST	Orange Renewal	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than	• Date of commissioning of project ---- • Built Up Area ---- 6800 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1500 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	04-05-2012 (1)ETP ---- Physico-chemical (a) AR dated 16.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5	13-08-2012 Recommended for grant of Renewal of Consent to Operate.

					1tonne/Day)			KVA. Noise monitoring report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No (4) Inspection details:yes, conducted on 05.12.2011 (5) SCN u/s 3 (A) issued on 23.12.2011 (6) Closure directions u/s 33(A) issued on 23.02.2012 Raevocation of closure directions issued on 21.03.2012 Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 File was put up administratively on 16.05.2012 and it was decided that inspection to be carried out. An inspection was conducted on 26.07.2012 and observation was as follow. 1. Unit found operational and engaged in the activity of restaurant with 52 sitting capacity. 2. ETP found installed and functional properly. 3. One DG set of 100 KVA found installed with acoustic enclosure and adequate stack height. 4. Hood and suction arrangement found installed to control the emission generated from the kitchen activity.	
42	DPCC/EC/2/1/2012/1460 25-04-2012	M.C.A. INDUSTRIES 18, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	TRADING AND MFG. OF FINE MINERALS Pulverizing units	• Date of commissioning of project ---- • Built Up Area ---- 575 (in sq. meter) • Water Consumption ---- 80 liters/day • Ground Water ---- 80 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Inspection be conducted to ascertain the nature of minerals / raw materials and products. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Renewal of Consent to Operate.	06-05-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 29.10.2010 issued by DTU submitted. (b) Stack analysis report dated 09.04.2012 issued by DPCC submitted. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	13-08-2012 Recommended for grant of Renewal of Consent to Operate.

								Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 as per approval an inspection was conducted on 30.07.2012 during inspection following are the observation. 1. unit found operational and engaged in the activity of trading and manufacturing of fine minerals. 2. one pulveriser found installed, attached with bag filters as ECS and found in proper function. final product in powder forms are supplies to ceramic industries, friction industris and abrasive industries etc.	
43	DPCC/EC/2/1/2012/1464 25-04-2012	A.S. AUTOTECH PVT. LTD. 32, FIE PAPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	REPAIRING, SERVICING AND WASHING OF TWO WHEELERS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 260 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 460 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	09-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated28.02.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 23.07.10 & following were observed: (A) ETP has not been installed so far. (B) DG set is without A/E and adequate stack height. (C) No measures for HW management is taken. (D) not applied for CTO. (E) Not applied for authorization (F) It has been reported that order for ETP has been placed. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : was issued on 27.12.10 (6) Closure directions u/s 31(A), 33(A) & 5 of EPA details : issued on 06.01.12. Unit has submitted its reply on 28.02.12 along with an undertaking requesting for revocation of closure directions &	13-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

								informing that they have fulfill all compliance enumerated in the closure directions. As approved, a letter was issued on 13.03.12 for submission of undertaking on Rs. 10/- non judiciary stamp paper duly attested by notary public immediately. Unti has submitted its reply on 13.03.12 along with above mentioned undertaking. As approved, temporary revocation was issued on 14.03.12 for 45 days. Unit has submitted its repy on 25.04.12 stating that they have applied for CTO & HWM authorization on 25.01.12, they have fulfilled complete compliances & requested for permanent revocation of closure directions. EARLIER CMC DECISION 07.05.10 (In CTE File) issue consent to establish. Subsequently, inspection be conducted. Ask the unit to apply for authorization under HWM Rules. 09.11.10 (In CTE File) Issue SCN for closure u/s 31 (A) of the Air Act, u/s 33 (A) of the Water Act and 5 of EPA. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, file was put up administratively & as approved, revocation of closure direction was issued on 05.07.12.	
44	DPCC/EC/2/1/2012/1466 25-04-2012	NEW TECH SYSTEMS PLOT NO 188 POCKET-J SECTOR-5 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	SHEET METAL FABRICATION (WASHING OF STEEL BODY AND POWDER COATING) Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	07-05-2012 (1)ETP ---- Physico-chemical treatment. (a) AR dated 12.12.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes (2)ECS - Cyclone (b) Stack monitoring report dated 20-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	13-08-2012 Recommended for grant of Consent to Operate, Consent to Establish and authorization under HWM Rules.

								(3)D.G.Set: nil (4) Inspection details: dated 09.08.2011 and found that unit is water and air polluting. SCN for refusal under green issued on 19.10.2011. (5) SCN u/s 31(A)/33(A)/5 of EPA details: dated 19.10.2011,reply received on 04.11.2011 accepting defaults in CTE under Green. (6) Closure directions u/s 31(A)/33(A) issued on 09.02.2012. Unit submitted its reply on 29.02.2012 along with an affidavit requesting for revocation. Temporary revocation of closure direction u/s 31 & 33 issued on 19.03.2012 for 45 days. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 In compliance of the decision taken in the CMC meeting, file was put up administratively and it was decided to revoke the closure directions permanently. Revocation of Closure direction issued on 18.07.2012.	
45	DPCC/EC/2/1/2012/1476 26-04-2012	ACP GRANULES E-288, SEC-2, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF LD GRANULES (SECOND) WITH WASHING OF SCRAPS Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 700 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	07-05-2012 (1)ETP : physicochemical treatment (a) AR dated 26.03.12 issued by DTU submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes (2)ECS - N/A (3)D.G.Set: no (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	13-08-2012 Recommended for grant of Consent to Operate.

								Recommendation / Action Taken Details (EE/AEE) on 27-07-2012 As decided by the Competent Authority, case was put up administratively and it was decided that issue revocation of closure direction. Accordingly, revocation of closure direction issued to the unit on 02.07.2012.	
46	DPCC/EC/2/1/2012/1513 30-04-2012	B.R. ALUMINIUM PLOT NO S-55,PHASE-I, BADLI INDL. AREA	Badli Industrial Estate	Orange Operate	MANUFACTURING OF ALUMINIUM CIRCLE. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Inspection be conducted and file be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to inspect and file be put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 11.04.2012 issued by DTU submitted. (b) Stack monitoring report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...No... (4) Inspection details:conducted on 15.12.2011 during the inspection it was found that unit was operating without consent to operate. SCN u/s 21/22 & 25/26 was issued on 16.01.2012. Unit submitted its reply on 01.05.2012 along a copy of application receipt. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 12.07.2012 during the inspection following were observed: a) Unit found in operation and engaged in mfg. of aluminium circle including melting rolling, annealing etc. b) Unit is having two oil fired pit furnace and has provided hood and channelization system over these pit furnace with height about 40 feet above ground level. c) Unit is having one PNG fired annealing furnace. d) Unit is in process of installation of one extra pit furnace.	13-08-2012 Recommended for grant of Consent to Operate and consent to establish with the condition to use Pit Furnace only.

[illegible]