

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-I placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report	Remarks (Whether unit fulfills all conditions for grant of Consent/Authorization)
1	Sunrise Autoworld Private Limited	205, FIE, Patparganj Industrial Estate, Delhi-92	17.09.2015	11810	Consent to Establish	Servicing, Denting, Painting and Repairing of Vehicles with Washing	Non SPI	—	Status of Pollution Control System / Devices: (ETP- To be installed since new case of CTE) Status of Ground water extraction: No Borewell. Source of Water : Tankers. Status of Inspection: No	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Noise - N.A. It is a new case of CTE and therefore test reports are not applicable.	Yes
2	S.R.G. Automobiles	Plot No A-11, Jhilmil Industrial Area, Shahdara, Delhi-95	06.10.2015	12010	Consent to Establish	Servicing and Repair of Motor Cycle / Scooter with Washing	Non SPI	—	Status of Pollution Control System / Devices: (ETP- To be installed since new case of CTE) Status of Ground water extraction: No Borewell. Source of Water : Tankers. Status of Inspection: No	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Noise - N.A. It is a new case of CTE and therefore test reports are not applicable.	Yes
3	DTC Hasanpur	Hasanpur Depot, Delhi-92	28.07.2015	11402	Consent to Operate(Renewal)	Repair & Maintenance of Buses	Non SPI	Renewal (Applied on 07.05.2015)	Status of Pollution Control System / Devices: (ETP- Installed) Status of Ground water extraction: No Borewell. Source of Water : Tankers. Status of Inspection: No	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Test Report of ETP within norms. Noise - Test Report of DG Set within norms. Unit has submitted Adequacy Report	Yes


(Dr. Chandra Prakash), SEE (CMC-I)


(Shyam Sunder), EE (CMC-I)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-I placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report	Remarks (Whether unit fulfills all conditions for grant of Consent/Authorization)
4	Celebration Motors Pvt. Ltd.	Plot No 27, FIE, Patparganj Industrial Area, Delhi-92	27.01.2016	13402	Consent to Establish	Repair & Servicing of Automobiles (Two Wheelers Only) with Washing	Non SPI	—	Status of Pollution Control System / Devices: (ETP- Proposed) Status of Ground water extraction: No Borewell. Source of Water : Tankers. Status of Inspection: No	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Noise - N.A. It is a new case of CTE and therefore test reports are not applicable.	Yes
5	Automobiles Sterling India Pvt. Ltd.	B-1, Jhilmil Industrial Estate, Shahdara, Delhi-95	02.09.2015	11691	Consent to Operate	Service Station of Cars	Non SPI	Fresh (Applied on 02.09.2015)	Status of Pollution Control System / Devices: (ETP- Yes) (D.G.set) Status of Ground water extraction: No Borewell. Source of Water : Tankers. Bill not submitted. Status of Inspection: No	Test Reports:- Air (Emissions) - Test Report of ECS within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Report of DG Set within norms. Unit has submitted Adequacy Report	Yes

(Dr. Chandra Prakash), SEE (CMC-I)

(Shyam Sunder), EE (CMC-I)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
6	Bagga Link Service Ltd.	Z-35, Phase-II, Okhla Industrial Area, New Delhi-20	03.06.2015	10974	Consent to Operate	Showroom Cum Service Station of Three Wheelers	Non SPI	Fresh(Applied on 03.06..2015)	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No	Test Reports:- Air (Emissions) - Test NA. Water(Effluent) - Test Report of ETP within norms. Noise - No DG Set	Yes
7	Auto Vikas Sales & Service Pvt. Ltd.	B-239, Ph-I Okhla Indl. Area, Delhi - 20	03.07.2015	11214	Consent to Establish	Automobile Servicing & Repair, Denting & Painting Station	Non SPI	—	Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No	Test Reports:- Air (Emissions) - Test Report of Paint Booth within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Report of DG Set within norms.	Yes

D.K. Singh
(D.K. Singh), SEE (CMC-II)

Ramesh Chandra
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
8	Auto Vikas Sales & Service Pvt. Ltd.	B-239, Ph-I Okhla Indl. Area, Delhi - 20	03.07.2015	11215	Consent to Operate	Automobile Servicing & Repair, Denting & Painting Station	Non SPI	Renewal (Applied on 03.07..2015)	Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No	Test Reports:- Air (Emissions) - Test Report of Paint Booth within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Report of DG Set within norms.	Yes
9	Martin Motors	Sector-20, Near Marble Market, Dwarka, New Delhi - 75	04.08.2015	11466	Consent to Operate	Repairing And Servicing of Light Vehicles/petrol Pump.	Non SPI	Fresh(Applied on 04.08.2015)	Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : DJB (Bill submitted) & Tanker. Status of Inspection:- Unit submitted letter on 10.01.2015 w.r.t. rectification of deficiencies observed on inspection dated 06.03.2015	Test Reports:- Air (Emissions) - N/A Water(Effluent) - Test Reports of ETP within norms. Noise - Test Reports of DG Set within norms.	Yes

(D.K. Singh)
(D.K. Singh), SEE (CMC-II)

(Ramesh Chandra)
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
10	Elroy Motors Private Limited	A-2, Phase-I, Okhla Industrial Area, New Delhi - 20	31.08.2015	11675	Consent to Operate	Automobiles Workshop (with Washing) & Paint Booth	Non SPI	Fresh(Applied on 31.08.2015)	Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No	Test Reports:- Air (Emissions) - Test Report of Paint Booth within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Reports of DG Set within norms.	Yes
11	Koncept Cars India Pvt. Ltd.	D-29, Phase-I, Okhla Industrial Area, New Delhi - 20	28.10.2015	12237	Consent to Establish	Automobiles Workshop Cum Service Station Including Denting, Painting And Washing.	Non SPI	—	Status of Pollution Control System / Devices: ETP Proposed Status of Ground water extraction: No Borewell. Source of Water : DJB & Tanker. Status of Inspection:- No	Test Reports:- Air (Emissions) - Nil Water(Effluent) - Nil Noise - Nil	Yes

(Signature)
(D.K. Singh), SEE (CMC-II)

(Ramesh Chandra), EE (CMC-I)

(Signature)
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
12	Regent Garage Pvt. Ltd	D-1, Phase-I, Okhla Industrial Area, New Delhi - 20	27.11.2015	12479	Consent to Operate	Service Station of Cars.	Non SPI	Fresh(Applied on 27.11.2015)	Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : DJB & Tanker, Bills submitted. Status of Inspection:- No	Test Reports:- Air (Emissions) - Test Reports of Paint Booth within norms. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Reports of DG Set within norms.	Yes
13	GRD Trucks Private Limited	D-1, Okhla Industrial Area, Phase-I, New Delhi - 20	21.12.2015	12834	Consent to Establish	Service Station of Vehicles I.e. Trucks And Bikes	Non SPI	-	Status of Pollution Control System / Devices: Proposed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Status of Inspection:- No	Test Reports:- Air (Emissions) - Nil Water(Effluent) - Nil Noise - Nil	Yes

(Signature)
(D.K. Singh), SEE (CMC-II)

(Ramesh Chandra), EE (CMC-II)

(Signature)
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
14	Lotus Pond	K-185, Sari Jullena Community Center (New Friends Colony), Delhi	31.03.2015	10459	Consent to Operate	Quick Restaurant Services	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction:- No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- No	Test Reports:- Air (Emissions) - Test NA Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes

(Signature)
 (D.K. Singh), SEE (CMC-II)

(Signature)
 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
15	The Legend Inn	E-4, East of Kailash, New Delhi-65	14.01.2015	9887	Consent to Establish	Guest House with 19 Room	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (Oil & Grease Trap Cum Settling Tank installed) Status of Ground water extraction: Certificate of Registration of wells has been obtained from CGWA Source of Water : DJB (Bill submitted) & Borewell. Status of Inspection:- no inspection carried out after rectification deficiencies observed during earlier inspection on 07.07.2015.	Test Reports:- Air (Emissions) - Test Reports of Boiler within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Noise Monitoring Report of DG Set within norms.	Directions for closure issued on 05.01.2015 revoked temporarily vide letter dated 10.08.2015. CTE & CTO to be decided & Direction for closure is to be revoked.


 (D.K. Singh), SEE (CMC-II)


 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
16	The Legend Inn	E-4, East of Kailash, New Delhi-65	27.03.2015	10434	Consent to Operate	Guest House with 19 Room	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (Oil & Grease Trap Cum Settling Tank installed) Status of Ground water extraction: Certificate of Registration of wells has been obtained from CGWA Source of Water : DJB (Bill submitted) & Borewell. Status of Inspection:- no inspection carried out after rectification deficiencies observed during earlier inspection on 07.07.2015.	Test Reports:- Air (Emissions) - Test Reports of Boiler within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Noise Monitoring Report of DG Set within norms.	Directions for closure issued on 05.01.2015 revoked temporarily vide letter dated 10.08.2015. CTE & CTO to be decided & Direction for closure is to be revoked.

(Signature)
 (D.K. Singh), SEE (CMC-II)

(Signature)
 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
17	Pind Balluchi Restaurant (A unit of J.S. Hospitality Services Pvt. Ltd.)	M-58 (1st & 2nd Floor), Lajpat Nagar-II, New Delhi, New Delhi	26.03.2015	10430	Consent to Operate	Restaurant	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) and operating as per adequacy report Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- No	Test Reports:- Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring Report of DG Set within norms.	Yes
18	Barsoom (A Unit of Space Case Restaurant Pvt. Ltd.)	26, Third Floor, Hauz Khas, Village, New Delhi-16	29.01.2015	10000	Consent to Operate	Eating House	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (Common ETP installed & working) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- Done (Found Satisfactory)	Test Reports:- Air (Emissions) - Test NA. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring Report of DG Set within norms.	Yes

(D.K. Singh)
(D.K. Singh), SEE (CMC-II)

(Ramesh Chandra)
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.


S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
19	Pyramids (Tonino)	Kh. No 76/27, Andheria More, Mehrauli, New Delhi	24.06.2015	11129	Consent to Operate	Restaurant	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: Certificate of Registration of wells has been obtained from CGWA. Source of Water : Borewell. Status of Inspection:- No	Test Reports:- Air NA. (Emissions) - Test Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes
20	Elevations Holdings Pvt. Ltd.	F-24, Pushpanjali Farms, Dwarka, NH-8, Link Road (Bharthal Road), New Delhi-37	12.06.2015	11040	Consent to Establish	Party Lawn For Marriage and Social Functions	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: Unit has informed that extraction of ground water has been totally stopped. SDM has sealed the borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No	Test Reports:- Air NA. (Emissions) - Test Water(Effluent) - Test Reports of ETP within norms. Noise - Test NA.	Directions for closure issued on 22.12.2014 revoked temporarily vide letter dated 21.08.2015. CTE to be decided & Direction for closure is to be revoked.

(D.K. Singh), SEE (CMC-II)

(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
21	Elevations Holdings Pvt. Ltd.	F-24, Pushpanjali Farms, Dwarka, NH-8, Link Road (Bharthal Road), New Delhi-37	21.10.2015	12184	Consent to Operate	Party Lawn For Marriage and Social Functions	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: Unit has informed that extraction of ground water has been totally stopped. SDM has sealed the borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No	Test Reports:- (Emissions) - Test NA. Water(Effluent) - Test Reports of ETP within norms. Noise - Test NA.	Temporary Revocation of Direction dated 22.12.2014, issued on 21.08.2015. CTO to be decided & Direction for closure is to be revoked.


 (D.K. Singh), SEE (CMC-II)


 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
22	Qutab Entertainment Pvt. Ltd.	The Kila, 4A, Kalka Das Marg, Mehrauli, New Delhi-30	11.05.2015	10777	Consent to Establish	Eating House.	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- unit has submitted letter w.r.t. rectification of deficiencies observed during inspection on 07.07.2015.	Test Reports:- (Emissions) - Test NA. Air Water(Effluent) - Test NA. Noise - Test NA.	Temporary Revocation of Direction dated 05.01.2015. issued on 10.08.2015 to M/s Blue Frog. CTE & CTO to be decided & Direction for closure is to be revoked.

(Signature)
 (D.K. Singh), SEE (CMC-II)

(Signature)
 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
23	Qutab Entertainment Pvt. Ltd.	The Kila, 4A, Kalka Das Marg, Mehrauli, New Delhi-30	19.10.2015	12136	Consent to Operate	Eating House.	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- unit has submitted letter w.r.t. rectification of deficiencies observed during inspection on 07.07.2015.	Test Reports:- (Emissions) - Test NA. Water(Effluent) - Test Reports of ETP within norms. Noise - Test NA.	Temporary Revocation of Direction dated 05.01.2015. issued on 10.08.2015 to M/s Blue Frog. CTE & CTO to be decided & Direction for closure is to be revoked.
24	Café Einstein (A Unit of Chemical & Metallurgical Design Co. Ltd.)	Paharpur Business Centre, 21, Nehru Place NC-S, Delhi-19	26.03.2015	10429	Consent to Operate (Renewal)	Restaurant (49 Seats)	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- No	Test Reports:- (Emissions) - Test NA. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms..	Yes. CTO to be decided and IT Cell may requested to correct the name of unit

(D.K. Singh)
(D.K. Singh), SEE (CMC-II)

(Ramesh Chandra)
(Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-II placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
25	Kasbah Restaurant (A Unit of the Alliance Group)	N-2, 3, Greater Kailash, Part - I, New Delhi - 48	05.03.2015	10292	Consent to Operate	Quick Services Restaurant	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- unit has submitted letter w.r.t. rectification of deficiencies observed during inspection on 02.06.2015.	Test Reports:- Air (Emissions) - Test NA. Water(Effluent) - Test Reports of ETP within norms. Noise - Test Noise Monitoring report of DG Set within norms.	Yes

(Signature)
 (D.K. Singh), SEE (CMC-II)

(Signature)
 (Ramesh Chandra), EE (CMC-II)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-III placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO (R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the case	Status of Test Report (s)	Remarks (Whether unit fulfills all conditions for grant of Consent /Authorization)
26	All Heavens Restaurants Pvt. Ltd.	B-97, Wazirpur Industrial Area, Delhi-52	29.05.2015	10935	Consent to Operate (Renewal)	Restaurent.	Non SPI	Not Applicable	Status of Pollution Control System / Device: ETP:- found installed and working. Status of Ground Water Extraction: Borewell exist. Permission for ground water extraction has been obtained. Source of Water : DJB (Bill submitted) & Borewell. Status of Inspection: Done Temporary revocation issued. Reply received (found satisfactory)	Test Report:- Water(Effluent)- Submitted. Test Reports within norms. Noise- Submitted. Test Reports within norms.	Yes

(Pankaj Kapil), SEE (CMC-III)

(R.K. Sharma), EE (CMC-III)

(S.K. Goyal), EE (CMC-III)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-III placed before the Committee for 2(c) category cases in the meeting held on

26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO (R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the case	Status of Test Report (s)	Remarks (Whether unit fulfills all conditions for grant of Consent /Authorization)
27	Sipla Fruit Product	B-64A, Lawrence Road Industrial Area, Delhi-35	26.03.2015	10428	Consent to Operate (Renewal)	Mfg. of Achar and Muraba	Non SPI	Not Applicable	Status of Pollution Control System / Device: ETP:- found installed and working. Status of Ground Water Extraction: One Borewell exist. Voluntary disclosure filed in the DJB for the permission vide representation dated 19.10.2015 and its use stopped and buried inside pucca floor as confirmed during inspection on 03.11.2015. Source of Water : DJB. Bill submitted. Status of Inspection: Done Letter issued. Reply received (found satisfactory)	Test Report:- Air (Emissions)- Submitted. Test Reports within norms. Water(Effluent)- Submitted. Test Reports within norms. Noise- Submitted. Test Reports within norms.	Yes
28	Prem Industry	A-56, Group, Wazirpur Industrial Area, Delhi-52	05.09.2014	8964	Consent to Operate (Renewal)	1. Mfg. of Plastic House Hold Items by Injeciton Moulding Machine. 2. Pressing of Utensils and Buffing	Non SPI	Not Applicable	Status of Pollution Control System / Device: ECS:- found installed and working. Status of Ground Water Extraction: Borewell disconnected. Source of Water : DJB. Bill submitted. Status of Inspection: Done Letter issued. Reply received (found satisfactory)	Test Report:- Noise- Submitted. Test Reports within norms.	Yes

(Pankaj Kapil), SEE (CMC-III)

(R.K. Sharma), EE (CMC-III)

(S.K. Goyal), EE (CMC-III)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-III placed before the Committee for 2(c) category cases in the meeting held on

26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO (R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the case	Status of Test Report (s)	Remarks (Whether unit fulfills all conditions for grant of Consent /Authorization)
29	Jolly Ice & Cold Storage (Unit-II)	A-18, Lawrence Road Industrial Area, Delhi-35	28.05.2012	1740	Consent to Operate (Renewal)	Meat Processing and Freezing	SPI	Not Applicable	Status of Pollution Control System / Device: ETP:- found installed and working. Status of Ground Water Extraction: Borewell exist. Permission for ground water extraction has been obtained. Source of Water : DJB (Bill submitted) & Borewell. Status of Inspection: Done Modified Direction issued. Reply received (found satisfactory)	Test Report:- Water(Effluent)- Submitted. Test Reports within norms. Noise- Submitted. Test Reports within norms.	Yes

(Pankaj Kapil), SEE (CMC-III)

(R.K. Sharma), EE (CMC-III)


(S.K. Goyal), EE (CMC-III)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
30	Magic Auto Pvt. Ltd.	68/3, Moti Nagar Industrial Area,, Delhi - 15	26.05.2014	7965	Consent to Establish	Service Station of Cars with Paint Booth	Non SPI	Authorization valid up to 26.04.2016	Status of Pollution Control System / Devices: (ETP-Working) (1 D.G. set of 125 KVA with Acoustic Enclosure provided) ECS- Working Status of Ground water extraction: Borewell disconnected / sealed by the unit. Source of Water : DJB & Tanker (Copy of bill along with certificate of registration issued by CGWA in the name of water supplier submitted) Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Air (Emissions) - Unit has submitted stack monitoring report of Paint Booth on 09-05-2014 was found within the limit. Water(Effluent) - Unit submitted the Water Effluent Test Report on 09.09.2014 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 07.05.2014 and it was found within the limits	Yes


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on
26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
31	Magic Auto Pvt. Ltd.	68/3, Moti Nagar Industrial Area,, Delhi - 15	26.05.2014	7966	Consent to Operate	Service Station of Cars with Paint Booth	Non SPI	Authorization valid up to 26.04.2016	Status of Pollution Control System / Devices: (ETP-Working) (1 D.G. set of 125 KVA with Acoustic Enclosure provided) ECS- Working Status of Ground water extraction: Borewell disconnected / sealed by the unit. Source of Water : DJB & Tanker (Copy of bill along with certificate of registration issued by CGWA in the name of water supplier submitted) Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Air (Emissions) - Unit has submitted stack monitoring report of Paint Booth on 09-05-2014 was found within the limit. Water(Effluent) - Unit submitted the Water Effluent Test Report on 09.09.2014 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 07.05.2014 and it was found within the limits	Yes


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
32	Patel Auto Services Pvt. Ltd.	B-92, Mayapuri Industrial Area, Phase-I, Delhi - 64	30.09.2014	9166	Consent to Establish	Mechantea l Repair Denting, Painting and Servicing (with Washing) of Automobiles.	Non SPI	—	Status of Pollution Control System / Devices: ETP-(Proposed) 1 D.G. set -82.5 KVA (Proposed) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill enclosed. Status of Inspection:- Yes. (Found Satisfactory)	Test Reports:- Water Effluent- N/A	Yes



(Satender Kumar), SEE (CMC-IV)



(Sunil Kumar), EE (CMC-IV)



(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
33	Delhi Scooters	10/60 D, Kirti Nagar Indl. Area, Delhi - 15	30.03.2015	10453	Consent to Operate (Renewal)	Service Station of Bikes	Non SPI	Authorization valid up to 05.03.2017	Status of Pollution Control System / Devices: ETP-Working D.G. set -Nil Status of Ground water extraction: No Borewell. Source of Water : DJB (bill submitted) & Tanker (bill not submitted). Status of Inspection:- No	Test Reports:- Water Effluent- Unit submitted the waste water analysis report on 11.03.2015 was found within the limit	Yes


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
34	Charu Motors Pvt. Ltd	69/1A , Najafgarh Road Industrial Area , Delhi - 15	06.12.2014	8147	Consent to Operate (Renewal)	Repairing And Servicing of Cars.	Non SPI	Renewal (Applied on 08.05.2015)	Status of Pollution Control System / Devices: (ETP-Working) (D.G. set - 2 DG sets of 100 & 500 KVA with Acoustic Enclosure provided) Status of Ground water extraction: Borewell disconnected / sealed by the unit. Source of Water : DJB & Tanker (Copy of bill along with certificate of registration issued by CGWA in the name of water supplier submitted) Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Water(Effluent) - Unit submitted the Water Effluent Test Report on 19.05.2014 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 27.05.2014 and it was found within the limits	Yes Authorization may be also be granted


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
35	Gupta Service Station	Moti Bagh South, Delhi.	13.03.2015	10334	Consent to Operate (Renewal)	Petrol Pump Cum Service Station (Washing of Cars).	Non SPI	Renewal (Applied on 28.04.2014)	Status of Pollution Control System / Devices: (ETP-Working 1 D.G. set 30 KVA with Acoustic Enclosure provided) Status of Ground water extraction: No Borewell. Source of Water Supply : DJB. Bill submitted. Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Air Emission - Unit submitted the Stack Monitoring Report of Scrubber on 02.07.2014 was found within the limit Noise - Unit submitted the noise monitoring Test Report on 14.07.2014 and it was found within the limits	Yes Authorization may be also be granted



(Satender Kumar), SEE (CMC-IV)



(Sunil Kumar), EE (CMC-IV)



(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on
26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
36	CP 65 Banquet	69/6A, Najafgarh Road Industrial Area, Moti Nagar, Delhi - 15	19.05.2015	10865	Consent to Establish	Banquet Hall.	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (ETP-Working) (Two D.G.set of capacity 2 x 125 & Acoustic Enclosure provided) Status of Ground water extraction: No Borewell. Source of Water : Tanker (Bill not submitted). Status of Inspection:- Inspection was carried out on 24.08.2015 and found satisfactory	Test Reports:- Air (Emissions) - Nil Water(Effluent) - Unit submitted the Water Effluent Test Report on 04.05.2015 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 25.05.2015 and it was found within the limits	Yes. Revocation of Closure Directions may also be issued.


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)



(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
37	CP 65 Banquet	69/6A, Najafgarh Road Industrial Area, Moti Nagar, Delhi - 15	26.05.2015	10917	Consent to Operate	Banquet Hall	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (ETP-Working) (Two D.G.set of capacity 2 x 125 & Acoustic Enclosure provided) Status of Ground water extraction: No Borewell. Source of Water : Tanker (Bill not submitted). Status of Inspection:- Inspection was carried out on 24.08.2015 and found satisfactory	Test Reports:- Air (Emissions) - Nil Water(Effluent) - Unit submitted the Water Effluent Test Report on 04.05.2015 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 25.05.2015 and it was found within the limits	Yes. Revocation of Closure Directions may also be issued.


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
38	Paradise Industries	A-7, G.F Mayapuri Indl. Area PH-II,, Delhi - 64	24.01.2014	6580	Consent to Operate(Renewal)	Electrical Contact Rivits.	SPI	Renewal (Applied on 25.01.2011)	Status of Pollution Control System / Devices: (ETP-Working) 1 D.G. set -160 KVA with Acoustic Enclosure provided) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Water(Effluent) - Unit submitted the Water Effluent Test Report on 31.05.2014 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 20.08.2014 and it was found within the limits	Yes Authorization may be also be granted


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
39	RDX (A Unit Of Rajinder Xpress)	Shop No-4, AB-Block Market, Community Center, Safdarjung Enclave, Delhi	24.04.2015	10647	Consent to Operate	Restaurant (48 Seats)	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (ETP-Working 1 D.G. set 125 KVA with Acoustic Enclosure provided) Status of Ground water extraction: No Borewell. Source of Water : DJB. Bill submitted. Status of Inspection:- No	Test Reports:- Water Effluent - Unit submitted the water effluent test report on 04.05.2015 was found within the limit Noise - Unit submitted the noise monitoring Test Report on 20.04.2015 and it was found within the limits	Yes


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
40	Krishna Foundary & Workshop	A-39, Phase-I, Mayapuri Industrial Area, Delhi - 64	02.03.2014	6802	Consent to Operate (Renewal)	C.I. Casting by Cupola Furnace	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP-N/A ECS-Working 1 D.G. set 75 KVA with Acoustic Enclosure provided) Status of Ground water extraction: No Borewell. Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Air Emissions- Unit submitted the stack monitoring report of cupola furnace on 09.01.2014 was found within the limit Noise - Unit submitted the noise monitoring Test Report on 24.01.2014 and it was found within the limits	Yes

(Satender Kumar), SEE (CMC-IV)

(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

**Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on
26.02.2016.**

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
41	Himalaya Sagar	A-1, Milap Nagar, Uttam Nagar, New Delhi -59.	17.07.2014	8498	Consent to Operate	Restaurant	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP-Working 1 D.G. set 62.5 KVA with Acoustic Enclosure provided) Status of Ground water extraction: Borewell disconnected/sealed by unit. Source of Water : DJB. Bill submitted. Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Water Effluent- Unit submitted the waste water analysis report on 14.06.2014 was found within the limit Noise - Unit submitted the noise monitoring Test Report on 03.07.2014 and it was found within the limits	Yes. Revocation of Closure Directions may also be issued.


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)



(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on

26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
42	Pindi Engineering Works	B-123, Ph-I, Mayapuri Industrial Area, Delhi - 64	29.01.2014	6672	Consent to Operate (Renewal)	Mfg. of Bright Steel Bars.	SPI	Renewal (Applied on 13.07.2015)	Status of Pollution Control System / Devices: ETP-Working D.G. set -OF 62.5 KVA with acoustic enclosure Status of Ground water extraction: Borewell exist. Permission of ground water extraction from CGWA provided. Status of Inspection:- No	Test Reports:- Air Emissions- Unit submitted the stack monitoring report of stack of exhaust of pickling section hood on 15.01.2014 was found within the limit Water Effluent- Unit submitted the waste water analysis report on 18.01.2014 was found within the limit Noise - Unit submitted the noise monitoring test report on 12.11.2013 was found within the limit	Yes Authorization may also be granted


 (Satender Kumar), SEE (CMC-IV)


 (Sunil Kumar), EE (CMC-IV)


 (K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
43	Hotel Alka	P-16, Connought Circus, Delhi - 01	22.04.2014	7555	Consent to Operate (Renewal)	Quick Hotel Services.	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP-Working 1 D.G. set -160 KVA Status of Ground water extraction: No Borewell. Source of Water : NDMC. Status of Inspection:- Yes (Found Satisfactory)	Test Reports:- Water Effluent- Unit submitted the waste water analysis report on 18.02.2014 was found within the limit Noise- unit submitted the noise monitoring test report on 05.02.2014 was found within the limit	Yes

(Satender Kumar), SEE (CMC-IV)

(Sunil Kumar), EE (CMC-IV)

(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
44	Wenger & Co	A-16, Connaught Place, Delhi - 01	23.09.2014	9109	Consent to Operate (Renewal)	Backery and Confectionery	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (ETP-Working 2 D.G. set 125 & 60 KVA with Acoustic Enclosure provided) Status of Ground water extraction: Borewell exist. Permission from CGWA submittted. Source of Water : NDMC. Bill submitted. Status of Inspection:- An inspection was carried out by DPCC officials on 21.05.2015	Test Reports:- Air Emission - Unit submitted the Stack Monitoring Report of Scrubber on 02.07.2014 was found within the limit Noise - Unit submitted the noise monitoring Test Report on 14.07.2014 and it was found within the limits	Yes

(Satender Kumar), SEE (CMC-IV)

(Sunil Kumar), EE (CMC-IV)

(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
45	C.T.C. Mall Tradex Pvt. Ltd	3, Najafgarh Road Industrial Area, Delhi - 15	11.11.2014	9411	Consent to Operate (Renewal)	Show Room of Readymade Garments	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP -Working ECS-N/A 1 D.G. set 250 KVA with Acoustic Enclosure provided) Status of Ground water extraction: No Borewell: Source of Water : DJB. Bill submitted. Status of Inspection:- No	Test Reports:- Water Effluent- Unit submitted the waste water analysis report on 27.03.2015 was found within the limit Noise - Unit submitted the noise monitoring Test Report on 22.09.2014 and it was found within the limits	Yes


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)


(K. Kumar), EE (CMC-IV)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
46	J.J. Impex	C-7, SMA Industrial Estate, GTK Road, Delhi-33	28.12.2015	12969	Consent to Establish	Automobile Workshop Cum Service Centre (with Washing of Vehicles)	Non SPI	N/A (being CTE application)	Status of Pollution control system/ devices: 1. ETP- Proposed 2. ECS-Nil. 3. D.G. Set(s): Proposed, 125 KVA. 4. Water consumption: 1475 L/day. Status of Ground water extraction: No Borewell. Source of water: Corporation + Tanker Status of Inspection: No	N/A	Yes
47	Charu Motors Pvt. Ltd.	B-5, Badli Industrial Estate, Phase-I, Delhi-42	08.09.2015	11733	Consent to Establish	Repairing, Servicing Denting and Painting of Cars	Non SPL	N/A (being CTE application)	Status of Pollution control system/ devices: 1. ETP- Proposed 2. ECS-Nil. 3. D.G. Set(s): Proposed, 125 KVA. 4. Water consumption: 8500 L/day. Status of Ground water extraction: No Borewell. Source of water: DJB + Tanker Status of Inspection: No	N/A	Yes


(Mohd. Anif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)

(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
48	Galaxy Toyota	Plot No 16, Rajasthani Udyog Nagar, G.T. K. Road, Delhi - 33	28.10.2015	12201	Consent to Operate	Repairing and Servicing of Cars.	Non SPI	Fresh (Applied on 23.10.2015)	Status of Pollution control system/ devices: 1. ETP- Yes. (a) AR submitted dated September, 2015 issued by Jamia Milia Islamia. 2. ECS- Nil 3. D.G. Set(s): 100 KVA Status of Ground water extraction: Borewell exists. Permission from CGWA submitted. Also DJB water supply. Status of Inspection: No	Test Reports: Air (Emissions)-Test Reports -N/A Water (Effluent)-Test Reports within norms Noise- Test Reports within norms	Yes



(Mohd. Anil), SEE (CMC-V)



(M.S. Rawat), EE (CMC-V)



(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
49	Metro Agencies	Plot No 3, Pocket-A, Sector-2, DSIDC, Industrial Area, Bawana, Delhi - 39	06.10.2015	12006	Consent to Operate	Automobile Repair with Washing.	Non SPI	Fresh (Applied on 06.10.2015)	Status of Pollution control system/ devices: 1. ETP- Yes. (a) AR dated April, 2015 issued by Jamia 2. ECS-N/A. 3. D.G. Set(s): Nil 4. Water consumption: 2370 L/day (water bill from DSIDC submitted). Status of Ground water extraction: No Borewell. Source: DSIDC (water bill submitted). Status of Inspection: No	Test Reports: Air (Emissions)-Test Reports -N/A Water (Effluent)-Test Reports within norms Noise- Test Reports - N/A	Yes


(Mohd. Arif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)


(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
50	R.I. Plastics Industries	Plot No-240, Sector-5, Pocket-M, DSIIDC Bawana Industrial Area, Delhi, -39	11.08.2015	11522	Consent to Establish	Mfg. of Secondary Plastic Dana with Washing	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ETP- proposed 2. ECS-proposed 3. D.G. Set(s): Nil 4. Water consumption: 850 L/day Status of Ground water extraction: No Borewell. Source: Municipal Authority Status of Inspection: No	N/A	Yes
51	Natik Industries	G-57, Sector-4, DSIIDC Bawana Industrial Area, Delhi, -39	14.08.2015	11558	Consent to Establish	Aluminium Pressure Die Casting	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ETP- N/A 2. ECS-Proposed 3. D.G. Set(s): Nil 4. Water consumption: 350 L/day. Source of water: DSIIDC Status of Ground water extraction: No Borewell. Source of water: DSIIDC Status of Inspection: No	N/A	Yes


(Mohd. Arif), SBE (CMC-V)


(M.S. Rawat), EE (CMC-V)

(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
52	J S Industries	E-8 (1st and 2nd Floor) SMA Industrial Area, G.T. Karnal Road, Delhi-33	26.08.2015	11629	Consent to Establish	Buffing of Hardware Goods (Hinges, Door Fittings etc.)	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ETP- N/A 2. ECS-Proposed dust collector 3. D.G. Set(s): proposed 2 D.G. Sets of 125 KVA & 62.5 KVA) 4. Water consumption: 100 L/day. Status of Ground water extraction: No Borewell. Source of water: DJB(copy of DJB bill submitted) Status of Inspection: No	N/A	Yes



(Mohd. Arif), SEE (CMC-V)



(M.S. Rawat), EE (CMC-V)


(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
53	Modern Dall Mill	Plot No J-3179, DSIIDC Narela Industrial Area , Delhi, - 40	03.09.2015	11710	Consent to Establish	Dall Mill	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ETP- N/A 2. ECS-Proposed bag filters 3. D.G. Set(s): nil 4. Water consumption: 200 L/day. Status of Ground water extraction: No Borewell. Source of water: DSIIDC Status of Inspection: No	N/A	Yes


(Mohd. Arif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)


(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
54	Lavish The Party Lawn (A Unit Of M/s Chandra Ferouas Alloys and Real Co.(Pvt) Ltd.	Kh No 23/2 Village Alipur Landmark Near Palla More City, Delhi	07.07.2015	11241	Consent to Operate (Renewal)	Party Lawn.	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ETP- Yes 2. ECS-Kitchen emission Channelized a) Adequacy report of ETP dated 03.01.2012 2015 issued by DTU submitted. 3. D.G. Set(s): nil 4. Water consumption: 8500 L/day. 5. MCD permission valid upto 31.03.2016 Status of Ground water extraction: No Borewell. Source of water: Outside Tankers. Status of Inspection: No	Test Reports: Air (Emissions)- Test Reports -N/A Water (Effluent)- Test Reports within norms Noise- Test Reports - N/A	Yes


(Mohd. Arif), SEE (CMC-V)

(M.S. Rawat), EE (CMC-V)

(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
55	Onora Hospitality Private Ltd.	Khasra No. 14/26, 15/8,15/9,15/10,15/26 NH-1, GT Karnal Road, Village Singhola, near Singhu Border, Delhi - 40	14.07.2015	11295	Consent to Operate	Motel / Resort / Recreation less than 20 Rooms	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. STP- Yes 2. ECS-Kitchen emission Channelized a) Adequacy report of STP dated June 2015 issued by Jamia Milia submitted. 3. D.G. Set(s): 2 x 250 KVA, 1 x 125 KVA. 4. Water consumption: 22000 L/day (on full load). Other days 350L/day Status of Ground water extraction: No Borewell. Source of water: Outside / Tankers (Copy of bill submitted). 5. MCD Health License valid upto 31.03.2016 6. Applied for renewal of police license Status of Inspection: No	Test Reports: Air (Emissions)- Test Reports of Oil fired boiler - within norms Water (Effluent)- Test Reports within norms Noise- Test Reports within norms	Yes


(Mohd. Arif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)


(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
56	Goyal Food Processors	A-201, DSIIDC Narela Industrial Area, Delhi - 40	20.08.2015	11591	Consent to Operate (Renewal)	Dall Mill.	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ECS- Yes a) Adequacy report of ECS(bag house) dated November 2014 issued by Jamia Milia submitted. 2. D.G. Set(s): Nil 4. Water consumption:1000 L/day. Status of Ground water extraction: No Borewell. Source of water: DSIIDC (Bill Sumitted) Status of Inspection: No	Test Reports: Air (Emissions)- Test Reports within norms Water (Effluent)- Test Reports N/A Noise- Test Reports N/A	Yes


(Mohd. Anif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)


(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
57	Shyam Trading Corporation	Plot No 17, Pocket-A, Sector-2, DSIIDC Bawana Industrial Area, Delhi - 39	26.08.2015	11625	Consent to Operate (Renewal)	Dall Mill.	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ECS- Yes a) Adequacy report of ECS(bag house) dated November 2014 issued by Jamia Milia submitted. 2. D.G. Set(s): Nil 3. Water consumption:350 L/day. Status of Ground water extraction: No Borewell. Source of water: DSIIDC (Bill submitted) Status of Inspection: No	Test Reports: Air (Emissions)- Test Reports within norms Water (Effluent)- Test Reports N/A Noise- Test Reports N/A.	Yes

(Mohd. Arif), SEE (CMC-V)

(M.S. Rawat), EE (CMC-V)

(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
58	Shree Mahavir Industries	Plot No 409, Sector-5, Pocket-E, DSIIDC, Bawana Industrial Area, Delhi - 39	31.08.2015	11677	Consent to Operate	Manufacturing of Dall Mill.	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. ECS- Yes a) Adequacy report of ECS(bag house) dated April 2014 issued by Jamia Milia submitted. 2. D.G. Set(s): Nil 3. Water consumption:360 L/day. Status of Ground water extraction: No Borewell. Source of water: out side source (copy of bill submitted) Status of Inspection: No	Test Reports: Air (Emissions)- Test Reports within norms Water (Effluent)- Test Reports N/A Noise- Test Reports N/A	Yes


(Mohd. Anif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)


(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-V placed before the Committee for 2(c) category cases in the meeting held on 26.02.2016.

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
59	The Retreat Motel (Run by Jingal Bell Amusement Park Pvt. Ltd.)	Alipur, Main G.T. Karnal Road, Delhi -36	09.09.2015	11750	Consent to Operate	Motel of 47 No. rooms with Resturant of 40 Seats	Non SPI	Not Applicable	Status of Pollution control system/ devices: 1. STP- Yes a) Adequacy report dated August 2015 issued by Jamia Milia submitted. 2. ECS-kichen emission channelised. 3. D.G. Set(s): 250KVA, Stack height 3.5m above roof 4. Water consumption: 17500 L/day. Status of Ground water extraction: Ground Water- Borewells disconnected. Source of water: Outside tankers (copy of bill submitted) Status of Inspection: Done. found satisfactory. MCD health licence valid upto 31.03.2017 Police licence valid upto 31.03.2016 Revocation of closure directions for 45 days issued on 27.10.2015	Test Reports: Air (Emissions)- Test Reports N/A Water (Effluent)- Test Reports within norms Noise- Test Reports within norms	Yes

(Mohd. Anif), SEE (CMC-V)


(M.S. Rawat), EE (CMC-V)

(Amit Choudhary), EE (CMC-V)

Statement of concerned Engineers w.r.t. Complete Consent to Establish/Operate/Renewal/Authorization Cases of CMC-IV placed before the Committee for 2(c)category cases in meeting on 26.02.16(except permission for Ground Water) (Annexure -B)

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Consent Application [CTE/CTO/CTO(R)]	Activity / Product	Category (SPI / Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent /
1	Capital Scooters Pvt. Ltd.	15, Tilak Nagar Industrial Area, Delhi - 12	10.01.2014	9188	Consent to Operate	Service, Repair of Honda Two Wheelers.	Non SPI	Renewal (Applied on 01.10.2014)	Status of Pollution Control System / Devices: (ETP-Working) 1 D.G. set -62.5 KVA with Acoustic Enclosure provided) Status of Ground water extraction: unit submitted the voluntary disclosure form for ground water extraction Status of Inspection:- No	Test Reports:- Water(Effluent) - Unit submitted the Water Effluent Test Report on 05.09.2014 and it was found within the limit Noise - Unit submitted the noise monitoring Test Report on 20.08.2014 and it was found within the limits	Yes Authorization may also be granted
2	Prince Die Casting	69/6A, Najafgarh Road Industrial Area, Delhi - 15	28.09.2012	2744	Consent to Operate (Renewal)	Aluminium Die Casting of Auto, Electrical and Hardware Parts.	Non SPI	Not Applicable	Status of Pollution Control System / Devices: (ETP-N/A (D.G. set -N/A ECS - Working Status of Ground water extraction: voluntary disclosure form is submitted by the unit	Test Reports:- Air (Emissions) - Unit has submitted stack monitoring report of Oil Fired Furnace on 11-09-2012 was found within the limit.	Yes


(Satender Kumar), SEE (CMC-IV)


(Sunil Kumar), EE (CMC-IV)