



DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /13th Meeting / 2016/681 - 685 Dated: 06/10/16

Subject: Minutes of the 13th Meeting of the Committee for II (b) Category Cases headed by Member Secretary, DPCC, held on **30.09.2016**, in the Conference Room of DPCC at ISBT Building Kashmer Gate , Delhi -06.

Please find enclosed herewith the Minutes of the 13th Meeting of the aforementioned Committee, held on **30.09.2016**, in the Conference Room of DPCC at ISBT Building Kashmer Gate , Delhi -06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(D.K.Singh)
Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

- 1.PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
- 2.In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC .

(D.K.Singh)
Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 13th Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous & Other Wastes / Plastic Waste Rules, held on 30.09.2016, in the conference room of DPCC, at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

In view of the letter F. No. DPCC/CMC-II/Consent GW-Policy/2016/5025-40 Dated 28.07.2016 issued to Chief Executive Officer, Delhi Jal Board & Secretary (Revenue) cum Divisional Commissioner, Govt. of NCT of Delhi [with copy to Member (Water), Delhi Jal Board and all Dy. Commissioners of 11 Districts], the Committee decided not to hold consent applications on the issue of ground water extraction / use of ground water / outside source for water supply (tankers) and decide the cases from the pollution control point of view so that provisions of the pollution control laws can be implemented / enforced in NCT of Delhi.

The matter regarding deciding the consent / authorization applications received from the units located in Redevelopment Areas was discussed. It was informed that a meeting was held before Secretary (Environment) cum Chairman, DPCC on 13.07.2016 w.r.t. issues / policy regarding units operating in notified redevelopment industrial areas of Delhi as mentioned in the Master Plan of Delhi-2021. The said meeting was attended by representatives of DDA, Industries Department and DPCC. Minutes of the said meeting have been issued on 02.08.2016. In view of the decisions taken in the said meeting, an office order is to be issued which is under process.

In case of the units of redevelopment areas which have applied for Consent/Authorization to DPCC, the Committee decided to ask the units to submit Certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate. Copy of such letters issued to the units may also be sent to the Industries Department.

List of units in redevelopment areas which have applied for Consent/Authorization to DPCC be sent to the Commissioner, Industries Department, Govt. of NCT of Delhi for verification / confirmation of the location of the unit within the boundary of the notified redevelopment areas and subsequently on monthly basis by the concerned CMC i.e. CMC-IV dealing with the matter / issues related to redevelopment areas.

Agenda Item No 1: 70 Pending Cases of Consent to Establish/Operate /Renewal of the period 01.07.2016 to 20.09.2016

The above mentioned cases excludes cases of Hotels & Restaurant of Mahipalpur area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual Consent to Establish/Operate/Renewal cases and list of 30 no. of Consent to Establish cases including decisions taken in these cases are at Annexure I and list of 40 no. of Consent to Operate / Renewal cases including decisions taken in these cases are at Annexure II.

Contd.2...

Following cases though fall in the above mentioned period however not appearing in the software generated list / above mentioned agenda and therefore Committee decided to take up these cases for offline decisions. The Cases were briefed by the concerned engineers and decisions taken are given in the following table:-

- (i) Case of M/s Hotel Le Traventino, Plot No 4 and 5, Green Park, New Delhi (Consent to Operate I.D. No. 15414 Dated 05.07.2016) engaged in the activity of Guest House.

The matter was briefed to the Committee by concerned officers of CMC – II.

The matter relates to complaint filed by Ms. Aruna Bhowmick and Shri R.N. Bhagi in PGC on 12.09.2013 regarding covering the drain and choking of drainage /sewerage system in Green Park Area. Various orders have been passed by Public Grievance Commission including directions to DPCC and other Departments to jointly inspect the Hotels in the said area and take necessary action.

Unit had submitted a reply on 09.06.2016 w.r.t. Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued on 02.06.2016 and informed that they have applied for Consent to Establish on 08.06.2016, requested for Noise Monitoring, Stack Monitoring Report & Effluent Analysis and submitted receipt in this regard. The unit also submitted Security Bond of Rs 10 Lakhs, photographs of ETP installed, Oil & Grease Trap, stack height of DG set & disconnection of borewell, acknowledgement receipt for sewer connection and copy of sanctioned building plan from MCD.

Unit had filed an appeal before the Hon'ble National Green Tribunal (NGT) against Directions for closure issued by DPCC on 02.06.2016.


Hon'ble NGT vide its order dated 20.06.2016 has directed DPCC to dispose of the application submitted by the appellant (unit) expeditiously but not later than 15 days from the order. NGT has also directed that the Appellant (hotel) to pay environmental compensation of Rs 2.5 Lakhs to State Pollution Control Board within 10 days. In the meanwhile until the necessary Consent to Establish & Consent to Operate are granted by the DPCC that appellant shall ensure that the hotel remains closed. With said directions appeal was disposed off with liberty to the appellant to approach NGT in the event they are aggrieved by any action of DPCC.

The unit had submitted letters on 24.06.2016 alongwith technical adequacy report of ETP from Jamia Millia Islamia giving details of ETP and later on also deposited environmental compensation of Rs 2.5 lakhs to DPCC on 27.06.2016.

As decided by the Committee headed by MS, DPCC in its meeting held on 27.06.2016, Consent to Establish was granted to the hotel on 04.07.2016 with condition that unit shall apply for Consent to Operate along with required documents (excluding test reports since directions for closure is still enforced).

The unit has submitted application for Consent to Operate on 05.07.2016 however without Effluent Analysis Report for the treated effluent from ETP, Stack Monitoring Report of Hot Water Generator (Boiler) and Noise Monitoring Report for D.G. Set from DPCC laboratory.

Unit vide letter dated 04.08.2016 requested for temporary revocation order so as to submit the test report for consent to operate.



Contd.3...

As decided, an inspection of the unit was carried out on 23.09.2016 and no commercial activity was carried out by the unit during inspection. In house kitchen of the unit found not operational. Unit has installed an ETP which was found in working condition. Flow meter at inlet & outlet of ETP installed. It was informed that they have applied for sewer connection to DJB. Channelization system provided with kitchen with adequate stack height. One boiler (diesel fired) found with adequate stack height. Unit disconnected the bore-wells (2 nos.) and voluntarily disclose their bore-wells.

The Committee decided to grant ^{Concluded} ~~Provisional~~ Consent to Operate for 60 days for submission of Effluent Analysis Report of ETP, Stack Monitoring Report of Boiler & Noise Monitoring Report of D.G. Set(s) from any of the approved laboratories of DPCC and also decided to temporarily revoke the Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued on 02.06.2016 for the said period.

(ii) Case of M/s Hotel Amaltas International, 6, Green Park Main Road, Delhi- 110016 [Consent to Establish Dated 24.11.2015 (I.D. No.12440) & Consent to Operate Dated 08.09.2016 (I.D. No 16101)] for the activity of Guest House (30 Rooms) with Kitchen.

The matter was briefed to the Committee by concerned officers of CMC – II.

The matter relates to complaint filed by Ms. Aruna Bhowmick and Shri R.N. Bhagi in PGC on 12.09.2013 regarding covering the drain and choking of drainage /sewerage system in Green Park Area. Various orders have been passed by Public Grievance Commission including directions to DPCC and other Departments to jointly inspect the Hotels in the said area and take necessary action.

Directions for closure u/s 33(A) of Water Act & u/s 31(A) of Air Act was issued to the hotel on 26.08.2016 since the hotel was operating without ETP and had not applied for Consent to Operate besides other deficiencies observed during the inspection in the past. Personal hearing was also given to the hotel before Member Secretary, DPCC on 15.02.2016.

Hotel had applied for Consent to Establish on 24.11.2015 and submitted representations from time to time including representations dated 09.09.2016 & 15.09.2016 and informed that they have applied for Consent to Operate on 08.09.2016 and installed Effluent Treatment Plant (ETP), disconnected the borewell and taking water from private tankers, applied to DJB for sewer connection, provided channelization system in kitchen, installed stack on hot water generator and increased the D.G. Set stack height. Hotel has submitted copy of MCD & Delhi Police license for (Guest House with 30 Rooms) and also submitted Effluent Analysis Report Dated 17.03.2016 / Adequacy Report for ETP (capacity of 3 KLD) from Jamia Millia Islamia University, Noise Monitoring Report Dated 17.03.2016 for D.G. Set of 160 KVA, and Stack Monitoring Report Dated 09.03.2016 for Boiler (1 no.), restaurant is being used for dining hall for their in house guest only and banquet hall are being used only for staff room & store.

Unit has submitted security bond of Rs. 10,00,000/- (Rupees Ten Lakh Only) in favour of DPCC vide letter dated 15.09.2016.

The Committee decided to grant ^{Concluded} ~~Provisional~~ Consent to Establish and ~~Provisional~~ Consent to Operate for 60 days for submission of Effluent Analysis Report of ETP, Stack Monitoring Report of Boiler & Noise Monitoring Report of D.G. Set from any of the approved laboratories of DPCC and also decided to temporarily revoke the Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued on 26.08.2016 for the said period. Also inspection be conducted during the said period w.r.t. pollution control measures taken by the unit.

Contd.4...



- (iii) Case of M/s Reliable Auto Works, A-95/6, Wazirpur Industrial Area, Delhi-110052 [Consent to Establish Dated 15.07.2016 ID No 15504] for the activity of Automobiles Servicing and Repairing Station with Washing activity without Burner (Paint Booth).

The Committed decided to grant Consent to Establish. Subsequently, inspection be conducted.

Following Table Agenda Items were taken by the Committee with the permission of chair:-

Table Agenda Item No 1: 02 Pending Cases of Consent to Operate of Mandoli Redevelopment Area

Decisions were taken online in both the cases and are given at Annexure III.

Table Agenda Item No 2: Case of Calista Hotels and Resorts Pvt. Ltd., Village Kapashera, Old NH-8, Delhi

The Case was briefed by the concerned engineer and Committee decided to grant Consent to Operate and decision taken is given at Annexure IV.






Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (Annexure I, II, III & IV). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.






In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.

 (S.M. Ali) Member Secretary, DPCC	 (D.K. Singh) SEE, CMC-II	 (M. Arif) SEE, CMC- V	 (P.S. Pankaj) EE, CMC- IV	 (B.L. Chawla) SEE, CMC-I
 (Sateender Kumar) SEE, CMC-III	 (D.K. Srivastava) EE, CMC-III	 (M.S. Rawat) EE, CMC-V	 (N.K. Joshi) EE, CMC-III	 (Sanjay Vatts) EE, CMC-II
 (Shyam Sunder) EE, CMC-I	 (Ramesh Chandra) EE, CMC-II	 (Amit Chaudhary) EE, CMC-V	 (Sunil Kumar) EE, CMC-IV	 (K. Kumar) EE, CMC-IV

Attendance Sheet for 13th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes /Plastic Waste Rules of the units under Category II (b), for the Pending Consent to Establish / Operate/ Renewal cases of the period 01.07.2016 to 20.09.2016, held on 30.09.2016 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I),DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC III), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. N.K.Joshi	EE(CDC) (CMC III), DPCC	
9.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
10.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 13th meeting on 30.09.2016 w.r.t. Agenda Item No 1 -- 30 Pending Cases of Consent to Establish of the period 01.07.2016 to 20.09.2016 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	VSK INFRASTRUCTURES PRIVATE LIMITED	PLOT NO 4, SECTOR-14, DWARKA	15-07-2016	DPCC/EC/2/1/2016/15500	INSTALLATION OF MIXING PLANT (RMC) Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 29-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D,G, Set(s) of 125 KVA, Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source : STP treated water from DJB (bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e. M/s VSK Infrastructure Pvt Ltd, and M/s Auspicious Construction Company Pvt	(a) Ambient Air Quality Test Report dated 29-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (a) The unit has 1 D,G, Set(s) of 125 KVA, Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016. Recommendation / Action Taken Details (EE/AEE) on 29-09-2016 As decided, inspection of the unit was carried out by officials of DPCC on 08.09.2016 and following were the observations: 1. The unit found operational at the time of inspection. 2. Sprinklers were found operational & stack of sand and aggregate were found sprinkled with water. 3. Sedimentation tank has been provided. 4. As informed used oil is sold to Authorized recycler namely M/s Bharat Oil, 5. Roads were found pawed. 6. No borewell found exisiting and earlier borewell was closed. 7. It was conveyed	30-09-2016 Consent to Establish and Consent to Operate granted with condition that no trade effluent shall be discharged from the plant,

									Ltd. and unit is in a process to apply for CTE and CTO. Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06.2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.		that source of water is outside tankers/treated water from STP.	
2	AUSPISCIOUS CONSTRUCTION CO. PVT. LTD	PLOT NO 5 SECTOR 14 (NORTH) CITY CENTRE DWARKA	15-07-2016	DPCC/EC/2/1/2016/15502	INSTALLATION OF MIXING PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A Water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA, Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes (b)The unit has 1 D.G. Set(s) of 82.5 KVA, Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source- Outside water tanker, Ground water and STP treated water is used (Bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e. M/s	(a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (b) The unit has 1 D.G. Set(s) of 125 KVA, Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes (c)The unit has 1 D.G. Set(s) of 82.5 KVA, Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016. Recommendation / Action Taken Details (EE/AEE) on 29-09-2016 As decided, inspection of the unit was carried out by officials of DPCC on 08.09.2016 and following were the observations: 1. The unit found operational at the time of inspection. 2. Sprinklers were found operational & stack of sand and aggregate were found sprinkled with water. 3. Sedimentation tank has been provided. 4. As informed used oil is sold to Authorized recycler namely M/s Bharat Oil. 5. Roads were found pawed. 6. No borewell found exisiting and earlier borewell was closed. 7. It was conveyed that source of water is outside tankers/treated water from STP.	30-09-2016 Consent to Establish and Consent to Operate granted with condition that no trade effluent shall be discharged from the plant.

									VSK Infrastructure Pvt Ltd. and M/s Auspicious Construction Company Pvt Ltd. and unit is in a process to apply for CTE and CTO. Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06,2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.		
3	GIAN FOUNDRY WORKS	B-1 TO B-5, MAYAPURI INDUSTRIAL AREA, PHASE-II	21-07-2016	DPCC/EC/2/1/2016/15550	C.I. CASTING THROUGH PIT FURNACE Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Source of Water: Outside (copy of bill not provided) Water Consumption:100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D,G,Set: ...N/A... -A complaint received in office and as approved,an inspection is conducted by DPCC officials on 10.02,2016 and unit found operating without taking consent and without ESC over cupola furnace. -A show cause notice was issued to the unit on 13.05,2016. -Unit failed to submit reply w.r.t show cause notice. -Accordingly, a closure direction was issued to the unit on 19.07,2016. -Unit submit its reply w.r.t closure direction and submit its application for consent to establish and rectify the deficiencies observed during inspection and requested to revoke the closure direction. - As decided, a temporary revocation was issued to the unit on 22.08,2016 for 30 days for submitting consent to operate	30-08-2016 Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 -A letter issued to the unit on 26.09,2016 regarding informing about the date of commissioning of the unit and also either to submit one documentary proof or consent fee w,e,f, 01.06,1991 as per office order dated 20.05,2016.	30-09-2016 Case deferred,

									application with all requisite documents.			
4	UNITED FABRICATORS	B-1 TO B-5, MAYAPURI INDUSTRIAL AREA, PHASE-II	25-07-2016	DPCC/EC/2/1/2016/15588	C.I. CASTING THROUGH PIT FURNACE WITH MACHINING(LIGHT ENGINEERING WORKS). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Source of Water:Outside (copy of bill not provided) Water Consumption: 200 Litres/ Day Status of Ground Water extraction : No Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D,G,Set: ...N/A... -A complaint revived in office and as approved an inspection was conducted by DPCC officials on 29.06.2016 and found operating without consent. -Accordingly, a show cause notice was issued to the unit on 05.07.2016. -Unit submit its reply on 25.07.2016 and informed that uni has applied fr consent to establish on 25.07.2016,		30-08-2016 Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 -A letter issued to the unit on 26.09.2016 regarding informing about the date of commissioning of the unit and also either to submit one documentary proof or consent fee w,e,f, 01.06.1991 as per office order dated 20.05.2016,	30-09-2016 Case deferred.
5	CHANSON HOSPITALITY PVT. LTD	30/23/2/2 MIN ON MAIN ROHTAK ROAD, NANGLOI JAT	27-07-2016	DPCC/EC/2/1/2016/15610	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Tanker (copy of bill not provided) Water Consumption:15000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent: Effluent analysis report dated 23-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	29-08-2016 Copy of water tanker bill not provided. Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 - As decided in the meeting file be put up administratively and the brief of the unit mentioned below: - A complaint received against the unit on 06.07.2015, accordingly it has been decided to inspect the unit. - An inspection was carried out on 11.12.2015 and following observations were made: -CTE obtained not applied for CTO yet,	30-09-2016 File be put up administratively.

-ETP installed but found in defunct condition. -Waste water directly being discharged in to sewer. -No channelization done in the kitchen. -In kitchen area lot of bad smell observed. - D,G Set have acoustic enclosure but inadequate stack height. - One borewell observed no permission shown. -No MCD & Delhi Police License shown for operation of banquet hall. -Only banqueting is done. No restaurant exists. -A Show Cause Notice u/s 31 (A) & 33 (A) issued to the unit on 25.01.2016. - Unit failed to submit any reply w.r.t above mentioned SCN. -As decided, closure direction was issued to the unit on 24.05.2016. -CTE may be granted also, closure direction be revoked temporarily for 45 days to apply CTO application.	30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 -As decided in the meeting file put up administratively and the brief about the unit is mentioned below. -As per the order of Honourable NGT
--	---

						(with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		in the matter of Manoj Mishra V/s Union of India and Ors in O.A No. 06 of 2012 and O.A No. 300 of 2013 has ordered on 11.08,2015 that the industries which are operating in any of the 28 industrial clustered without consent of DPCC should be served with notice of closure, - As inspection of the unit was carried out on 28.05,2015 and various deficiencies were observed. -A Show Cause Notice u/s 31 (A) & 33(a) was issued to the unit on 08.09,2015 and also a letter to concerned Dy. commissioner w.r.t extraction of ground water on 08,09,2015, -An inspection was carried out on 03.02,2016 and following observations were made: -Unit operating since January, 2015. -Not applied for CTE & CTO yet. - No channelisation done in the kitchen. -ETP installed but was totally defunct, only structure found laying at roof of the building. -Hundred percent waste water is being discharged in to sewer without treatment, - D,G Set has inadequate stack height. -Unit has one borewell without
--	--	--	--	--	--	--	--	--	--	--	--	---

											permission. -A reminder issued to Dy. commissioner w.r.t extraction of ground water on 15.12.2015. -A closure direction u/s 31(A) & 33(A) was issued to the unit on 26.05.2016, -CTE may be granted and also, closure direction be revoked temporarily for 45 days to apply CTO application.	
7	NANDA MINERALS	D-106, KESHOPUR INDUSTRIAL AREA, VIKASPURI	12-08-2016	DPCC/EC/2/1/2016/15820	MINERAL WATER. Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		Source of water: Through tanker Category-II (copy of bill not provided) Water consumption: 4000 litre/day Status of Ground Water extraction:Nil Status of Pollution Control System (1)ETP ---- proposed (2)ECS - N/A (3)D.G,Set : Nil As per approval unit was inspected by DPCC, Officials on 17.08,2015 and during inspection following were observed: (a) Unit found operational and engaged in the activity of manufacturing and trading of RO Water. (b) One borewell found exist, however, one is in defunct state. (c) No D.G. Set found installed at the premises. (d) One RO plant found in the premises use for bottling plant. (e) Rain water harvesting pit is used to store the rain water and RO reject water. -As per inspection findings a Show Cause Notice for closure u/s 31(A) of Air Act & u/s 33(A) of Water Act was issued to the unit on 08.09,2015 & also letter was issued to concerned Dy. Commissioner w.r.t. extraction of ground water on 08.09,2015.	. 31-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 As per decision an inspection of the unit has been carried out by DPCC, Officials on 16.09,2016, during inspection following observations were made: -unit found operational and engaged in the activity of mfg. of mineral water. -No. D,G Set found installed. -Reverse Osmosis (RO) plant found installed at the first floor of the building & same found operational. -A Show cause notice for closure may be issued to the unit to install sequential RO Plant using High quality membrane and zero discharge. If, unit fails to do so consent application be infructous and also closure	30-09-2016 File be put up administratively.	

										-Unit has submitted its reply along with an undertaking on 28.09.2015 and informed that the activity of the unit falls under Orange category and shall apply for Consent to Establish and Operate and requesting to grant 30 days time to comply with all the pollution norms. -Again a Modified Direction u/s 33 (A) of water act & 31 (A) of Air act sent to the unit on 04.12.2015 & also reminder issued to concerned Dy. Commissioner w.r.t. extraction of ground water.		direction may be issued.	
8	SOMPAN PRODUCTS PVT. LTD.	A-33, NARAINA INDUSTRIAL AREA, PHASE-I	12-08-2016	DPCC/EC/2/1/2016/15836	MANUFACTURING OF CHEWING TOBACCO. Tobbaco Products without Raw Tobacco Processing	Orange Establish	Non-SPI			Source of Water: Delhi Jal Boared connection (copy of bill not provided) Water Consumption: 1000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G,Set Noise Report : 1 D.G. Set(s) of 500 KVA -A complaint received in this office, an inspection was conducted by DPCC officials on 08,08,2016 and unit found operating without taking consent and ducting is not provided. -For further necessary action file is under process.	Noise Emission: The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 24-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Copy of water bill not provided. Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 -A letter issued to the Department of Food Safety Govt. of NCT of Delhi on 27.09,2016 regarding permissibly of the activity of Manufacturing of Chewing Tobacco w.r.t. notification dated 13,04,2016 and court orders etc., if any.	30-09-2016 Case deferred.
9	PETAL BANQUET (A UNIT OF SHIV SHAKTI HOTELS PVT. LTD.)	21/18, NARAINA INDUSTRIAL AREA, PHASE-II	16-08-2016	DPCC/EC/2/1/2016/15867	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2)	Orange Establish	Non-SPI			Source of water:DJB, Category-II (Copy of bill provided) water consumption:3500 litre/day Status of ground water:Nil MCD License valid up to 31.03,2017 Status of Pollution Control System	.	30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 -Show cause notice was issued to the unit on 08,06,2016.	30-09-2016 Case deferred.

					and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP - proposed (2)ECS - channelization system with suitable stack provided on kitchen section (proposed) (3)D.G.Set: 2 D,G Sets of capacity 160 & 62,05 KVA (Proposed) Status of Ground Water extraction : Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		- Unit submitted its reply on 23.06.2016 and requested for sometime to comply with the directions of DPCC. -An inspection was carried out by DPCC officials on 11.08,2016 and following observations were made: -ETP installed at roof top of the building was also under renovation. Last function was held at the premises on 27.07,2016. -Two D.G Set installed at roof top of the building in acoustic enclosure with adequate stack height. -Channelization provided in kitchen with adequate stack height, CTE & CTO not applied. -Modified direction issued to the unit on 29,09,2016.	
10	LAXMI PLASTIC	G-969, DSIDC NARELA INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15902	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack connected to mixer) 3. D.G. set- No Plot Area- 350 sq.mt. Propsed Date-01,07,2004 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill not submitted) Complaint against this unit made by Sh. Rohit Gupta. Status of Inspection- Yes(28,12,2015) Inspection findings- 1. Unit found operating and engaged in the activity of mfg, of plastic dana & plastic goods using plastic scrap as a raw material with trade	Water(Effluent)-N/A Emission monitoring report -N/A Noise Test Report- N/A	30-08-2016 - Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 Inspection conducted on 19,09,2016 findings are as follows- 1. Unit found operating and engaged in the activity of mfg, of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge. 2. ETP found installed but not in operational	30-09-2016 Seek compliance report from concerned agencies.

										effluent discharge. 2. No ECS installed. 3. No ETP installed and waste water is being discharged directly into sewer without any treatment. 4. Unit is operating without valid consent/ registration under air, water acts/plastic rules respectively. 5. One Borewell connection exists without permission from DJB/CGWA. Show cause notice for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on.22.02.2016. No reply received Directions for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on 28.04.2016			condition and No wet and dry sludge seen. 3. ECS found installed with adequate stack height. 4. One Borewell connection exists without permission from DJB/CGWA. 5. HWM rules are not compiled with, Form 2 for registration under plastic rules submitted, Form 2 found incomplete and not as per the prescribed performa as per new Plastic rules 2016. As per Rule 13 (Registration of producer, recyclers and manufacturer) of Plastic rules 2016, further sub-rule (5) says that The State Pollution Control Board or the Pollution Control Committee shall not issue or renew registration to plastic waste recycling or processing units unless the unit possesses a valid consent under the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) along with a certificate of registration issued by the District Industries Centre or any other Government agency authorised in this regard. sub-rule (7) says that On receipt of the application complete in all respects for the	
--	--	--	--	--	--	--	--	--	--	--	--	--	---	--

											registration for recycling or processing of plastic waste under sub-rule (3), the State Pollution Control Board may, after such inquiry as it considers necessary and on being satisfied that the applicant possesses appropriate facilities, technical capabilities and equipment to handle plastic waste safely, may grant registration to the applicant on fulfilment of the conditions as may be laid down in terms of registration. sub-rule (8) says that Every State Pollution Control Board or Pollution Control Committee shall take a decision on the grant of registration within ninety days of receipt of an application which is complete in all respects. sub-rule (9) says that The registration granted under this rule shall initially be valid for a period of one year, unless revoked, suspended or cancelled and shall subsequently be granted for three years. Compliance of closure direction dated 28,04,2016 is not received from the concerened authorities.		
11	STRIPLEX ELECTRICALS PVT. LTD	B-63/2, NARAINA INDUSTRIAL AREA PHASE - II	16-08-2016	DPCC/EC/2/1/2016/15946	ELECTRICAL ITEMS, Powder Coating	Orange Establish	Non-SPI			Source of water:Corporation (Copy of bill not provided) water consumption:400 litre/day	Stack Monitoring report: (a) Stack monitoring report of stack attached to powder coating booth dated 11-08-2016 issued	30-08-2016 . Recommendation	30-09-2016 Consent to Establish granted.

					without phosphating				Status of ground water:Nil Status of Pollution Control System 1)ETP ---- N/A (2)ECS - working (3)D,G,Set : 1 D,G Set of 62.5 KVA Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	by DPCC submitted. Stack Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 62,5 KVA. Noise monitoring report dated 01-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	/ Action Taken Details (EE/AEE) on 27-09-2016 As decided in the cmc meeting held on 31.08,2016, an inspection of the unit was carried out by DPCC, Officials on 23,09,2016, during inspection following observations were made: - Unit is having one D,G Set of capacity 62,5 KVA installed in an acoustically treated room at roof top with adequate stack height. - Stack provided for powder coating plant at 2 meter above from roof top.	
12	SUPER DENIM JEANS MFRG, COMPANY	K-16, SECTOR-5, BAWANA INDUSTRIAL AREA	19-08-2016	DPCC/EC/2/1/2016/15974	READYMADE JEANS WASHING. Readymade Garment (with Washing) Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS- N.A 3. D,G, set- No Plot Area- 250 sq mt Date of commissioning - October 2016 Status of Ground Water Extraction-No 1. Water consumption- 4400 L/day. a) Source of water- Outside (copy of Outside water bill not submitted) Status of Inspection- No	Effluent analysis report - N,A Emission moniotring report -N,A Noise monitoring report- N,A	27-09-2016 .	30-09-2016 Inspection be conducted.
13	RAVI EXPORTS	PLOT NO 4, POCKET-F, SECTOR-1, DSIIDC INDUSTRIAL AREA, BAWANA	23-08-2016	DPCC/EC/2/1/2016/16008	DAL MILL, Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N.A 2. ECS- Yes, Attached to Bag filter 3. D,G, set- No Plot Area- 250 sq mt Date of commissioning - 01.10,2016 Status of Ground Water Extraction-No 1. Water consumption-350 L/day. a) Source of water- Outside (copy of Outside water bill not submitted) Status of Inspection- No	Effluent analysis report - N,A Emission moniotring report -N,A Noise monitoring report- N,A	27-09-2016 .	30-09-2016 Consent to Establish granted.
14	RIDLEY LIFE SCIENCE PRIVATE	PLOT NO D 1651 DSIIDC NARELA INDL AREA	24-08-2016	DPCC/EC/2/1/2016/16013	MEDICINES PHARAMACEUTICAL FORMULATION WITH BOILER.	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS- Yes, Attached to	Effluent analysis report - N,A Emission moniotring	27-09-2016 .	30-09-2016 Consent to Establish granted.

					Medicines / Pharmaceutical Formulation- with Boiler				Boiler 3. D.G. set- No Plot Area- 350 sq mt Date of commissioning - 10.09.2016 Status of Ground Water Extraction-No 1. Water consumption-330 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill not submitted) Status of Inspection- No	report -N.A Noise monitoring report- N.A		
15	JAGAN INDUSTRIES	PLOT NO S-7, PHASE-I, BADLI INDUSTRIAL ESTATE	26-08-2016	DPCC/EC/2/1/2016/16027	MANUFACTURING OF FOOD FLAVOURS. Food Additives, Nutrients and Flavours with Trade Effluent Discharge with Electric Furnace	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS- Proposed 3. D.G. set- No Plot Area- 500 sq mt Date of commissioning - October 2016 Status of Ground Water Extraction-No 1. Water consumption-1000 L/day. a) Source of water- DJB (copy of DJB water bill not submitted) Status of Inspection- No	Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report- N.A	27-09-2016	30-09-2016 Consent to Establish granted.
16	D D MOTORS (A DIVISION OF D D INDUSTRIES LTD)	9/55 KIRTI NAGAR INDUSTRIAL AREA	29-08-2016	DPCC/EC/2/1/2016/16029	SERVICING REPAIRING OF CAR. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of water: Outside (copy of bill not provided) Water Consumption:10000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP-proposed (2)ECS - N/A (3)D.G.Set: D.G Set of 125 KVA proposed Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	30-09-2016 CTE may be granted,	30-09-2016 Consent to Establish granted.
17	HERBUL HENNA EXPORT HOUSE	BLOCK B-1, PLOT E-5, MCIE, NEW DELHI - 44	29-08-2016	DPCC/EC/2/1/2016/16031	Henna Powder Hair Dye Manufacturing of Kali Mehendi / Hair Colour in Powder form (Grinding and mixing only)	Orange Establish	Non-SPI		(1)ETP- N/A (2)ECS - N/A (a) Stack monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1	(1)ECS - N/A (a) Stack monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA, Noise	27-09-2016 Unit has filed application for CTE and CTO under orange category on 29.08.2016 and 31.08.2016,	30-09-2016 Consent to Establish granted.

									(a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction : Nil Water Consumption- 1780 ltrs/day, Source- Outside Status of Inspection : In compliance of the order dated 11.08,2015 of Honble NGT in application no. 300 of 2013 in matter of Manoj Mishra and Ors versus Union of India and others.As per survey by DPCC, an inspection of the unit was carried out by Officials / Representatives of DPCC on 18,09,2015 and following were observed: (a) Unit found operational and engaged in the activity of manufacturing and packaging of Herbal Mehni. (b) One mixing plant, 3 packaging machine, one grinding machine found in premises, 2 electric furnaces/oven. (c) No water polluting activity found in premises. (d) Adequate stack height has not been provided with the DG Set of 25 KVA Show Cause Notice u/s 25/26 of the Water Act & u/s 21/22 of the Air Act was issued to unit on 19.11.2015. Unit has submitted its reply on 22,12,2015, 29,12,2015, 12,01,2016, 03,02,2016, 22,07,2016, 30,07,2016 and 02,09,2016 stating that they had filed the application of CTE and CTO under orange category on 29,08,2016 and 31.08,2016.	monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes		
18	LOVELY WASH CARE COMPANY	J-132, SECTOR-4,	05-09-2016	DPCC/EC/2/1/2016/16067	READYMADE JEANS WASHING.	Orange Establish	Non-SPI		Status of Pollution Control system/Devices-	Effluent analysis report - N.A	27-09-2016	30-09-2016

		BAWANA INDUSTRIAL AREA			Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping				1. ETP- Proposed 2. ECS- Proposed 3. D.G, set- No Plot Area- 250 sq mt Date of commissioning - October 2016 Status of Ground Water Extraction-No 1. Water consumption- 2000 L/day. a) Source of water- Outside (copy of Outside water bill not submitted) Status of Inspection- No	Emission moniotring report -N.A Noise monitoring report- N.A		Inspection be conducted.
19	SHRI MAHAVIR PULSES PVT. LTD.	F-1715, DSIDC, NARELA INDUSTRIAL AREA	05-09-2016	DPCC/EC/2/1/2016/16075	DALL MILL, Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N.A 2. ECS- Yes, Attached to Bag filter 3. D.G, set- Yes 2x160 & 320 KVA Plot Area- 700 sq mt Date of commissioning - 15.06.2016 Status of Ground Water Extraction-No 1. Water consumption- 2000 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection- No	Effluent analysis report - N.A Emission moniotring report -N.A Noise monitoring report- N.A	27-09-2016	30-09-2016 Consent to Establish granted.
20	SIKKA MOTORS PRIVATE LIMITED	B 99 WAZIRPUR INDUSTRIAL AREA	06-09-2016	DPCC/EC/2/1/2016/16080	AUTOMOBILE SERVICING AND REPAIR STATION WITH WASHING ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP (proposed) (2)ECS - N/A (3)D.G,Set: 82.5 KVA with acoustic enclosure and stack height 3 m above roof level. Status of Ground Water extraction : Nil, Water Consumption : 2.3 KLD form corporation. Status of Inspection :The premises was inspected on 20.09,2016 with reference to complaint received through PGMS vide I,D, 201686083 against M/s Himgiri Cars Pvt. Ltd, and following were observed: -The unit has installed an Effluent Treatment Plant, but the same was not in operation since long. -No wet sludge was observed. -Used engine oil was		28-09-2016	30-09-2016 Take action as decided in file.

									scattered on the top floor of the premises. -No filter media was observed in sludge drying bed. -Dry sludge alongwith general waste was found stored at roof top of the building in 3-4 drums. -Non-compliance of hazardous waste rule observed. During the inspection it was reported that now the unit is being run in the name of M/s Sikka Motors Pvt, Ltd. The file is under submission for further necessary action.			
21	PASCOS	D 11 OKHLA INDUSTRIAL AREA PH I	06-09-2016	DPCC/EC/2/1/2016/16089	SERVICE STATION OF SCV(SMALL COMMERCIAL VEHICLES). Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Physico-Chemical (Proposed) (2)ECS - N/A (3)D.G.Set: 65 KVA (Proposed) Water consumption - 3,5 Kl/day Status of Ground Water extraction : Nil Source of water - Outside Water supply Status of Inspection : As per approval in file of M/s Lally Automobiles Pvt. Ltd, an inspection of premises was carried out by Pfficials / Representatives of DPCC on 26.09.2016 and following were observed- - Renovation work is going on during the inspection. - As informed, M/s Lally Automobiles Pvt. Ltd, was closed its activity at the said premises. - M/s Pascos to be established at the said premises. - No industrial activity was observed during the inspection. - No hazardous waste was available at site which was generated by M/s Lally Automobiles Pvt. Ltd.,	N/A	28-09-2016	30-09-2016 Consent to Establish granted, Consent to Operate (Renewal) of M/s Lally Automobiles Pvt. Ltd, be made infructous since unit was found closed during inspection.

									- M/s Pascos has applied for Consent to Establish for the activity of Service Station of Small Commercial Vehicles on 06.09.2016. SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A			
22	AMITABH RESTAURANT AND GUEST HOUSE (A UNIT OF AMITABH BANQUET)	E 23 BUNGLOW ROAD KAMLA NAGAR	07-09-2016	DPCC/EC/2/1/2016/16092	RESTAURANT (190 SEATS)AND GUEST HOUSE (15 ROOMS AND 19 LODGERS). Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS- Yes, Kittchen emission channelisation 3. D.G. set- Yes 1x125 KVA Plot Area- 1045.125 sq mt Date of commissioning - 01.09.2009 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day, a) Source of water- DJB (copy of DJB water bill submitted) A complaint has been received through PGMS. Inspection was carried out by Enforcement Team of DPCC SCN was issued on 27.09,2016 for the deficiencies observed during inspection	Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report- N.A	27-09-2016	30-09-2016 Case deferred,
23	LA MANSION (A UNIT OF SAHYOG HOSPITALITY)	C-92, WAZIRPUR	07-09-2016	DPCC/EC/2/1/2016/16099	BANQUET. Restaurants/Eating	Orange Establish	Non-SPI		Status of Pollution Control System	.	28-09-2016	30-09-2016 Consent to Establish granted.

		INDUSTIAL AREA			Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP:5 KLD (Proposed). (2)D.G.Set:3 No. (250 KVA, 250 KVA, 125KVA) with Acoustic Enclosure and Stack Height 3 meters above Roof level. (3)ECS : N/A, Kitchen emision channelised. Water Consumption : 4 KLD from Outside source Status of Ground Water extraction :Nil Unit has submitted a copy of license from Municipal Corporation of Delhi which is valid up to 31/03/2017.		
24	TIVOLI PUSHPANJALI (A UNIT OF T.G. LEISURE AND RESORTS PVT LTD)	F 20 PUSHPANJALI DWARKA LINK ROAD BIJWASAN	08-09-2016	DPCC/EC/2/1/2016/16108	BANQUET HALL PARTY LAWN. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) STP (Proposed) (2)ECS - N/A (3)D.G.Set: 1 (125 KVA) Status of Ground Water extraction : Water Consumption: 1780 ltrs/day, Source: Outside. Status of Inspection : Unit was inspected by the officials of DPCC on 10.08.2016 during visit to the area. The unit was found in operating without any CTE/CTO and without any ETP/STP. Following were the observations during the inspection:- -It was informed that the party lawn had started their operation approx. 6-7 months back. -No ETP/STP found attached. -The acoustic enclosure attached with DG Set was not proper as Gates of DG Set were found broken. SCN u/s 31(A) of Air Act & 33(A) of Water Act and also for Refusal of Consent to Operate was issued to unit on 29.08.2016 w.r.t	27-09-2016 Applied for Consent to Establish on 08.09.2016.	30-09-2016 Modified directions u/s 31(A) of Air Act & 33(A) of Water Act be issued giving 45 days time to provide STP, and submit application for consent to operate along with requisite test report(s) etc.

									deficiencies observed during inspection.			
									Unit has submitted its reply on 14.09.2016 w.r.t SCN issued to unit on 29.08.2016 that the unit has applied for CTE on 08.09.2016 and requested 90 days time to submit CTO.			
25	DELHI APARTMENTS PVT. LTD.	NIKUNJ HOTEL COMPLEX, NH-8, SAMALKA	12-09-2016	DPCC/EC/2/1/2016/16123	MOTEL. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System Source of Water: Other Source Water Consumption: 45000 Litres/ Day Status of Ground Water extraction : No (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-09-2016 CTE may be granted.	30-09-2016 Consent to Establish granted.
26	TDI INFRASTRUCTURE LTD.	NEHRU PLACE METRO STATION, NEHRU PLACE	12-09-2016	DPCC/EC/2/1/2016/16126	SHOPPING COMPLEX AND FOOD COURTS(CLUSTER OF RESTAURANTS). Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP /STP ---- STP installed (a) AR dated 20.08.2014, issued by DTU submitted. (b) Effluent analysis report dated 29-08-2016 issued by DPCC submitted. Effluent Test	Effluent analysis report dated 29-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 2 D.G. Set(s) of 500 KVA. Noise monitoring reports dated 25-07-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise	28-09-2016	30-09-2016 Consent to Establish and Consent to Operate granted to M/s TDI Infrastructure Ltd. No further action is required against the restaurants located in this mall, which have been issued show cause notices and submitted their replies excluding the Sagar Ratna Restaurant Pvt. Ltd, case of which is being dealt in the separate

[illegible]

available.
- Logbook of STP maintained till 08.06,2016, STP of capacity 60 KLD.

As approved, Show Cause Notices were issued on 10.08.2016 to M/s TDI Infrastructure Limited and other 26 restaurants located in the said mall excluding M/s Sagar Ratna Restaurants Pvt. Ltd, (as said restaurant was already issued SCN in separate file)

M/s TDI Infrastructure has submitted replies on 22.08.2016 & 29.08.2016 w.r.t. Show Cause Notice Dated 10.08,2016. The unit has informed that they have rectified all the deficiencies and following clarifications has been submitted-

-That M/s TDI Infrastructure Ltd, Nehru Place Metro Station, Nehru Place, New Delhi-19 has taken DMRC Nehru Place building on lease to develop the area as shopping complex & food courts (cluster of restaurants) and TDI further given lease to other units to open different restaurants & bars in the complex, The restaurant owners shall set up restaurants according to their requirements. TDI is only operating & maintaining the DMRC building (lease area only), run STP and provide basic infrastructure facilities to all restaurants. The individual restaurant owners take MCD License and open restaurant in the complexes according to license. They have installed STP for all restaurants (Existing & proposed to install in future) and TDI shall obtain CTE & CTO from DPCC & responsible for controlling pollution as per DPCC norms.

- That each restaurant has

installed Oil & Grease pit in the kitchen. The waste water are discharging from the kitchen of each restaurant has connected with common STP installed in the Nehru place metro building and common STP run & maintained by TDI. Similarly, the kitchen exhaust of each restaurants are connected with common wet scrubbers and their emission are discharged into atmosphere through stack,

- That the kitchen emissions of each restaurant connected with wet scrubbers installed on side wall (outside) of DMRC building. The height of stack of scrubber cant raise because the DMRC metro station & metro line exist on the floor of building, DMRC are not allowing to pass any stack due to their norms & security reason. The kitchen emissions of each restaurants are not discharging into atmosphere directly but it passing through air pollution control device (Wet Scrubber). They are requesting us to allow the unit without raising the height of stack emission of kitchen.

- They have only two DG Sets of 500 KVA and both DG Sets are kept in sound proof canopy. They have increase the stack height of both DG Set 4,5 mtr above canopy (Enclosed Noise Monitoring report & photographs).

- They have rectified the deficiencies observed during inspection and operating STP installed in the Mall regularly, filter press has installed in place of sludge drying bed (photographs of filter press enclosed).

- That the source of water for entire building of

[illegible]

									cause Notices issued to restaurants. The Restaurants has informed that the outlet has been leased out by TDI Infrastructure Ltd and informed that all civic facilities such as electricity, water supply, sewerage etc is being provided to M/s TDI Infrastructure Ltd by DMRC in accordance to lease agreement. The Restaurants has also informed that M/s TDI Infrastructure Ltd has applied for Consent to Establish & Consent to Operate on 12.09.2016 for the activity of Shopping Complex and Food courts (Cluster of Restaurants)			
27	ARIHANT MARKETING (INDIA)	PLOT NO A-17, LAWRENCE ROAD INDUSTRIAL AREA	15-09-2016	DPCC/EC/2/1/2016/16148	MINERALISED WATER/WATER TREATMENT PLANT. Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		(2)B.G.Set Noise Report : N/A (3)Status of Ground Water extraction : outside source (4)Status of Inspection :N/A (5)SCN u/s 31(A)/33(A)/5 of EPA details : N/A (6)Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A (7) Activity is not mentioned clearly. (8) Commencement 30.09.2016.	N/A	29-09-2016 Category of the unit is II (b).	30-09-2016 Inspection be conducted.
28	LE PARADISE	523/2 & 528/2 MAIN ROHTAK ROAD MUNDKA	16-09-2016	DPCC/EC/2/1/2016/16150	BANQUET HALL, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System Source of Water: Other source (copy of bill not provided) Water Consumption: 5000 Litres/ Day Status of Ground Water extraction : No (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-09-2016 CTE may be granted.	30-09-2016 Consent to Establish granted.
												30-09-2016

29	MANAKTALA FARMS	1/27 AND 7/26 KAPASHERA	19-09-2016	DPCC/EC/2/1/2016/16177	FARMHOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Municipal Authority Water Consumption: 6000 Litres/ Day Status of Ground Water extraction : No Status of Pollution Control System (1)ETP --Proposed (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	30-09-2016 CTE may be granted.	Consent to Establish granted with the condition that unit shall install Sewage Treatment Plant (STP) as per latest RESDH policy since the area of the unit does not have DJB sewerage system. Categorization of the activity of the unit be done accordingly
30	SEWA HOTEL AND RESORTS	PLOT NO 10, ROAD NO 42, COMMUNITY CENTRE, PITAMPURA	20-09-2016	DPCC/EC/2/1/2016/16182	HOTEL (WITH 72 ROOMS 144 BEDS). Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		(1) STP: 60 KLD (Installed). (2) ECS - N/A. (3) D,G.Set - 500 KVA (Installed) with acoustic enclosure and Stack Height of 4 meter above roof level. (4) Water Consumption - 26,5 KLD through Private Water Supplier. (5) Status of Ground Water extraction - Nil (6) Unit is having Two HSD fired Boilers of capacity 50000 K Calorie/hr and Stack Height of 4 meter above Roof level each. (7) Unit has not applied for Consent to Operate as date of commencement of production is mentioned as August-2014. (8) Unit has submitted copies of Receipt from Health Trade Department dated 09-06-2016 and Police License which are valid up to 31-03-2017.	28-09-2016	30-09-2016 Consent to Establish granted. Subsequently, inspection be conducted.



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 13th meeting on 30.09.2016 w.r.t. Agenda Item No 1 -- 40 Pending Cases of Consent to Operate / Renewal of the period 01.07.2016 to 20.09.2016 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	R.L. PLASTICS INDUSTRIES	PLOT NO-240, SECTOR-5, POCKET-M, DSIIDC BAWANA INDUSTRIAL AREA	01-07-2016	DPCC/EC/2/1/2016/15387	Mfg. of Secondary Plastic Dana With Washing. Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes, Attached to Suction hood 3. D.G. set- No Plot Area- 250 sq mt Date of establishment- 01.09.2015 Status of Ground Water Extraction-No 1. Water consumption-850 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection- No Form 2 for registration under plastic rules submitted. Form 2 found incomplete and not as per the prescribed performa as per new Plastic rules 2016. As per Rule 13 (Registration of producer, recyclers and manufacturer) of Plastic rules 2016, further sub-rule (5) says that The State Pollution Control Board or the Pollution Control Committee shall not issue or renew registration to plastic waste recycling or processing units unless the unit possesses a valid consent under the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) along with a certificate of registration issued by the District Industries Centre or any other Government agency authorised in this regard.	Effluent analysis report - dated 19.05.2016 from FICCI submitted. Parameters are within prescribed limit. Stack moniotring report dated 18.05.2016 from FICCI submitted. Parameters are within prescribed limit, Noise monitoring report - N/A	27-09-2016 .	30-09-2016 Ask the unit to apply for fresh authorization under Plastic Waste Rule, 2016 along with certificate of registration issued by Industries Department.

									sub-rule (7) says that On receipt of the application complete in all respects for the registration for recycling or processing of plastic waste under sub-rule (3), the State Pollution Control Board may, after such inquiry as it considers necessary and on being satisfied that the applicant possesses appropriate facilities, technical capabilities and equipment to handle plastic waste safely, may grant registration to the applicant on fulfilment of the conditions as may be laid down in terms of registration. sub-rule (8) says that Every State Pollution Control Board or Pollution Control Committee shall take a decision on the grant of registration within ninety days of receipt of an application which is complete in all respects. sub-rule (9) says that The registration granted under this rule shall initially be valid for a period of one year, unless revoked, suspended or cancelled and shall subsequently be granted for three years.			
2	AUTOWISE SERVICE STATION	PP-38A, GALI NO. 10, ANAND PARBAT INDUSTRIAL AREA	13-07-2016	DPCC/EC/2/1/2016/15448	Servicing of Vehicles (with Washing) Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 16-07-2004 Authorisation Expiry Date 15-07-2006 HWM Application No. 2 Application Date 21-07-2006 Authorisation Status Pending HWM Application No. 3	Source of Water: Tanker (copy of bill provided) Water Consumption: 300Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent: Effluent analysis report dated 17-06-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No .	30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 As per decision in cmc meeting held on 31.08.2016 headed by MS,DPCC an inspection of the unit has been carried out by DPCC Official on 22.09.2016 during inspection following observations were made: - ETP found installed and same found operational. - No ETP log book shown. -Authorization for used oil not shown, -Hazardous waste management rules	30-09-2016 Issue show cause notice u/s 5 of EP Act. Also ask the unit to submit fresh effluent analysis report of ETP with complete parameters including TSS.

								Application Date16-07-2014 Authorisation StatusApproved Authorisation Issue Date19-02-2015 Authorisation Expiry Date15-07-2019 HWM Application No.4 Application Date13-07-2016 Authorisation StatusPending			not being complied. -Show cause notice under section 5 of Environment (Protection) Act may be issued.	
3	VSK INFRASTRUCTURES PRIVATE LIMITED	PLOT NO 4, SECTOR-14, DWARKA	15-07-2016	DPCC/EC/2/1/2016/15501	INSTALLATION OF MIXING PLANT (RMC) Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 29-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source : STP treated water from DJB (bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e, M/s VSK Infrastructure Pvt Ltd. and M/s Auspicious Construction Company Pvt Ltd. and unit is in a	(a) Ambient Air Quality Test Report dated 29-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016. Recommendation / Action Taken Details (EE/AEE) on 29-09-2016 As decided, inspection of the unit was carried out by officials of DPCC on 08.09.2016 and following were the observations: 1. The unit found operational at the time of inspection. 2. Sprinklers were found operational & stack of sand and aggregate were found sprinkled with water. 3. Sedimentation tank has been provided. 4. As informed used oil is sold to Authorized recycler namely M/s Bharat Oil. 5. Roads were found pawed. 6. No borewell found exisisting and earlier borewell was closed. 7. It was conveyed that source of	30-09-2016 Consent to Establish and Consent to Operate granted with condition that no trade effluent shall be discharged from the plant.

									process to apply for CTE and CTO. Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06.2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.		water is outside tankers/treated water from STP.	
4	AUSPISCIOUS CONSTRUCTION CO. PVT. LTD	PLOT NO 5 SECTOR 14 (NORTH) CITY CENTRE DWARKA	15-07-2016	DPCC/EC/2/1/2016/15503	INSTALLATION OF MIXING PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		(1)ETP - N/A Water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (b)The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source- Outside water tanker, Ground water and STP treated water is used (Bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e, M/s VSK Infrastructure Pvt Ltd. and M/s Auspicious Construction Company Pvt Ltd. and unit is in a process to apply for CTE and CTO. Modified direction was	(a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (b) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (c)The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016. Recommendation / Action Taken Details (EE/AEE) on 29-09-2016 As decided, inspection of the unit was carried out by officials of DPCC on 08.09.2016 and following were the observations: 1. The unit found operational at the time of inspection. 2. Sprinklers were found operational & stack of sand and aggregate were found sprinkled with water. 3. Sedimentation tank has been provided. 4. As informed used oil is sold to Authorized recycler namely M/s Bharat Oil. 5. Roads were found pawed. 6. No borewell found exixisting and earlier borewell was closed. 7. It was conveyed that source of water is outside tankers/treated water from STP.	30-09-2016 Consent to Establish and Consent to Operate granted with condition that no trade effluent shall be discharged from the plant.

									issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06.2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.			
5	RAJPOOT MOTORS	C-9, S.M.A COOPERATIVE INDUSTRIAL ESTATE , G.T. KARNAL ROAD	19-07-2016	DPCC/EC/2/1/2016/15533	Two Wheelers workshop (Washing and repairing) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-07-2016 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- No 3. D.G. set- N/A Plot Area- 350 sq.mt. Commencement Date- 01.03.2016 Status of Ground Water Extraction-No 1. Water consumption- 170 L/day. a) Source of water- Outside (copy of outside water bill submitted) Status of Inspection- No	Water(Effluent)-report issued by FICCI on 27.05.2016. Parameters are within prescribed limit. Air(Emission) -No Noise Test Report- N/A	30-08-2016 - Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 Inspection conducted on 16.09.2016. Inspection findings are as follows- 1. Unit found operating and engaged in the activity of repairing & washing of two-wheelers. 2. ETP found installed but not in operation. Waste water is being discharged into sewer without any treatment. 3. HWM rules are not complied with.	30-09-2016 Issue show cause notice for refusal of consent & authorization, show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act for closure of the unit.
6	RAWAT MOTORS	D-192, PEERAGARHI CHOWK	20-07-2016	DPCC/EC/2/1/2016/15537	SERVICING AND REPAIRING CENTRE OF AUTOMOBILES. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 29-10-2013 Authorisation Status Approved Authorisation Issue Date 19-05-2015 Authorisation Expiry Date 07-04-2016 HWM Application No. 2 Application Date 20-07-2016 Authorisation Status Pending	Source of Water: Tanker (copy of bill not provided) Water Consumption: 1300 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- Effluent analysis report dated 27-06-2016 issued by SHRIRAM INSTITUTE submitted, Effluent Test Report within Limit - Yes Air Emission- Stack monitoring report dated 16-06-2016 issued by SHRIRAM INSTITUTE submitted, Stack Test Report within Limit - Yes	30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 As per decision in cmc meeting held on 31.08.2016 headed by MS,DPCC an inspection of the unit has been carried out by DPCC Official on 22.09.2016 during inspection following observations were made: - ETP installed and found operational. - No log book shown during inspection. -Authorization for used oil not shown. -Paint booth installed at third floor of the building & same	30-09-2016 Show cause notice u/s 5 of Environment (Protection) Act be issued to the unit.

											was found with adequate stack height. -No wet and dry sludge observed, as informed they through out the waste outside the premises. -Show cause notice u/s 5 of Environment (Protection) Act may be issued to the unit.	
7	KHANDELWAL AUTOMOBILES CENTRAL DELHI	20, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	21-07-2016	DPCC/EC/2/1/2016/15558	REPAIRING, SERVICING AND WASHING OF TWO WHEELER VEHICLES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-07-2016 Authorisation Status Pending	Source of Water: Delhi Jal Board (CAT-II) copy of bill provided Water Consumption: 700 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP --Proposed (2)ECS - N/A (3)D.G.Set Noise Report : N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 As decided, an inspection was carried out by DPCC officials on 27.09.2016 and following observations were made: -ETP installed and was operational. -Hazardous waste guidelines found followed. -Hazardous waste like ETP sludge and used oil found at site. -Used oil being sold out to the registered recycler. -CTO may be granted.	30-09-2016 Consent to Operate (Renewal) and Authorization under HWM Rules granted.
8	GLOBAL WASH	C-211, SECTOR-1, DSIIDC, BAWANA INDUSTRIAL AREA	25-07-2016	DPCC/EC/2/1/2016/15586	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FIRED BOILER). Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- Yes, 125 KVA Status of Ground Water Extraction-Yes 1. Water consumption- 15000 L/day. a) Source of water- Ground water/Outside source (copy of Outside source bill not submitted) Status of Inspection- Yes Inspection was conducted on 22.09.2015 by the officials of DPCC and inspection findings are as follows Unit found operating and engaged in the activity of jeans dyeing, No valid	Water(Effluent)-report for readymade garment washing issued by FICCI on 16.06.2016 submitted meeting the prescribed limit. Emission monitoring report - report issued by FICCI on 09.06.2016 submitted. Parameters are within prescribed limit. Noise Test Report- report issued by FICCI on 25.06.2016 submitted. Parameters are within prescribed limit,	30-08-2016 - Remarks/ATR on 29-09-2016 Inspection conducted on 28.09.2016. Inspection findings are as follows- 1. Unit found in operation and engaged in the activity of Washing of Jeans. 2. ETP found installed and in working condition. 3. Diesel fired boiler found under installation.	30-09-2016 Consent to Establish and Consent to Operate be refused. File be put up administratively for further action.

									consent from DPCC, ETP under installation, waste water discharges directly into the sewer without treatment, One boiler (horizontal) (one tonne/hr) found in use and coal is used as fuel causing air pollution. No ECS installed, HWM rules are not complied with, One Borewell exists without permission from DJB.		4. Coal is being used in the boiler at present. Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 Inspection is yet to be conducted.	
9	A.R. STAMPINGS	C-5, MANDOLI INDUSTRIAL AREA, PHASE-I, NEAR SHIVANI DHARAM KANTA	25-07-2016	DPCC/EC/2/1/2016/15596	MFG.OF ELECTRICAL STAMPING (CORE) WITH ALUMINIUM METAL CASTING BY PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Suction hood with stack on Pit furnace (3)D.G.Set Noise Report : N/A (4) Water Consumption: 160 L/ Day Source: Tanker (5) Ground Water: Nil	Stack monitoring report dated 02-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit.	30-08-2016 Re-development area. Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 The file from the record has been obtained which indicated that the unit has submitted proof of existence (i.e. Electricity Bill dated 25.03.2006, VAT Tax dated 13.12.2005 etc.) prior to 07.02.2007.	30-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
10	VAIBHAV STRIPS PVT. LTD.	KHASRA NO 12/8, NEW MANDOLI INDUSTRIAL AREA	28-07-2016	DPCC/EC/2/1/2016/15615	MANFUAUING OF ALUMINIUM WIRE ROD Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 100 L/ Day Source: Outside Water (5) Ground Water: Nil	Stack monitoring report dated 29-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 380 KVA(non operational),250 KVA(not in use)and 100 KVA. Noise	30-08-2016 Redevelopment Area Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 Unit has submitted copy of allotment of Tax Payers Identification Number (TIN)	30-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.

										monitoring report dated 18-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.	signed on 07.03.2015 as a proof of its respective date of establishment prior to the notification of MPD-2021 i.e. 07.02.2007. Unit has also submitted electricity Bill wherein	
11	METRO TRANSIT PRIVATE LIMITED	CLUSTER BUS DEPOT, VILLAGE-KAIR, NEAR GOVERNMENT COLLEGE	29-07-2016	DPCC/EC/2/1/2016/15636	BUS REPAIR AND MAINTENANCE WASHING PARKING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-07-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 16-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set- Yes (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 11000 liters/ day, Source- Purchased/water tanker (Bill enclosed)	Effluent analysis report dated 16-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	Established date 30.07.2007 Unit has also applied for Authorization under HWM Rules on 29.07.2016. Recommendation / Action Taken Details (EE/AEE) on 29-09-2016 Inspection is yet to be conducted.	30-09-2016 Expedite inspection.
12	NEHA SALES CORPORATION	L-4 AND 5, NEW MANDOLI INDUSTRIAL AREA	01-08-2016	DPCC/EC/2/1/2016/15646	MFG. OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 L/ Day Source: Outside Water (5) Ground Water: Nil	Stack monitoring report dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit. The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 18-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.	30-08-2016 Redevelopment Area Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 Unit has submitted copy of electricity Bill (Energisation date 12.01.2006) and copy of Registration Certificate issued by Central Excise dated 3.07.1998 as a proof of its respective date of establishment prior to the notification of MPD-2021 i.e. 07.02.2007.	30-09-2016 Inspection be conducted. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
												30-09-2016

13	SHRI RAM ENTERPRISES	PLOT NO M-9,PHASE-I BADLI INDSUTRIAL ESTATE	03-08-2016	DPCC/EC/2/1/2016/15658	MANUFACTURING OF ALUMINIUM CIRCLE. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes (wet scrubber) PNG fired casting pit furnace 3. D.G. set- No Plot Area- 425 sq.mt. Commissioning Date- 01.01.2011 Status of Ground Water Extraction-No 1. Water consumption- 20 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No	Water(Effluent)-N/A Emission monitoring report - Report submitted issued by DPCC on 29.06.2016. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 - Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 Letter issued on 26.09.2016 to install Online Monitoring System (OLMS) within three months.	----- Case deferred.
14	DENIM WORLD	J-55, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	04-08-2016	DPCC/EC/2/1/2016/15664	JOB WORK IN WASHING OF READYMADE GARMENTS WITH OIL FIRED BOILER. Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes(Stack with boiler) 3. D.G. set- No Plot Area- 700 sq.mt. Commissioning Date- 01.06.2009 Status of Ground Water Extraction-No 1. Water consumption- 12000 L/day. a) Source of water- DSIIDC and outside tankers (copy of DSIIDC water bill submitted, outside water bill not submitted) Status of Inspection- Yes Inspection was conducted on 21.09.2015 by the officials of DPCC and inspection findings are as follows- Unit found operating and engaged in the activity of jeans dyeing. 1. No ETP installed, waste water discharges directly into the sewer. 2. Coal used in the boiler as fuel causing air pollution. 3. No valid consent obtained from DPCC. 4. Bore well is used without permission from DJB/CGWA. 5. HWM rules are not complied with. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA issued on 16.02.2016 giving 30 days time to complywith the pollution control norms & to apply for consent &	Water(Effluent) for washing of readymade garments -report issued from FICCI on 16.06.2016 submitted. Parameters are within prescribed limit. Emission monitoring report - report issued from FICCI on 09.06.2016 submitted. Parameters are within prescribed limit. However, stack height from roof level is shown as N/A Noise Test Report- N/A	30-08-2016 - Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 Inspection conducted on 19.09.2016 Inspection Findings are- 1. Unit found operating and engaged in the activity of Dyeing and washing of Jeans 2. No ETP installed, waste water discharges directly into the sewer. 3. Coal used in the boiler as fuel causing air pollution. 4. Another Diesel boiler is under installation. 5. Bore well is used without permission from DJB/CGWA. 6. HWM rules are not complied with. 7. D.G. set of 80 KVA found installed but with inadequate stack height. No accoustic enclosure provided. Unit has applied for the activity of Readymade Garment (with Washing) with Boiler. However, during inspection, found operating	30-09-2016 Consent to Establish and Consent to Operate be refused. File be put up administratively for further action.

									authorisation Reply received on 04.04.2016 /14.06.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engage in washing of ready made garments only.		and engaged in the activity of Dyeing and washing of Jeans	
15	JMP INDIA	P-13, KHASRA NO 48, MAHAVIR GALI, NEW MANDOLI INDUSTRIAL AREA, SHAHDARA	08-08-2016	DPCC/EC/2/1/2016/15696	MANUFACTURING OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1) ETP ---- N/A (2) ECS - Wet Scrubber (3) D.G.Set: ...N/A... (4) Water Consumption: 130 L/ Day Source: Home (5) Ground Water: Nil	Stack monitoring report dated 14-06-2016 issued by SHRIRAM INSTITUTE submitted, Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit.	30-08-2016 Redevelopment Area Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 Inspection yet to be conducted.	30-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
16	DURGA ALLOYS	E-2, NEW MANDOLI INDUSTRIAL AREA	11-08-2016	DPCC/EC/2/1/2016/15787	MFG. OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Wet Scrubber (3)D.G.Set: ...N/A... (4) Water Consumption: 50 L/ Day Source: Outside Water (5) Ground Water: Nil	Stack monitoring report dated 27-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit,	30-08-2016 Redevelopment Area Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 Inspection yet to be conducted.	30-09-2016 Expedite inspection. Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit.
17	SHUBHAM METAL INDUSTRIES	223 KH NO.25 NEW MANDOLI INDUSTRIAL AREA DELHI- 110093	12-08-2016	DPCC/EC/2/1/2016/15805	Manufacturing of Aluminium Circle and Sheets Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 20 L/ Day Source: Other Source of Water (5) Ground Water: Nil	AR -Nil Stack monitoring report dated 25-05-2016 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 24-05-2016 issued by DPCC submitted.	12-07-2016 Redevelopment area. Application received online, no enclosure submitted. Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 1. Online Monitoring system has been installed and provided User Name and Password to DPCC. 2.The unit has submitted Stack monitoring report dated 25-05-2016 issued by DPCC. As per the Stack Test Report, parameters are within Limit. 3. A joint inspection was conducted by the	30-09-2016 Issue show cause notice for refusal of consent since unit has not submitted proof of existence of the unit prior to the notification of MPD-2021 i.e 07.02.2007.

Officials of Industries Department, Govt. of Delhi, SDM and DPCC to identify the existence of the unit within the boundaries of redevelopment Area. The team visited the redevelopment area to identify the above said unit namely M/s Shubham Metal Industries, Plot No. 223, Kh. No. 25, New Mandoli Ind. Area, New Delhi-110093 whose location on the app Maps. ME found between the latitude and longitude of 28.711585 degree N and 77.309603 degree E. The outer land mark was found electricity pole no. 1997-1998.

The member of Industry Department has confirmed that the unit is located within the boundaries of the redevelopment Area.

4. As per the document submitted as proof of existence of the unit prior to 07 Feb, 2007, the unit has submitted a electricity bill dated 28.04.2015 in the name of Smt. Pushpa Gupta w/o Sh. Suresh Kumar Mittal, 223, Main road, Kh. No.25 New Mandoli Ind. Area, Delhi-93, indicating energisation date is 02.01.2007.

5. Rent agreement submitted dated 21.05.2012 by the firm with Smt. Pushpa Gupta (Landlady) w/o Shri Suresh Kumar

											Mittal r/o D-248, Vivek Vihar, Delhi-95. 6. No proof of existence of the unit prior to the notification of MPD-2021 i.e 07.02.2007	
18	CIVIL DRUG LABORATORIES	114, PH-II, BADLI INDUSTRIAL ESTATE	16-08-2016	DPCC/EC/2/1/2016/15865	MFG. OF MEDICINES (FORMULATION). Medicines / Pharmaceutical Formulation- without Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 10-02-2004 Authorisation Status Approved Authorisation Issue Date 27-10-2004 Authorisation Expiry Date 26-10-2006 HWM Application No. 2 Application Date 26-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-08-2016 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- Yes A.R dated July 2016 submitted, issued by Jamia Millia Islamia. 2. ECS- N.A 3. D.G. set- No Plot Area- 250 sq mt Date of commissioning - April 1992 Status of Ground Water Extraction-No 1. Water consumption- 2000 L/day. a) Source of water- Outside (copy of Outside water bill not submitted) Status of Inspection- Yes (27.09.2016). Following are the observations: 1. Unit found operating engaged in the activity of Pharmaceuticals. 2. ETP found installed and working. Dry and wet sludge seen. 3. HWM rules are complied with. Copy of Drug License submitted. As per inspection carried out by DPCC lab officials, unit was meeting the norms of ETP. However, unit was operational with expired consent. Show cause notice for closure u/s 31 (A) of Air act & u/s 33 (A) of Water act issued on 03.08.2016 as consent of the unit was expired.	Effluent analysis report dated 19.07.2016 from DPCC submitted. Parameters are within prescribed limit. Emission moniotring report - N.A Noise monitoring report- N.A	27-09-2016 .	30-09-2016 Consent to Operate (Renewal) and Authorization under HWM Rules granted. Also Consent application dated 11.04.2008 and authorization application dated 26.09.2006 be made infructuous.
19	SHIV METAL WORKS	29, Q/6, STREET NO. 4K, ANAND PARBAT INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15889	CASTING BY PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006	Source of water:Outside (Copy of bill not provided) water consumption:40 litre/day Status of ground water:Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - stack attached to exhaust of pit furnace (3)D.G.Set: ...N/A Status of Inspection :No	Stack Monitoring Report: (a) Stack monitoring report dated 01-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes	30-08-2016 It is a case of redevelopment area. Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 -As per decision an inspection of the unit has been carried out by DPCC, Officials on 22.09.2016. During inspection as informed by the	30-09-2016 Ask the unit submit details about operation of the unit within 15 days failing which consent application be infructuous. Also send the letter at correspondence address.

									HWM Application No. 2 Application Date 06-10-2006 Authorisation Status Pending	SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		neighbours unit has been closed from past three months. -A letter may be issued to submit details about operation of the unit within 15 days failing which consent application be infructuous.	
20	LAXMI PLASTIC	G-969, DSIDC NARELA INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15903	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Operate	Non-SPI			Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack connected to mixer) 3. D.G. set- No Plot Area- 350 sq.mt. Propsed Date-01.07.2004 Status of Ground Water Extraction-No 1. Water consumption-4000 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill not submitted) Complaint against this unit made by Sh. Rohit Gupta. Status of Inspection-Yes(28.12.2015) Inspection findings- 1. Unit found operating and engaged in the activity of mfg. of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge. 2. No ECS installed. 3. No ETP installed and waste water is being discharged directly into sewer without any treatment. 4. Unit is operating without valid consent/ registration under air, water acts/plastic rules repectively. 5. One Borewell connection exists without permission from DJB/CGWA. Show cause notice for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on,22.02.2016. No reply received Directions for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on 28.04.2016	Water(Effluent)-report dated 28.07.2016 issued by FICCI submitted. Parameters are within prescribed limit. Stack monitoring report dated 26.05.2016 issued by Shriram Institute for Industrial Research submitted. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 - Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 Inspection conducted on 19.09.2016 findings are as follows- 1. Unit found operating and engaged in the activity of mfg. of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge. 2. ETP found installed but not in operational condition and No wet and dry sludge seen. 3.ECS found installed with adequate stack height. 4 One Borewell connection exists without permission from DJB/CGWA. 5. HWM rules are not compiled with. Form 2 for registration under plastic rules submitted, Form 2 found incomplete and not as per the prescribed performa as per new Plastic rules 2016. As per Rule 13 (Registration of producer, recyclers and manufacturer) of Plastic rules 2016, further sub-rule (5) says	30-09-2016 Issue show cause notice for refusal of consent. Seek compliance report from concerned agencies.

that The State Pollution Control Board or the Pollution Control Committee shall not issue or renew registration to plastic waste recycling or processing units unless the unit possesses a valid consent under the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) along with a certificate of registration issued by the District Industries Centre or any other Government agency authorised in this regard. sub-rule (7) says that On receipt of the application complete in all respects for the registration for recycling or processing of plastic waste under sub-rule (3), the State Pollution Control Board may, after such inquiry as it considers necessary and on being satisfied that the applicant possesses appropriate facilities, technical capabilities and equipment to handle plastic waste safely, may grant registration to the applicant on fulfilment of the conditions as may be laid down in terms of registration. sub-rule (8) says that Every State Pollution Control Board or Pollution Control Committee shall take a decision on the grant of registration within

											ninety days of receipt of an application which is complete in all respects. sub-rule (9) says that The registration granted under this rule shall initially be valid for a period of one year, unless revoked, suspended or cancelled and shall subsequently be granted for three years. Compliance of closure direction dated 28.04.2016 is not received from the concerned authorities.	
21	VYOME BIOSCIENCES PVT LTD	PLOT NO-465, GROUND FLOOR, PATPARGANJ INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15908	LABORATORY/PHARMACEUTICAL RESEARCH DEVELOPMENT. Medicines / Pharmaceutical Formulation- without Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 16-08-2016 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption: 1000 L/ Day Source: Outside (5) Ground Water: Nil	Effluent analysis report dated 22-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes. 13 number of parameters analyzed which are within prescribed limit. The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 23-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes. number of parameters analyzed which are within prescribed limit.	30-08-2016 Recommended for Inspection Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Inspection yet to be conducted.	30-09-2016 Expedite inspection.
22	GKB RX LENS PVT. LTD.	E-26, B-1, EXTENSION, MOHAN CO-OPERATIVE INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15933	MFG. OF OPHTHALMIC LENSES. Optical Glass (Surfacing/Grinding Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 24-12-2008 Authorisation Status Pending	Status of Pollution Control System (1)ETP installed. (a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 16-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumptipn:7960	(a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 16-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for Renewal of consent to operate on 16.08.2016. Recommendation / Action Taken Details (EE/AEE) on 29-09-2016 Inspection is yet to be conducted.	30-09-2016 Expedite inspection.

									ltrs/day , Source: outside (bill not enclosed).. In compliance of the order dated 11.08.2015 of Honble NGT in application no. 300 of 2013 in matter of Manoj Mishra and Ors versus Union of India and others.As per survey by DPCC, an inspection of the unit was carried out by Officials / Representatives of DPCC on 27.08,2015 and following were observed: (a) ETP found installed and in working condition. Effluent samples collected during inspection by DPCC lab. (b) No permission shown for extraction of ground water. (c) Log book maintained and shown for operation of ETP. Show Cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air Act on 07.09.2015 and Letter to DC for groundwater extraction on 07.09,2015. Unit submitted its representation on 24.09.2015 w.r,t SCN along with photographs of ETP, copy of receipt for water test report & adequacy report of ETP and requested to grant 60 days time to submit renewal of CTO. Modified direction was issued to unit on 18.04.2016 to apply for application of renewal of CTO with all required documents. Unit has applied for Renewal of consent to operate(CTR) on 16.08.2016. In the CTR application the unit has informed that they are not extracting any ground water.			
23	STRIPLEX ELECTRICALS PVT. LTD	B-63/2, NARAINA INDUSTRIAL AREA PHASE - II	16-08-2016	DPCC/EC/2/1/2016/15947	ELECTRICAL ITEMS. Powder Coating without phosphating	Orange Operate	Non-SPI		Source of water:DJB, Category-II (Copy of bill provided) water consumption:400 litre/day Status of ground water:Nil Status of Pollution Control System 1)ETP ---- N/A	Stack Monitoring report: (a) Stack monitoring report of stack attached to powder coating booth dated 11-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G.	30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 As decided in the cmc meeting held on 31.08.2016, an	30-09-2016 Consent to Operate granted. Consent application dated 19,05,2011 be made infructuous.

									(2)ECS - cyclone (3)D.G.Set : 1 D.G Set of 62.5 KVA Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Set(s) of 62.5 KVA. Noise monitoring report dated 01-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	inspection of the unit was carried out by DPCC, Officials on 23.09.2016. during inspection following observations were made: - Unit is having one D.G Set of capacity 62.5 KVA installed in an acoustically treated room at roof top with adequate stack height. - Stack provided for powder coating plant at 2 meter above from roof top.	
24	ZOOM ROADYS	C-2/9, PHASE-II, MAYAPURI INDUSTRIAL AREA	17-08-2016	DPCC/EC/2/1/2016/15958	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- yes (a) Effluent analysis report dated 19-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :Yes, Inspection Conducted on 24.05.2016 and following were observed made: - During inspection unit found in operational. -ETP installed in the premises found no operational. - DG set installed at back side of the unit without adequate stack. - ETP and DG set installed at Public Place at back side of the unit. SCN u/s 31(A)/33(A)/ : on 28.06.2016	(a) Effluent analysis report dated 19-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for consent to operate and HWM rule with DG set and analysis report with in limit. Recommendation / Action Taken Details (EE/AEE) on 27-09-2016 -SCN for closure u/s 31(A) and u/s 33(A) issued on 28.06.2016. -As decided, an inspection was carried out by DPCC officials on 15.09.2016 and following observations were made: -ETP installed in the premises found non-operational. -Log book of the ETP not shown. -Hazardous waste management rules found as per norms. -Unit submit its reply on 20.09.2016 and informed that all the deficiencies have rectified and ETP is now functioning and log book is maintained, photographs are also provided.	30-09-2016 Consent to Establish, Consent to Operate and Authorization under HWM Rules granted.

									Closure directions u/s 31(A)/33(A)/5 of EPA details :no		-Again, an inspection was carried out by DPCC officials on 15.09.2016 and following observations were made: -ETP found in the premises found functional. -Log book of ETP maintained properly. -Hazardous waste management Rules complying.	
25	LAMBA ENTERPRISES PVT. LTD	D/E-35, RAMA ROAD	17-08-2016	DPCC/EC/2/1/2016/15960	Show Room Cum Service Station of Bikes. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 03-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Water Consumption 1500 Liters/days and Source of water DJB (Bill enclosed of CAT-II)	(a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 03-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 As decided, an inspection was carried out by DPCC officials on 27.09.2016 and following observations were made: -ETP installed and was operational. - Hazardous waste guidelines found followed. -Hazardous waste observed at site. -Used oil being sold out to registered recycler. -CTO and Authorization may be granted	30-09-2016 Consent to Operate and Authorization under HWM Rules granted.
26	SETCO	69/2-A INDUSTRIAL AREA , NAJAFGHAR ROAD MOTI NAGAR BEHIND MOIT NAGAR BUS STAND	22-08-2016	DPCC/EC/2/1/2016/16000	SERVICING REPAIRING AND WASHING OF TWO WHEELERS 15 VEHICLES/DAY APP. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) Effluent analysis report dated 01-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A	.	30-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 As decided, an inspection was carried out by DPCC officials on 27.09.2016 and following	30-09-2016 Issue Show cause Notice for refusal of consent/authorization, show cause notice for closure u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EPA.

									(3)D.G.Set: ...N/A...		observations were made: -ETP installed but was not in operational condition. -By pass arrangements of effluent observed. -No hazardous waste guidelines found followed. -No hazardous found at site. -Used oil being sold out to local vendor. -Issue Show cause Notice for closure u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EPA and Show cause Notice for refusal u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EPA.	
27	ZAFFERANO HOSPITALITY	A-1, NARAINA INDUSTRIAL AREA, PHASE-I	29-08-2016	DPCC/EC/2/1/2016/16030	SERVE TO CUSTOMER (BANQUETS HALLS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB, Category-II (Copy of bill provided) Water consumption:5000 litre/day Status of Ground Water extraction: Nil Status of Pollution Control System (1)ETP ---- working (2)ECS -working (3)D.G.Set Noise Report : 2 D.G Set of 125 & 250 KVA installed -A complaint was received in this office on 30.12.2015 and an inspection was carried out by DPCC officials on 06.01.2016 and lot of discrepancies were observed. -Accordingly, a show cause notice was issued to the unit on 01.02,2016 based on inspections findings. -Unit submitted a reply w.r.t to SCN and requested for some more time to rectifying all the deficiencies observed during inspection. -In response to the addressee reply modified direction was issued to the unit on 08.06.2016 for	Effluent report: (a) The unit has submitted Effluent analysis report on 21.05,2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Noise Monitoring Report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 12-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	27-09-2016	30-09-2016 Consent to Operate granted.

28	HERBUL HENNA EXPORT HOUSE	BLOCK B-1, PLOT E-5, MCIE, NEW DELHI - 44	31-08-2016	DPCC/EC/2/1/2016/16051	HERBAL POWDER HAIR DYE. Manufacturing of Kali Mehandi / Hair Colour in Powder form (Grinding and mixing only)	Orange Operate	Non-SPI	submitting the CTO application with all the requisite documents. Status of Pollution Control System (1)ETP- N/A (2)ECS - N/A (a) Stack monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction : Nil Water Consumption- 1780 ltrs/day, Source- Outside Status of Inspection : In compliance of the order dated 11.08.2015 of Honble NGT in application no. 300 of 2013 in matter of Manoj Mishra and Ors versus Union of India and others.As per survey by DPCC, an inspection of the unit was carried out by Officials / Representatives of DPCC on 18.09.2015 and following were observed: (a) Unit found operational and engaged in the activity of manufacturing and packaging of Herbal Mehni. (b) One mixing plant, 3 packaging machine, one grinding machine found in premises, 2 electric furnaces/oven. (c) No water polluting activity found in premises. (d) Adequate stack height has not been provided with the DG Set of 25 KVA Show Cause Notice u/s 25/26 of the Water Act & u/s 21/22 of the Air Act was issued to unit on	(1)ECS - N/A (a) Stack monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 19-08-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	27-09-2016 Umit has filed application for CTE and CTO under orange category on 29.08.2016 and 31.08.2016.	30-09-2016 Consent to Operate granted.
----	---------------------------	---	------------	------------------------	--	----------------	---------	---	---	---	--

									19.11.2015. Unit has submitted its reply on 22.12.2015, 29.12.2015, 12.01.2016, 03.02.2016, 22.07.2016, 30.07.2016 and 02.09.2016 stating that they had filed the application of CTE and CTO under orange category on 29.08.2016 and 31.08.2016.			
29	SHRI MAHAVIR PULSES PVT. LTD.	F-1715, DSIDC, NARELA INDUSTRIAL AREA	07-09-2016	DPCC/EC/2/1/2016/16091	DAL MILL. Dal Mills	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N.A 2. ECS- Yes, Attached to Bag house 3. D.G, set- Yes 2x160 & 320 KVA Plot Area- 700 sq mt Date of commissioning - 15.06.2016 Status of Ground Water Extraction-No 1. Water consumption- 2000 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection- No	Effluent analysis report - N.A Emission moniotring report - Issued from Shriram institute for industrial research on 08.08.2016. Parameters are within prescribed limit. Noise monitoring report issued from DPCC on 17.08.2016. Parameters are within prescribed limit.	27-09-2016 .	30-09-2016 Consent to Operate granted. Earlier consent to operate issued on 30.09.2014 (valid upto 13.07.2019) be revoked since unit has applied for consent to establish and consent to operate afresh.
30	S.L.G METAL INDUSTRIES (P) LTD.	G-1/C KHASRA NO.38 , NEW MANDOLI INDUSTRIAL AREA	09-09-2016	DPCC/EC/2/1/2016/16110	manufacturing of aluminium wire rod Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Scrubber, Cyclone (3)D.G,Set Noise Report : One D.G. set having 250 KVA capacity. (4) Water consumption : 100 L/Day. Source of Water : Outside Ground Water: Nil.	Emission Monitoring Report Stack monitoring report dated 22-09-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. Noise Monitoring Report The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 20-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	30-09-2016 1. Online Monitoring system has been installed and provided User Name and Password to DPCC. 2. The unit has submitted Stack monitoring report dated 22-09-2016 issued by DPCC. As per the Stack Test Report, parameters are within Limit. 3. A joint inspection was conducted by the Officials of Industries Department, Govt. of Delhi, SDM and DPCC to identify the existence of the unit within the boundaries of redevelopment Area. The team visited the redevelopment area to identify the above said unit namely M/s SLG Metal Industries (P) Ltd., Plot No. G-1/C, Kh. No. 38, New Mandoli Ind. Area, New Delhi-	30-09-2016 Consent to Operate granted for five years provided the fee is deposited within 15 days.

											110093 whose location on the app Maps. ME found between the latitude and longitude of 28.710999 degree N and 77.311133 degree E. The outer land mark was found electricity pole no. 1913/1914. The member of Industry Department has confirmed that the unit is located within the boundaries of the redevelopment Area. 4. A copy of IT Return has been filed by the unit as proof of existence of the unit prior to the notification of MPD-2021 i.e. 7th February, 2007.	
31	SAGAR RATNA HOTELS PVT LTD (SAGAR RATNA)	C-1, NEW KRISHNA PARK VIKASH PURI	09-09-2016	DPCC/EC/2/1/2016/16118	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System Source of Water: Municipal Authoirity Water Consumption: 2500 Litres/ Day Status of Ground Water extraction : No (1)ETP - Working (2)ECS - N/A (3)D.G.Set: ...N/A... -It is a matter of PGMS. -Directions for Closure u/s 31(A) of Air Act and u/s 33(A) of Water Act and Refusal of Consent to Operate (Renewal) issued on 08.08.2016. -Unit submit its reply on 12.08.2016 & 23.08.2016 with the information that deficiencies observed during inspection have been rectified and requested to revoke the closure direction. -Unit was inspected on 19.09.2016 and found closed.	Water Analysis Effluent analysis report dated 23-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	30-09-2016 .	30-09-2016 Take action as decided in common file w.r.t. PGMS complaint received against 26 Sagar Ratna Restaurants Pvt. Ltd.
32	SAGAR RATNA HOTELS PVT. LTD.	K-15, OUTER CIRCLE CONNAUGHT CIRCLE	09-09-2016	DPCC/EC/2/1/2016/16119	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such	Orange Operate	Non-SPI	HWM Application No. 1	Status of Pollution Control System Source of Water:	Water Analysis: Effluent analysis report dated 02-07-2016 issued by FICCI RESEARCH	30-09-2016 .	30-09-2016 Take action as decided in common file w.r.t. PGMS complaint received

					establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler			Application Date 02-08-2006 Authorisation Status Pending	Municipal Authority Water Consumption: 2500 Litres/ Day Status of Ground Water extraction : No (1)ETP --Working (2)ECS - N/A (3)D.G.Set: ...N/A -It is a matter of PGMS. -Directions for Closure u/s31(A) of Air Act and u/s 33(A) of Water Act and Refusal of Consent to Operate issued on 08.08.2016. -Unit submit its reply on 09.09.2016 for inspection. -Unit was inspected on 09.9.2016. Unit found closed. Unit has removed the bypasss system and has increased the stack height of kitchen channelization about 2.5 metre above the roof. Since, unit is complied with the direction it is proposed to revoke the closure direction for 45 days for submission of test reports.	ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes		against 26 Sagar Ratna Restaurants Pvt. Ltd.
33	TDI INFRASTRUCTURE LTD.	NEHRU PLACE METRO STATION, NEHRU PLACE	12-09-2016	DPCC/EC/2/1/2016/16131	SHOPPING COMPLEX AND FOOD COURTS(CLUSTER OF RESTAURANTS). Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP /STP ---- STP installed (a) AR dated 20.08.2014. issued by DTU submitted. (b) Effluent analysis report dated 29-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) ECS - N/A (3) D.G.Set Noise Report : 500 KVA (2 Nos.) Status of Ground Water extraction : Nil Status of Inspection : 09.06.2016 SCN u/s 31(A)/33(A)/5 of EPA details : 10.08.2016 Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Public Complaint received against the unit.	Effluent analysis report dated 29-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes. The unit has 2 D.G. Set(s) of 500 KVA. Noise monitoring reports dated 25-07-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring reports within Limit - Yes.	28-09-2016	30-09-2016 Consent to Establish and Consent to Operate granted to M/s TDI Infrastructure Ltd. No further action is required against the restaurants located in this mall, which have been issued show cause notices and submitted their replies excluding the Sagar Ratna Restaurant Pvt, Ltd. case of which is being dealt in the separate common file of Sagar Ratna Restaurants.

As approved, an inspection of the unit was carried out on 09.06.2016 and following were observed-

- Unit found in operation engaged in the activity of Food Mall including one Food Court of 334 seats (12 Restaurants), 13 restaurants operational with total 1157 seats, 2 Coffee Shops and 3 restaurants under construction.
- Channelization present in Kitchen with Stack different for all restaurants and one common stack for Food Court, one for KFC and one for Burger King. Stack Height for all are below roof level.
- 3 DG Sets installed. One of 380 KVA with adequate stack height above roof level. 2 DG Sets of 500 KVA each having stack exit at Canopy level only i.e. inadequate. All DG Sets have acoustic enclosures
- STP is installed underground - not being operated properly, no sludge drying bed found, treated water tank found empty.
- Source of water is DJB supplied by DMRC. Bill / necessary document not available.
- Logbook of STP maintained till 08.06.2016. STP of capacity 60 KLD.

As approved, Show Cause Notices were issued on 10.08.2016 to M/s TDI Infrastructure Limited and other 26 restaurants located in the said mall excluding M/s Sagar Ratna Restaurants Pvt. Ltd. (as said restaurant was already issued SCN in separate file)

M/s TDI Infrastructure has submitted replies on 22.08.2016 & 29.08.2016 w.r.t. Show Cause Notice Dated 10.08.2016. The unit has informed that they have rectified all the deficiencies and following clarifications has been submitted-

-That M/s TDI Infrastructure Ltd, Nehru Place Metro Station, Nehru Place, New Delhi-19 has taken DMRC Nehru Place building on lease to develop the area as shopping complex & food courts (cluster of restaurants) and TDI further given lease to other units to open different restaurants & bars in the complex. The restaurant owners shall set up restaurants according to their requirements. TDI is only operating & maintaining the DMRC building (lease area only), run STP and provide basic infrastructure facilities to all restaurants. The individual restaurant owners take MCD License and open restaurant in the complexes according to license. They have installed STP for all restaurants (Existing & proposed to install in future) and TDI shall obtain CTE & CTO from DPCC & responsible for controlling pollution as per DPCC norms.

- That each restaurant has installed Oil & Grease pit in the kitchen. The waste water are discharging from the kitchen of each restaurant has connected with common STP installed in the Nehru place metro building and common STP run & maintained by TDI. Similarly, the kitchen exhaust of each restaurants are connected with common wet scrubbers and their emission are discharged into atmosphere through stack.

- That the kitchen emissions of each restaurant connected with wet scrubbers installed on side wall (outside) of DMRC building. The height of stack of scrubber cant raise because the DMRC metro station & metro line exist on the floor of building. DMRC are not allowing to pass any stack due to their norms & security reason. The

kitchen emissions of each restaurants are not discharging into atmosphere directly but it passing through air pollution control device (Wet Scrubber). They are requesting us to allow the unit without raising the height of stack emission of kitchen.

- They have only two DG Sets of 500 KVA and both DG Sets are kept in sound proof canopy. They have increase the stack height of both DG Set 4.5 mtr above canopy (Enclosed Noise Monitoring report & photographs).

- They have rectified the deficiencies observed during inspection and operating STP installed in the Mall regularly, filter press has installed in place of sludge drying bed (photographs of filter press enclosed).

- That the source of water for entire building of Nehru Place Metro station is DJB and DMRC are charging & raising bill of consumed water by unit.

- That STP has been installed by DMRC of 65 KLD capacity and DMRC has obtained Adequacy report from DTU.

M/s TDI Infrastructure Ltd has submitted representation on 14.09.2016 w.r.t Show Cause Notice issued to Mall and other 26 restaurants operating in Mall. The unit has informed that upper ground, lower ground and basement has been leased out by DMRC to M/s TDI infrastructure LTD and various commercial space has been again leased out to other units by TDI and all civic facilities such as electricity, water supply, sewerage etc is being provided to M/s TDI Infrastructure Ltd by DMRC in accordance to lease agreement. The unit has also informed that they have applied for Consent to Establish &

									Consent to Operate on 12.09.2016. The unit has also requested to null & void the Show Cause Notices issued to outlets / restaurant of TDI South Bridge Mall. M/s Pizza Express, M/s Wokstar, M/s Yo China, M/s Keventers, M/s Dunkin Donuts, M/s Beer Cafe (Unit of BTB Marketing Pvt. Ltd.), M/s Sona Sweets, M/s Chicago Pizza, M/s Fidahh, M/s Chayos, M/s Chatter House, M/s Moti Mahal, M/s Dimcha, M/s Subway, M/s Burger King, M/s Dhaba, M/s Lord of Drinks, M/s Social, M/s flying Saucer, M/s Big Wong, M/s Benihana, M/s Karims, M/s Star Bucks, M/s KFC, M/s FIO & M/s Cafe Coffee Day submitted reply on 16.09.2016 w.r.t. Show cause Notices issued to restaurants. The Restaurants has informed that the outlet has been leased out by TDI Infrastructure Ltd and informed that all civic facilities such as electricity, water supply, sewerage etc is being provided to M/s TDI Infrastructure Ltd by DMRC in accordance to lease agreement. The Restaurants has also informed that M/s TDI Infrastructure Ltd has applied for Consent to Establish & Consent to Operate on 12.09.2016 for the activity of Shopping Complex and Food courts (Cluster of Restaurants)			
34	WAMIKA HOSPITALITY PVT.LTD. (CHERISH BANQUET)	C-94, WAZIRPUR INDUSTRIAL AREA	12-09-2016	DPCC/EC/2/1/2016/16132	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1) ETP - ETP (Physio-chemical) (2) ECS - N/A. Status of Ground Water extraction : Nil (as mention in the consent application) Earlier consent to operate applied by the unit was refused vide this office letter dated 09.07.2015 as decide by CMC in its meeting held on	(a) Effluent analysis report dated 26-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b)D.G.Set Noise Report : 3 The unit has 3 D.G. Set(s) of 200 KVA,200 KVA and 400 KVA. Noise monitoring report dated 01-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	28-09-2016	30-09-2016 Consent to Operate (Renewal) granted.

									04.03.2015 for non-submission of permission for ground water extraction. A letter dated 09.07.2015 was also issued to DC (North-West) to close/seal the said bore-well with immediate effect. After receipt of complaint through PGMS complaint vide I.D No. 201627210 dated 23.3.2016, Show Cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air Act was issued vide letter dated 28.04.2016 for operating the unit without obtaining consent to operate. Thereafter, this unit was inspected w.r.t aforesaid PGMS complaint on 10.08.2016 and following were observed: -No party/ function was going on during the visit. -The unit has installed an ETP (batch type) which was found in operational condition. -No logbook of ETP was available. -Channelization system with adequate stack height has been provided in the kitchen. -The unit is having one borewell, however, no permission from CGWA/ DJB shown. As approved, Modified Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air Act were issued on 02.09.2016. The unit has submitted its reply on 14.09.2016 alongwith copy of ETP logbook, copy of voluntary disclosure of borewell, copy of ground water cess submitted to DJB, copy of test reports and copy of receipt of CTO application dated 09.02.2015 and explained their difficulties for delay of submission of application for CTO. Source of Water: DJB (copy of water bill provided) Water Consumption: 4000 Litres/ Day Status of Ground Water extraction :			
35	LEE PACIFIC	31/35, MAIN ROHTAK ROAD PUNJABI BAGH	16-09-2016	DPCC/EC/2/1/2016/16152	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of	Orange Operate	Non-SPI		ET submission, ETP application for CTO.	Water Effluent: Effluent analysis report dated 12-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	30-09-2016 CTO may be granted.	30-09-2016 Consent to Operate granted.

					one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License valid upto 31.03.2013 and Delhi Police Licesne valid upto 31.03.2016			
36	CASTLE 9 RESTAURANTS PVT. LTD	B-45-47, IST FLOOR, CONNAUGHT PLACE	19-09-2016	DPCC/EC/2/1/2016/16166	RESTAURANT 200 SEATS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Source of Water: NDMC Connection (copy of bill provided) Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : No (1)ETP - working (3)D.G.Set Noise Report : 2 D.G. Set(s) of 50 KVA and 180 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD and Delhi Police License valid upto 31.03.2017	Water Analysis Effluent analysis report dated 25-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- (a) The unit has 2 D.G. Set(s) of 50 KVA and 180 KVA. Noise monitoring report dated 20-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 50 KVA and 180 KVA. Noise monitoring report dated 20-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-09-2016 CTO may be granted.	30-09-2016 Consent to Operate granted.
37	KRISH AUTOMOTORS PVT LTD	A-3 WAZIRPUR INDUSTRIAL AREA	19-09-2016	DPCC/EC/2/1/2016/16170	SERVICING / REPAIRING OF AUTOMOBILES. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-09-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP installed (2)ECS - N/A. Status of Ground Water extraction : Nil Water consumption: 3,3 KLD and its source is corporation, The premises was inspected on 27.09.2016 with reference to complaint received through PGMS vide I.D. 201686083 and following were observed: - The unit has installed an ETP (batch type) but the	(a) Effluent analysis report dated 23-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes. (b) Emission monitoring report dated 18.06.2016 issued by FICCI RESEARCH ANALYSIS CENTRE for the existing Paint booth submitted and is within limit, stack height provided with the paint booth is 2m above roof level. (c) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated	29-09-2016 .	30-09-2016 Issue show cause notice for refusal of consent/authorization, show cause notice u/s 33(A) of Water Act & u/s 5 of EP Act.

									same was not found in operation. However collection tank and reaction cum settling tank was filled with trade effluent and no dosing of coagulant was done in the reaction tank. - A bypass arrangement pipe was observed in a tank before collection tank and all the trade effluent generated from the washing section is being by passed without any treatment. - Logbook of ETP is being maintained since 1st of June 2016 and logbook of hazardous waste is being maintained since June 2016. - Quantity of ETP sludge and used oil stored are not matching with record i.e. less ETP sludge and more used oil was found stored. - The unit is not complying with the provisions of HWM rules as mentioned in the point No. 23 above. - No permission of CGWA/DJB for borewell was shown.	18-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes.		
38	ANIL KUMAR	C-58/4, WAZIRPUR INDUSTRIAL AREA	19-09-2016	DPCC/EC/2/1/2016/16173	BUFFING ON UTENSILS. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A. (2)ECS - Cyclone installed. (3)D.G.Set: N/A. Status of Ground Water extraction : Nil Water consumption: 0.5 KLD from DJB (Bill enclosed). Status of Inspection : Earlier s.s pickling unit namely M/s Narender Industries was operating at this premises, therefore this premises was inspected on 26.03.2015 and instead of M/s Narender Industries, M/s Anil Kumar found operating without obtaining consent. Accordingly, a SCN dt 09.07.2015 u/s 31(A) of the Air Act was issued to the unit, thereafter unit has applied for CTE on 26.08.2015. Further, premises again visited on 01.10.2015 to check the status of hazardous waste	(a) Stack monitoring report dated 19-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack height of 1 m above roof level provided (as per DPCC lab report dated 19.07.2016).	28-09-2016	30-09-2016 Consent to Operate granted. Subsequently, inspection be conducted.

									generated earlier by M/s Narender Industries and M/s Anil Kumar found operating without installing ECS on its buffing addas. The case was taken up in the meeting dated 25.06.2016 and as decided CTE has been granted with the condition that the unit shall apply for CTO within 03 months. Now unit has applied for CTO.			
39	RAVI KISHORE ENTERPRISES PVT. LTD.	B-12, LAWRENCE ROAD INDUSTRIAL AREA	19-09-2016	DPCC/EC/2/1/2016/16175	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP ---- Other ETP Name : ETP (a) Effluent analysis report dated 01-09-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 125 KVA, 640 KVA and 640 KVA. Noise monitoring report dated 14-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (3)Status of Ground Water extraction : yes 11 kld. (4)a PGMS complaint is also received and the same is already processed. SCN was issued to the unit, Reply was also received. File was put up administratively and inspection of the unit has been approved. (5) Status of Inspection : Inspection Conducted on 27.09.2016 as approved on file administratively. The unit has provided an ETP(biological) and the same was found in operation. Dry and wet sludge was found at site. Channelization system with kitchen and other areas have been provided and the exhaust point above the roof level. D.G. Sets are provided with mandatory acoustic enclosure with adequate stack height.Filter press has also been provided by the unit as asked in the show cause notice issued on 04.08.2016 to the unit.	Water analysis report and DG set reports are submitted.	29-09-2016 N/A	30-09-2016 Consent to Operate granted.
40	THE EMBASSY	C-27, OKHLA	20-09-2016	DPCC/EC/2/1/2016/16184	Catering (Food Factory).	Orange	Non-SPI		Status of Pollution Control	Effluent analysis report	28-09-2016	30-09-2016

RESTAURANT	INDUSTRIAL AREA PHASE-I		Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Operate				System (1) ETP - Installed (10 KLD) (a) Effluent analysis report dated - 21.03.2016 - issued by - DPCC - submitted. (2) ECS - N/A (3)D.G.Set: Nil Water Consumption - 13000 ltrs /day Source of water - Delhi Jal Board (Bill enclosed) Status of Ground Water extraction : Nil MCD License valid upto 31.03.2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	dated - 21.03.2016 - issued by - DPCC - submitted and all parameters are within limit.	Consent to Operate granted.
------------	----------------------------	--	---	---------	--	--	--	---	--	-----------------------------



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 13th meeting on 30.09.2016 w.r.t. Table Agenda Item No 1 -- 02 Pending Cases of Consent to Operate of Mandoli Redevelopment Area (Annexure III).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	ADVIKA METALS	KHASRA NO. 18/21, MANDOLI INDUSTRIAL AREA, SHAHDRA	11-05-2016	DPCC/EC/2/1/2016/14650	copper wire rod manufacturing Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		Based upon the deficiencies found during the inspection conducted on 11.01.2016 in a PGC case, a SCN u/s 33 (A) of Water Act, 1974 and u/s 31 (A) of Air Act, 1981 was issued on 22.04.2016. Reply was submitted by the unit requested for time for installation of OLMS. (1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 300 Liters/ Day Source: Outside (5) Ground Water: Nil	AR --Nil. Stack monitoring report dated 06-06-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 1000 KVA, Noise monitoring report dated 24-05-2016 issued by DPCC submitted, Report within Limit - Yes	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 1. Online Monitoring system has been installed and provided User Name and Password to DPCC. 2.The unit has submitted Stack monitoring report dated 06-06-2016 issued by DPCC. As per the Stack Test Report, parameters are within Limit. 3. A joint inspection was conducted by the Officials of Industries Department, Govt. of Delhi, SDM and DPCC to identify the existence of the unit within the boundaries of redevelopment Area. The team visited the redevelopment area to identify the above said unit	30-09-2016 Issue show cause notice for refusal of consent since unit has not submitted proof for existence of the unit prior to date of MPD-2021 notification i.e. 7th February, 2007.

namely M/s Advika Metals, Kh. No. 18/21, New Mandoli Ind. Area, New Delhi-110093 whose location on the app Maps. ME found between the latitude and longitude of 28.707926 degree N and 77.318247 degree E. The outer land mark was found electricity pole no. NNGX-609.

The member of Industry Department has confirmed that the unit is located within the boundaries of the redevelopment Area.

4. The unit has submitted a revised demand note from BSES Yamuna Power Ltd. in the name of Smt. Asha Gupta L/o Sh. Om prakash, Kh. 18/21, 12, 18/2, 19, 21/1, 22, 26, New Mandoli Ind. Area, New Delhi-110093, Pole No. 2349-2350 in application dated 12.01.2007 submitted to BSES Yamuna Power Ltd.. Wherein the unit has enclosed a rent agreement with landlady with the Advika Metal through its partner Sh. Himanshu Mittal s/o Sh. Suresh Kumar Mittal r/o of D-248, Vivek Vihar, Ph-1, Delhi-95 is of date 05.06.2014.

Recommendation / Action Taken

												Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016
2	SITA ALLOYS PVT. LTD.	M-3, VISHNU GALI, NEW MANDOLI INDUSTRIAL AREA, SABOLI	11-05-2016	DPCC/EC/2/1/2016/14651	manufacturing of copper ingots Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		The unit was inspected during the area survey on 07.01,2016, A SCN u/s 31 (A) of the Air Act, 1981 and u/s (33 (A) of Water Act, 1974 was issued on 25.04.2016. Reply submitted by the unit and requested for time for installation OLMS & rectification in ECS. (1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 150 Liters/ Day Source: Outside (5) Ground Water: Nil	AR -- Nil Stack monitoring report dated 26-05-2016 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 23-05-2016 issued by DPCC submitted.	12-07-2016 Redevelopment Area, Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 1. Online Monitoring system has been installed and provided User Name and Password to DPCC. 2. The unit has submitted Stack monitoring report dated 26-05-2016 issued by DPCC. As per the Stack Test Report, parameters are within Limit. Stack Height of the D.G. set of 125 KVA capacity is 1m from the top of the acoustic enclosure. 3. A joint inspection was conducted by the Officials of Industries Department, Govt. of Delhi, SDM and DPCC to identify the existence of the unit within the boundaries of redevelopment Area. The team visited the redevelopment area to identify the above said unit namely M/s Sita Alloys Pvt. Ltd., Pole No. M-3, Kh. No. 44, New Mandoli Ind. Area, New Delhi-110093 whose location on the app Maps. ME found between the	30-09-2016 Consent to Operate granted for five years provided the fee is deposited within 15 days.

												latitude and longitude of 28.711428 degree N and 77.310892 degree E. The outer land mark was found electricity pole no. 1918/1919, The member of Industry Department has confirmed that the unit is located within the boundaries of the redevelopment Area. 4. The unit has submitted a proof of existence i.e. Electricity Bill dated 13.04.2016 with the name of Sita Gupta in which the date of energization of electricity connection is 20.03.2006. As per record submitted by the unit i.e. Memorandum and articles of association, Sita Gupta is one of the Director. Recommendation / Action Taken Details (EE/AEE) on 20-09-2016 Case deferred decision in CMC meeting held on 12.07.2016
--	--	--	--	--	--	--	--	--	--	--	--	--



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 13th meeting on 30.09.2016 w.r.t. Table Agenda Item No 2 -- Case of Calista Hotels and Resorts Pvt. Ltd, Village Kapashera Old NH-8 Delhi (Annexure IV).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	CALISTA HOTELS AND RESORTS PVT LTD	KH. NO. 26/18/2, 26/22/3, 26/23, 26/24, 26/30, 37/2/2, 37/3, 37/4/1, 37/9/2, 37/4/2 & 37/26, VILLAGE KAPASHERA, OLD NH-8	28-06-2016	DPCC/EC/2/1/2016/15262	Hotel and Resorts. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- not connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) STP installed. Effluent analysis report dated 07-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 3(2 OF 380 KVA and 1 of 125 KVA). NMR of DG sets is meeting the limits, however Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting though the report by FICCI mentions that it is meeting. Ground water:- 16000 ltr/ day (application for voluntary disclosure of existing borewell enclosed). Letter was issued to unit on 19.02.2015 asking to submit permission from DJB/CGWA regarding extraction/withdrawal of ground water within 15 days, failing which, Consent shall be refused and concerned Dy. Commissioner shall be	(a)Effluent analysis report dated 07-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (a) The unit has 3 D.G. Set(s) of 380 380 125 KVA. Noise Monitoring Report dated 02.07.2016 of 3 DG sets is meeting the limits, however Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting though the report by FICCI mentions that it is meeting.	30-08-2016 Unit has applied for CTO on 28.06.2016. Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 Noise monitoring report of three D.G. Sets dated 02.07.2016 and effluent analysis report dated 07.07.2016 for STP of FICCI Research & Analysis Centre submitted by the unit on 18.07.2016 shows that unit is meeting the prescribed standards. Vide another letter received on 05.07.2016, the unit has informed that the unit has submitted copy of voluntary declaration of the existing borewell/tubewell to DJB and further enclosed copy of Farad/Kathuni in which the borewells / tubewells are shown by the Revenue	30-09-2016 Consent to Operate granted.

[illegible]

									under the Water and Air Acts. The Competent Authority, finally decided in the concerned file (from para 43 to 49 at N/13) that decision regarding refusal of Consent to Establish on 01.06.2015 stands rectified and Consent to Establish be given as per requirement of the Law, Consent to Establish should state that construction has already taken place. Further unit may be asked to apply for Consent to Operate alongwith land use conformity documents/ test reports/ fee etc., w.e.f. 01.11.2014. After receipt of application for CTO, provisional consent may be considered for two months during which the unit shall submit test reports/ permission of extraction of ground water. The matter was briefed and submitted to Higher-Ups mentioning Legal Provisions etc, under the Water and Air Acts, The Competent Authority, finally decided in the concerned file that decision regarding refusal of Consent to Establish on 01.06.2015 stands rectified and Consent to Establish be given as per requirement of the Law, Consent to Establish should state that construction has already taken place. Further unit may be asked to apply for Consent to Operate alongwith land use conformity documents/ test reports/ fee etc., w.e.f. 01.11.2014. After receipt of application for CTO, provisional consent may be considered for two months during which the unit shall submit test reports/ permission of extraction of ground water. CTO application filed on 28.06.2016.			
--	--	--	--	--	--	--	--	--	--	--	--	--

.....