



CONSENT MANAGEMENT

Decisions taken by the Member Secretary (DPCC) on 19.12 2012 (13th Approval Meet) in 55 Cases of Consent to Operate and Consent to Operate(Renewal) under Orange Category (2c Category Cases. excluding cases of Redevelopment Areas) of the Period 31.07.10 to 01.04.10 (in reverse chronology) and 01.11.12 to 30.11.12 and (List II).

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	34098 06-04-2010	B. PLASTICS PLOT NO.273, SEC-I, PKT-F, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Flour Mill.	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated April 2010 issued by GGSIU submitted.. (b) Stack monitoring report dated 06-04-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Remarks: Earlier CMC Decision dated 27.08.2010: Consent revoked w.r.t. M/s B. Plastic. Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act, 1974 to M/s Goyal Flour Mills. Consent to establish was revoked on 01.10.2010.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for inspection, thereafter, file be put up administratively.	19-12-2012 Inspection be conducted, thereafter, file be put up administratively.
2	33517 13-04-2010	DTC NANGLOI NANGLOI DEPOT	Nangloi Industrial Area	Orange Renewal	REPAIR MAINTENANCE WASHING AND SERVICING OF CNG BUSES	- Date of commissioning of project ---- - Built Up Area ---- 23300 (in sq. meter) - Water Consumption ---- 15000 liters/day - Ground Water ---- 14000 liters/day - Waste Water generation (a) Domestic Effluent ---- 11200 liters/day (b) Trade Effluent ---- 0 liters/day		06-12-2012 (1)ETP ---- physicochemical (a) AR dated 29.01.2010issued by DTU submitted. (b) Effluent analysis report dated 29-01-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 29-01-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision dated 26.07.2010 Ask the unit to apply for CTE. Inform to DJB regarding extraction of groundwater. a letter issued to the unit on 19.08.2010 and to DJB on 23.08.2010. A reply received from the unit on 22.02.2011	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Renewal of Consent to Operate. Ask the unit to apply afresh for authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.	19-12-2012 Renewal of Consent to Operate granted with the condition that unit shall apply afresh for authorization under HWM Rules within 30 days. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.
3	33577 19-04-2010	SOLAR PRINT PROCESS PVT. LTD. D-16/2, PHASE-II, OKHLA	Okhla Industrial Area	Orange Operate	SCREEN PRINTING & OTHER JOB WORK			10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 20-02-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to	19-12-2012 Consent to Operate and authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Printing Press

		INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 668.9 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 & 125 KVA. Noise monitoring report dated 03-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-02-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 29.04.10 & following were the observations: 1. Unit was found operational & a batch type ETP was found in operational condition. 2. The unit is complying with the HWM Rules. 3. The unit is having two DG Set of 125 kva each. however, in the consent application only one DG Set of 125 kva has been mentioned. As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 for submission of NMR of 125 KVA DG set found during the inspection. Unit has submitted its reply on 08.09.10 along with NMR dated 03.06.10 issued by DPCC.	Printing Press (With Trade Effluent Discharge).	(With Trade Effluent Discharge).
4	33746 04-05-2010	STEPHY INDUSTRIES PLOT NO 7, GALI NO 4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Mfg. of Kitchen Wares with Buffing	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 16-03-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: : conducted on 11.02.2009: Buffing activity was found without ECS. (5) SCN u/s 31(A) details : issued on 24.07.2009. (6) Closure directions u/s 31(A) details : 16.06.2010. Unit has submitted its reply on 28.06.10. As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 for submission of Bank Guarantee of Rs. 1 lakh under Air Act valid for one year. Unit has submitted a BG of Rs.100000/- under Air Act on 12.10.2010 As decided by the CMC (O) in its meeting held on 02.11.11, revocation of closure directions was issued on 04.01.12.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Consent to Operate and Consent to Establish. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of Stainless Steel Utensils (With Buffing Activity).	19-12-2012 Consent to Operate and Consent to Establish granted. IT Cell be requested to correct the category of the activity of the unit to Manufacturing of Stainless Steel Utensils (With Buffing Activity).
5	33765 05-05-2010	ALKA FOOD INDUSTRIES 26, GTK ROAD, S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	MFG. OF CONFECTIONERY & AURVEDIC PRODUCTS.	• Date of commissioning of project ---- • Built Up Area ---- 1106 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	06-12-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 22-04-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 12-04-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks: Closure directions u/s 31(A)/33(A) was issued on 16.03.2011.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.

							unit submitted its reply on 21.03.2011 and 02.06.2011 along with an affidavit and adequacy report of Effluent Treatment Plant dated 17.01.2011 issued by DTU requesting for revocation of closure directions. After that a letter issued to the unit for submission of bank guarantee on 21.06.2011. unit submitted the bank guarantee under Air Act and Water Act on 28.06.2011. Revocation of closure directions were issued on 11.07.2011.		
6	33782 07-05-2010	SAMARA INDIA PVT. LTD. B-32, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP.	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 2500 liters/day	06-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 24.03.2010 issued by GGSIU submitted. (b) Effluent analysis report dated 13-03-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 13-03-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-03-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes Earlier CMC Decision on 30.07.2010 Ask the unit to apply for consent to establish. Accordingly, a letter issued to the unit on 19.08.2010. Unit applied for the same. CMC decision on 25.11.2010. Consent to establish. Accordingly, same was issued on 13.01.2011 which is valid upto 17.01.2012.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity with Paint Booth.	19-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity with Paint Booth.
7	33783 07-05-2010	SAMARA INDIA PVT. LTD. B-24, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP	• Date of commissioning of project ---- • Built Up Area ---- 4000 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 4000 liters/day	05-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedApril 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 26-04-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A Paint Booth (a) Stack analysis report not submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-03-2010 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 26.07.10, letter was issued on 01.09.10 for submission of Stack Monitoring Report of paint booth as mentioned in consent application from approved laboratory of DPCC. No reply has been received from the unit.	Decision / Recommendation of Screening Committee on 12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.
8	33821 11-05-2010	GLOBE SERVICE STATIONA 18 K.M. MATHURA ROAD, BADARPUR	SOUTH	Orange Renewal	PETROL PUMP CUM SERVICING OF AUTOMOBILES (CARS)	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 2200 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 2000 liters/day	05-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated05.04.2010..... issued byDTU..... submitted. (b) Effluent analysis report dated 05-04-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit.

							(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-04-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. D. G. Set monitored is meeting the permissible limit as per the G.S.R. 371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. Unit has applied authorization under HWM Rules on 11.05.2010 vd ID 0112. As decided by the CMC (O) in its meeting held on 30.07.10, letter was issued to the unit on 07.09.10 to apply for consent to establish and submit the fresh affidavit and Form-I w.r.t. HWM authorization incorporating the used / waste oil as hazardous waste. A letter was also issued to DJB on 07.09.2010 regarding ground water extraction. Unit has submitted its reply on 27.09.10 along with Form-I w.r.t. HWM authorization & affidavit. Unit has applied for CTE under orange category on 27.09.10 vd ID 35212. As decided by the CMC (O) in its meeting held on 25.11.10, CTE was issued on 11.01.2011 vd CNO 26381.		
9	33839 12-05-2010	DTC HARINAGAR-II HARI NAGAR DEPOT-2	NEW DELHI	Orange Renewal	REPAIR AND MAINTENANCE	• Date of commissioning of project ---- • Built Up Area ---- 2244.5 (in sq. meter) • Water Consumption ---- 7800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 18.06.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 25-05-2010 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 12-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: inspection conducted by SIT on 10.06.2009 and following wer observed: 1) unit found operational and is a bus repair and maintenance dpot. 2) ETP was not opertional. 3) waste water stagnation observed ner raadiator cleaning area, bus washing area and near waste water underground sorage tank near ETP. 4) domesic waste water stagnation observed near washing area. As informed same is being discharged from Depot-III which is adjacent with this depot. 5) Oil spillage observed in repair section and hazardous waste (waste oil) storage area,. Hazardous waste (waste out) needs to be stored as per HWM rules. 6) rain water channels need thorough cleaning. 7) one borewell exists at the site. 8) DG stack height needs to be raised as per DG norms. 9) better housekeeping practices needs to be adopted. (5) SCN u/s 31(A)/33(A)/5 of EPA details : as per CMC(O) meeting decision dated 24.06.2009 SCN issued on 22.07.2009 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no CMC decision daated 30.07.2010 Call depot manager for personal hearing before MS, DPCC.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.	19-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.

							Inform DJB regarding groundwater extraction. For the above mentioned a letter was issued to DJB on 06.09.2010 and to the unit on 08.09.2010 as unit fails to submit the reply of SCN and call for the personal hearing unit submitted its reply on 18.09.2010 stating that they have sent the repy of SCN on 07.08.2009 (copy enclosed) nd all the irregularities found during inspection were rectified and HWM has been removed from the unit.		
10	33871 14-05-2010	AGGARWAL INDUSTRIES C-504,DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILL.	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated march 2010 issued by GGSIPU submitted. (b) Stack monitoring report dated 09-03-2010 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Remarks: a letter issued to the unit for submission of application for consent to operate. unit applied for the same on 29.09.2010 and CTE was granted on 18.01.2011	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Renewal of Consent to Operate. IT Cell be requested to correct the category of the activity of the unit to Dal Mills.	19-12-2012 Renewal of Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit to Dal Mills.
11	33881 14-05-2010	D.D.MOTORS (DIVISION OF DD INDUSTRIES LTD) A-1 UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	SHOWROOM REPAIR AND SERVICE AUTOMBILE	• Date of commissioning of project ---- • Built Up Area ---- 5217 (in sq. meter) • Water Consumption ---- 8000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 6000 liters/day	10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.09.2009 issued by DTU submitted. (b) Effluent analysis report dated 21-03-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 05-05-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 18.01.2010 and following were observed: 1) unit is found operational and engaged in the showroom, repair workshop and servicing of four wheelers. 2) two DG sets of 125 and 320 KVAs installed in acoustic treated room. stack ht. of 320 KVA DG set is approx. 3m from acoustic treated room . No stack attached to DG set of 125 KVA. As informed they are going to shift their DG set of 125 KVa to MPIA. 3) boundary (ground floor) were car washing area is not raised yet. As informed it will be done within a week. 4) coverag is provided to under coating area. No channelization and exhust system provided. 5)No fresh sludge observed. ETP sludge not maintained as per HWM rules. 6)ETP log book is maintained upto 14.01.2010. 7) one borewell exists at the site. As informed, unit has already applied for DJB permission (copy enclosed). 8) unit is in process of installation of rain water harvesting structure. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : as per CMC (O) meeting decision dated 23.03.2010 closure directions issued o the unit on 27.04.2010	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity without Paint Booth.	19-12-2012 Consent to Operate and authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity without Paint Booth.

							unit replied on 04.05.2010 CMC decision dated 16.06.2010 ask the unit to submit BG of Rs 1 lakh under ech air , water act and HWM rules valid for one year . If unit submits BG, closure directions be revoked. A letter regarding the submission of BG was issued to the unit on 21.07.2010. Unit replied and submitted the BG on 28.07.2010. A letter for revocation of closure directions issued to the unit on 09.08.2010 CMC decision dated 30.07.2010 implement earlier CMC decision dated 16.06.2010.		
12	33884 17-05-2010	ESSEX FARM (P) LIMITED 4, AUROBINDO MARG	SOUTH	Orange Renewal	RESTAURANT & BANQUETS	• Date of commissioning of project ---- • Built Up Area ---- 1605 (in sq. meter) • Water Consumption ---- 11280 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3280 liters/day (b) Trade Effluent ---- 7500 liters/day	05-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 27-04-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 180, 180 & 140 KVA. Noise monitoring report dated 26-03-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 180, 180 & 140 KVA. Noise monitoring report dated 26-03-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Unit has also applied for authorization under HWM Rules on 17.05.10. As decided by the CMC (O) in its meeting held on 30.07.10, letter was issued on 07.09.10 to apply for consent to establish. Unit has submitted its reply on 09.09.11 & 08.12.11 & stating that there is no need to apply for CTE as they have already obtained CTO (valid up to 14.04.07) & applied for CTE on 22.05.07.Unit has also requested to grant consent at the earliest.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Renewal of Consent to Operate and application for authorization under HWM Rules dated 17.05.2010 be made infructuous. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 Renewal of Consent to Operate granted and application for authorization under HWM Rules dated 17.05.2010 be made infructuous. IT Cell be requested to correct the category of the activity of the unit.
13	34003 28-05-2010	OVN TRADING ENGINEERS PVT LTD. B T-1/90, PH-I MANGOLPURI INDUSTRIAL AREA	Mangolpur Industrial Area	Orange Operate	LIGHT ENGG. EORKS (D.G. SET REPAIRING WORKS).	• Date of commissioning of project ---- • Built Up Area ---- 399 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 4000 liters/day	06-12-2012 (1)ETP ---- physio-chemical (a) AR dated 19.03.2010 issued by DTU submitted. (b) Effluent analysis report dated 19-03-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Remarks: Earlier CMC decision dated 05.08.2010: Ask the unit to apply for authorization under HWM Rules in view of generation of waste oil from the process. Accordingly a letter issued to the unit on 08.09.2010.	Decision / Recommendation of Screening Committee on 12-12-2012 Inspection be conducted, thereafter, file be put up administratively.	19-12-2012 Inspection be conducted, thereafter, file be put up administratively.
14	34006 28-05-2010	S.K. ELECTRICAL JOBS B-65, DSIDC, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	Manufacturing of Sanitary bath fittings (without electroplating)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 01.09.10 & following were observed:	Decision / Recommendation of Screening Committee on 12-12-2012 File be put up administrativley. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 File be put up administrativley. IT Cell be requested to correct the category of the activity of the unit.

							1. Unit is engaged in the Mfg. Of CP bathroom fitting with grinding & buffing tec. 2. Bag filter has also been installed. 3. Adequacy report of the bag filter is however not shown/ available. As decided by the CMC (O) in its meeting held on 25.11.2010, SCN for refusal was issued on 17.01.11 for submitting false information and to submit application of consent to operate along with adequacy report and test report of buffing activity. No reply has been received from the unit so far.		
15	34081 03-06-2010	DEVI DURGA FLAVOURS A-31/2, MAYAPURI INDUSTRIAL AREA PHASE-I,	Mayapuri Industrial Area	Orange Operate	MFG OF KHAINI AND PAN MASALA	• Date of commissioning of project ---- • Built Up Area ---- 501 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - stack attached to bag house (a) AR dated 20.12.2011 issued by DTU submitted. (b) Stack monitoring report dated 28.12.2011 issued by DTU submitted. Stack Test Report within Limit - Yes stack attached to oven-1 Stack monitoring report dated 26-10-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes stack attached to oven-2 Stack monitoring report dated 26-10-2010 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 18-02-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 15-01-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 13.01.2012 and following were observed: 1) unit found in operation. 2) paper with aluminium coating inside pouch are being used for packaging of masala/ gutkha with brand name KAKA, CASSH and AASHIQUE. samples of same were collected. 3) three dust collector found installed. (5) SCN for closure u/s 31(A) issued on 01.07.2011 (6) Closure directions u/s 31(A) issued on 17.08.2011 CMC decisions dated 05.08.2010 Ask the unit to submit the SMR for the stack provided with hood and suction arrangement for the process emissions from approved laboratory of DPCC. a letter issued to the unit w.r.t. to above decision on 15.09.2010. unit replied back on 27.10.10 along with the SMR issued from DPCC Another letter issued to the unit for closure direction on 12.09.2011 for submission of affidavit confirming the channelization system In response to the above letter unit submitted reply on 19.09.2011 alongwith an affidavit and photographs of channelization system.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for refusal of consent to operate in view of the notification dated 11.09.2012 of Department of Food Safety, Govt of NCT of Delhi regarding prohibition for Mfg. of Guthka / Paan Masala containing Tobacco in NCT of Delhi.	19-12-2012 Consent to operate refused in view of the notification dated 11.09.2012 of Department of Food Safety, Govt of NCT of Delhi regarding prohibition for Mfg. of Guthka / Paan Masala containing Tobacco in NCT of Delhi.

							Another direction letter issued to the unit on 28.09.2011 for submission of BG of Rs 1 lakh under air act. Unit submitted its reply on 29.09.2011 alongwith BG. Letter for Revocation of closure directions u/s Air act issued on 03.10.2011 with a direction to submit adequacy report of channelization system installed along with SMR. unit submiited reply on 08.11.2011 and asked for 20-25 days for submission of adequacy and analysis report. CMC decision dated 11.11.2011 Closure direction revoked on 03.10.2011. Issue reminder to submit adequacy report and test report from empanelled consultant and approved laboratory of DPCC within 15 days. A letter issued to the unit on 29.11.2011. Unit submitted reply alongwith adequacy report and air monitoring report on 11.01.2012 Note: Activity in question has been banned vide recent notification issued by Govt. of Delhi		
16	34091 03-06-2010	UTILITY FORMS PVT. LTD. A-23/B-1, MOHAN CO- OPERATIVE INDUSTRIAL ESTATE	Mohan Co-operative Industrial Area	Orange Operate	Printed Sheets (computer stationary, forms, pad, books, magazines etc Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 500 liters/day	06-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly, 2006..... issued byChemical Engg. Department, IIT, Delhi..... submitted. (b) Effluent analysis report dated 31-05-2010 issued by DPCC submitted. Effluent Test Report within Limit - No. Bio-assay test, Total Chromium (as Cr), Sulphide (as S), Phenolic compounds (as C4H2OH), Zinc & Total Metal are the parameters which are not analyzed. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 180, 250 & 500 KVA. Noise monitoring report dated 25-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 180, 250 & 500 KVA. Noise monitoring report dated 25-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 180, 250 & 500 KVA. Noise monitoring report dated 25-05-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Case was taken up by the CMC(O) meeting held on 20.03.09 for Consent to Operate and it was decided to ask the unit to apply for Consent to Establish and file permission from Central Ground Water Authority for extracting the ground water. However, unit has submitted its reply on 08.05.09 & requested to extend the time for completion of required documents. Case was taken up by the CMC(O) in its meeting held on 11.05.09 & 24.06.09 and it was decided to allow time for full compliance & issue reminder. Accordingly, reminder letter was issued on 15.07.09. However, unit has not submitted any reply. Unit has again submitted consent application for consent to operate on 03.06.10 vide I.D.No-34091 but unit has failed to submit application for consent to establish. As decided by the CMC(O) in its meeting held on 05.08.10, SCN for refusal of consent was issued on 17.09.10. Unit has applied for consent to establish on 08.10.10 vd ID 35339.	Decision / Recommendation of Screening Committee on 12-12-2012 File be put up administratively.	19-12-2012 File be put up administratively.

								As decided by the CMC(O) in its meeting held on 25.11.10, CTE was issued on 11.01.11.		
17	34153 09-06-2010	UNITACK DIALS PVT LTD D-18/4, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	mfg. of wrist watch dials.	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 450 liters/day	Recommendations of Scrutinizing Committee on 15-07-2010 Ask the unit to apply for consent to establish. Decision of Consent Management Committee on 05-08-2010 Ask the unit to apply for consent to establish.	Action Taken Details on 21-10-2010 An office letter issued to the unit on 17.09.2010 for apply for CTE Reply received from the unit on 19.10.2010 that the unit applied for CTE on 12.10.2010 vide ID 35362. 15-07-2010 1. Comencement-1996 2. Trade effluent-450 lt/day, AR of Mar 2010 submitted, EAR submitted 3. DG-62.5 KVA, NMR submitted. 4. Earlier CTO valid upto 25.07.05, CTR applied on 06.09.05. 5. CTE not applied 6. Fresh HWM autorization applied Recommendation / Action Taken Details (EE/AEE) on 10-12-2012 As decided by the CMC (O) in its meeting held on 05.08.10, letter was issued on 17.09.10 to apply for consent to establish. Unit has applied for consent to establish on 12.10.10 vd ID 35362 for the activity of Manufacturing of Wrist Watch Dials. As decided by the CMC (O) in its meeting held on 25.11.10, CTE was issued on 11.01.11.	Decision / Recommendation of Screening Committee on 12-12-2012 File be put up administratively.	19-12-2012 File be put up administratively.
18	34196 14-06-2010	VIBGYOR DYEING 171, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Dyeing of Thread	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 5100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 5000 liters/day		10-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 22-03-2010 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 14-06-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held in 05.08.10, letter was issued on 08.09.10 to apply for authorization under HWM Rules. Unit has applied for authorization under HWM Rules on 05.10.10 vd ID 0440.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit.
19	34214 15-06-2010	NEW LIGHT INDUSTRIES D-34, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Bright Steel Bars Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 250 liters/day		06-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated05.05.10..... issued byDTU..... submitted. (b) Effluent analysis report dated 05.05.10 issued by DTU submitted. Effluent analysis report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-05-2010 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 05.08.10,letter was issued on 21.09.10 to apply for consent to	Decision / Recommendation of Screening Committee on 12-12-2012 File be put up administratively.	19-12-2012 File be put up administratively.

							5 of the HWM Rules to M/s Rama Coach Builders for closure of the unit.		
23	34484 12-07-2010	7 STAR BANQUET 20, SHIVAJI MARG INDUSTRIAL AREA NEAR MOTI NAGAR	Najafgarh Road Industrial Area	Orange Renewal	BANQUET HALL	• Date of commissioning of project ---- • Built Up Area ---- 886 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 1900 liters/day	Earlier CMC Decisions Decision on 23.12.2008 Revoke closure order. Ask the unit to file BG of Rs. 50,000 each under three acts, if it does so, consent to establish will be granted. Call on 28.01.2009 Decision on 28.01.2009 Issue final reminder for BG. Call on 12.03.2009 Decision on 23.04.2009 Issue consent to operate. Call on 03.06.2009 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO issued valid upto 12.07.2010 CTE issued valid upto 30.03.2010 Plot area- 886 sqm D.G Set- 200 KVA, 2X125 KVA installed , NMR submitted dated 02.07.2010 Trade eff- 1.5 KLD,Analysis report of water effluent submitted dated 12.07.2010 & adequacy report of ETPsubmitted dated 31.10.2008 Recommendations of Scrutinizing Committee on 16.08.2010 Inspection be conducted.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for inspection, thereafter, file be put up administratively.	19-12-2012 Inspection be conducted, thereafter, file be put up administratively.
24	34517 14-07-2010	GOLDY CAR SCANNERS B-45 & 46, KESHOPUR INDUSTRIAL AREA	Keshopur Industrial Area	Orange Operate	Repairing Wrokshop Of Vehicles	• Date of commissioning of project ---- • Built Up Area ---- 234 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	06-09-2010 ATR/Remarks Earlier CTE issued valid upto 06.02.07. Applied for CTO on 30.07.07. Plot area:234 sqm. D.G. Set: nil Trade effluent: nil Ground Water nil Recommendations of Scrutinizing Committee on 17.08.2010 Inspection be conducted.	Decision / Recommendation of Screening Committee on 12-12-2012 Inspection conducted on 21.04.2011. Recommended to issue show cause notice for refusal of consent, u/s 33(A) of the Water Act and u/s 5 of the EPA for deficiencies observed during inspection.	19-12-2012 Issue show cause notice for refusal of consent, u/s 33(A) of the Water Act and u/s 5 of the EPA for deficiencies observed during inspection
25	34518 14-07-2010	GOLDY CAR SCANNERS B-48, KESHOPUR INDUSTRIAL AREA	Keshopur Industrial Area	Orange Operate	WASHING SERVICING OF VEHICLES	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 4000 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3000 liters/day	06-09-2010 ATR/Remarks Earlier CTE issued valid upto 04.047.2007 Applied for CTO on 30.07.07 vide application no. 22878 Applied for fresh authorization under HWM Rules on 14.07.2010 vide application no. 0268 Plot area: 117 sqm D.G. Set: nil Trade eff: 3 KLd , Adequacy report of ETP submitted dated 24.05.2010 Ground Water 4KLD Recommendations of Scrutinizing Committee on 17.08.2010 Inspection be conducted. Inform to DJB regarding ground water extraction.	Decision / Recommendation of Screening Committee on 12-12-2012 Inspection conducted on 21.04.2011. Recommended to issue show cause notice for refusal of consent, u/s 33(A) of the Water Act and u/s 5 of the EPA for deficiencies observed during inspection. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 Issue show cause notice for refusal of consent, u/s 33(A) of the Water Act and u/s 5 of the EPA for deficiencies observed during inspection. IT Cell be requested to correct the category of the activity of the unit.
26	34551 19-07-2010	INDIA PRODUCTS E-31,S.M.A. CO-OP INDL AREA GTK ROAD	S.M.A Industrial Area	Orange Renewal	ANODIZED METAL LABELS & PLASTIC MOULDED GOODS.		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 125 sq.m DG set:62.5 KVA and its stack height 3.0 in meters above roof of the building. Trade effluent: 2 kilo liters /day.	Decision / Recommendation of Screening Committee on 12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.

						• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day		Applied for HW Auth. On 26..07.2010. AR of ETP submitted on June 2010. NMR submitted on 09.07.2010. CTO valid upto 25.07.2005. CTR applied on 14.06.2007. Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for consent to establish.		
27	34552 19-07-2010	BATRA BANQUET PVT. LTD. A-43, NARAINA INDUSTRIAL AREA, PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	CATERING BANQUET HALL	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2000 liters/day		06-09-2010 ATR/Remarks Earlier CTO issued valid upto 13.06.2006 Applied for CTO_R on 13.06.06 Plot area: 1000 sqm D.G. Set: 2X125 KVA, 100 KVA, 82.5 KVA and 62.5 KVA installed. NMR submitted dated 18.01.2010 Trade eff: 2 KLD, Adequacy report of ETP submitted dated 24.05.2010 Ground Water nil Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to submit valid MCD and Delhi Police licences.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for inspecction, therefore, file be put up administrativley.	19-12-2012 Inspection be conducted, thereafter, file be put up administrativley.
28	34640 28-07-2010	PARMANAND & SONS FOOD PRODUCTS PVT. LTD. B-20,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL.	• Date of commissioning of project ---- • Built Up Area ---- 702 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- A letter received from the unit on 30.04.2010 stating that M/s KLM industries has been merged in to M/s parmanad and sons food products p. ltd. on 01.07.2006 with all assets and liabilities. Plot Area: 1004 sq.m DG set: Nil Trade effluent: Nil Stack monitoring report submitted on 23.06.2010 AR of ECS submitted on october 2006. CTO applied on 10.01.2007. Recommendations of Scrutinizing Committee on 17.08.2010:- Ask the unit to apply for fresh consent to establish and consent to operate in the new name for both the activity.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended to make the application for CTO dated 28.07.2010 infructuous since subsequent application dated 21.12.2010 has already been decided and issued (valid upto 20.12.2013).	19-12-2012 Application for CTO dated 28.07.2010 be made infructuous since subsequent application dated 21.12.2010 has already been decided and issued (valid upto 20.12.2013).
29	34642 28-07-2010	BENTEX ELECTRONICS (PROPRIETOR BENTEX BUILDERS P. LTD.) B-66/2, NARAINA INDUSTRIAL AREA, PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	MFG OF ELECTRICAL ITEMS	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction nil ATR / Remarks Earlier CTO & CTO_R issued valid upto 19.06.2009 Plot area: 600 sqm D.G. Set: 63 KVA, NMR submitted dated 07.01.2010 Trade eff: nil Recommendations of Scrutinizing Committee on 16.08.2010 Ask the unit to submit stack monitoring report for the channelization systm provided with the powder coating section from approved laboratory of DPCC	Decision / Recommendation of Screening Committee on 12-12-2012 Unit has submitted its reply along with stack monitoring report for powder coating activity. Recommended for grant of renewal of consent to operate. IT Cell be requested to correct the category of the activity of the unit to Powder Coating without Phosphating.	19-12-2012 Renewal of consent to operate granted. IT Cell be requested to correct the category of the activity of the unit to Powder Coating without Phosphating.
30	34651 28-07-2010	S.M. INDUSTRIES A-115/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF S.S. PIPES WITH BUFFING.	• Date of commissioning of project ---- • Built Up Area ---- 330 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction:- Nil ATR / Remarks:- Plot Area: 225 sq.m DG set: Nil Trade effluent: Nil CTR valid upto 18.08.2007 CTR applied on 14.09.2007. Stack monitoring report submitted on 26.07.2010	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended to issue reminder to DDA.	19-12-2012 Inspection be conducted, thereafter, file be put up administratively.

								Recommendations of Scrutinizing Committee on 17.08.2010:- Decision be deferred till clarification from DDA.		
31	34664 29-07-2010	LALLY AUTOMOBILES PVT. LTD. D-11, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	REPAIRING SERVICING AND WASHING OF FOUR WHEELERS.	• Date of commissioning of project ---- • Built Up Area ---- 1139.92 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day	Recommendations of Scrutinizing Committee on 17-08-2010 Decision taken on file be ratified. Inform to DJB regarding ground water extraction. Decision of Consent Management Committee on 30-09-2010 Decision taken on file ratified. Inform to DJB regarding ground water extraction. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As approved on file, letter was issued to the unit on 27.10.2010 through which the bank guarantee submitted by the unit on 01.10.10 under Air Act was being returned to the unit in original and directed to submit the Bank guarantee for Rs. 50,000 under Air Act in proper format. As decided by CMC (O) in its meeting on 30.09.10, a letter was issued to the unit on 04.11.2010 informing the DJB regarding ground water extraction. Unit has submitted the corrected Bank Guarantee on 19.11.10 under Air Act.	17-08-2010 Earlier CMC Decisions 21.12.2009 / 22.12.2009 Issue Consent to Establish. Subsequently, inspection be conducted. ATR / Remarks 1. Date of commissioning- Dec 2009 2. Trade effluent-2000 Lt/day, adequacy report dt. Feb 2010 & effluent analysis report dt. 26.07.10 submitted. 3. Ground water-3000 Lt/day, DJB/ CGWA clearance not submitted. 4. D.G. Set- 125 KVA, NMR dt. 22.07.10 submitted. 5. CTE issued on 27.01.10 vd id no. 22621. 6. HWM applied on 26.07.10 vd id no. 0310. Recommendations of Scrutinizing Committee on 17.08.2010 Decision taken on file be ratified. Inform to DJB regarding ground water extraction. Recommendation / Action Taken Details (EE/AEE) on 25-10-2012 As approved on file, letter was issued to the unit on 27.10.2010 through which the bank guarantee submitted by the unit on 01.10.10 under Air Act was being returned to the unit in original and directed to submit the Bank guarantee for Rs. 50,000 under Air Act in proper format. As decided by CMC (O) in its meeting on 30.09.10, a letter was issued to the unit on 04.11.2010 informing the DJB regarding ground water extraction. Unit has submitted the corrected Bank Guarantee on 19.11.10 under Air Act.	Decision / Recommendation of Screening Committee on 12-12-2012 Recommended for grant of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.	19-12-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the category of the activity of the unit to Automobile Servicing And Repair Station With Washing Activity.
32	34690 30-07-2010	NATH MOTORS PVT. LTD. A-30, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Operate	CAR WASHING AND SERVICING.	• Date of commissioning of project ---- • Built Up Area ---- 1738 (in sq. meter) • Water Consumption ---- 16000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 15000 liters/day	17-08-2010 Earlier CMC Decisions 16.03.10 Issue Consent to Establish. Subsequently, inspection be conducted. 16.06.10 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not applying consent to operate. Ask the unit to correct the deficiencies observed during the inspection and submit an affidavit in this regard. Inform to DJB regarding ground water extraction. ATR / Remarks 1. Date of commissioning- Feb 2010 2. Trade effluent-15000 Lt/day, adequacy report dt. May 2010 & effluent analysis report dt. 24.05.10 submitted. 3. Ground water- Nil 4. D.G. Set- 82.5 KVA & 82.5 KVA, NMR dt. 22.07.10 submitted. 5. CTE issued on 15.04.10 vd id no. 23264. 6. HWM applied on 02.08.10 vd id no. 0331. Reply received on 30.07.10. Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to submit stack monitoring report of paint booth section from approved laboratory of DPCC.	17-08-2010 Earlier CMC Decisions 16.03.10 Issue Consent to Establish. Subsequently, inspection be conducted. 16.06.10 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not applying consent to operate. Ask the unit to correct the deficiencies observed during the inspection and submit an affidavit in this regard. Inform to DJB regarding ground water extraction. ATR / Remarks 1. Date of commissioning- Feb 2010 2. Trade effluent-15000 Lt/day, adequacy report dt. May 2010 & effluent analysis report dt. 24.05.10 submitted. 3. Ground water- Nil 4. D.G. Set- 82.5 KVA & 82.5 KVA, NMR dt. 22.07.10 submitted. 5. CTE issued on 15.04.10 vd id no. 23264. 6. HWM applied on 02.08.10 vd id no. 0331. Reply received on 30.07.10. Recommendations of Scrutinizing Committee on 17.08.2010 Ask the unit to submit stack monitoring report of paint booth section from approved laboratory of DPCC.	Decision / Recommendation of Screening Committee on 12-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.	19-12-2012 File be put up administratively. IT Cell be requested to correct the category of the activity of the unit.

33	DPCC/EC/2/1/2012/2966	AUTO KASHYAP INDIA PVT. LTD. 20, OKHLA INDUSTRIAL ESTATE, PHASE-III	Okhla Industrial Estate	Orange Operate	CAR WASHING AND SHOW ROOM. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 545 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2600 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated16.02.2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 28-08-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-09-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the Screening Committee (MS) in its meeting held on 20.04.12, CTE was issued on 21.05.12.	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	19-12-2012 Consent to Operate and authorization under HWM Rules granted.
34	DPCC/EC/2/1/2012/2972	AM AUTOMOBILES (A UNIT OF BLUE BIRD ENTERPRISES PVT. LTD) PLOT NO. 189-91 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	AUTOMOBILES SERVICE CENTER WITH WASHING, DENTING, PAINTING,REPAIRING. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1800 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 4500 liters/day	12-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated october, 2009 issued by .GGSIU submitted. (b) Effluent analysis report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A Stack monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Remarks: on basis of the deficiencies observed during inspection conducted on 13.04.2010, a show cause notice for refusal of consent and u/s 5 of EPA was issued to the unit on 02.06.2010 unit submitted its reply on 18.06.2010 stating that ETP is in operational condition and no trade effluent being discharged without treatment and DG Set mentioned in previous notice does not belongs to A.M. Enterprises. Also submitted the copy of effluent analysis report on 29.07.2010. after that a letter issued to the unit for submission of bank guarantee on 12.10.2010.no reply recieved.	Decision / Recommendation of Screening Committee on 14-12-2012 File be put up administrativley.	19-12-2012 File be put up administrativley.
35	DPCC/EC/2/1/2012/2977	KUMAR AUTOMOBILES B-281, PHASE I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Automobiles Workshop-cum-service Station including washing. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 326.07 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 5000 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 09-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 17-10-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 16.04.10, CTR & letter to apply for fresh authorization under HWM Rules were issue don 31.05.10.	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	19-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

36	DPCC/EC/2/1/2012/2991	GALAXY AUTOMOBILES PVT. LTD. B-23, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	REPAIRING, SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1990 (in sq. meter) • Water Consumption ---- 10500 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 6400 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedNovember, 2012..... issued byJamia Millia Islamia..... submitted. (b) Effluent analysis report dated 31-10-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 30-10-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 26-10-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 17.02.10 & and following were observed:- 1. ETP installed & found in operation. 2. Approx. 1000kg of ETP sludge & app. 200 lt of used oil was observed. 3. One borewell exist in the premises. 4. As per SMR dated 01.10.2009, 1m Stack height is provided with paint booth. As decided by the CMC (O) in its meeting held on 16.04.10, CTR & letter for applying for fresh authorization under HWM Rules were issued on 31.05.10	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Renewal of Consent to Operate, authorization under HWM Rules and earlier authorization application dated 26.07.2010 be made infructuous as unit has subsequently applied for authorization on 06.11.2012.	19-12-2012 Renewal of Consent to Operate, authorization under HWM Rules granted and earlier authorization application dated 26.07.2010 be made infructuous as unit has subsequently applied for authorization on 06.11.2012.
37	DPCC/EC/2/1/2012/2999	ADVANCE PANELS & SWITCH GEARS P. LTD. A-257, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	Mfg. of Electronic goods i.e. LT/HT control Panels, LT/HT Switchgears, Motor Starters etc. With Powder Coating. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	03-12-2012 (1)ETP ---- N/A (2)ECS - Cyclone Stack monitoring report dated 06-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Consent to Operate.	19-12-2012 Consent to Operate granted.
38	DPCC/EC/2/1/2012/3003	UNIPACK INDUSTRIES PLOT NO.6 SECTOR-3 PKT-H BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	DAL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	03-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 18.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 11-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Consent to Operate.	19-12-2012 Consent to Operate granted.
39	DPCC/EC/2/1/2012/3004	BAL KISHAN DEEPAK KUMAR DAL MILL H-7, SECTOR-3, DSIDC INDL. COMP., BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DAL MILL Dal Mills	• Date of commissioning of project ---- 01-01-2011 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	03-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, (a) AR dated june, 2012 issued by DTU submitted. (b) Stack monitoring report dated 11-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Consent to Operate.	19-12-2012 Consent to Operate granted.
40	DPCC/EC/2/1/2012/3007	K.M. TOOLING SOLUTIONS (UNIT-II) A-85/1, NARAINA INDUSTRIAL AREA, PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF SHEET METAL COMPONENTS WITH POWDER COATING (WITHOUT PHOSPHATING). Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	13-12-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 17-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Consent to Operate without phosphating.	19-12-2012 Consent to Operate without phoshating granted.

[illegible]

							As decided by the CMC (O) in its meeting held on 27.04.10, CTR & letter to apply for fresh authorization under HWM Rules were issued on 15.06.10.		
							Unit has applied for fresh authorization under HWM Rules on 02.07.10.		
46	DPCC/EC/2/1/2012/3035 19-11-2012	T & T MOTOR LTD C-7 & 8, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP CUM SERVICE STATION,DENTING PAINTING. Automobile Servicing And Repair Station With Washing Activity with burner	- Date of commissioning of project ---- - Built Up Area ---- 15000 (in sq. meter) - Water Consumption ---- 6600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 2600 liters/day (b) Trade Effluent ---- 4000 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2012..... issued byJamia Millia Islamia submitted. (b) Effluent analysis report dated 08-11-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 01-11-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 09-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	19-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
47	DPCC/EC/2/1/2012/3040 19-11-2012	R.N. MOTORS G-17, PEERAGARHI, OUTER RING ROAD	WEST	Orange Renewal	PETROL PUMP WITH VEHICLE SERVICING (CAR WASHING) Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	- Date of commissioning of project ---- - Built Up Area ---- 216 (in sq. meter) - Water Consumption ---- 3500 liters/day - Ground Water ---- 2000 liters/day - Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 1800 liters/day	13-12-2012 (1)ETP ---- physiochemical (a) AR dated 10.05.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 08-11-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-11-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	19-12-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
48	DPCC/EC/2/1/2012/3043 20-11-2012	PATEL AUTO SERVICE PVT. LTD. 10-B, RAJENDRA PLACE	NORTH WEST	Orange Renewal	AUTOMOBILES / VEHICLES SERVICE AND REPAIRS. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 560 (in sq. meter) - Water Consumption ---- 3500 liters/day - Ground Water ---- 3000 liters/day - Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2500 liters/day	13-12-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 12.11.2012 issued by .DTU submitted. (b) Effluent analysis report dated 12-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 12-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Remarks: SCN u/s 31(A) was issued to the unit on 02.06.2010 as water circulator was not working and wet scrubber found damaged. unit submitted reply on 15.06.2010 regarding rectification of deficiencies. after that case was put up in CMC meeting on 19.08.2010 and it was decided to ask the unit to confirm its reply on an affidavit and to apply for authorization under HWM Rules. Accordingly a letter issued to the unit on 24.09.2010.	Decision / Recommendation of Screening Committee on 14-12-2012 File be put up administratively.	19-12-2012 File be put up administratively.

							unit applied for the same on 28.06.2010		
49	DPCC/EC/2/1/2012/3049	NISHA CABLES CO. (P) LTD PLOT NO.-145, SECTOR-1, POCKET-L, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DAL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	03-12-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated September, 2012 issued by DTU submitted. (b) Stack monitoring report dated 25-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Consent to Operate.	19-12-2012 Consent to Operate granted.
50	DPCC/EC/2/1/2012/3051	MAHARANI OF INDIA C-154, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF READYMADE GARMENTS. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 752.51 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 4000 liters/day	13-12-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 27.07.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 15-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-11-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Renewal of Consent to Operate and consent to establish.	19-12-2012 Renewal of Consent to Operate and consent to establish granted.
51	DPCC/EC/2/1/2012/3082	KRISHNA ELECTROPLATING WORKS (SOM DUTT) C-81, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING JOB WORK. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 1800 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 1400 liters/day	13-12-2012 (1)ETP ---- physiochemical (a) AR dated 16.07.2009 issued by DTU submitted. (b) Effluent analysis report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . New Effluent Analysis Report w.r.t. New notifications of MoEF dated 30.03.2012 for electroplating industries is not submitted. (2)ECS - stack attached to electroplating bath (a) Stack monitoring report dated 24-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Renewal of Consent to Operate with condition to submit fresh effluent / emission analysis report from empanelled laboratory of DPCC within six months as per MOEF notification dated 30.03.2012 and as per the decision taken in the meeting of Chairman for 2(d) category cases on 22.11.2012.	19-12-2012 Renewal of Consent to Operate granted with condition to submit fresh effluent / emission analysis report from empanelled laboratory of DPCC within six months as per MOEF notification dated 30.03.2012 and as per the decision taken in the meeting of Chairman for 2(d) category cases on 19.11.2012.
52	DPCC/EC/2/1/2012/3088	JAI KISHAN DASS NARESH KUMAR DAL MILL B-33, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DAL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	10-12-2012 (1)ETP ---- N/A (2)ECS - Yes (Bag house) (a) AR dated october 2012 issued by DTU is submitted. (b) Stack monitoring report dated 12-10-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 14-12-2012 Recommended for grant of Consent to Operate.	19-12-2012 Consent to Operate granted.

