



CONSENT MANAGEMENT

Agenda No. 1 - Annexure I - 11 Cases of Consent to Establish under orange category w.e.f. 17.11.2011 to 01.06.2011 in reverse chronology (excluding the cases of Redevelopment areas recommended by Screening Committee as (2b category) on 14.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37300 07-06-2011	J.B. METAL INDUSTRIES E-719 DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	ALUMINIUM CASTING. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 17-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil As decided by the Screening Committtee, Inspection conducted by the officials of DPCC on 13.07.2012 during the inspection following were observed: a) Unit found in operation and engaged in mfg. of aluminium billets including casting of aluminium scrap. b) Unit is having two pit furances and has provided hood and suction arrangement overit followed by wet scrubber with the stack height appx. 35 feet above ground level. c) Unit is also engaged in activity of mfg. of aluminium circles in adjacent plot (E-718) for which unit has applied separately inculding detailes of DG set etc. d) There is no specific demarcation for both plots all the activities are being done under one roof for E-718 and E-719. Note: case is also listed in ATR files.	14-08-2012 Consent to establish granted with the condition to use Pit Furnace only.
2	37337	ACMECAST WH-76, PHASE-I,	Mayapuri Industrial Area	Orange Establish	CASTING OF FERROUS/NON FERROUS METALS/ALLOYS BY USING PIT FURNACE.			07-08-2012 (1)ETP ---- N/A (2)ECS - N/A	14-08-2012 Inspection be conducted. Ask the unit to apply for renewal of consent to operate

	10-06-2011	MAYAPURI INDUSTRIAL AREA			Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 122 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	immediately as the three years period of earlier application has lapsed.
3	37374 15-06-2011	HARI PLASTIC PLOT NO B-34 IST FLOOR LAWRWNCE RAOD INDL. RAEA	Lawrence Road Industrial Area	Orange Establish	MFG. OF EVA FOOTWEAR. Eva Footwear and Eva Compound	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	14-08-2012 Consent to Establish granted.
4	37382 15-06-2011	NATIONAL ELECTRICAL A-4/1,GROUP WAZIRPUR INDSUTRIAL AREA	Wazirpur Industrial Area	Orange Establish	MFG. OF ELECTRICAL SWITCHES/ACCESSORIES. Electrical & Electronic Goods Manufacturing (With Electroplating)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Inspection of the unit was conducted on 29.10.2010. a) Unit is engaged in mfg. of electrical accessories, switches, plugs, Pin topes etc.. (5) SCN u/s 21/22 and 25/26 details : Issued on 28.12.2010 Reply has been received on 12.01.2011 stating that they have already applied for Consent to Establish. Earlier CMC Decision: 04.03.2011 Issue SCN for refusal of consent as the activity / process falls under orange catogery. Also ask the unit to submit copy of CETP membership authenticated by CETP Society or by any of the gazetted officers. As per the decision taken in CMC (G) dated 04.03.2011 SCN for Refusal of Consent under water Act as the activity/ process falls under orange category & letter for the submission of copy of CETP membership authenticated by CETP society was sent on 12.05.2011. Unit has applied under Orange Ctaegory on 15.06.2011 alongwith the CETP	14-08-2012 Consent to Establish granted without using plastic scrap as a raw material. IT Cell be requested to correct the categorization of the activity of the unit.

							membership society.	
5	37407 20-06-2011	ARIHANT PACKAGING INDUSTRIES PLOT NO 143. PKT-D, SEC-5, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	manufacturing of plastic and pvc product (plastic tube). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil CMC Decision Decision on 05.10.2011 Ask the unit to categorically state whether mfg. of plastic bags will be carried out or not and submit an affidavit in this regard. Incompliance of CMC decision taken in meeting a letter issued to the unit on 27.12.2011. No reply received from the unit till date.	14-08-2012 Issue reminder.
6	37418 21-06-2011	MACDERMID INDIA PRIVATE LIMITED C-44/4, OKHLA INDUSYRIAL AREA, PHASE - II	Okhla Industrial Area	Orange Establish	DILUTE AND PACKING THE SURFACE FINISHING ADDITIVES FOR METAL FINISHING INDUSTRIES. Dilution and Packaging of Surface Finishing Additives without Trade Effluent Discharge	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 90 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 05.10.11, letter was issued on 01.12.11 for elaborate the chemical names of the compounds used as raw material along with the quantity and chemical formulae along with the detailed steps of the process involved. Unit has submitted its reply on 16.12.11 along with detail of the raw material & details of the steps involved in the process. EARLIER CMC DECISION 05.10.11 Ask the unit to elaborate the chemical names of the compounds used as raw material along with the quantity and chemical formulae along with the detailed steps of the process involved.	14-08-2012 Inspection be conducted.
7	37466 27-06-2011	BAYER INDIA PLOT NO 228, PKT-J,DSIDC	Bawana Industrial Area	Orange Establish	manufacturing of rubber products. Rubber goods Industry excluding production of tyres and tubes (without		06-07-2011 ETP:N/A ECS: N/A DG set: nil	14-08-2012 Consent to Establish with the condition that unit will also comply with the provisions of new notification for rubber industries. Ask the unit to apply for

		BAWANA INDL. AREA			reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		CMC Decision Decision on 05.10.2011 Ask the unit to submit its status of SSI registration. Incompliance of decision taken in CMC meeting a letter issued to the unit on 16.12.2011. No reply received from the unit till date.	consent to operate along with SSI registration, if applicable.
8	37485 29-06- 2011	MADOONS INDUSTRIES F-2760 DSIDC INDSUTRY PARK NARELA DELHI	Narela Industrial Area	Orange Establish	tooth brush manufacturing and plastic handles. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 50 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil CMC Decision Decision on 05.10.2011 Ask the unit to submit fresh affidavit in prescribed format with reconciliation of the figures w.r.t. Built up area, water consumption, domestic effluent & trade effluent as the data mentioned in the affidavit and the consent application is not matching. Incompliance of decision taken in CMC meeting a letter issued to the unit on 02.12.2011. (4) Inspection Conducted by the officials of DPCC on 08.06.2012 during the inspection unit is in process of installation of ntrimming machine and tufting m/c.	14-08-2012 Consent to Establish granted without using plastic scrap as a raw material. Also ask the unit to submit fresh affidavit in prescribed format with reconciliation of the figures w.r.t. Built up area, water consumption, domestic effluent & trade effluent as the data mentioned in the affidavit and the consent application is not matching
9	38038 06-09- 2011	SHREE FLAVOURS LLP PLOT NO 136, FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Establish	MIXING AND PACKING OF PERFUMERY AND COSMETICS. Perfumes and Cosmetics	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Ask the unit to submit an affidavit that there is no use of solvents, paints, pigments, lacquers, varnishes, plastics and inks generating hazardous waste as per Sl. No 20 and 21 of Schedule I of Hazardous Waste Rules 2008. If unit submits the requisite affidavit, consent to establish be issued. Issue SCN u/s 31A of the Air Act to another units operating at Plot No 205, 296 and 167. Decision of Consent Management Committee on 29-12-2011 Issue consent to establish. Also ask the unit to submit an affidavit that there is	22-12-2011 (1)ETP ---- Not Proposed (2)ECS -Not Proposed (3)D.G.Set: Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) Other sister concerns are operating at plot no.205,296 for tobacco plot no 167 sweet supari without consent. Recommendation / Action Taken Details (EE/AEE) on 06-07-2012 EARLIER CMC DECISION	14-08-2012 Implement the earlier CMC decision dated 29.12.2011.

							no use of solvents, paints, pigments, lacquers, varnishes, plastics and inks generating hazardous waste as per Sl. No 20 and 21 of Schedule I of Hazardous Waste Rules 2008. Issue SCN u/s 31A of the Air Act to another units operating at Plot No 205, 296 and 167.	29-12-2011 Issue consent to establish. Also ask the unit to submit an affidavit that there is no use of solvents, paints, pigments, lacquers, varnishes, plastics and inks generating hazardous waste as per Sl. No 20 and 21 of Schedule I of Hazardous Waste Rules 2008. Issue SCN u/s 31A of the Air Act to another units operating at Plot No 205, 296 and 167.	
10	38090 14-09-2011	INDIAN MACHINE TOOLS B-163, DDA SHEDS, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	LIGHT ENGINEERING WORKS (ASSEMBLY OF MACHINE PARTS AND COMPONENTS). Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Recommended for grant of consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee and apply for consent to operate. Reminder for the same be issued for compliance within 15 days, failing which, further necessary action be initiated. Decision of Consent Management Committee on 29-12-2011 Issue consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee and to apply for consent to operate within 45 days, failing which, closure action will be initiated.	23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...30 KVA... SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 5 of the EPA issued on 21.07.11. Unit submitted its reply on 05.08.11 and informed that they are not using the D.G sets & it can be shifted objectionable. The unit has also mentioned the efforts made for submission of CTE (Orange) and requested for grant of 15-20 days time for the same. Further, the unit has applied for CTE (Orange) on 14.09.11 vide I.D. No 38090 and authorization under HWM Rules on 14.09.11 vide I.D No. 0933.But the unit has not applied for consent to operate (Orange). As approved, letter to apply CTO under orange category issued to the unit on 08.11.11 but the same was returned back undelivered as wrong address mentioned. Same letter was delivered at the right address on 22.11.11. As approved, letter was issued to the unit on 12.12.11 to submit BG of Rs. 50,000/- each under Air Act & HWM Rule. Earlier CMC Decision 69th Ask the unit to apply for consent to establish under orange category within stipulated time 71th Letter be pasted on the premises and inspection be conducted. 23.05.11	14-08-2012 File be put up administratively.

								Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 5 of the EPA. 08.09.11 File be put up administratively. Recommendation / Action Taken Details (EE/AEE) on 06-07-2012 As decided by the CMC (O) in its meeting held on 29.12.11, letter was issued on 24.01.12 for submission of Bank Guarantee under HWM Rules & to apply for CTO. Unit has submitted its reply on 28.03.12 the Bank Guarantee of Rs 50,000/- again under Air Act instead of BG under HWM Rules. But the unit has not applied for CTO.	
11	38271 13-10-2011	VIKAS ALUMINIUM MFG. CO. 117, FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Establish	MFG. OF ALUMINIUM SHEET AND CIRCLE. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Inspection be conducted. Decision of Consent Management Committee on 29-12-2011 File be put up administratively after inspection as closure directions are in vogue.	22-12-2011 (1)ETP ---- N/A (2)ECS - Channelization installed now over pit furnace. (3)D.G.Set: Reported nil. (4) Inspection details:Yes, on dated 10.06.2010 and it was found that no ECS/ Channelization was provided.Unit in operation without consent. (5) SCN u/s 31(A) details :Yes on dated 07.10.2010. (6) Closure directions u/s 31(A) details :issued on 06.09.2011 (7)Unit has requested for revocation on 28.09.2011. Recommendation / Action Taken Details (EE/AEE) on 06-07-2012 As decided by the CMC (O) in its meeting held on 29.12.11, file was put up administratively and as approved, temporary revocation for 45 days to apply for CTO was issued on 19.03.11 . Unit has submitted its reply on 03.04.12 along with the receipt of CTO application which was applied on 13.10.11 requested to withdraw the directions.	14-08-2012 File be put up administratively.