



CONSENT MANAGEMENT

Agenda No. 2 - Annexure I - 51 Cases of Consent to Operate and Consent to Operate(renewal)under orange category w.e.f. 17.11.2011 to 01.06.2011 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2b category) on 14.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37267 03-06-2011	MANJU PROCESSORS PLOT NO.478,FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MFG. OF PVC GRANULES/PLASTIC PRODUCT. Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 450 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 13-10-2011 Recommended for grant of renewal of consent to operate without mfg. of polythene bags with the condition to provide hood and suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit a compliance report on an affidavit within six months. Decision of Consent Management Committee on 19-10-2011 Issue renewal of consent to operate with the condition to provide hood and suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit a compliance report on an affidavit within six months.	10-10-2011 (1) ETP: Nil (2) ECS: : Nil (3) D.G.Set:Nil (4) Inspection details:N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No Recommendation / Action Taken Details (EE/AEE) on 09-08-2012 Decision yet to be implemented.	14-08-2012 Implement the earlier CMC decision dated 19.10.2011.
2	37283 06-06-2011	BANSAL ENTERPRISES PLOT NO.-63, POCKET-F, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC DANA AND PLASTIC MOLDED GOODS (INJECTION MOULDING MACHINE). Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 120 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate without mfg. of polythene bags with the condition to provide hood & suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	10-10-2011 (1) ETP: N/A (2) ECS: : Nil (3) D.G.Set:Nil (4) Inspection details:N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
3	37286 06-06-2011	SHARAT ENGINEERING CO. 207, DSIDC COMPLEX PH-I, OKHLA	Okhla Industrial Area	Orange Renewal	MFG. OF SMALL STEEL DRUM (METAL CONTAINER). Spray Painting, Paint Baking, Paint Stripping		Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of renewal of consent to operate and authorization under HWM Rules.	12-10-2011 (1) ETP: Nil (2) ECS: : Nil (3) D.G.Set:Nil (4) Inspection details:N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A):	14-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

		INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 134 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		No	
4	37289 06-06-2011	OM ENGINEERING WORKS 209, DSIDC SHED, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MANUFACTURING OF PALSTIC MOULDED ITEMS AND METAL COMPONENTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of renewal of consent to operate without mfg. of polythene bags with the condition to provide hood & suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...40 KVA. (a) Noise monitoring report dated 2011-03-30 issued by IP COLLEGE submitted. Noise monitoring report within Limit Yes As decided by CMC dated 27.09.06, CTR issued with a condition that the consentee shall not use scrap as a raw material. Earlier Committee Decision 27.09.06 (In earlier CTR) Consent granted with condition that NMR of DG set shall be submitted within two months W/o use of scrap as raw material.	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
5	37290 06-06-2011	RAJ KAMAL ENTERPRISES (INDIA) B-53, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	DRY AND LIQUID PAINTS (NON N.C. PAINTS). Paint (By Mixing Process Only) Except Nitrocellulose and Alkd Resin Based Paints	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of renewal of consent to operate and authorization under HWM Rules.	10-10-2011 (1) ETP: Nil (2) ECS: : Nil (3) D.G.Set:Nil (4) Inspection details:N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No No Authorization under HWM Rules applied on 06.06.2011.	14-08-2012 Renewal of Consent to Operate (except Nitrocellulose and Alkd Resin Based Paints) and Authorization under HWM Rules granted.
6	37291 06-06-2011	PAPER & CARD WARES A-38, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	PRINTING OF PAPER BY GRAVURE PROCESS. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- 01-01-1971 • Built Up Area ---- 1045 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 90 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Applied for authorization under HWM Rules on 08.11.2010 vide ID No 485.	14-08-2012 Consent to Operate and Authorization under HWM Rules granted.
7	37296	MALHOTRA TYRE SERVICE CO. (REGD)	Kirti Nagar Industrial Area	Orange Renewal	RUBBER GOODS. Rubber goods Industry excluding production of		Recommendations of Scrutinizing Committee on 17-10-2011 Ask the unit to provide the copy of SSI registration and to install hood and	10-10-2011 (1)ETP ---- N/A (2)ECS	14-08-2012 Renewal of Consent to Operate granted with the condition that unit will install

	07-06-2011	PLOT NO.21-22, STREET NO.3, KIRTI NAGAR INDUSTRIAL AREA			tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	suction arrangement followed by stack of atleast 12.0 meter height or 3.0 meter above roof, whichever is more to channelize the process emissions and submit compliance report on an affidavit in view of notification dated 18.03.2011.	(b) Stack analysis report of boiler dated 23.05.2011 issued by DPCC submitted. (3)D.G.Set: 200 KVA (a)Noise monitoring report of 200 KVA dated 23.05.2011 issued by DPCC submitted and noise levels are within limit / beyond limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	hood and suction arrangement followed by stack of atleast 12.0 meter height or 3.0 meter above roof, whichever is more to channelize the process emissions, comply with the provisions of new notification for rubber industries and submit compliance report on an affidavit in view of notification dated 18.03.2011 within one month.
8	37297 07-06-2011	ORIENT CRAFT LTD F-8 , PH-I OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	manufacture and export of readymade garments without washing. Readymade Garment with oil fired boiler (Without Washing/Dyeng)	• Date of commissioning of project ---- • Built Up Area ---- 2600 (in sq. meter) • Water Consumption ---- 12000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 9000 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (a) AR N/A . (b) Stack monitoring report of boiler dated 2011-05-30 issued by DPCC submitted. Stack Test Report within Limit Yes 1 number of parameters analyzed which are within prescribed limit. (3)D.G.Set: 320 and 100 KVA. (a) Noise monitoring report dated 2011-05-27 issued by DPCC submitted. Noise monitoring report within Limit Yes Noise monitoring report dated 2011-05-27 issued byDPCC submitted. Noise monitoring report within Limit Yes As decided by CMC dated 26.05.10, CTE issued vd CNO 24670. Earlier Committee Decision 26.05.10 (In CTE File)	14-08-2012 Consent to Operate granted.

9	37299	MGF AUTOMOBLES LTD. 07-06-2011 27, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	REPAIRING, DENTING/PAINTING OF CARS. Automobile Repair and Servicing (Without Washing)	• Date of commissioning of project ---- • Built Up Area ---- 464.51 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 600 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of renewal of consent to operate and authorization under HWM Rules.	Issue Consent to establish) 10-10-2011 (1)ETP ---- N/A (2)ECS ---- Paint booth (a) AR not required. (b) Stack monitoring report (Paint Booth) dated ... 23.05.2011. issued by DPCC submitted. Stack Test Report within Limit Yes .Five (5)..number of parameters analyzed which are within limit (3)D.G.Set: ...N/A... (4) Inspection details:Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details :Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil.	14-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
10	37303	VISHAL PLASTIC PLOT NO.129,POCKET F, SECTOR 5, BAWANA INDUSTRIAL AREA 07-06-2011	Bawana Industrial Area	Orange Renewal	MFG. OF PVC/PLASTIC COMPOUNDS AND PRODUCTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of renewal of consent to operate without mfg. of polythene bags with the condition to provide hood & suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	10-10-2011 (1) ETP: Nil (2) ECS: : Nil (3) D.G.Set:Nil (4) Inspection details:N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
11	37306	NATRAJ OFFSET PRINTERS 07-06-2011 B-15/1, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	OFFSET PRINTING PRESS. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	14-08-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the categorization of the activity of the unit.
12	37307	DEEP COLOUR SCAN PVT. LTD 07-06-2011 PLOT NO.- 1/536/F-5, GALI NO-4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	OFFSET PRINTING AND COMPUTERIZED GRAPHICS DESIGNING (WITHOUT TRADE EFFLUENT). Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 50 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	14-08-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the categorization of the activity of the unit.
13	37308	ASMI PRINTOGRAPHICS PVT.LTD 07-06-2011 A-5,PHASE-III BADLI INDUSTRIAL AREA	Badli Industrial Estate	Orange Operate	OFFSET PAPER PRINTING. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	12-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: Yes (a)Noise monitoring report of62.50.....KVA dated.....28.03.2011.....issued byG.G.S.I.P.U.....submitted and	14-08-2012 Consent to Operate and Authorization under HWM Rules granted.

								noise levels are within limit / beyond limit. Inspection details : Not applicable. SCN u/s 31(A)/33(A)/5 of EPA : No Closure directions u/s 31(A)/33(A)/5 of EPA : No Applied for authorization under HWM Rules on 07.06.2011 vide ID no 822.	
14	37309 08-06-2011	JAIN PLASTIC INDUSTRIES PLOT NO.478,FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MFG. OF PLASTIC /PVC PRODUCT. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of renewal of consent to operate without mfg. of polythene bags with the condition to provide hood & suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	06-07-2011 CTE -Not required as renewal issued on 11.05.2006. Water Consumption ---- 250 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 450 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- June 2001. Waste Water generation Domestic Effluent ---- 150 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Submitted ----(125 KVA) Yes 03.06.2011.	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
15	37310 08-06-2011	BHATI ENTERPRISES D-149/1, FFC, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF PLASTIC PRODUCTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 20.89 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate without mfg. of polythene bags with the condition to provide hood & suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... As per decision of CMC held on 12.05.10, CTE issued vd CNO 24211. Earlier Committee Decision 12.05.10 (In CTE File) Issue consent to establish.	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
16	37318 08-06-2011	GIRIRAJ PRINTERS B-37/A, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	OFFSET PRINTING PRESS. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 66.89 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	06-07-2011 CTE -Granted, valid upto 08.06.2011. Water Consumption ---- 50 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 66.89 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- 5031 Date of commissioning of project ---- 2006. Waste Water generation Domestic Effluent ---- 20 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Submitted ---- N/A	14-08-2012 Consent to Operate and Authorization under HWM Rules granted.
17	37320	VERMA TRADERS	Bawana Industrial	Orange Operate	MFG. OF ELECTRICAL GOODS.		Recommendations of Scrutinizing Committee on 17-10-2011	10-10-2011 (1) ETP: N/A	14-08-2012

	08-06-2011	PLOT NO.-232, POCKET-C, SECTOR-4, DSIDC BAWANA INDUSTRIAL AREA	Area		Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Recommended for grant of consent to operate.	(2) ECS: N/A (3) D.G.Set:Nil (a) Noise monitoring report of: N/A (b) Stack monitoring report (for more than 1000 KVA) : N/A (4) Inspection details: N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No	Consent to Operate granted.
18	09-06-2011	VARDHMAN INDUSTRIES J-32,UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	MFG. OF ALL KIND OF FOOTWEAR INCLUDING LEATHER FOOTWEAR WITHOUT TANNING. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for confirm the closure directions and consent to operate be refused.	17-10-2011 (1)ETP ---- N/A (2)ECS (b) Stack analysis report dated12.07.2011 issued by DPCC submitted. (3)D.G.Set: 1 (a)Noise monitoring report of 125 KVA dated15.07.2011 issued by ..DPCC submitted and noise levels are within limit / beyond limit. (4) Inspection details: Conducted on 13.06.2011, during the inspection following were observed: a) No ECS has been installed with buffing to control the emission from the buffing. b) No channelization system provided with moulding machines. c) Stack height provided with oil fired boiler found inadequate. (5) SCN u/s 31(A) issued on 01.07.2011. Unit submitted its reply on 15.07.2011 along with affidavit and photographs of channelization system, NMR of D.G set and SMR of boiler. A letter issued to the unit on 19.08.2011 for the submission of Bank Guarantee of Rs. 50,000 under Air Act and to provide proper dust collection mechanism with channelization system over buffing and submit adequacy report and stack monitoring report. Reply awaited.	14-08-2012 File be put up administratively.
19	09-06-	GUPTA PLASTIC WORKS B-264, SECTOR-3, BAWANA	Bawana Industrial Area	Orange Operate	PVC GUM BOOT-100/PAIRS/DAY. PVC Footwear (Using Fresh Raw Material)		Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate with the condition to provide hood & suction arrangement followed by	10-10-2011 (1) ETP: N/A (a) AR : N/A (b) Effluent analysis report dated : N/A (c) number of parameters analyzed	14-08-2012 Consent to Operate granted.

	2011	INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	which are within limit / beyoud prescribed limit: N/A. (2) ECS: N/A (a) AR dated: N/A (b) Stack monitoring report dated: N/A (c) number of parameters analyzed which are within prescribed limit: Nil (3) D.G.Set:Nil (a) Noise monitoring report of: N/A (b) Stack monitoring report (for more than 1000 KVA) : N/A (4) Inspection details: N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No	
20	37332 10-06-2011	PRAVESH BEDI & SONS PLOT NO 826,SECTOR-E,DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. PLASTIC PRODUCTS (WITHOUT USE OF PLASTIC SCRAP). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate without mfg. of polythene bags with the condition to provide hood & suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	17-10-2011 (1)ETP ---- N/A (2)ECS ---- Channelization with exhaust system provided (3)D.G.Set: ...N/A... Earlier CMC Decision: Issue Consent to Establish without use of plastic scrap with the condition to provided hood and suction arrangement followed by a duct raised well above the roof levels (atleast 2.0 meter above roof level) to channelize the process emissions.	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
21	37333 10-06-2011	N C VIRE INDUSTRIES PLOT NO.-205, POCKET-B, SECTOR-I, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC MOULDED PRODUCTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate without mfg. of polythene bags with the condition to provide hood & suction arrangement followed by a duct of atleast 2.0 meter height above roof level to channelize the process emissions and submit compliance report on an affidavit within six months.	10-10-2011 (1) ETP: N/A (2) ECS: n/A (3) D.G.Set:Nil (4) Inspection details: N/A (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
22	37336 10-06-2011	PIONEER CONVERSIONS A-14/1, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	Manufacturing of Paper bags using offset printing. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	17-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: 25 KVA. (a) Noise monitoring report dated 2011-06-08 issued by DPCC submitted. Noise monitoring report within Limit Yes . 3 number of parameters analyzed which are within limit / beyoud prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	14-08-2012 Consent to Operate (without trade effluent discharge) and Authorization under HWM Rules granted.

23	37344	ALLIED MANUFACTURING CO. 13-06-2011 A-48/1, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MANUFACTURING OF AUTO PARTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 601.74 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
24	37347	SATNAM RUBBER ENTERPRISES 13-06-2011 B-99, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	MOULDED AUTOMOBILE AND CYCLE PARTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...2 (125 KVA and 100 KVA) (a) Noise monitoring report dated 2011-05-30 issued by DTU submitted. Noise monitoring report within Limit . (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
25	37350	RIGHT WAY INDUSTRIES 13-06-2011 5/38, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Operate	MANUFACTURING OF PVC SHEETS AND PACKAGING MATERIAL. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision: Decision on 30.07.2010 Issue consent to establish	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
26	37356	RAILTON INDUSTRIES 13-06-2011 B-11/5, JHILMIL INDUSTRIAL AREA, G.T. ROAD SHAHDARA	Jhilmil Industrial Area	Orange Renewal	MOULDING OF PLASTIC PRODUCT. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 150 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO.	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
27	37372	CONCORD INDUSTRIES 15-06-2011 G-69, SEC-1, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Mfg. of Electrical Goods. Plastic Processed Goods			20-10-2011 (1)ETP ---- N/A (2)ECS - No (3)D.G.Set: NIL	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.

						• Date of commissioning of project ---- 15-05-2008 • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day			
28	37375 15-06-2011	JAIN SOAP MILLS C-299, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	wahing soap. Manufacturing of Soaps (Without Trade Effluent)	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No CTO was issued on 23-08-02 (Valid up to 13-05-05).	14-08-2012 Renewal of Consent to Operate granted.
29	37377 15-06-2011	DELHI TELECOM PRIVATE LTD B-21, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF TELECOM PVC AND POLYTHENE WIRES AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 1806 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Unit specify on affidavit that the earlier DG set was disposed off. As decided by CMC dated 09.09.09, CTE issued vd CNO 21410. Unit has submitted its reply on 24.02.12 requested for grant of consent. Earlier Committee Decision 09.04.09 (IN CTR File) Ask the unit to apply for Consent to Establish and file an affidavit for source of water supply. Call on 19.05.2009. 15.06.09 (IN CTR File) Insist for compliance of the CMC s decision taken earlier. Call on 12.08.2009 09.09.09(In CTE File) Issue consent to establish	14-08-2012 Renewal of Consent to Operate granted for Mfg. of Telecom PVC Wires and Cables.

30	37379	VIJAY ELECTRICAL T-2/173, PH-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF AUTO HEAD LIGHT AND PARTS. Vacuum Metalising	• Date of commissioning of project ---- 01-01-1986 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection was conducted on 16.12.2011 and following were observed: (a) unit found operational anfd engaged in the activity of mfg. of auto head light and of parts. (b) unit purchase the M.S. sheet as a raw material which was coateded with lacquer(chemicals) if put in the oven for proper coating paste on the auto head light. (c) Residue of lacquer/chemical is collected over a plastic/polythene sheet which id being thrown out without any environment caurtion. Note: old record is not tracable	14-08-2012 File be put up administratively.
31	37383	NATIONAL ELECTRICAL A-4/1, GROUP WAZIRPUR INDSUTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF ELECTRICAL SWITCHES/ACCESSORIES. Electrical & Electronic Goods Manufacturing (With Electroplating)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	17-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Inspection of the unit was conducted on 29.10.2010. a) Unit is engaged in mfg. of electrical accessories, switches, plugs, Pin topes etc.. (5) SCN u/s 21/22 and 25/26 details : Issued on 28.12.2010 Reply has been received on 12.01.2011 stating that they have already applied for Consent to Establish. Earlier CMC Decision: 04.03.2011 Issue SCN for refusal of consent as the activity / process falls under orange catogery. Also ask the unit to submit copy of CETP membership authenticated by CETP Society or by any of the gazetted officers. As per the decision taken in CMC (G) dated 04.03.2011 SCN for Refusal of Consent under water Act as the activity/ process falls under orange category & letter for the submission of copy of CETP membership authenticated by CETP	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the categorization of the activity of the unit.

								society was sent on 12.05.2011. Unit has applied under Orange Ctaegory on 15.06.2011 alongwith the CETP membership society.	
32	37384	SHREE SAI STEEL C-58/2, WAZIRPUR INDUSTRIAL AREA 15-06-2011	Wazirpur Industrial Area	Orange Operate	COLD RE-ROLLING OF S.S. SHEETS. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Earlier CMC Decision: 14.09.2011 Issue Consent to Establish.	14-08-2012 Consent to Operate granted.
33	37389	ARISTO STAMPINGS 525, FIE, PATPARGANJ INDUSTRIAL AREA 16-06-2011	Patparganj Industrial Area	Orange Renewal	MFG. OF ELECTRICAL STAMPING AND TRANSFORMER. Transformer Assembly / Repairing	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day		14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: 62.5 KVA (a) Noise monitoring report dated ..01.06.2011...issued by ... DPCC ... submitted. Noise monitoring report within Limit.. Yes. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	14-08-2012 Inspection be conducted.
34	37391	VEER INDUSTRIES PLOT NO.421-F GALI NO.8, FRIENDS COLONY INDUSTRIAL AREA 16-06-2011	Friends Colony Industrial Area	Orange Renewal	copper wire drawing. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: 125 KVA.. (a) Noise monitoring report dated ..23.12.2010 issued by DPCC submitted. Noise monitoring report within Limit (4) Inspection details:NIL (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	14-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the categorization of the activity of the unit.
35	37392	AMAR ENTERPRISES C-123, PHASE-II, MAYAPURI INDUSTRIAL AREA 17-06-2011	Mayapuri Industrial Area	Orange Operate	PRINTING PRESS. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	14-08-2012 Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the categorization of the activity of the unit.
36	37397	COOL ALL	Patparganj	Orange	ICE CUBE			14-10-2011	14-08-2012

	17-06-2011	BEVERAGES PVT. LTD. 242, FIE PATPARGANJ INDUSTRIAL AREA	Industrial Area	Renewal	MANUFACTURING. Manufacturing of Ice	• Date of commissioning of project ---- • Built Up Area ---- 367.5 (in sq. meter) • Water Consumption ---- 8300 liters/day • Ground Water ---- 8300 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3500 liters/day		(1)ETP ---- N/A (Technical AR from empanelled agency regarding non requirement of ETP is not submitted.) (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:N/A (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	Inspection be conducted.
37	37403 17-06-2011	S.S. MOULDING INDUSTRIES B-46/4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF PLASTIC MOULDING SMALL CONTAINERS (DIBBI). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 230 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 450 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
38	37404 20-06-2011	TONI INDUSTRIES PVT. LTD. B-67,WAZIRPUR INDL. AREA,DELHI-52	Wazirpur Industrial Area	Orange Renewal	manufacturing of zip sliders and zip fasteners. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 750 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. Stack monitoring report dated 25-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes 2 number of parameters analyzed which are within limit. (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 500 KVA, 500 KVA and 380 KVA. Noise monitoring report dated 25-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit. The unit has 3 D.G. Set(s) of 500 KVA,	14-08-2012 Inspection be conducted.

								500 KVA and 380 KVA. Noise monitoring report dated 25-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit. The unit has 3 D.G. Set(s) of 500 KVA, 500 KVA and 380 KVA. Noise monitoring report dated 25-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes 3 number of parameters analyzed which are within limit.	
39	37429 22-06-2011	MUKESH PLASTIC & ENGINEERING INDUSTRIES 39, PH-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	MFG. OF PLASTIC HOUSEHOLD ITEMS PLASTIC WATER JUG, CASROLL ETC. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 325 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil old file is not tracable.	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
40	37448 24-06-2011	BANSAL ENTERPRISES 63, SSI INDUSTRIAL AREA , G.T. KARNAL ROAD	S.S.I Industrial Area	Orange Renewal	STAINLESS STEEL RE-ROLLING (COLD). Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	14-08-2012 Renewal of Consent to Operate granted.
41	37449 24-06-2011	KARAN PRINTERS C- 102, DDA COMPLEX, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	OFFSET PRINTING. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 97.53 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 15 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 24-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC dated 07.05.10, CTE & letter to apply authorization under HWM Rule issued on 16.06.10 Earlier Committee Decision 07.05.10 (In CTE File) Issue consent to establish. Ask the unit to apply for authorization under HWM Rules.	14-08-2012 Consent to Operate and Authorization under HWM Rules granted.
42	37450	SUPREET RETREADS	Okhla Industrial	Orange Operate	TYRE RETREADING (JOB WORK.)			17-10-2011 (1)ETP ---- N/A	14-08-2012

	24-06-2011	67, DSIDC, PHASE-II, OKHLA INDUSTRIAL AREA	Area		Tyres Retreading (Without Boiler)	• Date of commissioning of project ---- • Built Up Area ---- 111.48 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 24-01-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: done on 04.08.10 and following were observed 1. unit found in operational. 2. unit is using hot air chamber for curing of tyre. 3. no boiler found exists. 4. DG set installed with acoustic enclosure. As decided by CMC dated 09.11.10, SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not obtaining consent to operate issued on 22.12.10. Unit has submitted its reply on 06.01.11 stating that they has applied for NMR & they will apply for CTO after receiving said NMR within 20 Days Earlier Committee Decision 26.05.10 (In CTE File) Issue consent to establish. Subsequently, inspection be conducted. 09.11.10 (In CTE File) Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not obtaining consent to operate.	Consent to Operate granted. Also implement the earlier CMC decision dated 26.05.2010 w.r.t. issuance of CTE, in online software.
43	37457 27-06-2011	SHRI BALAJI TAR UDYOG S-14, PH-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF S.S. COLD RE-ROLLING. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 95 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...nil	14-08-2012 Renewal of Consent to Operate granted.
44	37460 27-06-2011	YOGENDER KUMAR GUPTA 1/536-B/4 GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	mfg. of pvc compound (fresh), wires and cable. Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material	• Date of commissioning of project ---- • Built Up Area ---- 67 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material. IT Cell be requested to correct the categorization of the activity of the unit.

					Without Washing Activity)			of EPA details :NO.	
45	37470	RAJINDER INDUSTRIES S-85, PHASE-I BADLI INDUSTRIAL ESTATE 28-06-2011	Badli Industrial Estate	Orange Operate	ENGINEERING WORKS AND MFG. OF PLASTIC MOULDED AUTO PARTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 100 liters/day • (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Earlier CMC Decision: 20.10.2009 Issue Consent to Establish.	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
46	37472	BABA ROLLING B- 32/2, WAZIRPUR INDUSTRIAL AREA 28-06-2011	Wazirpur Industrial Area	Orange Operate	COLD RE-ROLLING OF STAINLESS STEEL SHEET. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 10 liters/day • (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	14-08-2012 Consent to Operate granted.
47	37477	POMEY PLASTIC WORKS PLOT NO 213 PKT-F SEC-3 DSIDC BAWANA INDL. AREA 28-06-2011	Bawana Industrial Area	Orange Operate	PLASTIC PRODUCT. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 60 liters/day • Ground Water ---- 60 liters/day • Waste Water generation • (a) Domestic Effluent ---- 30 liters/day • (b) Trade Effluent ---- 0 liters/day		10-10-2011 (1) ETP: N/A (2) ECS: n/A (3) D.G.Set:Nil	14-08-2012 Consent to Operate granted without using plastic scrap as a raw material.
48	37481	SUPER DENTAL PRODUCTS A- 95/1,WAZIRPUR INDUSTRIAL AREA 29-06-2011	Wazirpur Industrial Area	Orange Renewal	Manufacturing of Dental artificial teeth. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 78 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 10 liters/day • (b) Trade Effluent ---- 0 liters/day		31-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	14-08-2012 Renewal of Consent to Operate granted.
49	37493	K.B. INDUSTRIES (REGD) B-236, NARAINA INDUSTRIAL AREA PHASE - I 30-06-2011	Naraina Industrial Area Phase - I	Orange Renewal	MFG. OF PLASTIC MOULDED STATIONERY. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 150 liters/day • (b) Trade Effluent ---- 0 liters/day		20-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	14-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
50	37496	KARTIK INDUSTRIES	Bawana Industrial Area	Orange Operate	MFG. OF ELECTRIC CABLES.			10-10-2011 (1) ETP: N/A (2) ECS: N/A	14-08-2012 Consent to Operate granted.

	30-06-2011	F-256, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA			Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 420 liters/day • Ground Water ---- 420 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 400 liters/day		(3) D.G.Set:nil	
51	37497 30-06-2011	INDIAN NICKLE & METAL CASTING WORKS S-41, PH-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	TIN PRINTING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil	14-08-2012 Renewal of Consent to Operate and authorization under HWM Rules granted without. IT Cell be requested to correct the categorization of the activity of the unit.