



CONSENT MANAGEMENT

Agenda No. 1 - Annexure II - 08 Cases of Consent to Establish under orange category w.e.f. 17.11.2011 to 01.06.2011 in reverse chronology (excluding the cases of Redevelopment areas recommended by Screening Committee as (2c category) on 14.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37287 06-06-2011	STAR INSULATION (PROP. INDER KANT OJHA) A-5/11 JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Establish	COPPER WIRE DRAWING AND SUPER ENAMELLED COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	- Date of commissioning of project ---- - Built Up Area ---- 83.61 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 200 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details: 06.10.2010. No ECS was Found with S/E Plant. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Unit was issued closure directions in the name of M/s Manoj Wire Works on 20.08.2010 during inspections in CWG.	14-08-2012 File be put up administratively.
2	37314 08-06-2011	SANJAY GOYAL AND VIJAY GOYAL B-60 GROUP WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Establish	MANUFACTURING OF KITCHEN ACCESSORIES WITH BUFFING. Process Involving Buffing	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 20 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (3)D.G.Set: ...N/A... (4) Inspection conducted on 02.04.2011. (5) SCN u/s 31(A) of Air Act, 1981 was issued on 20.05.2011. (6) Closure directions u/s 31(A) 12.07.2011.	14-08-2012 Recommended to inspect, thereafter, file be put up administratively.
3	37360 14-06-2011	GAGAN PULSES (P) LTD. G-986 DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	processing and mfg. of dall. Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 350 liters/day - Ground Water ---- 350 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...Nil... CMC Decision Decision on 05.10.2011 Ask the unit to clarify as to how it is separate entity from the M/s Sagar Dall Mill with documentary proof. Incompliance of decision taken in CMC meeting letter issued to the unit on	14-08-2012 Recommended to put up file administratively.

							02.12.2011. A reply received from the unit on 15.12.2011 submitting the property registration documents.	
4	37386 16-06-2011	GOLDEN METAL INDUSTRIES 1/536, A-4, GALI NO-4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Establish	MANUFACTURING OF COPPER WIRE DRAWING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO.	14-08-2012 Recommended to put up file administratively.
5	37422 21-06-2011	SRI KIRSHNA WIRE PRODUCT PROPERTY NO 426-431, FIRST FLOOR GALI NO.-8 FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Establish	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire Drawing With Super Enamelling. (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	06-07-2011 CTO: New activity. Water Consumption ---- 100 liters/day Ground Water ---- 100 liters/day Built Up Area ---- 100 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- NO Date of commissioning of project ----Nov 2011. Waste Water generation Domestic Effluent ---- 80 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Submitted ---- N/A	14-08-2012 File be put up administratively.
6	37488 30-06-2011	B.R. ALUMINIUM PLOT NO S-55,PHASE-I, BADLI INDL. AREA	Badli Industrial Estate	Orange Establish	ALUMINIUM CIRCLE. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 11.04.2012 issued by DTU submitted. (b) Stack monitoring report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...No... (4) Inspection details:conducted on 15.12.2011 during the inspection it was found that unit was operating without consent to operate. SCN u/s 21/22 & 25/26 was issued on	14-08-2012 Implement the decision dated 13.08.2012 to grant Consent to establish with the condition to use Pit Furnace only.

								16.01.2012. Unit submitted its reply on 01.05.2012 along a copy of application receipt. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no As decided by the Screening Committee inspection conducted by the officials of DPCC on 12.07.2012 during the inspection following were observed: a) Unit found in operation and engaged in mfg. of aluminium circle including melting rolling, annealing etc. b) Unit is having two oil fired pit furnace and has provided hood and channelization system over these pit furnace with height about 40 feet above ground level. c) Unit is having one PNG fired annealing furnace. d) Unit is in process of installation of one extra pit furnace. It was decided to take up the case in next CMC. This case is listed in ATR Cases.	
7	37580 11-07-2011	PARTAP METAL INDUSTRIES A-136 WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	AMNUFACTURING OF PRESSURE COOKERS AND STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 460 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Inspection be expedited. Decision of Consent Management Committee on 28-12-2011 Consent to establish has already been issued. Inspection be expedited.	23-12-2011 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (3)D.G.Set: ...N/A... Earlier CMC Decision: 13.10.2011 Consent under green category be revoked. Issue consent to Operate and consent to establish. Inspection be conducted within 03 months after issuance of consent. Recommendation / Action Taken Details (EE/AEE) on 07-08-2012 As decided by the Consent Management Committee inspection conducted by the officials of DPCC on 21.06.2012 during the inspection unit found in operation	14-08-2012 Status of CTO application is not appearing in the history column. File be put up administratively.

								and enageded in mfg. of pressure cooker with buffing/polishing and unit has installed cyclone with buffing machine.	
8	37654	CORNELL OVERSEAS PVT. LTD. 18-07-2011	Okhla Industrial Area	Orange Establish	READYMADE GARMENT WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 779.76 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 2000 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Recommended for grant of consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee, requisite reports / affidavit along with consent to operate application. Reminder for the same be issued for compliance within 15 days, failing which, further necessary action be initiated. Decision of Consent Management Committee on 28-12-2011 Issue consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee, requisite reports / affidavit along with consent to operate application. Reminder for the same be issued for compliance within 15 days, failing which, further necessary action be initiated.	23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...1... 320 KVA (4) Inspection details: As per decision of CMC (G) dated 23.05.11, Inspection of the unit was conducted by the DPCC officials on 06.07.11 and following were observed: 1. The unit was found in operation and engaged in the activity of Mfg. of readymade garments including washing. 2. The unit is also having one oil fired boiler in which adequate stack height has not been provided. 3. No ETP has been installed to treat the trade effluent generated from the washing section. Presently the same is being discharged into the sewer without any treatment. 4. At present the unit is having one DG set of 320 KVA which have been placed in a partially acoustically treated room. 5. One bore well existing in the premises. Unit submitted its representation on 20.07.11 and stating that at the time of application submission they were apply with an activity of without washing. After management s decision, they have purchased washing equipments but ETP was not installed dueto delay on vendor. As washing includes they are applied CTE under orange category on 18.07.11. (5) SCN u/s 31(A) and 33(A) details : issued on 21.10.11 (SCN for refusal of consent were also issued on 21.10.11) unit has submitted its reply on 15.11.11 along with an affidavit (first page unsigned and not attested by notary) & photographs of ETP stating that you installed ETP, applied for CTE on 18.07.11, applied to DPCC lab for noise monitoring of D.G set & stack monitoring of boiler and also in process to obtain	14-08-2012 Recommended to inspect the unit.

								adequacy report of ETP from Delhi Technological University. As decided by the competent authority of DPCC, Letter was issued on 12.12.11 to submit bank guarantee of Rs 50,000/- each under Water Act & Air Act valid for one year, affidavit regarding the rectification of deficiencies within 15 days and also submit adequacy report of ETP and apply for consent to operate immediately EARLIER CMC DECISIONS 23.5.11 (IN Green CTR File) Inspection be conducted. 08.09.11 (IN Green CTR File) Issue SCN for refusal of consent and SCN for closure of the unit. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As decided, reminder letter was issued on 20.01.12 for submission of adequacy report of ETP & application for CTO. Unit has submitted its reply on 15.05.12 along with adequacy report of ETP dated 27.04.12 issued by DTU.
--	--	--	--	--	--	--	--	---