

 DELHI POLLUTION CONTROL COMMITTEE (Government of N.C.T. of Delhi) 4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006 Website : http://www.dpcc.delhigovt.nic.in 									
CONSENT MANAGEMENT									
Agenda No. 2 - Annexure II - 39 Cases of Consent to Operate and Consent to Operate(renewal)under orange category w.e.f. 17.11.2011 to 01.06.2011 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2c category) on 14.08.2012.									
S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37263 02-06-2011	ANAND ENGINEERING CORPORATION 171-B, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA	Friends Colony Industrial Area	Orange Renewal	M.S. WIRE DRAWING. Wire Drawing (Cold Process) And Bailing (With Metal Surface Treatment)	• Date of commissioning of project ---- • Built Up Area ---- 223 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 700 liters/day	Recommendations of Scrutinizing Committee on 12-10-2011 CMC official confirmed during the meeting that the unit has applied for authorization under HWM Rules on 02.06.2011 and adequacy report dated March, 2008 issued by GGSIU submitted and test report dated 23.05.2011 from DPCC laboratory with nine parameters. Emission test report for the acid mist not submitted. Ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of submission of the emission test report from the approved laboratory of DPCC. Decision of Consent Management Committee on 19-10-2011 Ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of submission of the emission test report from the approved laboratory of DPCC within 30 days, failing which, action for closure will be initiated.	06-07-2011 CTE ---- Not required as operate renewal is valid upto 02.06.2011. Water Consumption ---- 800 liters/day Ground Water ---- 800 liters/day Built Up Area ---- 223 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- 5266 Date of commissioning of project -2003. Waste Water generation Domestic Effluent ---- 50 liters/day Trade Effluent ---- 700 liters/day ETP / STP ---- Yes. Test Report(Water) within Limit ---- Yes ,31.05.2011. Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Recommendation / Action Taken Details (EE/AEE) on 09-08-2012 Decision yet to be implemented.	14-08-2012 Recommended to put up file administratively.
2	37266 03-06-2011	AMIT JAIN S/O SHRI R.C. JAIN PLOT NO 8/9, GALI NO. 4, FRIENDS COLONY INDUSTRIAL	Friends Colony Industrial Area	Orange Renewal	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire		Recommendations of Scrutinizing Committee on 13-10-2011 Recommended for grant of renewal of consent to operate and authorization under HWM Rules.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- Yes (a) AR not required. (b) Stack analysis report dated ..14.03.2011..... issued by .DPCC	14-08-2012 Decision of earlier CMC decision dated 19.10.2011. IT Cell be requested to correct the categorization of the activity of the unit.

		AREA			Drawing With Super Enamelling. (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 71 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Decision of Consent Management Committee on 19-10-2011 Issue renewal of consent to operate and authorization under HWM Rules.	submitted. (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 09-08-2012 Decision yet to be implemented.	
3	37269 03-06-2011	FABULINE B-300, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	READYMADE GARMENTS AND HOME FURNISHING ITEMS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 750.08 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 10000 liters/day	Recommendations of Scrutinizing Committee on 13-10-2011 Inspection be conducted to check the veracity of ground water extraction. Decision of Consent Management Committee on 19-10-2011 Inspection be conducted including the checking of veracity of ground water extraction.	Action Taken Details on 31-01-2012 As decided by CMC dated 19.10.11, inspection was conducted by DPCC officials on 19.01.12 & following was observed: 1. Unit found in operation & engaged in the activity of Mfg. of readymade garments & home finishing products with washing. 2. Two DG sets of 62.5 KVA & 20 KVA installed with acoustic enclosure & adequate stack height. However, 20 KVA capacity DG set is not in use. 3. ETP installed & found operational. 4. No bore well exists within the premises & source of water is MCD & outside tanker (Copy of Bill enclosed) 10-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated December 2010 issued by GGSIU submitted. (b) Effluent analysis report dated 2011-06-03 issued by DPCC submitted. Effluent Test Report within Limit Yes 4 number of parameters analyzed which are within prescribed limit. (2)ECS ---- N/A (3)D.G.Set: 62.5 and 20 KVA. (a) Noise monitoring report dated 2010-12-06 issued by DPCC submitted. Noise monitoring report within Limit Yes	14-08-2012 Recommended for grant of Consent to Operate.

[illegible]

								3. ETP installed & found operational. 4. No bore well exists within the premises & source of water is MCD & outside tanker (Copy of Bill enclosed)	
4	37294 06-06-2011	SHOR SHOT INDIA PVT. LTD D-1/1, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OG READYMADE GARMENTS (WITH WASHING). Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 1050 (in sq. meter) • Water Consumption ---- 7400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5900 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate.	10-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated July 2009 issued by JAMIA MILLIA ISLAMIA submitted. . (b) Effluent analysis report dated 2011-06-07 issued by DPCC submitted. Effluent Test Report within Limit Yes . 4 number of parameters analyzed which are within prescribed limit. (2)ECS ---- N/A Stack monitoring report of three oil fired boilers are within prescribed limit. (3)D.G.Set: 2 x 125 KVA (a) Noise monitoring report dated 2011-06-03 issued by .DPCC . submitted. Noise monitoring report within Limit Yes . Noise monitoring report dated 2011-06-03 issued by DPCC ... submitted. Noise monitoring report within Limit Yes As decided by CMC dated 07.05.10, CTE issued vd CNO 24012. Earlier Committee Decision 07.05.10 (In CTE File) Issue Consent to establish)	14-08-2012 Recommended for grant of Consent to Operate.
5	37304 07-06-2011	JAGSONS PRINTERS B-70/44, DSIDC COMPLEX, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	offset printing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 83 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 150 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Consent to establish issued on 30.10.2009 valid upto 27.10.2010. Recommended for grant of consent to operate and authorization under HWM Rules.	12-10-2011 (2)ETP ---- Physio chemical (a) AR dated 30.05.2011 issued by D.T.U..... submitted. (b) Effluent analysis report dated..... 30.05.2011 issued by D.T.U..... submiteed. (3)D.G.Set: ...N/A... (4) Inspection details: Inspection of the unit was conducted on 08.12.2009. a) During inspection printing activity observed. b) Waste water generated form washing of printing roller. No ETP installed	14-08-2012 Consent to establish issued on 30.10.2009 valid upto 27.10.2010. Recommended for grant of consent to operate and authorization under HWM Rules.

								directly being discharged into sewer. c) No control measures taken with regard to Haz. waste management. d) Two DG Set installed without acoustic enclosure at top roof. e) Unit is operating since 2004. (5) Second Inspection details: Inspection of the unit was conducted on 18.12.2010. a) Unit found operating, engaged in offset printing with trade effluent discharge. b) ETP found installed but lying defunct. No dry or wet sludge seen. c) effluent generated, discharges without treatment through by pass. d) No HWM Rules are complied with. e) DG Set 7.5 KVA (lying at roof top) without acoustic enclosure and inadequate stack height. (5) SCN u/s 31(A)/33(A) details : Issued on 01.02.2010. Reply has been received on 15.02.2011 in which they are requested for 15 days time to file the report & affidavit for correcting the deficiencies. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Issued on 16.05.2011. Reply has been received on 27.05.2011 alongwith an affidavit stating that they have rectified all the deficiencies observed during inspection. As per the decision taken up by Competent Authority letter for submission of Bank Guarantee was sent on 22.06.2011. Reply has been received on 29.06.2011 alongwith the Bank guarantee. Revocation for closure directions was issued to the unit on 05.07.2011.	
6	37316 08-06-2011	RASOI FOOD PRODUCTS CO. PLOT NO.-144, POCKET-L, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Dal Mill. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Ask the unit to increase the stack height of the oil fired burner upto 11 meter of ground level or 2 meter above roof level whichever is more and submit the stack monitoring report to substantiate the compliance of the standards w.r.t. particulate matter i.e. 150 mg/NM3 from approved laboratory of DPCC. If unit	10-10-2011 (1) ETP: N/A (2) ECS: : yes (a) AR dated : submitted on 06.06.2011 (b) Stack monitoring report dated: submitted on 06.06.2011 (c) number of parameters analyzed which are within prescribed limit: Nil (3) D.G.Set:nil (4) Inspection details:conducted on	14-08-2012 Recommended to put up file administratively.

							submits the compliance report on an affidavit and satisfactory monitoring report, consent to operate be issued.	08.03.2011 i) the dall mill was found in inspection. Besides cup elevatorsbeing used for lifting of whole moong dall, the unit was also having destoners, shortex, siever, gravity siever etc. In this proces, the emissions generated was being controlled by providing duct and suction arrangement (ID. fans and the ducts has been found attached to the bag house having 120 nos. of bags installed at roof top. ii) the unit was also having driers fitted with HSD fired burners for the process removal of chilka (outter covering of dall) from the moong. iii) The stack provided with the driers section found inadequate in height. iv) in house condition was found poor as a lot of dust was found on tools and plant machinery. (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No	
7	37322 09-06-2011	STAR INSULATION (PROP. INDER KANT OJHA) A-5/11 JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Operate	COPPER WIRE DRAWING AND SUPER ENAMELLED COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 83.61 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Ask the unit to submit the status of M/s Manoj Wire Industries existing at the premises to whom the closure directions were issued on 20.08.2010. Also seek compliance from Discom and DJB.	10-10-2011 1)ETP ---- N/A (2)ECS ---- N/A (a) AR dated NOT REQUIRED (b) Stack analysis report (Wet Scrubber) dated10.03.2011..... issued by ..GGSIPU.. submitted. (3)D.G.Set: ...N/A... (4) Inspection details: 06.10.2010. No ECS was Found with S/E Plant. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Unit was issued closure directions in the name of M/s Manoj Wire Works on 20.08.2010 during inspections in CWG.	14-08-2012 File be put up administratively.
8	37323 09-06-2011	MARUT NANDAN CREATIONS B-69,GROUND FLOOR LAWRENCE ROAD INDSUTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	PRINTING PRESS WITH TRADE EFFLUENT DISCHARGE. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 800 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	17-10-2011 (1)ETP ---- Yes (a) AR dated 06.04.2011..... issued by J.M.I..... submitted. (b) Effluent analysis report dated 2011-04-06 issued by DPCC submitted. Effluent Test Report within Limit Yes 10.....number of parameters analyzed which are within limit.	14-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

							(2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details: Inspection of the unit was conducted on 11.12.2010. a) Unit found operatin, engaged in printing press work with plate wash. b) No ETP installed for trade effluent generating from plate wash. c) No HWM Rules are complied with. d) No Consent applied. e) DG Set 62.5 KVA found without acoustic & inadequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 06.01.2011. No reply received. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Issued on 11.05.2011. Reply has been received on 20.05.2011 stating that they have rectified all the deficiencies observed during inspection. Revocation of closure direction was sent on 01.06.2011. Earlier CMC Decision: 31.03.2011 Unit has applied for authorization under HWM rules and submitted a letter from Jamia Milia Islamia regarding installation of ETP. Ask the unit to submit Bank Guarantee of Rs. 50,000 each under Water Act and HWM Rules, if unit submits bank Guarantee, consent to establish be issued. Also ask the unit to submit adequacy report from approved consultant of DPCC and consent to operate within 30 days. Letter for submission of bank Guarantee, fresh adequacy report and application of consent to operate was issued on 20.04.2011. Reply has been received on 20.05.2011 alongwith Bank guarantee and fresh adequacy report. CTE issued.	
9	37329 10-06-2011	J.A. MANUFACTURING WORKS B-64, DSIDC COMPLEX, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	BATH FITTINGS WITH BUFFING (WITHOUT ELECTROPLATING). Process Involving Buffing	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate.	14-10-2011 1)ETP ---- N/A (2)ECS ---- YES (a) AR dated ...30.05.2011..... issued by ...DCE, DTU..... submitted. (b) Stack monitoring report dated 30.05.2011.....	14-08-2012 Recommended for grant of Consent to Operate.

						• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit Yes6.....number of parameters analyzed which are within limit / beyoud prescribed limit. (3)D.G.Set:62.5 KVA FOUND DURING INSPECTION. (a)Noise monitoring report of DG set not submitted. (4) Inspection details:Conducted on 28.05.2009. Buffing activity observed. DG set of 62.5 KVA was found. (5) SCN u/s 31(A)/33(A) details :SCN u/s 21.22/25.26 was issued on 18.01.2010. u/s 31 (A) was issued on 07.07.2010. Refusal of CTO issued on 04.05.2011 as unit had applied under green category. (6) Closure directions u/s 31(A)/33(A) details:Issued on 04.05.2011. Request for revocation for closure issued on 17.06.2011 with demand of additional B.G of Rs.50,000/-Additional BG submitted on 21.06.2011. Revocation of directions issued on 01.08.2011.	
10	37345 13-06- 2011	KRISHNA ELECTROPLATES B-227, (BACK SIDE) NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 400 liters/day		14-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 12.05.2008 issued by GGSIP submitted. (b) Effluent analysis report dated 2011- 06-03 issued by DPCC submitted. Effluent Test Report within Limit Yes . 16 number of parameters analyzed which are within prescribed limit. (2)ECS ---- N/A ((3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	14-08-2012 Recommended to seek stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.
11	37349	SAMARA AUTO MAX	Naraina	Orange	AUTOMOBILE			14-10-2011	14-08-2012

	13-06-2011	(P) LTD. A-68, NARAINA INDUSTRIAL AREA	Industrial Area Phase - I	Operate	WORKSHOP. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 10000 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2500 liters/day	(1)ETP - Physiochemical (a) AR dated 2011-04-09 issued by DTU submitted. (b) Effluent analysis report dated 2011-04-21 issued by DPCC. submitted. Effluent Test report within Limit Yes. 4 number of parameters analyzed which are within limit (2)ECS ---- N/A (3)D.G.Set: ...1X62.5 KVA. (a) Noise monitoring report dated 2011-04-29 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision: Decision on 14.02.2011 Issue consent to establish. Subsequently, inspection be conducted.	Expedite inspection.
12	37352 13-06-2011	AUTOCENTRE D-BLOCK DEFENCE COLONY	SOUTH	Orange Renewal	PETROL PUMP CUM SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-01-1991 • Built Up Area ---- 1225 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 1800 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1200 liters/day	17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated March, 2011 issued by GGSIU submitted.. (b) Effluent analysis report dated 14-03-2011 issued by GGSIU submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 30-03-2011 issued by GGSIU submitted. Noise monitoring report within Limit - Yes. As decided by CMC dated 24.06.09, CTR	14-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							issued on 16.07.09 vd CNO 20948 & authorization under HWM Rules granted on 22.07.09 Earlier Committee Decision (In earlier CTR File) 20.03.2009 Ask the unit to submit affidavit about source of water supply. Call on 29.04.2009. (In earlier CTR File) 11.05.2009 Issue final reminder for full compliance of earlier CMC decision. Call on 24.06.2009 (In earlier CTR File) 24.06.09 Issue renewal of consent and authorization under HWM Rules. Call on 26.08.2009	
13	37354 13-06-2011	LAXMI TRADING CO. C-11/4, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	GRINDING OF SPICES. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	14-08-2012 Recommended to seek stack monitoring report for grinding section from empanelled consultant of DPCC. If unit submits the same and found within standards, renewal of consent to operate be issued.
14	37357 13-06-2011	PRIVILEGE PUNJAB (A UNIT OF D.K. PLAZA PVT. LTD.) A-12 VISHAL ENCLAVE RAJOURI GARDEN	WEST	Orange Operate	Restaurant Capacity 90 persons. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 2200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day	17-10-2011 (1)ETP ----Physiochemical (a) AR dated 08.04.2011 issued by DTU submitted. (b) Effluent analysis report dated 08.04.2011 issued by DTU submitted. (c) Four parameters analysed wih in prescribed limit. (2)ECS ---- Channalisation (3)D.G.Set: 125 KVA and 82.5 KVA (a) Noise monitoring report of both D.G sets dated 2011-04-13 issued by DPCC submitted. Noise monitoring report within Limit _ Yes. (4) Inspection details:Inspection conducted on 09.02.2011 and following were observed: a) Unit found in operation. b) Oil & Grease trap found existing at back side, however no ETP found installed. c) DG sets of 125 & 62.5 KVA found with acoustic enclousre but having inadequate stack height.	14-08-2012 Recommended to put up file administrativley.

							d) Emission from kitchen found channelization and discharged through stack having in-adequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Notice u/s 31 (A) & u/s 33 (A) issued to the unit on 11.03.2011. (6) Modified direction u/s 31 (A) of the Air Act, 1981 & u/s 33 (A) of the Water Act issued on 04.05.2011. Earlier CMC Decision: Decision on 10.08.2011 Issue final remainder for bank guarantee, application for CTO with valid MCD and Delhi police license within 15 days failing which action of closure will be initiated. ATR/Remarks: A letter issued to the unit for the submission of bank guarantee, application for CTO with valid MCD and Delhi police license on 05.10.2011.Unit Unit applied for CTO with MCD, Delhi Police License.	
15	37358 13-06-2011	SIPLA FRUIT PRODUCT B-64 A, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	mfg. of achar and muraba. Pickles, Chutney & Murabba	• Date of commissioning of project ---- • Built Up Area ---- 381 (in sq. meter) • Water Consumption ---- 3150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 3000 liters/day	17-10-2011 (1)ETP ---- ETP - Bio-logical (a) AR dated 25.07.2008 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 30-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A . (b) Stack monitoring report dated 22-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: 62.5 KVA a) Noise monitoring report of 62.5 KVA dated 30.05.2011 issued by D.T.U submitted and noise levels are within limit. Earlier CMC Decision: 12.05.2010	14-08-2012 Recommended for grant of Renewal of Consent to Operate.

16	37361	PUSHKAR PULSES PVT. LTD. E-816, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Issue consent to establish. 17-10-2011 (1)ETP ---- N/A (2)ECS - Installed (a) AR dated 21.03.2011 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 18-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...Nil... Earlier CMC Decision: 30.07.2010 Issue consent to establish. Subsequently inspection be conducted.	14-08-2012 Expedite inspection.
17	37364	R. K KHULLAR & COMPANY C-203, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF SURGICAL AND OT EQUIPMENTS. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	19-10-2011 (1)ETP: N/A (2)ECS - Yes (Dust Collector) (a) AR dated 21.02.2011 issued by DTU submitted. (b) Stack monitoring report dated 31-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit Yes, one number of parameter analyzed which are within prescribed limit. (3)D.G.Set Noise Report : 1(40 KVA) (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 21-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit Yes, three numbers of parameters analyzed which are within prescribed limit. (4) Inspection details: Inspection conducted on 21.12.2010, during the inspection following were observed: a) Buffing activity carried out for final finishing. b) One D.G Set of 40 KVA found in defunct condition. (5) SCN u/s 31(A) and Refusal of consent issued on 19.04.2011. Unit applied for CTE and CTO with fresh NMR & SMR under Orange Category.	14-08-2012 Recommended to put up file administratively.
18	37380	SHREE GANESHA	Najafgarh	Orange	Banquet.		17-10-2011	14-08-2012

	15-06-2011	ENTERPRISES (CITY BANQUET) 40 B RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Road Industrial Area	Operate	Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP --- Bio-logical (a) AR dated 23-03-2011 issued by DTU submitted. (b) Effluent analysis report dated 23-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Channalisation for kitchen emissions. (3)D.G.Set Noise Report : 2 (125KVA and 180 KVA) (a) Noise monitoring report dated 01-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Inspection conducted on 25.01.2011. During the inspection following were observed: a) Waste water generated from the kitchen is discharged directly into the sewer without treatment. b) Effluent Treatment Plant is under installation and yet to be commissioned. c) The tandoor and bhatti installed at first floor are not provided with channelization system. d) D.G sets of 125 KVA & 150 KVA were found installed without adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.02.2011 Modified direction u/s 31 (A) of the Air Act, 1981 & u/s 33 (A) of the Water Act issued on 11.03.2011. (6) Closure directions u/s 31(A)/33(A) issued on 05.05.2011. A letter has been issued for the submission of channelization system for kitchen emission on an affidavit, submit the bank guarantees Rs. One lakh each under Air Act and Water Act on 19.07.2011. Unit submitted the bank guarantee of Rs. one lakh each under air and water act on 21.07.2011 and the closure directions has been revoked on 21.07.2011.	Recommended to put up file administrativley.
--	------------	---	----------------------	---------	--	--	---	--

							Unit submitted an affidavit and inform that MCD and Delhi Polce License has been applied and will submit the same at the earliest.	
19	37381	RADHA PALACE WEST 36 RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	Banquet Hall Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 900 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day	17-10-2011 (1)ETP ---- Bio-logical (a) AR dated 23.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Four number of parameters analyzed which are within prescribed limit. (2)ECS - Channalisticn for kitchen emissions (3)D.G.Set: 3 (2X125 KVA and 82.5 KVA) (a)Noise monitoring reports of all three D.G sets dated 16.03.2011 issued by DPCC submitted and noise levels are within limit. (4) Inspection conducted on 25.01.2011, during the inspection following were observed: a) Unit is having a kitchen with tandoor (3 nos. coal fired) & LPG bhatties, the hood & duct with stack approx 3 above shed. However, the filters of hood are not found in place. b) Two coal fired tandoors at first floor are without channelization system. c) Waste water generated from kitchen is by-passed into the drain without any treatment. ETP found non-operational. d) No chemical dosing tank/aeration facilities provided in ETP. e) No sludge thickener system i.e. filter/sludge drying beds have been provided and no wet sludge seen indicating that ETP is not operated. f) House keeping is very poor, all drains leading to sewer found filled with food items & kitchen waste. g) 5 D.G. Sets (1X180 KVA, 2X125 KVA & 1X82 KVA) found installed without adequate stack nad sides found open without acoustic panels. (5) SCN u/s 31(A) & 33(A) was issued on 11.02.2011	14-08-2012 Recommended to put up file administrativley.

								(6) Closure directions u/s 31(A) & 33(A) was issued on 24.03.2011. Temporary revocation of closure direction u/s 33 (A) of the Water Act and u/s 31 (A) of the Air Act was issued on 02.05.2011 subsequent to the submission of A.R of ETP, NMR of D.G sets and B.G of Rs one lakh each under Air and Water act with further directions to apply for CTO with fresh effluent analysis report. Unit applied for CTO with fresh EAR and submit undertaking regarding MCD and Police License.	
20	37385 15-06-2011	CHARU MOTORS PVT. LTD 69/1A , NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	REPAIRING AND SERVICING OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1110 (in sq. meter) • Water Consumption ---- 11000 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 6400 liters/day		17-10-2011 (1)ETP ---- yes (a) AR dated .Oct, 2007 issued by GGSIU submitted. (b) Effluent analysis report dated 27-04-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes Four number of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set : 2 (500 KVA and 100 KVA) (a) Noise monitoring report of both the D.G sets dated 01-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Conducted on 02.03.2009. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	14-08-2012 Recommended to put up file administratively.
21	37390 16-06-2011	BLACK STALLION COOKWRE P.LTD B-74 GTK ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Operate	MFG. OF ALUMINIUM UTENSILS (PRESSURE COOKER AND ALUMINIUM BASE KITCHENWARE) WITH BUFFING. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 24.03.2011 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 17-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	14-08-2012 Recommended for grant of Consent to Operate and Consent to Establish.

								(4) Inspection details: Inspection of the unit was conducted on 13.12.2010. a) Unit is engaged in mfg. of utensils with buffing. b) No ECS provided to channelize the emission generated from buffing activity. c) A DG set of 62.5 KVA found installed in non-operating condition without any acoustic enclosure and adequate stack height. Earleir CMC Decision: 31.03.2011 Earlier decision for submission of bank guarantee reiterated if the unit submits the bank guarantee, consent to establish be issued. 23.05.2011 (Green) ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act valid for one Year in view of the buffing activity observed during ihe inspection. 08.09.2011 (GREEN) Consent be made infructous as unit has applied for consent under Orange Ctaegory. As per the decision taken up on CMC (Green) 23.05.2011 regarding submission of Bank Guarantee of Rs.50,000 each under Air Act valid for one Year in view of the uffing activity observed during the inspection was sent on 18.07.2011. As per the decision taken up by Competent Authority reminder for submission of bank Guarantee was sent on 24.08.2011. Reply has been received on 29.08.2011 along with bank Guarantee of Rs.50,000 for Air Act. Letter for consent application made infructous was sent to the unit on 13.10.2011.	
22	37398	KABILA RESTAURANT (A UNIOT OF MAXIMS FOOD)	SOUTH	Orange Renewal	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating			08-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated March, 2011 issued by GGSIU .submitted. (b) Effluent analysis report dated 29-03-	14-08-2012 Recommended to put up file administratively.
	17-06-	DDA SHOPPING							

	2011	CENTRE, AUROBINDO PLACE			Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 148 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 450 liters/day		2011 issued by GGSIU submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 16-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) dated 24.06.09, letter was issued on 20.07.09 to ask the unit to fie full compliance withinone month. Unit has submitted its reply on 20.07.09 . Unit has submitted a representation on 03.08.09 along with NMR Earlier Committee Decision (In earlier CTR File) 16.03.2009 Ask the unit to file permission from Central Ground Water Authority for extracting the ground water, a fresh adequacy report of ETP and raise the stack height of the D.G. Set and to submit the noise monitoring report of the D.G. Set from approved laboratories of DPCC.Also ask the unit to install solar water heating system, rain water harvesting system, CFL & to undertake planatation of trees. Call on 29.04.2009. (In earlier CTR File) 11.05.2009 Issue final reminder for full compliance of CMC decision, failing which, unit will be called for personal hearing. Call on 24.06.2009. (In earlier CTR File) 24.06.09 Ask the unit to file full compliance within 01 month. Call on 26.08.2009.	
23	37399	MAPPLE EMERALD KH NO 41/2/2,1,3,41/3,41/9, MIN 37/23//2, 37/24/2 34/24/2 SAMALKHA KH.	SOUTH WEST	Orange Operate	Motel for 49 room. Hotel With Atleast 20 Bed Rooms			18-10-2011 ((1)ETP ---- ETP - Bio-logical (a) AR dated March, 2011 issued by GGSIU submitted. (b) Effluent analysis report dated 29-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes	14-08-2012 Recommended for grant of Consent to Operate.

		NO.450. RAJKORI SAMLKHA VILLAGE RAJOKRI,NH-8			• Date of commissioning of project ---- • Built Up Area ---- 6600.72 (in sq. meter) • Water Consumption ---- 70000 liters/day • Ground Water ---- 70000 liters/day • Waste Water generation (a) Domestic Effluent ---- 15000 liters/day (b) Trade Effluent ---- 35000 liters/day	number of parameters analyzed which are within limit / beyond prescribed limit. Effluent analysis report dated 29-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (stack connected to Boiler) (a) Stack monitoring report dated 26-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (b)Stack monitoring report dated 26-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 600 KVA. Noise monitoring report dated 29-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 29-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details:Inspection conducted on 25.02.2011, during the inspection following were observed: a) Sewage Treatment Plant found installed but not found in operation. Units of the STP (aeration tank, clarifiers etc.) are filled with stale sewage commissioned. No wet of dry sludge seen at site. b) Waste Water generated from kitchen and rooms being discharged without any treatment to soak pit. c) Two kitchen exist at G.F. & F.F.
--	--	--	--	--	--	---

								Kitchen at F.F. is not channelized. Emissions are directly discharged into atmosphere. d) 12 LPG Batties, 4 Coal fired tandoor are working in open area without any channelization. e) Stack height of boilers found inadequate i.e. below the roof level. f) D.G. Set of 380 & 600 KVA found without adequate height. (5) SCN u/s 31(A)/33(A) issued on 04.03.2011. unit submitted its reply along with an affidavit. Accordingly, Unit submitted the Bank Guarantee on 20.07.2011 each under air and water act.	
24	37402 17-06-2011	SAT RATTAN ENGINEERING WORKS F-1862, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	PRESSURE COOKER PARTS WITH ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 450 liters/day		17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 22.03.2011..... issued by G.G.S.I.P.U..... submitted. (b) Effluent analysis report dated 18-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (3)D.G.Set: ...N/A...	14-08-2012 Recommended to seek stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.
25	37414 21-06-2011	AMBROSIA FOODS PLOT NO.-317, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	FOOD PROCESSING. Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 500 liters/day		06-07-2011 CTE -valid upto 29.08.2011 Water Consumption ---- 600 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 300 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 2011 Waste Water generation Domestic Effluent ---- 50 liters/day Trade Effluent ---- 500 liters/day ETP / STP ---- Yes, 03.2011. Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A Boiler stack report : Yes, 17.06.2011. NMR Sumitted ---- N/A	14-08-2012 Recommended for grant of Consent to Operate. IT Cell be requested to correct the categorization of the activity of the unit.
26	37424 22-06-2011	SAKET MOTORS PVT. LTD. B-238, PHASE-I, OKHLA INDUSTRIAL AREA,	Okhla Industrial Area	Orange Operate	AUTO MOBILE WORKSHOP CUM SERVICE STATION INCLUDING WASHING. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1973 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 8000 liters/day		17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated Oct, 2010 issued by GGSIU submitted. Inadequate ETP & not meeting the standards as per adequacy report. However, subsequent test report dated 07.06.11 reveals that parameters are within limits. (b) Effluent analysis report dated 07-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	14-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

								(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: conducted by DPCC officials on 12.04.10 & during inspection it was observed that the work was in progress. It was informed by Sh. Rakesh Chaudhary, manager on telephoned that still about two months is required to establish the unit. Earlier Committee Decision 25.01.10 Issue consent to establish. Subsequently, inspection be conducted. 27.04.10 Inspection done. No action	
27	37425 22-06-2011	MOTHER DAIRY FRUIT & VEGETABLE PVT. LTD. MANGOLPURI, INDL. AREA, PH-I	Mangolpuri Industrial Area	Orange Renewal	COLD STORAGE DISTRIBUTION AND IQF OF FRUITS AND VEGETABLES. Food And Fruit Processing Industry - Fruit and Vegetables	• Date of commissioning of project ---- 01-01-1988 • Built Up Area ---- 30350.4 (in sq. meter) • Water Consumption ---- 306176 liters/day • Ground Water ---- 302395 liters/day • Waste Water generation (a) Domestic Effluent ---- 20000 liters/day (b) Trade Effluent ---- 262000 liters/day		29-11-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.07.2008 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 20-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 13-05-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 380 KVA and 160 KVA. Noise monitoring report dated 13-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Unit is having 2 Boilers. Stack monitoring report dated 13.05.2011 issued by DPCC submitted and parameters within limit. (4) Inspection details:	14-08-2012 Recommended for grant of renewal of consent to operate with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia and authorization under HWM Rules also granted.

								1. Unit found operational engaged in the activity food & vegetables, processing & storage. 2. During the inspection no Ammonia leakage found as complaint received regarding this (Ammonia capacity as informed 20 tonnes by the technical staff). 3. ETP installed and same was found in working condition. 4. 2 D.G. set (300 KVA, 160 KVA) installed with acoustic and adequate stack height. 5. HWM Rules are complied with. 6. It is informed taht few months back minor Ammonia leakage was occur and same was gor repaired immediately no casualty reported.	
28	37427 22-06-2011	S & S HOSPITALITY SERVICES INC PLOT NO 16,SHIVAJI MARG NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day		18-10-2011 (1)ETP: Physiochemical (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30.05.2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit, Yes. Four numbers of parameters analyzed which are within limit. (2)ECS: Channelization for Kitchen emissions. (3)D.G.Set Noise Report: 2 (320 KVA & 125 KVA) (a) Noise monitoring reports of both D.G sets dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes ((4) Inspection details: Conducted on 28.01.2011, during the inspection following were observed: a) Waste water generated from kitchen located at ground floor and first floor being discharged without treatment. An Oil & Grease Trap is installed & found filled with kitchen garbage. No Effluent Treatment Plant found installed. b) D.G. Sets of 325 KVA & 125 KVA found installed without adequate stack height.	14-08-2012 Recommended to put up file administratively.

							(5) SCN u/s 31(A)/33(A) issued on 11.02.2011. (6) Closure directions u/s 31(A)/33(A) issued on 11.03.2011. As decided in CMC A letter issued to the unit on 04.04.2011 for the submission of Bank Guarantee. Unit submitted the Bank Guarantee on 05.04.2011each under air and water act. Temporary revocation of closure direction issued on 07.04.211 with further directions to submit the adequacy report of ETP/STP and to apply for consent to operate. Unit applied for CTO with EAR dated 30-05-11 and and submit an affidavit regarding MCD and Police License. Earlier CMC Decision: Decision on 31.03.2011. Ask the unit to submit Bank Guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year. If unit submits the bank guarantee, issue consent to establish and closure directions be revoked temporarily for a period of 45 days for submission of adequacy report of the ETP installed and to apply for consent to operate. Letter be issued without waiting for minutes.	
29	37428 22-06-2011	GRAND PLAZA AFFARES 33/33A, RAMA ROAD NAJAFGARH ROAD INDL AREA	WEST	Orange Operate	BANQUET HALL Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 8700.73 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	18-10-2011 (1)ETP : Bio-logical (a) AR dated25.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 25-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit, Yes, four numbers of parameters analyzed which are within prescribed limit. (2)ECS : no Channelization for Kitchen emissions. (3)D.G.Set Noise Report : 3 (3X125 KVA) (a) The unit has 3 D.G. Set(s) of 125	14-08-2012 Expedite inspection.

							KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit, Yes, three number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit, Yes, three number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit Yes three number of parameters analyzed which are within prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision Decision on 21.01.2011 Issue consent to establish. subsequently inspection be conducted.	
30	37430 22-06-2011	BEE KAY WORKS F-110, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	DRY CLEANING WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 91 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 850 liters/day	19-10-2011 (1)ETP : Physiochemical (a) AR dated March, 2011 issued by GGSIU submitted. (b) Effluent analysis report dated 29-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit Yes, four numbers of parameters analyzed which are within prescribed limit. (2)ECS : N/A (b) Stack monitoring report dated 29-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit Yes, one number of parameters analyzed which are within prescribed	14-08-2012 Recommended for grant of Consent to Operate.

								limit.	
								(3)D.G.Set: Nil (4) Inspection details: Inspection conducted on 17.02.2011, during the inspection following were observed: a) Two boliers found installed at site using diesel as a fuel without adequate stack height. b) One D.G set of 25 KVA found installed without acoustic enclosuer and inadequate stack height. c) Unit generating waste water from the washing activity which is directly discharged into the sewer. No ETP found installed. (5) SCN u/s 31(A)/33(A) issued on 25.05.2011. Letter issued to the unit on 09.08.2011 for the submission of bank guarantee. Unit submitted the representation on 01.09.2011 and requesting for one month time for submission of bank guarantee. Unit submitted the bank guarantee on 23.09.2011.	
31	37454 27-06-2011	K.V. SPICES (INDIA) PVT. LTD. C-11/3, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	SPICES GRINDING. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 170 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	14-08-2012 Recommended to seek stack monitoring report for grinding section from empanelled consultant of DPCC. If unit submits the same and found within standards, renewal of consent to operate granted.
32	37463 27-06-2011	TARUN ELECTRONICS C-171, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	MFG. OF ELECTRONICS COMPONENTS WITH ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 65 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 1500 liters/day		19-10-2011 (1)ETP : Physiochemical (a) AR dated April, 2008 issued by GGSIU submitted. (b) Effluent analysis report dated 03-06-2011 issued by DPCC submitted. Effluent Test Report within Limit Yes, sixteen numbers of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1(62.5 KVA) (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 23-	14-08-2012 Recommended to inspect the unit.

								06-2011 issued by DPCC submitted. Noise monitoring report within Limit Yes, three numbers of parameters analyzed which are within prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7)Ground Water ---- 1500 liters/day	
33	37482 29-06-2011	VINOD FOOD PRODUCTS PLOT NO. 53, POCKET-C, SECTOR-4, DSIDC INDUSTRIAL COMPLEX, BAWANA	Bawana Industrial Area	Orange Operate	Mfg.of Confectionery products (sweets, Namkeen and Biscuits etc) Bakery Products And Confectionery With Trade Effluent/Emission Discharge	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 100 liters/day		20-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.03.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 30-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 31-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes 3 number of parameters analyzed which are within limit (3)D.G.Set: Nil (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO old file is not tracable	14-08-2012 Recommended for grant of Consent to Operate.
34	37483 29-06-2011	KNITCRAFT APPARELS INTERNATIONAL PVT. LTD. A-81, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF READYMADE GARMENTS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 6600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1300 liters/day (b) Trade Effluent ---- 500 liters/day		19-10-2011 (1)ETP : Physiochemical (a) AR dated 20.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Total Chromium (as Cr), Sulphide (as S), Phenolic compounds (as C4H2OH), Zinc and Total Metal parameters are not	14-08-2012 Recommended for grant of Consent to Operate since the unit is carrying out washing activity for which ETP has been installed and required parameters have been submitted.

							mentioned in the effluent analysis report and rest of the parameters are within limit. (2)ECS -Test report of (Thermex) Boiler dated 28.06.2011 issued by DTU having stack from GL is 9.0 m (b) Stack ed. analysis report dated 28.06.2011 issued by DTU submitted. (3)D.G.Set: 2 (125 & 140 KVA) (a)Noise monitoring report of 125 & 140 KVA dated 28.06.2011 issued by DTU submitted and noise levels are within limit / beyond limit. (4) Inspection details: Conducted on 24.09.2010 during the inspection following were observed: a) No washing activity observed. It was reported that washing will be started after 6 month b) DG set installed without acoustic enclosure with adequate stack height. doors was treated acoustically. SCN u/s 25/26 of Water & u/s 21/22 of Air Act issued to the unit on 20.01.2011. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	
35	37484 29-06-2011	NEW WOOL MOORES SPORTS E-123, PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Renewal	WASHING OF COTTON QUILTS, BED SPREADS, CUSHION COVERS. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 2100 liters/day • Ground Water ---- 2100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1800 liters/day	17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated December, 2007 issued by GGSIU submitted. (b) Effluent analysis report dated 20-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by CMC dated 24.06.09, letter issued to the unit on 20.07.09 to ask the unit to file full complaine within one month. Unit submitted its reply on 29.06.09 stating that they have applied to CGWA for ground water extraction.	14-08-2012 Recommended for grant of Renewal of Consent to Operate.

								As decided by the CMC (O) in its meeting held on 28.12.11, CTE was issued on 16.01.12. Earlier Committee Decision 20.03.09 (In earlier CTR File) Ask the unit to file permission from Central Ground Water Authority for extracting the ground water. Call on 29.04.2009. 11.05.09(In earlier CTR File) Time allowed till 24.06.09 for full compliance. Call on 24.06.09 24.06.09(In earlier CTR File) Ask the unit to file full compliance within 01 month. Call on 26.08.09. 28.12.11 (In Fresh CTE file) Issue consent to establish. Unit has fresh applied for CTE on 14.07.11 with the activity of WASHING OF COTTON QUILTS, BED SPREADS, CUSHION COVERS AND ASSEMBLING OF AMPLIFIER (JOB WORK) & the same was granted on 16.01.12.	
36	37486 29-06-2011	ACHEM PLAST 18, PH-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF BAKELITE POWDER (USING P.F. RESIN AS STARTING RAW MATERIAL). Bakelite Powder Mfg. Using Phenol Formaldehyde Resin As Raw Material And Bakelite Products	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - ecs (Bag Filter) (a) AR dated 27.06.2011 issued by D.C.E submitted. (b) Stack monitoring report dated 27-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil Note : Old record is not traceble.	14-08-2012 Recommended for grant of Renewal of Consent to Operate.
37	37490 30-06-2011	AT HOME INDIA PVT. LTD. F-29/4, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF HOME FURNISHING ITEMS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 860 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2100 liters/day		17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly,2009..... issued byJamia Millia Islamia..... submitted. In adequacy report, it is mentioned that ETP is adequate to treat 2000 Lt/day generated during printing process but in summary it is mentioned that during washing of aluminum	14-08-2012 Recommended to inspect the unit.

[illegible]

								on 26.03.10 giving opportunity to submit reply within 15 days from the issue of service of the notice. The unit has failed to submit its reply. (6) Closure directions u/s 33(A) of EPA details : issued on 24.05.10. As decided by CMC dated 13.08.10, letter issued on 29.09.10 to submit BG of Rs. one Lakh under Water Act valid for one year. Unit has submitted a letter on 22.02.11 requested that they shall submit the required documents for applying CTO (orange) within 15 days. As per approval by competent authority, letters were issued on 16.05.11 to concerned authorities of DJB, BSES and MCD. Unit has submitted a letter dated 30.05.11. As per approval by competent authority, letter was issued on 21.06.11 to submit BG of one lakh under Water Act valid for one year and also submit the CTO application . Unit has submitted BG on 24.06.11. Unit has again submitted a letter dated 30.06.11 requesting to revoke the closure notice along with receipt of CTE & CTO application applied. As per approval by competent authority, Revocation of closure directiojn u/s 33 (A) issued on 01.07.11 As decided by the CMC (O) in its meeting held on 05.10.11, CTE dated 05.02.08 made infructuous on 09.12.11. CTE w.r.t present application dated 30.06.11 granted on 09.12.11. EARLIER CMC DECISION 12.2.2010/ 15.2.2010 (In earlier CTE File) Issue SCN u/s 33(A) of the Water Act. 26.5.2010 (In earlier CTE file) decision taken on the file for issuing the closure u/s 33 (A) of water Act retified. 13.08.10 (In earlier CTE file) Ask the unit to submit bank guarantee of Rs. One lakh under the Water Act valid for one year
--	--	--	--	--	--	--	--	---

								05.10.11 (In earlier CTE file) Consent to Establish dated 05.02.2008 made infructuous. Issue consent to establish w.r.t present application dated 30.06.2011.	
38	37494 30-06-2011	S.S. SAHNI TECHNOLOGIES A-20/2, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG DRY BATTERIES AND BATTERY PLATES Battery Containers (PVC Section)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		20-10-2011 (1)ETP : N/A (2)ECS: wet scrubber, stack attached with lead melting furnace (a) AR dated March, 2011 issued by GGSIU submitted. (b) Stack analysis report dated 29.03.2011 issued by GGSIU submitted. (3)D.G.Set: Nil (4) Inspection details: Conducted on 24.09.2010, during the inspection following were observed: a) Unit found operational and engeged in the activity of Mfg. of batteries. b) One lead melting furnace using fuel as LPG is found installed. Fugitive emissions observed which have not been channelized. No emission control system provided. c) One D.G. set of 63 KVA found installed without acoustic enclosure and stack. (6) Closure directions u/s 31(A) issued on 11.10.2010. Unit has submitted Bank Guarantee of Rs. One Lakh on 19.11.2010. After the submission of Bank Guarantee closure direction u/s 31(A) has been revoked on 22.11.2010.	14-08-2012 Recommended to inspect the unit.
39	37495 30-06-2011	ANAND ELECTRO ENGINEERING B-67/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- ETP (Physico chemical) (a) AR dated 23.06.2011 issued by D.C.E..... submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes. (2)ECS - Cyclone (a) AR dated 23.05.2008 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 23-06-2011 issued by DELHI COLLEGE OF	14-08-2012 Recommended to put up file administratively with status of consent to establish.

								ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details: Inspection of the unit was conducted on 24.03.2011. a) Unit found operating engaged in electroplating & buffing of kitchen accessories. b) ETP & ECS found installed. c) ETP was not in operation. d) ECS for buffing was not working properly. e) Acidic fumes not channelized. f) Bore Well connection 01 No. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 25.05.2011. A reply received from the unit on 31.01.2012.
--	--	--	--	--	--	--	--	---