



CONSENT MANAGEMENT

Agenda No. 2 - Annexure III - 06 Cases of Consent to Operate and Consent to Operate(renewal)under orange category w.e.f. 17.11.2011 to 01.06.2011 in reverse chronology (excluding the cases of Redevelopment areas) recommended by Screening Committee as (2d category) on 14.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37292 06-06-2011	RAYAT ELECTRICALS 7/22, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Operate	MFG OF ASSEMBLY OF ELECTRICAL APPLIANCES WITH PAINT VARNISH POWDER COATING AND PHOSPHATING Electrical & Electronic Goods Manufacturing (With Electroplating)	- Date of commissioning of project ---- - Built Up Area ---- 700 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 450 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Inspection conducted on 12.10.2011. Ask the unit to submit fresh effluent analysis report with complete parameters including the iron which has not been analyzed in the analysis report submitted. If unit submits the requisite report, consent to operate and authorization under HWM Rules be issued.	10-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated March, 2011 issued by GSSIU submitted. (b) Effluent analysis report dated 28.03.2011 issued by GSSIU submitted. 5 number of parameters are analyzed which are within limit. (2)ECS (b) Stack monitoring report dated 2011-03-26 issued by IP COLLEGE submitted. Stack Test Report within Limit Yes 3number of parameters analyzed which are within limit / beyoud prescribed limit. Stack monitoring report dated 2011-03-26 issued by GSSIU submitted. Stack Test Report within Limit Yes 2.....number of parameters analyzed which are within limit / beyoud prescribed limit. Stack monitoring report dated 2011-03-26 issued by GSSIU submitted. Stack Test Report within Limit Yes 1number of parameters analyzed which	14-08-2012 Case be referred to Committee as per 2 (d)

								are within limit / beyoud prescribed limit.	
								(3)D.G.Set: 30 kva (a) Noise monitoring report dated 2011-03-27 issued by GGSIU submitted. Noise monitoring report within Limit Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision: Decision on 16.03.2011 Issue consent to establish, subsequently inspection be conducted. Inspection yet to be conducted.	
2	37311 08-06-2011	DLF RETAIL DEVELOPERS LTD DLF SOUTH COURT, PLOT NO A1 & P2B, SAKET PLACE	SOUTH	Orange Operate	RETAIL OFFICES AND HOTEL. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-12-2005 • Built Up Area ---- 53721.99 (in sq. meter) • Water Consumption ---- 315440 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 187580 liters/day (b) Trade Effluent ---- 5000 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for issuance of SCN for refusal of consent to operate and consent to establish in view of the discrepancies and deficiencies found during inspection and the fact that the activity of the hotel was not incorporated in consent to establish application and environmental clearance has been obtained without mentioning the aforesaid activity. Inform to SEIAA about the deviation in the activity.	12-10-2011 (1)ETP ---- STP installed. (a) AR dated 2011-04-20 issued by DTU submitted. (b) Effluent analysis report not submitted. (2)ECS ---- N/A (3)D.G.Set: 3 x 1500 KVA and 1 x 1010 KVA. (a) Noise monitoring report dated 2011-03-31 issued by IP COLLEGE submitted. Noise monitoring report within Limit Yes (b) Four Stack monitoring report (for more than 1000 KVA) dated 30-03-2011 issued by IP COLLEGE submitted and parameters are not in consenence with the units prescribed in notification dated 09.07.2002.	14-08-2012 Case be referred to Committee as per 2 (d)

								(4) Inspection details: conducted on 07.07.10 and observations are. 1. Finishing work is in progress. 2. Commercial complex and Hotel is not operational. 3. STP has been installed but the same is not commissioned yes. 4. Clarifier has not been installed. only a square setting tank has been provided. 5. Rain water harvesting puts have been provided. However incidentally rain poured and run of was going directly out side the premises. 6. Green area has not been provided as per the project area. Insignificant green area against the proposed 2797.64 m2. 7. Solar water heating system not provided for the hotel rooms. 8. Energy efficient lights not provided in the basement. 9. Details of hotel has not been given in the applications for consent. As decided by the cmc dated 27.08.10 copy of inspection report provided to legal cell for aprising to the court Earlier Committee Decision 11.05.2009 SIT I and SIT II to inspect jointly and report before 18.05.2009. Also DPCC lab will take the samples as per procedure along with SIT inspection and the sample may be sent to CPCB and DPCC lab for analysis. Call on 22.05.2009 15.06.2009 Sh. B. Kumar SEE to examine the file and put up. Call on 12.08.2009 21.01.10 Inspection be conducted to know the present status. 27.08.10 Provide the copy of inspection report to legal cell for aprising to the court about the deficincies observed during the inspection.	
3	37325	KANODIA TECHNOPLAST (P) LTD	Wazirpur Industrial Area	Orange Operate	MFG. OF PRINTING CYLINDERS.		Recommendations of Scrutinizing Committee on 17-10-2011 Issue a letter to Registrar, GGSIU to	12-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.03.2011 issued by	14-08-2012 Case be referred to Committee as per 2

	09-06-2011	A-43, WAZIRPUR INDUSTRIAL AREA			Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1120.2 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	confirm the veracity of the two reports issued on 20.01.2011 and 10.03.2011 respectively.	G.G.S.I.P.U submitted. (b) Effluent analysis report dated 2011-03-10 issued by IP COLLEGE submitted. Effluent Test Report within Limit . Yes. 10number of parameters analyzed which are within limit. (2)ECS ---- Installed (a) AR dated 22.03.2011. issued by G.G.S.I.P.U submitted. (b) Stack analysis report dated 04.03.2011 issued by G.G.S.I.P.U. submitted. (3)D.G.Set: 200 KVA and 125 KVA (a) Noise monitoring report dated 2010-12-24 issued by .DPCC submitted. Noise monitoring report within Limit Yes. 3number of parameters analyzed which are within limit. Noise monitoring report dated 2010-12-24 issued by DPCC submitted. Noise monitoring report within Limit Yes 3number of parameters analyzed which are within limit. Test report of ETP dated 10.03.2011 is having ditto results as mentioned in previous report dated 20.01.2011 which seems fake report. Earlier CMC Decision: 06.09.2010 Issue Consent to establish with Trade effluent discharge. Subsequently inspection be conducted. Inspection yet to be conducted.	(d)
4	37413 20-06-2011	GINGER HOTEL RAIL YATRI NIWAS, NEW DELHI RAILWAY STATION,	CENTRAL	Orange Operate	Hotel Hotel With Atleast 20 Bed Rooms			17-10-2011 (1)ETP ---- STP - Bio-logical (a) AR datedMarch,2011..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 31-03-2011 issued by GGSIPU submitted. Effluent Test Report within Limit - Yes	14-08-2012 Case be referred to Committee as per 2 (d)

		GATE NO-2, AJMERI GATE SIDE.				• Date of commissioning of project ---- • Built Up Area ---- 4842.456 (in sq. meter) • Water Consumption ---- 50000 liters/day • Ground Water ---- 30000 liters/day • Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 30000 liters/day		(2)ECS - N/A (3)D.G.Set:250 KVA and 320 KVA Noise monitoring report submitted submmitted dated 22.11.10	
5	37432	KPS SANITATION PVT. LTD 23-06-2011 PLOT NO. 1/429/19, GALI NO-1, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	mfg. of bath room fitting with electroplating. Sanitary Goods with Casting (With Pit Furnace) / Buffing / Electroplating	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 9000 liters/day		06-07-2011 CTE :No Water Consumption ---- 1300 liters/day. Ground Water ---- Nil liters/day Built Up Area ---- 200 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- Yes Date of commissioning of project --Oct 2005. Waste Water generation Domestic Effluent ---- 400 liters/day Trade Effluent ---- 900 liters/day ETP / STP ---- yes Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- yes NMR Sumitted ---- Yes, 30.05.2011.	14-08-2012 Case be referred to Committee as per 2 (d)
6	37441	GINGER HOTEL 24-06-2011 PLOT-C COMMUNITY CENTRE VIVEK VIHAR SHAHDRA	EAST	Orange Operate	HOTEL. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 26-08-2010 • Built Up Area ---- 3752.529 (in sq. meter) • Water Consumption ---- 30000 liters/day • Ground Water ---- 10000 liters/day • Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 7000 liters/day		09-08-2012 (1)ETP ---- Other ETP Name : STP (a) AR datedMarch, 2011..... issued byGGSIU..... submitted. (b) Effluent analysis report dated - 31.03.2011- issued by - GGSIU - submitted. (2)ECS - N/A (3)D.G.Set: ...2... 160 KVA & 250 KVA (a)Unit has submitted 2 NMRs dated 22.12.10 issued by DPCC and noise levels are beyond limit. NMR not created online. (4) Inspection details: conducted on 19.12.08 & following were observed: a) Site found vacant. b) No construction activity observed. c) Excavation work is in progress at adjacent plot no. D. Separate inspection sheet is attached for plot no.D.	14-08-2012 Case be referred to Committee as per 2 (d)

							As decided by the CMC (O) in its meeting held on 05.08.10, letter was issued on 02.07.10 for apply for CTO. Earlier, unit has obtained CTE with the name of M/s KUNAL FOODS PRODUCT PVT. LTD., Plot No. C, Commt. Centre, Vivek Vihar for the activity of Construction of Hotel. Now, the unit has mentioned its name on affidavit as M/s Roots Corporation Ltd. and police license, adequacy report and test reports etc having the name M/s HOTEL GINGER. Unit has also submitted an affidavit w.r.t submission of MCD license and Delhi Police license. EARLIER CMC DECISION 03.09.08 Issue final reminder for CTE and EC. Call on 30.10.08 05.11.08 Call for personal hearing on 10.12.2008. 11.12.08 The unit came for personla hearing today. SIT ti inspect and report. Call on 14.01.09. 30.12.08 CTE granted 14.01.09 No action. Minutes of the meeting dated 01.07.2010 / 02.07.2010 taken by MS, DPCC. The unit has not applied for consent to operate. The unit did not come for the meeting. It should apply for consent to operate with all the requisite documents, if it is in the stage of commissioning. 05.08.10 Issue letter to take necessary action w.r.t. the proceedings of the meeting taken by MS, DPCC on 01.07.2010/02.07.2010 incorporating the decision of the Scrutinizing Committee.
--	--	--	--	--	--	--	---