

Agenda Item No - Consent to Establish/Operate / Renewal Cases under Orange Category [II(a)/II(b) category] for meeting of the Committee headed by Chairman /Member Secretary, DPCC, on

S.No	Name of the Unit	Address of the Unit	Date of Application	Application ID No.	Activity(ies) / Products	Consent Application [CTE/CTO/CTO(R)]	Category (SPI / Non SPI)	Authorization Status (Granted / /Applied - Fresh / Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorization)
									Status of Pollution Control System / Devices: (ETP/ECS/ESP/Acoustic Enclosure) Eg. - Requisite Device(s) (ETP etc. working) Status of Ground water extraction: Extraction permission has been obtained Status of Inspection:- Done(Found Satisfactory)	Test Reports:- Air (Emissions) - Test Reports within norms. Water(Effluent) - Test Reports within norms. Noise - Test Reports within norms.	

(Name)
Concerned Sr. Env. Engineer

(Name)
Concerned Env. Engineer

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 46 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
1	Hotel Runway	A-48, Road No. 1 or 2, Mahipalpur Ext., NH-8, New Delhi-110037	10614	22.04.15	10765	11.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Source of Water :- DJB. Bill (Category-I) submitted (name matched & address not matched). Number of Rooms : 25 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report not submitted.	No
2	Hotel The RTS	A-267, Road No. 2, NH-8, Mahipalpur Extn. New Delhi-110037	10698	05.5.2015	10800	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (name matched & address not matched). Number of Rooms : 16 rooms (without kitchen) MCD license : Applied Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.	No

(Krishan Kumar)
EE CMC-IV

(Satender kumar)
SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
3	Hotel Eurostar International	A-27/1, Road No. 1, NH-8, Mahipalpur New Delhi-110037	10655	27.04.15	10712	05.5.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- DJB. Bill (Category-II) submitted (name not matched & address i.e. A-27 matched). Number of Rooms : 18 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	No
4	Hotel Luck Residency	A-392/1, NH-8, Road No. 1, Mahipalpur, New Delhi-110037	10606	21.04.2015	10787	12.05.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (Name & address not matched). Number of Rooms : 46 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report of D.G. Set not submitted.	No

(Krishan Kumar)
EE CMC-IV

(Satender Kumar)
SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
5	Hotel Lohias	A-53, Mahipal Pur, N.H-8, Near I.G.I Airport	10293	05.03.2015	10592	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 30 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	No
6	Hotel Venus	A-282 Mahipal Pur, N.H-8, Near I.G.I Airport	10303	09.03.2015	10595	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 32 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	No

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
7	Hotel Swapnil International	A-43, Mahipal Pur, N.H-8, Near I.G.I Airport	10446	30.03.2015	11126	24.06.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 15.07.2015 and found satisfactory Source of Water :- (i) DJB (Letter submitted to DJB for connection) (ii) Tankers. Bills not submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Applied Delhi Police license: Not Applied. Provisional Consent issued on :- 24.07.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.	No
8	Hotel Alpine Tree	A-65, Mahipal Pur, N.H-8, Near I.G.I Airport	10305	09.03.2015	10597	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 24 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
9	Hotel Le seasons	A-53, Mahipal Pur, N.H-8, Near I.G.I Airport	10297	05.03.15	10569	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 200 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 38 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit	No
10	Hotel Hanuwant Place	A-31.2 Mahipal Pur, N.H-8, Near I.G.I Airport	10613	21.04.2015	11180	29.06.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted however photographs submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 11.08.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 45 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied Provisional Consent issued on :- 25.08.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set not submitted.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
11	Hotel Waves	A-272, Mahipal Pur, N.H-8, Near I.G.I Airport	10296	05.03.15	10593	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 33 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit	No
12	Hotel Star	A-288, Mahipal Pur, N.H-8, Near I.G.I Airport	10406	23.03.15	10629	22.04.15	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 34 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
13	Hotel International INN	A-78, Mahipal Pur, N.H-8, Near I.G.I Airport	10431	26.03.2015	10627	22.04.15	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set: 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 39 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	No
14	Hotel The R Blues	A-79, Mahipal Pur, N.H-8, Near I.G.I Airport	10470	31.03.2015	10631	23.04.15	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 13 rooms (without kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
15	Hotel Ramhan Place	A-125 Mahipal Pur, N.H-8, Near I.G.I Airport	10455	30.03.2015	10668	28.4.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 200 KVA & 380 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 34 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.08.2015 submitted and parameters are found within limit.	No
16	Hotel Delhi 37	A-147, Mahipal Pur, NH-8, Near I.G.I. Airport	10405	23.03.15	10626	22.04.15	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	No

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
17	Hotel The Class	A-282, Mahipal Pur, N.H-8, Near I.G.I Airport	10301	09.03.15	10590	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 17 rooms (without kitchen) MCD license : Valid upto 31.03.2016. Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report dated 03.07.2015 submitted and parameters are found within limit.	No
18	Barich Restaurant	A-279/3, Mahipalpur Extn. Delhi-37	10449	30.03.2015	10670	28.4.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Seats : 48 Seats (with kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Valid upto 31.12.2015. Provisional Consent issued on :- 17.07.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- N.A	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activities/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
19	Anand Lok Inn Hotel	A-89, Gali No.4, Mahipalpur Extn, Delhi-37	10656	27.04.15	10710	05.5.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 23 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 17.03.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	No
20	Hotel Era	A- 247/1, Road No. 06, NH-08, Mahipalpur Extn, Delhi-37	1040	23.03.2015	10630	22.04.15	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed, AR submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 21 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
21	Flight Path Hotel	A-162, Road No. 4, Mahipalpur Extn, Delhi-37	10528	10.04.2015	11087	19.06.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 62 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 15.07.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 18 rooms (without kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Not Applied. Provisional Consent issued on :- 05.08.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set not submitted.	No
22	The Grace Hotel	59-B, Road No. 4 A-Block, Mahipalpur Extn. New Delhi-110037	10788	11.05.2015	10790	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Applied. Provisional Consent issued on :-25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	No


(Krishan Kumar)
EE CMC-IV


(Satender kumar)
SEE CMC-IV

Annexure -A

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 46 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC
on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
23	Hotel Delhi Narine Club/ Olive & Blue	K-806/1, K-2 Block, Mahipalpur, New Delhi-110037		23.06.2015		13.07.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : Nil Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 11.08.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted.. Number of Rooms : 19 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on : 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-N.A	No
24	Hotel Impress	A-25, Kh. No. 393, Vasant Kunj Road, NH-8, Mahipalpur Extn, New Delhi-110037	10385	19.03.2015	10594	20.04.2015	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted D.G. Set : 200 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :-(i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 33 rooms (with kitchen) MCD license : Valid upto 31.03.2016. Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters	No

(Krishan Kumar)
EE CMC-IV

(Satender kumar)
SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
25	Hotel Transit	A-58, Road No 4, Mahipalpur Extn. NH-8	10425	25.03.15	10628	22.04.15	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 21.08.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 39 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 09.09.2015 submitted and found satisfactory. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.	No
26	Hotel Galaxy	A-184, Gali No.1, NH-8, Mahipalpur Extn., New Delhi-110037	10674	29.4.2015	10797	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 16 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. CGWA permission submitted (name & address not matched) Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) Ground Water, CGWA permission submitted (name & not matched). (ii) Tankers. Bills submitted. Number of Rooms : 11 rooms (without kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Not Applied.	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
27	Hotel Highway Crown	A-87, NH-08, Mahipalpur Extn, Delhi-37	10759	11.05.2015	10793	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. Permission not submitted. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Borewell. Permission not submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 21.08.2015 submitted and parameters are found within limit.	No
28	Opera Hotel	A-422, Mahipalpur Extn, Delhi-37	10512	10.04.2015	10769	11.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bill submitted. Number of Rooms : 12 rooms (with kitchen) MCD license : Applied Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.08.2015 submitted and parameters are found within limit.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Annexure-A

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 46 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
29	Hotel Lohmod	A-292, NH-08, Mahipalpur Extn, Delhi-37	10624	22.04.15	10727	06.5.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 125 KVA & 250 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bills submitted. Number of Rooms : 67 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set not submitted.	No
30	Hotel Daya Continental	A-6, Road No.-1, NH-8, Mahipalpur Extn., New Delhi-110037	10576	17.04.2015	10920	27.05.2015	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted, however, photographs submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 11.08.2015 and found satisfactory Source of Water :- Tankers. Bill enclosed. Number of Rooms : 24 rooms (without kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied. Provisional Consent issued on : 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report not submitted.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
31	Hotel Noratan Palace	A-27, Road No.1, NH-8, Mahipalpur Extn., New Delhi-110037	10682	29.4.2015	10726	06.5.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bill submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Applied Delhi Police license: Not Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report not submitted.	No
32	Hotel Global Inn	A-184, Gali No.1, NH-8, Mahipalpur Extn., New Delhi-110037	10657	27.04.15	10774	11.05.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 15 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bill submitted. Number of Rooms : 36 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report of D.G. Set not submitted.	No

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
33	Hotel Aditya Inn.	27/2, Kh. No. 339 A, Road No. I, Mahipalpur Ext. New Delhi-110037	10485	08.04.2015	10732	07.5.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set: 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 & 11.08.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 18 rooms (without kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015 & 25.08.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.	No
34	Hotel Parikshit Palace	A-15, Road No. 2, Mahipalpur Extn, Near IGI Airport, New Delhi-110037	10921	27.05.2015	11062	16.06.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed and verified through inspection dated 22.06.2015. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Septic Tank installed and verified through inspection dated 22.06.2015. Noise (D.G. Set)- N.A	No

(Krishan Kumar)

EE CMC-IV

(Satinder Kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
35	Hotel Green Palace	A-51, Road No. 2, Near IGI Airport, Mahipalpur Extn. New Delhi-110037	10427	26.03.2015	10734	07.5.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bills submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 19.08.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.	No
36	Hotel Suncity Inn.	NH-8, Near Raddisson Hotel, Near IGI Airport, New Delhi-110037	10553	16.4.2015	11155	26.06.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed and verified through inspection dated 10.07.2015. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 17 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 21.07.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Septic Tank installed and verified through inspection dated 10.07.2015. Noise (D.G. Set)- N.A	No

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
37	Hotel Taurasta unit of Taurus International Projects Pvt. Ltd.)	Kh. No A-383 and 384, NH-08, Mahipalpur Extn.	9943	20.01.15	10650	27.04.15	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. Technical AR submitted. D.G. Set : 320 KVA (2 nos) & 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bills submitted. Number of Rooms : 85 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 06.04.2015 & 19.08.2015 submitted and found satisfactory. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.	No
38	Hotel RTS	A-69, Mahipal Pur, N.H-8, Near I.G.I Airport	10697	05.5.2015	10802	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DDB / Tankers. Bill not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Not Applied. Provisional Consent issued on :- 26.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 17.08.2015 submitted and parameters are found within limit.	No

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
39	Castle Blue Hotel	A-109, Gali No.5, Mahipalpur Extn. Delhi-37	10667	28.4.2015	10786	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bills not submitted. Number of Rooms : 29 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 17.08.2015 submitted and parameters are found within limit.	No
40	Shalimar Hotel	A-Block, A-160, gali no. 4, Mahipalpur Extn. Near Airport, New Delhi-110037	11138	25.06.2015	11139	25.06.2015	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory. Source of Water :- Tankers. Bills not submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :-21.07.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A.	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 46 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
41	Punjabi Nawab	RZ-A-63, Kh. No 383/2/1, NH-8, Mahipalpur	10224	25.02.15	10687	30.4.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. (Common with Taurus Hotel) D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on and found under renovation Source of Water :- No Information Number of Rooms : 79rooms MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :-N.A	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP Submitted and parameters are found within limit. Noise (D.G. Set)- N.A	No
42	Hotel De Aura.	L-10 A, Ganga Tower, Mahipal Pur, N.H-8, Near I.G.I Airport	10454	30.03.2015	10809	13.05.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bills not submitted. Number of Rooms : 16 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 05.05.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	No

(Krishan Kumar)
EE CMC-IV

(Satender kumar)
SEE CMC-IV

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
43	Global Radiance Hotel	A-250, Gali No.6, Mahipalpur Extn, Delhi-37	10615	22.04.15	11099	22.06.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 35 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. Applied for disclosure of borewell. Status of Inspection:- Inspection was carried out on 02.09.2015 and found satisfactory Source of Water :- Borewell. Application for Voluntary disclosure of existing Borewell/ Tubewells submitted on 31.08.2015 Number of Rooms : 19 rooms (without kitchen) MCD license : Applied. . Delhi Police license: Not Applied. Provisional Consent issued on :- 28.10.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set not submitted.	No


(Krishan Kumar)
EE CMC-IV


(Satender kumar)
SEE CMC-IV

on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
44	Hotel Rainbow	E-552, Vasant Kunj Road, Mata Chowk Near IGI Airport, Mahipalpur, New Delhi-110037		Yes		—	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: No Septic Tank installed. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Source of Water :- Tankers. Bills not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 07.05.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	No
45	Hotel The Crown	268, Mata Chowk, Mahipalpur, New Delhi-110037		Yes		—	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: No Septic Tank installed. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- inspection was carried out on 11.08.2015 and found operational Source of Water :- DIB Cat-IIA. (Name and address not matched) Tankers. Bills not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 07.05.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	No

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Annexure-A

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of
46	Hotel Airport Breeze	NH-8, Rangpuri, Mahipalpur, New Delhi-110037	11327	20.07.2015		20.07.2015	Hotel/Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: No Septic Tank installed. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- inspection was carried out on 02.09.2015 and found Non operational Source of Water :- DJB Cat-I, (Name matched address not matched)(Tankers. Bills not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 05.05.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	No


(Krishan Kumar)
EE CMC-IV


(Satender Kumar)
SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 14 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno	Name	Address	Applica tion ID No. (CTE)	Date of submission of Consent to Establish	Applica tion ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Pr oducts	Consent application [CTE/CT O/CTO (R)]	Category of (SPI/ Non SPI)	Authorizati on Status (Fresh/Rene wal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authoziation)
1	Hotel Moti Mahal Deluxe	A-23, Mahipal Pur, N.H-8, Near I.G.I Airport								Not Applicable			Closed
2	Metropolitan Express	A-2 269 Mahipal Pur, N.H-8, Near I.G.I Airport								Not Applicable			Closed
3	Hotel Four Seasons	L-384, Near Vishal Mega Mart Mahipal Pur, N.H-8, Near I.G.I Airport								Not Applicable			Closed
4	Hotel Sun View	A-41/1, Road No.1, NH-8, Mahipalpur Extn., New Delhi- 110037								Not Applicable			Closed
5	Hotel Gorav Continental	A-139, Street No. 7, Road No. 4, Mahipalpur Extn. New Delhi-110037								Not Applicable			Closed
6	Hotel Tandori Nights	A-79, Chandgi Ram Building, Vasant Kunj Road, NH-8, Mahipalpur, New Delhi-110037								Not Applicable			Closed
7	The Real Taste Restaurant	K4-534, B-14, Near Chhoti Red Light, Vasant Kunj Road, Mahipalpur, New Delhi-110037								Not Applicable			Closed

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 14 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Applica tion ID No. (CTE)	Date of submission of Consent to Establish	Applica tion ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Pr oducts	Consent application [CTE/CT O/CTO (R)]	Category of (SPI/ Non SPI)	Authorizati on Status (Fresh/Rene wal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
8	Hotel Delhi Airport Link	L-701/I, Mahipalpur Extn. New Delhi- 110037	10694	01.5.2015	10728	06.5.2015				Not Applicable			Closed
9	Mughal-E-Zaika	L-19, NH-08, Mahipalpur, New Delhi-110037		-		-				Not Applicable			Closed
10	Hotel RK	L-24/377 A, Mahipalpur, Near IGI Airport NH-8, New Delhi-110037		-		-				Not Applicable			Closed
11	Hotel Shyam	A-40, Block-A, Road No. 1, NH-8, Mahipalpur New Delhi-110037	10513	10.04.2015	10757	11.05.2015				Not Applicable			Closed
12	Hotel Deep Palace	RZA-33 I, Road No. 1, NH-8, Mahipalpur New Delhi-110037		-		-				Not Applicable			Closed
13	Hotel Lotus	L-29/364, Mahipalpur Extn, Near International Domestic Airport, Delhi-110037		-		-				Not Applicable			Closed
14	Hotel Night Stay	L-27/360, Mahipalpur NH-8, New Delhi-110037		-		-				Not Applicable			Closed


(Krishan Kumar)
EE CMC-IV


(Satender Kumar)
SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 02 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016


Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
1	Hotel Shanti Place	A-67, Mahipal Pur, N.H-8, Near I.G.I Airport	10147	17.02.15	10685	30.4.2015	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : 160 KVA (2 nos) (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB. Unit has submitted receipt w.r.t infrastructure charges of Rs. 784590 (both units) and DJB has issued a letter dated 14.07.15 stating that water supply scheme is approved subject to compliance of special and general conditions. (ii) Tankers. Bill enclosed. Number of Rooms : 72 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Valid upto 31.12.2015 Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 28.04.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 06.04.2015 submitted and parameters are found within limit.	Provisional Consent Granted for Six months with the condition that unit will submit either permission of extraction of Ground water from CGWA/ DJB of valid water connection bill from DJB. The unit shall ensure that it obtains water from the source which has permission to extract ground water/ authorized source under the law


(Krishan Kumar)
EE CMC-IV


(Satender kumar)
SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 02 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sl. No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
2	Tripti Restaurant	A-67/1, Mahipal Pur, N.H-8, Near I.G.I Airport	10137	13.02.15	10684	30.4.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : 250 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB. Unit has submitted receipt w.r.t infrastructure charges of Rs. 784590 (both units) and DJB has issued a letter dated 14.07.15 stating that water supply scheme is approved subject to compliance of special and general conditions (ii) Tankers. Bills submitted. Number of Seats : 135 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Valid upto 31.12.2015 Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 28.04.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 06.04.2015 submitted and parameters are found within limit.	Provisional Consent Granted for Six months with the condition that unit will submit either permission of extraction of Ground water from CGWA/ DJB of valid water connection bill from DJB. The unit shall ensure that it obtains water from the source which has permission to extract ground water/ authorized source under the law


(Krishan Kumar)
EE CMC-IV


(Satender Kumar)
SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [H(a)/H(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sl. No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
1	Hotel Classic Diplomat (New Age)	A-4, Mahipal Pur, N.H-8, Near I.G.I Airport	10211	23.02.15	10518	10.04.15	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : 125 KVA & 250 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DIB. Bill (Category-II) submitted (name & address matched). Number of Rooms : 70 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Valid upto 31.12.2015 Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 09.04.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set dated 06.04.2015 and parameters are found within the limits	Yes
2	Hotel Saptagiri	4-372 Mahipal Pur, N.H-8, Near I.G.I Airport	10347	13.03.15	10744	08.5.2015	Hotel Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DIB. Bill (Category-II) submitted (name & address matched). Number of Rooms : 28 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Valid upto 31.03.2016 Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 28.04.2015 submitted and parameters are found within limit. Noise (D.G. Set)- N.A.	Yes

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
3	First Choice Restaurant	Shop No. 77, Main Vasant Kunj Road, Near OBC Bank, Mahipalpur, New Delhi-110037	10600	21.04.2015	10679	29.4.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: O&G Trap installed. Photographs submitted. D.G. Set : Nil Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (name & address matched). Number of Seats : 34 Seats (with kitchen) MCD license : Valid upto 31.03.2016. Delhi Police license: Valid upto 31.03.2016	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of O&G Trap submitted. Noise (D.G. Set)-N.A.	Yes
4	Aggarwal Sweet Corner	L-32, Near IGI Airport, Mahipalpur Extn, New Delhi-110037	10471	31.03.2015	10598	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: O&G Trap installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- DJB. Bill (Category-II) submitted (Name & address i.e. L-320 not matched). Number of Seats : 30 Seats (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Valid upto 31.03.2015. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of O&G Trap submitted. Noise (D.G. Set)- N.A.	Yes

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sr.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
5	Hotel Ravin	A-383, Mahipal Pur, N.H-8, Near I.G.I Airport	10484	08.04.2015	11127	24.06.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory Source of Water :- D.B. Bill (Category-II) submitted in the name of Sh. Ram Dutt (father of applicant). Number of Rooms : 14 rooms (without kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied.	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)-Noise monitoring report of D.G. Set dated 03.08.2015 submitted and parameters are found within limit.	Yes
6	Hotel Chanakya INN	L-20/324 Mahipal Pur, N.H-8, Near I.G.I Airport	10302	09.03.15	10591	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- D.B. Bill (Category-II) submitted (name & address matched). Number of Rooms : 18 rooms (without kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied. Provisional Coonsent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.	Yes

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sr.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
7	Hotel Good Luck	A-103, Road No. 4, Mahipalpur Extn. New Delhi-110037	10760	11.05.2015	10798	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (name & address matched). Number of Rooms : 18 rooms (without kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set dated 21.08.2015 submitted and parameters are found within limit.	Yes
8	La-Saphire Hotel & Restaurant	A-23, NH-8, Mahipalpur Extn. New Delhi-110037	10384	19.03.2015	10625	22.04.15	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 250 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (name & address matched). Number of Rooms : 40 rooms (with kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)-Noise Monitoring Report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.	Yes

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC

on 15.03.2016

S.No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
9	Hotel Metro Tower	Vasant Kunj, Airport Road opp. Maruti Apra Showroom, Mata Chowk, Mahipalpur, New Delhi-110037	10515	10.04.2015	10801	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (name matched). Number of Rooms : 15 rooms (without kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set dated 21.08.2015 submitted and parameters are found within limit.	Yes
10	Hotel Delhi Aerocity	104/2/2, MR Complex NH-8, Near IGI Airport, Rangpuri, Mahipalpur, Delhi-110037	10695	01.05.2015	10711	05.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 30 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (Father name matched & address not matched). Number of Rooms : 24 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.	Yes

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
11	Hotel Vishal Residency	Mahipalpur Extn. Near Raddisson Hotel, NH-8, Near IGI Airport, New Delhi-110037	10599	20.04.2015	10658	20.04.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 82.5 KVA & 160 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (Father name matched & address not matched). Number of Rooms : 46 rooms (with kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)-Noise Monitoring Reports dated 23.07.2015 submitted and parameters are found within limit.	Yes
12	Hotel City Centre	I-118, Near Hotel Reddission, Mahipalpur, New Delhi-110037	10517	10.04.2015	10803	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- DJB. Bill (Category-II) submitted (name & address matched). Number of Rooms : 15 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set dated 21.08.2015 submitted and parameters are found within limit.	Yes

(Krishan Kumar)

EE CMC-IV

(Satender Kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

S.No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
13	Hotel Saptagiri	L-73, Near IGI Airport, Mahipalpur Extn. New Delhi-37	10689	30.4.2015	10899	25.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set :500 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DJB. Bill (Category-II) submitted (Name not matched & address matched). Number of Rooms : 46 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 19.08.2015 submitted and parameters are found within limit. Noise (D.G. Set)-Noise Monitoring Reports of D.G. Set dated 17.06.2015 submitted and parameters are found within limit.	Yes
14	Hotel Delhi Aerocity Inn.	L-22/379, Mahipalpur NH-8, Near Addidas Show Room, New Delhi-110037	10542	15.04.2015	11100	22.06.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 21.08.2015 and found satisfactory. Source of Water :- DJB. Bill (Category-I) submitted (name & address matched). Number of Rooms : 15 rooms (without kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied. Provisional Consent issued on :- 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set dated 17.08.2015 submitted and parameters are found within limit.	Yes

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
15	Hotel Royal Blue	A-33/2, Road No. 1, NH-8, Mahipalpur New Delhi-110037	10738	07.5.2015	10804	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- DJB. Bill (Category-II) submitted (name & address matched). Number of Rooms : 15 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	Yes
16	Hotel Mahabaxmi Deluxe Airport Land	A-33, Road No. 1, NH-8, Mahipalpur New Delhi-110037	10768	11.05.2015	10791	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- DJB. Bill (Category-II) submitted (name & address matched). Number of Rooms : 12 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A	Yes

(Krishan Kumar)

EE CMC-IV

(Satender kumar)

SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016


Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
17	Hotel Airport City (A unit of Paras Minar Hotels Pvt. Ltd.)	A-11, Road No.1, NH-8, Mahipalpur Extn. , New Delhi-110037	10567	17.04.2015	10796	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted however photographs submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. CGWA permission submitted (name matched however address not matched) Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory Source of Water :- (i) Ground Water. CGWA permission submitted (name matched however address not matched). (ii) Tankers. Bills submitted. Number of Rooms : 32 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :- 23.07.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 19.10.2015 submitted and paramters are found within limit. Noise (D.G. Set)- Noise Monitoring Report not submitted.	Yes


(Krishan Kumar)
EE CMC-IV


(Satender kumar)
SEE CMC-IV

Agenda Item No- Consent to Establish/Operate/Renewal Cases under Orange Category [II(a)/II(b) category] (List of 18 units) for meeting of the Committee headed by chairman/ Member Secretary, DPCC on 15.03.2016

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Activity (ies)/Products	Consent application [CTE/CTO/CTO (R)]	Category of (SPI/ Non SPI)	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent/ Authorization)
18	Hotel Airport Inn (A unit of Paras Minar Hotels Pvt. Ltd.)	A-7, Street No.1, NH-8, Mahipalpur Extn. , New Delhi-110037	10701	05.5.2015	10799	12.05.2015	Hotel/ Restaurant	CTE & CTO	Non SPI	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted however photographs submitted. D.G. Set : 65 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. CGWA permission submitted (name matched however address not matched) Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory Source of Water :- (i) Ground Water, CGWA permission submitted (name matched however address not matched). (ii) Tankers. Bills submitted. Number of Rooms : 28 rooms (with kitchen) MCD license : Valid upto 31.12.2016 Delhi Police license: Applied. Provisional Consent issued on :- 24.07.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 19.10.2015 submitted and parameters found within limit. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set not submitted.	Yes


(Krishan Kumar)

FF CMC-IV


(Satender Kumar)
SEE CMC-IV