

Sno	Name of the Unit	Address of the Unit	Decision taken in the meeting on 15.03.2016
1	Hotel Classic Diplomat (New Age)	A-4, Mahipal Pur, N.H-8, Near I.G.I Airport	Consent to Establish and Consent to Operate Granted.
2	Hotel Sapthagiri	L-322 Mahipal Pur, N.H-8, Near I.G.I Airport	Consent to Establish and Consent to Operate Granted.
3	First Choice Restaurant	Shop No. 77, Main Vasant Kunj Road, Near OBC Bank, Mahipalpur, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
4	Aggarwal Sweet Corner	L-32, Near IGI Airport, Mahipalpur Extn, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
5	Hotel Ravin	A-383, Mahipal Pur, N.H-8, Near I.G.I Airport	Consent to Establish and Consent to Operate Granted.
6	Hotel Chaitanya INN	L-20/324 Mahipal Pur, N.H-8, Near I.G.I Airport	Consent to Establish and Consent to Operate Granted.
7	Hotel Good Luck	A-103, Road No. 4, Mahipalpur Extn, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
8	La Saphire Hotel & Restaurant	A-23, NH-8, Mahipalpur Extn, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
9	Hotel Metro Tower	Vasant Kunj, Airport Road opp. Maruti Apra Showroom, Mata Chowk, Mahipalpur, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
10	Hotel Delhi Aerocity	104/2/2, M/R Complex NH-8, Near IGI Airport, Rangpuri, Mahipalpur, Delhi-110037	Consent to Establish and Consent to Operate Granted.
11	Hotel Vishal Residency	Mahipalpur Extn, Near Raddisson Hotel, NH-8, Near IGI Airport, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
12	Hotel City Centre	L-118, Near Hotel Reddission, Mahipalpur, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
13	Hotel Sapthagiri	L-73, Near IGI Airport, Mahipalpur Extn, New Delhi-37	Consent to Establish and Consent to Operate Granted.
14	Hotel Delhi Aerocity Inn.	L-22/379, Mahipalpur NH-8, Near Addidas Show Room, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
15	Hotel Royal Blue	A-33/2, Road No. 1, NH-8, Mahipalpur New Delhi-110037	Consent to Establish and Consent to Operate Granted.
16	Hotel Mahalaxmi Deluxe / Airport Land	A-33, Road No. 1, NH-8, Mahipalpur New Delhi-110037	Consent to Establish and Consent to Operate Granted.
17	Hotel Airport City (A unit of Paras Miner Hotels Pvt. Ltd.)	A-11, Road No.1, NH-8, Mahipalpur Extn, New Delhi-110037	Consent to Establish and Consent to Operate Granted.
18	Hotel Airport Inn (A unit of Paras Miner Hotels Pvt. Ltd.)	A-7, Street No.1, NH-8, Mahipalpur Extn, New Delhi-110037	Consent to Establish and Consent to Operate Granted.

K.Kumar, EE

Satender Kumar, SEE

Dr. Anil Kumar, Director (Env.)

Kulnand Joshi, Member Secretary,

Ashwani Kumar, Chairman DPCC

Sl. No.	Name	Address	Decision taken in the meeting on 15.03.2016
1	Hotel Shanti Place	A-67, Mahipal Pur, N.H-8, Near I.G.I Airport	Provisional Consent Granted for six months with the condition that unit will submit either permission of Extraction of Ground water from CGWA/ DJB or valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has been permitted to extract ground water authorized source under the law.
2	Tripti Restaurant	A-67/1, Mahipal Pur, N.H-8, Near I.G.I Airport	Provisional Consent Granted for six months with the condition that unit will submit either permission of Extraction of Ground water from CGWA/ DJB or valid water connection bill from DJB. The unit shall ensure that it obtains water only from the source which has been permitted to extract ground water authorized source under the law.

K.Kumar, EE

Satender Kumar, SEE

Dr. Anil Kumar, Director (Env.)

Kulanand Joshi, Member Secretary,

Ashwani Kumar, Chairman DPCC

Sr.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
1	Hotel Moti Mahal Deluxe	A-23, Mahipal Pur, N.H-8, Near I.G.I Airport		-		-	Not Applicable		
2	Metropolitan Express	A-2/269 Mahipal Pur, N.H-8, Near I.G.I Airport		-		-	Not Applicable		
3	Hotel Four Seasons	L-381, Near Vishal Mega Mart Mahipal Pur, N.H-8, Near I.G.I Airport		-		-	Not Applicable		
4	Hotel Sam View	A-4/H. Road No.1, NH-8, Mahipalpur Extn., New Delhi-110037		-		-	Not Applicable		
5	Hotel Gorav Continental	A-139, Street No. 7, Road No. 4, Mahipalpur Extn., New Delhi-110037		-		-	Not Applicable		
6	Hotel Tandoori Nights	A-79, Chandraji Ram Building, Vasant Kunj Road, NH-8, Mahipalpur, New Delhi-110037		-		-	Not Applicable		

(Sandeep Kumar)
K. Kumar (EE CMC-IV)

(K. Kumar)
K. Kumar (EE CMC-IV)

Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
7 The Real Taste Restaurant	K4-534, B-14, Near Chhori Red Light, Vasant Kunj Road, Mahipalpur, New Delhi-110037					Not Applicable		
8 Hotel Delhi Airport Link	L-701/L, Mahipalpur Extn, New Delhi-110037	10694	01.5.2015	10728	06.5.2015	Not Applicable		
9 Meghna-De- Zarka	L-19, NH-08, Mahipalpur, New Delhi-110037					Not Applicable		
10 Hotel JCR	L-24/377 A, Mahipalpur, Near IGI Airport NH-8, New Delhi-110037					Not Applicable		
11 Hotel Shyam	A-40, Block-A, Road No. 1, NH-8, Mahipalpur, New Delhi-110037	10513	10.04.2015	10757	11.05.2015	Not Applicable		
12 Hotel Deep Palace	RZA-33/1, Road No. 1, NH-8, Mahipalpur, New Delhi-110037					Not Applicable		

Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
13 Hotel Lotus	L-29/364, Mahipalpur Extn. Near International Domestic Airport Delhi-110037		-		-	Not Applicable		
14 Hotel Nigir Stay	L-27/360, Mahipalpur NH-8, New Delhi-110037		-		-	Not Applicable		

 (Salendra Kumar) SEE (CNC-IV)
 (K. K. Kumar) EE (CNC-IV)

Sl. No.	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
1	Hotel Romya A-48, Road No. 1 or 2, Mathpulpur Ext., NI-8, New Delhi-110037	10614	22.04.15	10765	11.05.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Source of Water :- D/B. Bill (Category-I) submitted (name matched & address not matched). Number of Rooms : 25 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report not submitted.

(Sahendra Kumar)
SEE (CME-IV)


(K KUMAR)
EE (CME-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
2	Hotel The RTS	A-2/67, Road No. 2, NH-8, Mahipalpur Extn, New Delhi-110037	10698	05.5.2015	10800	12.05.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DIB. Bill (Category-II) submitted (name matched & address not matched). Number of Rooms : 16 rooms (without kitchen) MCD license : Applied Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.
3	Hotel Eurostar International	A-2/1, Road No. 1, NH-8, Madhapur New Delhi-110037	10655	27.04.15	10712	05.5.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- DIB. Bill (Category-II) submitted (name not matched & address i.e. A-27 matched). Number of Rooms : 18 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A

(Signature)
(Sandeep Kumar)
SEE (CMC-III)

(Signature)
(K Kumar)
EE (CMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports)
4	Hotel Lock Residency	NH-8, Road No. 1, Mahipalpur, New Delhi-110037	10606	21.04.2015	10787	12.05.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- D/B. Bill (Category-I) submitted (Name & address not matched). Number of Rooms : 46 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report of D.G. Set not submitted.
5	Hotel Lohias	A-53, Mahipalpur, Near I.G.I. Airport	10293	05.03.2015	10592	20.04.2015	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) D/B (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 30 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.


 (Sakender Kumar) (K Kumar)
 SEE (Cmc-IV) EE (Cmc-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
6	Hotel Venus	A-282 Mahipal Pur, N.H-8, Near I.G.I Airport	10303	09.03.2015	10595	20.04.2015	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) D/B (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 32 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of ETP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.
7	Hotel Swapnil International	A-45, Mahipal Pur, N.H-8, Near I.G.I Airport	10446	30.03.2015	11126	24.06.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 15.07.2015 and found satisfactory Source of Water :- (i) D/B (Letter submitted to D/B for connection) (ii) Tankers. Bills not submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Applied Delhi Police license: Not Applied. Provisional Consent issued on :- 24.07.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report not submitted.

(Signature)
 (Saleem Kurer)
 SEE (CMC-IV)

(Signature)
 (K Kurer)
 EE (CMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
8	Hotel Alpine Tree	A-65, Mulipal Pur, N.H-8, Near I.G.I Airport	10305	09.03.2015	10597	20.01.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.
9	Hotel Le seasons	A-52, Mulipal Pur, N.H-8, Near I.G.I Airport	10297	05.03.15	10569	20.01.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted D.G. Set: 200 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 38 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.

(Sahendra Kumar)
SEE (Cmc-IV)

(K Kumar)
EE(Cmc-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
10	Hotel Harrowant Place	A-31/2 Mahipal Pur. NH-8, Near I.G.I Airport	10613	21.04.2015	11180	29.06.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted however photographs submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 11.08.2015 and found satisfactory	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set) - Noise monitoring report of D.G. Set not submitted.
11	Hotel Wave	A-272. Mahipal Pur. NH-8, Near I.G.I Airport	10296	05.02.15	10503	20.04.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.


 (S. K. Kumar) (K Kumar)
 SEE (EMC-IV) EE (EMC-IV)

Sl. No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
12	Hotel Star	A-288, Mahipal Pur, N.H-48, Near IGI Airport	10406	23.03.15	10629	22.04.15	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.
13	Hotel International	A-76, Mahipal Pur, N.H-48, Near IGI Airport	10431	26.03.2015	10629	22.04.15	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 59 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.

 (Sadendra Kumar) (K. Kumar)
 SEE (MC-IV) EE (MC-IV)

Sl. No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports
14	Hotel The R Blues	A-79, Mahipal Pur, N-14-8, Near I.C.I Airport	10470	31.03.2015	10631	23.04.15	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - Noise Monitoring Report not submitted.
15	Hotel Ramban Place	A-125, Mahipal Pur, N-14-8, Near I.C.I Airport	10455	30.03.2015	10668	23.04.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 200 KVA & 380 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DJB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 34 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 03.08.2015 submitted and parameters are found within limit.


(Salendra Kumar)
SEE (enc-IV)


(K. Kumar)
EE (enc-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
16	Hotel Delhi 37	A-147, Mahipal Pura, NH-8, Near IGI Airport	10405	22.03.15	10626	22.04.15	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.
17	Hotel The Class	A-282, Mahipal Pura, NH-8, Near IGI Airport	10301	03.03.15	10500	20.04.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 17 rooms (without kitchen) MCD license : Valid upto 31.03.2016. Delhi Police license: Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - Noise Monitoring Report dated 03.07.2015 submitted and parameters are found within limit.

(Sahendra Kumar)
Secy (Cmc-IV)

(K. Kumar)
Secy (Cmc-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
18	Bareilly Restaurant	A-2793, Mathpalpur Extn. Delhi-37	10449	30.03.2015	10670	28.4.2015	Not Applicable	Status of Pollution Control System / Devices: ETP installed. AR submitted. D.G. Set: Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Seats : 48 Seats (with kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Valid upto 31.12.2015. Provisional Consent issued on :- 17.07.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of ETP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- N.A
19	Amard Lok Inn Hotel	A-896, Gali No.4, Mathpalpur Extn. Delhi-37	10636	27.04.15	10710	05.5.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 23 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 17.03.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 10.07.2015 submitted and parameters are found within limit.

(Sahendra Kumar) (K. Kumar)
SEE (CMC-IV) EE (CMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
20	Hotel Em	A-247/1, Road No. 06, NH-08, Mahipalpur Extn. Delhi-37	1040	23.03.2015	10630	23.04.15	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Reports:- Air (Emissions) - N.A. Water/Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 16.07.2015 submitted and parameters are found within limit.
21	Fliger Park Hotel	A-162, Road No. 4, Mahipalpur Extn. Delhi-37	10528	10.04.2015	11087	19.06.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 62 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 15.07.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 18 rooms (without kitchen) MCD license: Valid upto 31.12.2015. Delhi Police license: Not Applied. Provisional Consent issued on :- 05.08.2015	Test Reports:- Air (Emissions) - N.A. Water/Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set not submitted.



 Salinder Kumar
 


 K. Kumar

SEE (CMTD)

 EE (CMTD)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
22	The Grace Hotel	59-B, Road No. 4, A-Block, Mahipalpur Extn. New Delhi-110037	10758	11.05.2015	10790	12.05.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 15 rooms (without kitchen) MCD license : Valid upto 31.12.2015. Delhi Police license: Applied. Provisional Consent issued on :-25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)-N.A
23	Hotel Delhi Nurture Club Office & Bar	K-806/1, K-Block, Mahipalpur New Delhi-110037		21.06.2015		13.07.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AIR not submitted. D.G. Set : Nil Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 11.08.2015 and found satisfactory. Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 19 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on : 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-N.A


 (S. Kumar)
 SGT (MC-IV)



 (K. Kumar)
 EE (MC-IV)

Sr. No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Applicant ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports
24	Hotel Impress	A-25, K.B. No. 393, Vasant Kunj Road, NH-8, Mahipalpur Extn, New Delhi-110037	10385	19.03.2015	10594	20.01.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 200 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills submitted. Number of Rooms : 33 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 27.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 03.07.2015 submitted and parameters are found within limit.
25	Hotel Transh	A-58, Road No. 4, Mahipalpur Extn, S145	10425	25.03.15	11628	22.04.15	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 21.08.2015 and found satisfactory Source of Water :- (i) DIB (Applied for connection & receipt submitted) (ii) Tankers. Bills not submitted. Number of Rooms : 39 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied Provisional Consent issued on :- 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 09.09.2015 submitted and found satisfactory. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 10.07.2015 submitted and parameters are found within limit.

(Safender Kumar)
8EE (CMC-IV)


(K. Kumar)
EE (CMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
26	Hotel Galaxy	A-181, Gali No.1, N-1-8, Mahipalpur Extn., New Delhi-110037	10674	29.1.2015	10797	12.05.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 16 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. CGWA permission submitted (name & address not matched) Status of Inspection: Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- (i) Ground Water. CGWA permission submitted (name & not matched). (ii) Tankers. Bills submitted. Number of Rooms : 11 rooms (without kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Not Applied. Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - Noise Monitoring Report not submitted.


(Sadeen Kumar)
SEE (CMC-IV)


(K. K. V. M. H. K.)
EE (CMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
20	Hotel Highway Crown	A-87, NH-08, Mahipalpur Extn, Delhi-37	10759	11.05.2015	10793	12.05.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. Permission not submitted. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Report:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit.
28	Open Hotel	A-122, Multipalpur Extn, Delhi-37	10812	04.04.2015	10764	11.05.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Report:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set) - Noise monitoring report of D.G. Set dated 03.08.2015 submitted and parameters are found within limit.
								Source of Water :- Tankers. Bill submitted. Number of Rooms : 12 rooms (with kitchen) MCD license : Applied Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	

 (S. K. Kumar)
 SEE (CNC-IV)

 (K. K. Kumar)
 EE (CNC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
29	Hotel Lohroad	A-292, NH-08, Mahipalpur Extn, Delhi-37	10624	22.04.15	10727	06.5.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 125 KVA & 250 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bills submitted. Number of Rooms : 67 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set not submitted.
30	Hotel Durga Cementa	A-6, Kowl No-1, NH-8, Mahipalpur Extn, New Delhi 110017	10576	17.01.2015	10520	27.05.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted, however, photographs submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 11.08.2015 and found satisfactory Source of Water :- Tankers. Bill enclosed. Number of Rooms , 24 rooms (without kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied. Provisional Consent issued on : 02.09.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report not submitted.

 (Sander Kumar) (K. Kumar)
 EE (MC-IV) EE (MC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
32	Hotel Norritan Palace	A-27, Road No.1, NH-8, Mahipalpur Exim., New Delhi-110037	10682	29.4.2015	10726	06.5.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set: 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 22 rooms (with kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report not submitted.
32	Hotel Global Inn	A-184, Gali No.1, NH-8, Mahipalpur Exim., New Delhi-110037	10657	27.04.15	10774	11.05.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR not submitted. D.G. Set : 15 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 36 rooms (with kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Applied. Provisional Consent issued on : 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP not submitted. Noise (D.G. Set)-Noise Monitoring Report of D.G. Set not submitted.

(Salvador Kumar)
SEE (CMC-IV)

(K. Kumar)
EE (CMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
33	Hotel Aditya Inn.	272, Kln. No. 339 A, Road No. 1, Mahipalpur Ext. New Delhi-110037	10485	08.04.2015	10732	07.5.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set: 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 & 11.08.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 18 rooms (without kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Applied. Provisional Consent issued on :-25.06.2015 & 25.08.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.
34	Hotel Parkhill Palace	A-15, Road No. 2, Mahipalpur Ext. Near IGI Airport, New Delhi-110037	10021	25.05.2015	11062	16.06.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed and verified through inspection dated 22.06.2015. D.G. Set: Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 15 rooms (without kitchen) MCD license: Applied. Delhi Police license: Not Applied. Provisional Consent issued on :-25.06.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Septic Tank installed and verified through inspection dated 22.06.2015. Noise (D.G. Set)- N.A.

 (Sandeep Kumar) (K Kumar)
 see (CME-IV) EE (CME-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports)
35	Hotel Green Palace	A-51, Road No. 2, Near IGI Airport, Mahipalpur Extn, New Delhi-110037	10427	26.03.2015	10734	07.5.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 62.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 19.08.2015 submitted and parameters are found within limit.
36	Hotel Narmada	NH-8, Near Raddisson Hotel, Near IGI Airport, New Delhi-110037	10553	16.4.2015	11158	26.06.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed and verified through inspection dated 10.07.2015. D.G. Set: Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory. Source of Water :- Tankers. Bill submitted. Number of Rooms : 17 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 21.07.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Septic Tank installed and verified through inspection dated 10.07.2015. Noise (D.G. Set) - N.A

(Sahadev Kumar)
see (Cmc-IV)

(K. Kumar)
EE (Cmc-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports
37	Hotel Taurus (a unit of Taurus International Projects Pvt. Ltd.)	Kh. No A-383 and 384, NH-08, Mahipalpur	10697	20.01.15	10650	27.04.15	Not Applicable	Status of Pollution Control System / Devices: STP installed. Technical AR submitted. D.G. Set: 320 KVA (2 nos) & 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- Tankers. Bills submitted. Number of Rooms : 85 rooms (with kitchen) MCD license : Valid upto 31.03.2016 Delhi Police license: Not Applied Provisional Consent issued on :- 25.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - Effluent analysis report of STP dated 06.04.2015 & 19.08.2015 submitted and found satisfactory. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 23.07.2015 submitted and parameters are found within limit.
38	Hotel RTS	A-66, Mahipal Pur, N.H-8, Near L.C.I. Airport	10697	05.5.2015	10802	12.05.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set: 82.5 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil. Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory Source of Water :- DHB / Tankers. Bill not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Valid upto 31.12.2015 Delhi Police license: Not Applied. Provisional Consent issued on :- 26.06.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 17.08.2015 submitted and parameters are found within limit.

 (S. Kumar)
 SEE (EMC-IV)

 (K. Kumar)
 EE (EMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
39	Castle Blue Hotel	A-109, Gali Multipur Extn. Delhi-37	10667	28.4.2015	10786	12.05.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. D.G. Set : 125 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory	Test Report:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP dated 30.07.2015 submitted and parameters are found within limit. Noise (D.G. Set)- Noise monitoring report of D.G. Set dated 17.08.2015 submitted and parameters are found within limit.
40	Shalimar Hotel	A-Block, A-160, gate no. 4, Madhapur Extn. Near Airport New Delhi-110037	11138	25.06.2015	11139	25.06.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 10.07.2015 and found satisfactory.	Test Report:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A

 (Salim Kumar)
 SEE (CNC-IV)

 & (K. Kumar)
 EE (CNC-IV)

Sl. No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Reports
41	Punjabi Nawab	RZ-A-63, Kh. No 3832/1, NH-8, Malipalpur	10224	25.02.15	10687	30.4.2015	Not Applicable	Status of Pollution Control System / Devices: STP installed. AR submitted. (Common with Taurus Hotel) D.G. Set: Nil. Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on and found under renovation Source of Water :- No Information Number of Rooms : 79rooms MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :-N.A	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - Effluent analysis report of STP Submitted and parameters are found within limit. Noise (D.G. Set)- N.A
42	Hotel De Auro	1-10 A, Ganesh Tower, Mahipal Pur, NH-8, Near IGI Airport	10454	30.03.2015	10809	13.05.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : Nil Status of Ground water extraction: Nil Status of Inspection:- Inspection was carried out on 22.06.2015 and found satisfactory. Source of Water :- Tankers. Bills not submitted. Number of Rooms : 16 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 05.05.2015	Test Reports:- Air (Emissions) - N.A. Water(Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- N.A

 (S. K. Kumar) (K. Kumar)
 Sd/- (MC-IV) Sd/- (MC-IV)

S.No.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
43	Hotel Rainbow	E-552, Vasant Kunj Road, Main Chowk Near IGI Airport, Mathpalpur, New Delhi-110037		Yes			Not Applicable	Status of Pollution Control System / Devices: No Septic Tank installed. D.G. Set : Nil Status of Ground water extraction: Nil Status of Inspection:- Source of Water :- Tankers. Bills not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 07.05.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - N.A
44	Hotel The Crown	308, Mata Chowk, Mathpalpur, New Delhi-110037		Yes			Not Applicable	Status of Pollution Control System / Devices: No Septic Tank installed. D.G. Set : Nil Status of Ground water extraction: Nil Status of Inspection:- inspection was carried out on 11.08.2015 and found operational Source of Water :- Tankers. Bills not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 07.05.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - N.A

 (Sahdev Kumar)
 SEE (CMC-IV)

 (K. Kumar)
 EE (CMC-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
45	Hotel Airport Breeze	NH-8, Rangpur, Mahipalpur, New Delhi-110037	11337	20.07.2015		20.07.2015	Not Applicable	Status of Pollution Control System / Devices: No Septic Tank installed. D.G. Set : Nil. Status of Ground water extraction: Nil Status of Inspection:- inspection was carried out on 02.09.2015 and found Non operational Source of Water :- Tankers. Bills not submitted. Number of Rooms : 12 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Direction issued on 05.05.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set) - N.A

(Signature)
(Sahadeo Kumar)
SEE (enc-IV)

(Signature)
(K. Kumar)
EE (enc-IV)

Sno.	Name	Address	Application ID No. (CTE)	Date of submission of Consent to Establish	Application ID No. (CTO)	Date of submission of Consent to Operate	Authorization Status (Fresh/Renewal)	Brief of the Case	Status of Test Report(s)
46	Global Radiance Hotel	A-250, Gali No.6, Mahipalpur Extn, Delhi-37	10615	22.04.15	11099	22.06.2015	Not Applicable	Status of Pollution Control System / Devices: Septic Tank installed. Photographs submitted. D.G. Set : 35 KVA (acoustic enclosure & adequate stack height provided). Status of Ground water extraction: Yes. Applied for disclosure of borewell. Status of Inspection:- Inspection was carried out on 02.09.2015 and found satisfactory. Source of Water :- Borewell. Application for Voluntary disclosure of existing Borewell/ Tubewells submitted on 31.08.2015 Number of Rooms : 19 rooms (without kitchen) MCD license : Applied. Delhi Police license: Not Applied. Provisional Consent issued on :- 28.10.2015	Test Reports:- Air (Emissions) - N.A. Water (Effluent) - N.A. Photographs of Septic Tank submitted. Noise (D.G. Set)- Noise Monitoring Report of D.G. Set not submitted.


 (S. K. Kumar)
 JTE (MC-IV)


 (K. Kumar)
 JTE (MC-IV)