

 DELHI POLLUTION CONTROL COMMITTEE (Government of N.C.T. of Delhi) 4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006 Website : http://www.dpcc.delhigovt.nic.in  CONSENT MANAGEMENT										
Agenda No 2 - Annexure I - 49 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category w.e.f. 01.07.2012 to 31.07.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) on 16.08.2012.										
S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee	Action
1	DPCC/EC/2/1/2012/2024 02-07-2012	M.G. POLYBLENDS A-11, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	PLASTIC MOULDED PRODUCTS INCLUDING MASTERBATCHES (COLOURED PLASTIC GRANULES). Plastic Processed Goods	Consent Application No. 1 Application Date 06-07-2002 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 19-07-2002 Consent Expiry Date 05-07-2003 Consent Application No. 2 Application Date 05-10-2005 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 19-06-2006 Consent Expiry Date 18-08-2009 Consent Application No. 3 Application Date 18-08-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 04-12-2009 Consent Expiry Date 17-08-2012 • Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	16-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.	-
2	DPCC/EC/2/1/2012/2025	RAJESH PLASTIC PRODUCTS	Narela Industrial Area	Orange Renewal	MFG. OF PVC COMPOUND (WITHOUT REPROCESSING).			13-08-2012 (1)ETP ---- N/A	16-08-2012 Renewal of Consent to Operate granted	-

	02-07-2012	C-401, NARELA INDUSTRIAL AREA			Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	Consent Application No. 1 Application Date 26-07-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 04-09-2003 Consent Expiry Date 25-07-2005 Consent Application No. 2 Application Date 06-09-2005 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 14-06-2006 Consent Expiry Date 05-09-2008 Consent Application No. 3 Application Date 22-09-2008 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- 01-01-1996 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 105 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set: ...Nil... Note: old record is not tracable	without using plastic scrap as a raw material.	
3	DPCC/EC/2/1/2012/2026 02-07-2012	SHRI PAUL C-401, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MANUFACTURING OF PLASTIC DANA. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Note: old record is not tracable	16-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.	-

						Consent Application No. 1 Application Date 26-07-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 13-06-2003 Consent Expiry Date 25-07-2005 Consent Application No. 2 Application Date 06-09-2005 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 14-06-2006 Consent Expiry Date 05-09-2008 Consent Application No. 3 Application Date 22-09-2008 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- 01-01-1994 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 90 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day				
4	DPCC/EC/2/1/2012/2028 02-07-2012	B.V. PLASTIC PVT. LTD. C-176, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)			13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 13-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit .	16-08-2012 Renewal of Consent to Operate granted.	-

						Consent Application No. 1 Application Date 28-03-2003 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 17-06-2003 Consent Expiry Date 27-03-2006 Consent Application No. 2 Application Date 01-08-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 05-09-2006 Consent Expiry Date 31-07-2009 Consent Application No. 3 Application Date 06-07-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 480 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
5	DPCC/EC/2/1/2012/2065 03-07-2012	VEENOO ELECTRONICS PLOT NO 6A, TILAK NAGAR INDL. AREA	Tilak Nagar Industrial Area	Orange Operate	MFG.OF PLASTIC GOODS. Plastic Processed Goods		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details:No (6) Closure directions u/s 31(A)/33(A)/5	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-

						Consent Application No. 1 Application Date 01-11-2010 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 29-03-2011 Consent Expiry Date 28-03-2012 • Date of commissioning of project ---- • Built Up Area ---- 6000 (in sq. meter) • Water Consumption ---- 225 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 90 liters/day (b) Trade Effluent ---- 0 liters/day		of EPA details:No		
6	DPCC/EC/2/1/2012/2072 04-07-2012	MAHABALI BAJRANGBALI INDUSTRIES T-2/136, PHASE I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)			13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	16-08-2012 Renewal of Consent to Operate granted.	-

						Consent Application No. 1 Application Date 04-07-2003 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 29-09-2003 Consent Expiry Date 03-07-2006 Consent Application No. 2 Application Date 25-07-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 09-11-2006 Consent Expiry Date 24-07-2009 Consent Application No. 3 Application Date 17-08-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 27-10-2009 Consent Expiry Date 16-08-2012 • Date of commissioning of project ---- • Built Up Area ---- 83.2 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day				
7	DPCC/EC/2/1/2012/2078 05-07-2012	DHARAMPAL SATYAPAL LTD. 98, PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Renewal	MIXING OF PERFUMES. Manufacturing/formulation of Perfumery and Cosmetics (Not involved in the process - Production and /or industrial use of solvents and Production and/or industrial use of paints, pigments, lacquers ,varnishes, plastics and inks)			14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	16-08-2012 Renewal of Consent to Operate granted.	-

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrange.php

						Consent Application No. 1 Application Date 13-07-2007 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 19-11-2009 Consent Expiry Date 18-11-2010 • Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day			
9	DPCC/EC/2/1/2012/2085 05-07-2012	BHARAT PLASTIC INDUSTRIES A-92/3, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	16-08-2012 Renewal of Consent to Operate granted.	-

						Consent Application No. 1 Application Date 01-05-2000 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 03-05-2000 Consent Expiry Date 30-04-2003 Consent Application No. 2 Application Date 09-04-2003 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 01-07-2003 Consent Expiry Date 08-04-2006 Consent Application No. 3 Application Date 20-03-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 01-06-2006 Consent Expiry Date 08-04-2009 Consent Application No. 4 Application Date 18-03-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day				
10	DPCC/EC/2/1/2012/2086	BEST FOOTWEAR CO. PVT LTD	Mayapuri Industrial Area	Orange Renewal	PVC FOOTWEAR PVC Footwear (Using			13-08-2012 (1)ETP ---- N/A	16-08-2012 Renewal of Consent to Operate granted.	-

	05-07-2012	E-173, PHASE II, MAYAPURI INDUSTRIAL AREA			Fresh Raw Material)	Consent Application No. 1 Application Date 28-03-2003 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 17-06-2003 Consent Expiry Date 27-03-2006 Consent Application No. 2 Application Date 01-08-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 20-11-2006 Consent Expiry Date 31-07-2009 Consent Application No. 3 Application Date 06-07-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 135 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 13-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
11	DPCC/EC/2/1/2012/2091 05-07-2012	INDIAN OIL CORPORATION LTD. L.P.G.BOTTLING PLANT,MADANPUR,KHADAR	NEW DELHI	Orange Renewal	LPG BOTTLING. Fuel Gases (Filling and Bottling)		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 625 KVA. Noise monitoring report dated 04-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. It is mentioned in the NMR that the D. G. Set monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment	16-08-2012 Renewal of Consent to Operate granted.	-

						Consent Application No. 1 Application Date 11-06-2003 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 21-07-2003 Consent Expiry Date 10-06-2006 Consent Application No. 2 Application Date 13-07-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 10-11-2006 Consent Expiry Date 12-07-2009 Consent Application No. 3 Application Date 10-07-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 09-02-2011 Consent Expiry Date 09-07-2012 HWM Application No. 1 Application Date 02-03-2010 Authorisation Status Approved Authorisation Issue Date 25-02-2011 Authorisation Expiry Date 01-03-2015 • Date of commissioning of project ---- • Built Up Area ---- 129500 (in sq. meter) • Water Consumption ---- 20000 liters/day • Ground Water ---- 20000 liters/day • Waste Water generation (a) Domestic Effluent ---- 8000 liters/day (b) Trade Effluent ---- 0 liters/day	(Protection) Rules, 1986 is not meeting. The unit has 1 D.G. Set(s) of 500, 250 KVA. Noise monitoring report dated 04-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. It is mentioned in the NMR that the D. G. Set monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. As decided by the CMC (O) in its meeting held on 13.01.11, CTR & HWM authorization were issued on 25.02.11. Letter was also issued to DJB on 25.02.11 regarding ground water extraction. EARLIER CMC DECISION 10.11.06 Consent to Operate (Renewal) granted. 13.01.11 Issue renewal of consent and authorization under HWM Rules. Inform to DJB regarding ground water extraction.		
12	DPCC/EC/2/1/2012/2103	POLYTECH INDUSTRIES	Jhilmil	Orange	SUBMERSIBLE WINDING		16-08-2012	16-08-2012	-

	09-07-2012	B-15/3,JHILMIL INDUSTRIAL AREA,	Industrial Area	Renewal	WIRES Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	Consent Application No. 1 Application Date 03-04-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 25-09-2002 Consent Expiry Date 20-09-2005 Consent Application No. 2 Application Date 02-09-2005 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 03-10-2006 Consent Expiry Date 19-09-2008 Consent Application No. 3 Application Date 10-07-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 04-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	Renewal of Consent to Operate granted.	
13	DPCC/EC/2/1/2012/2113 10-07-2012	YASCHICA STEEL A-75/2 WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Operate	Cold Re Rolling of S. S. Sheets. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	16-08-2012 Consent to Operate granted.	-

21-08-2012

						Consent Application No. 1 Application Date 30-11-1999 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 02-12-1999 Consent Expiry Date 30-12-2002 Consent Application No. 2 Application Date 30-11-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 18-02-2003 Consent Expiry Date 29-11-2005 Consent Application No. 3 Application Date 07-08-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending HWM Application No. 1 Application Date 14-01-2011 Authorisation Status Pending • Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	found in defunct condition with partially acoustic with 62.5 KVA & having inadequate stack height. 4. No bore well exist. (5) SCN u/s 5 of EPA details : issued on 11.05.11 Unit has submitted its reply on 23.05.11 & 20.06.11 along with an affidavit stating that they have already sold the DG set. In their earlier CTO application, they have mentioned the activity as packing of enamel paint but there is mixing process is also so please treat their application with an activity as Mixing and packing of enamel paints. Now, the unit has applied with an activity of Mixing of Enemal Paints and Packing. EARLIER CMC DECISION 11.10.10 Inspection be conducted. Ask the unit to apply for authorization under HWM Rules 30.03.11 Issue SCN u/s 5 of EPA incorporating the concealment of the complete process / activity by the unit.		
16	DPCC/EC/2/1/2012/2128 11-07-2012	SHIVAM ELECTRICAL INDUSTRIES F192, SEC-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCTS Plastic Processed Goods		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-

[illegible]

						Consent Application No. 1 Application Date 17-04-2003 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 19-06-2003 Consent Expiry Date 16-04-2006 Consent Application No. 2 Application Date 06-06-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 22-06-2006 Consent Expiry Date 16-06-2009 Consent Application No. 3 Application Date 16-06-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 26-09-2011 Consent Expiry Date 15-06-2012 • Date of commissioning of project ---- • Built Up Area ---- 570 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 0 liters/day				
18	DPCC/EC/2/1/2012/2142 13-07-2012	AMAR JYOTI PLASTIC INDUSTRIES 29, DSIDC SHEDS, BLOCK-A, JHILMIL INDUSTRIAL AREA, G.T. ROAD, SHAHDRA	Jhilmil Industrial Area	Orange Operate	Mfg. of Wires and Cables and Electrical Goods. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-	

21-08-2012

	16-07-2012	I-2110, DSIDC NARELA INDUSTRIAL AREA	Area		FOOTWEARS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) PVC Footwear (Using Fresh Raw Material)	Consent Application No. 1 Application Date 30-08-2006 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 06-11-2006 Consent Expiry Date 05-11-2007 Consent Application No. 2 Application Date 13-05-2008 Category Orange Consent Apply For Operate Consent Status Pending • Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 146.84 (in sq. meter) • Water Consumption ---- 175 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 85 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set: ...Nil Note: old record is not tracable	using plastic scrap as a raw material.	
21	DPCC/EC/2/1/2012/2164 17-07-2012	KRISHNA POLYMERS D-7, DSIDC NANGLOI INDUSTRIAL AREA	Nangloi Industrial Area	Orange Renewal	Mfg. of Polythene Tube (Plastic Tripal) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	Consent Application No. 1 Application Date 26-07-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 05-06-2003 Consent Expiry Date 25-07-2005 Consent Application No. 2 Application Date 25-08-2008 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 128 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	16-08-2012 Renewal of Consent to Operate granted without mfg .of plastic bags and without using plastic scrap as a raw material.	-

22	DPCC/EC/2/1/2012/2165	GARG INDUSTRIES F-14, DSIDC NANGLOI INDUSTRIAL AREA 17-07-2012	Nangloi Industrial Area	Orange Renewal	MFG OF PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)	Consent Application No. 1 Application Date 23-07-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 27-06-2003 Consent Expiry Date 22-07-2005 Consent Application No. 2 Application Date 24-08-2005 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 15-06-2006 Consent Expiry Date 23-08-2008 Consent Application No. 3 Application Date 19-08-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 08-10-2009 Consent Expiry Date 18-08-2012 • Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	16-08-2012 Renewal of Consent to Operate granted.	-
23	DPCC/EC/2/1/2012/2167	SATISH T2/186, PHASE-I, MANGOLPURI INDUSTRIAL AREA 17-07-2012	Mangolpuri Industrial Area	Orange Operate	MFG OF FOOTWEAR PVC Footwear (Using Fresh Raw Material)		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	16-08-2012 Consent to Operate granted.	-

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrange.php

						Consent Application No. 1 Application Date 02-08-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 23-12-2003 Consent Expiry Date 01-08-2005 Consent Application No. 2 Application Date 01-08-2005 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 17-08-2006 Consent Expiry Date 01-08-2008 Consent Application No. 3 Application Date 10-11-2008 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 404.8 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	(4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
26	DPCC/EC/2/1/2012/2170 17-07-2012	PARAG METAL UDYOG C-36/2, WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Operate	ALUMINUM CASTING (BY PIT FURNACE ONLY), ROLLING AND ANNEALING. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing		14-08-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) Stack monitoring report dated 12-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	16-08-2012 Inspection be conducted.	-

						Consent Application No. 1 Application Date 28-03-2003 Category Orange Consent Apply For Establish Consent Status Pending Consent Application No. 2 Application Date 18-07-2007 Category Orange Consent Apply For Operate Consent Status Pending Consent Application No. 3 Application Date 01-07-2009 Category Orange Consent Apply For Establish Consent Status Pending HWM Application No. 1 Application Date 28-11-2003 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 18-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 18-07-2007 Authorisation Status Pending • Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day	Note: old record is not tracable		
27	DPCC/EC/2/1/2012/2174	M.C.R. ENTERPRISES	Mangolpuri	Orange	AUTOMOBILE WORKSHOP		14-08-2012	16-08-2012	-

	17-07-2012	T-2/175, PHASE-I MANGOLPURI INDL. AREA	Industrial Area	Operate	OF TWO WHEELERS (WITHOUT WASHING). Automobile Repair and Servicing (Without Washing)	Consent Application No. 1 Application Date 21-06-2011 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 01-12-2011 Consent Expiry Date 30-11-2012 HWM Application No. 1 Application Date 17-07-2012 Authorisation Status Pending • Date of commissioning of project ---- 01-08-2012 • Built Up Area ---- 140 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil SCN u/s 31(A) of Air ACt was issued on 07.05.2012	File be put up administratively.	
28	DPCC/EC/2/1/2012/2176 17-07-2012	NIRMAL PLASTIC A-53, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	MANUFACTURING OF PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)		13-08-2012 (1)ETP ---- N/A , (2)ECS - N/A , (3)D.G.Set: ...N/A... , (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	16-08-2012 Renewal of Consent to Operate granted.	-

Consent Application No.	1
Application Date	06-04-2000
Category	Orange
Consent Apply For	Operate
Consent Status	Approved
Consent Issue Date	04-05-2000
Consent Expiry Date	05-04-2003

Consent Application No.	2
Application Date	11-08-2003
Category	Orange
Consent Apply For	Operate (Renewal)
Consent Status	Approved
Consent Issue Date	04-09-2003
Consent Expiry Date	10-08-2006

Consent Application No.	3
Application Date	30-08-2006
Category	Orange
Consent Apply For	Operate (Renewal)
Consent Status	Approved
Consent Issue Date	25-09-2006
Consent Expiry Date	29-08-2009

Consent Application No.	4
Application Date	21-07-2009
Category	Orange
Consent Apply For	Establish
Consent Status	Approved
Consent Issue Date	18-06-2010
Consent Expiry Date	18-06-2011

Consent Application No.	5
Application Date	21-07-2009
Category	Orange
Consent Apply For	Establish
Consent Status	Approved
Consent Issue Date	24-11-2010
Consent Expiry Date	20-07-2012

						• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day				
29	DPCC/EC/2/1/2012/2190 19-07-2012	G LINE CREATIONS 391 FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	MFG. OF READYMADE GARMENTS(W/O WASHING)WITH BOILER Readymade Garment with oil fired boiler (Without Washing/Dyeng)	Consent Application No. 1 Application Date 10-05-2012 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 11-07-2012 Consent Expiry Date 10-07-2013 • Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 27-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 25.06.12, CTE was issued on 11.07.12 EARLIER CMC DECISION 25-06-2012 (2b) Consent to Establish granted without trade effluent .	16-08-2012 Consent to Operate granted without trade effluent.	-
30	DPCC/EC/2/1/2012/2203 20-07-2012	HORIZON INDUSTRIES 47, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	ELECTRIC CABLE, WIRE AND CONDUCTOR. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	Consent Application No. 1 Application Date 07-12-2007 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 18-11-2009 Consent Expiry Date 17-11-2010 Consent Application No. 2 Application Date 03-08-2009 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 24-11-2010 Consent Expiry Date 02-08-2012 • Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - stack connected to extruder (a) Stack analysis report dated - 04.07.2012 - issued by - DTU - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	16-08-2012 Consent to Operate granted.	-
31	DPCC/EC/2/1/2012/2207	PRIME CABLE INDUSTRIES	Narela	Orange	Mfg. of PVC Wire and			14-08-2012	16-08-2012	-

	23-07-2012	A UNIT OF R.C. CABLE PVT. LTD. PLOT NO-894, PKT-E, DSIDC NARELA INDL. AREA	Industrial Area	Operate	Cable, PVC Fresh Compound and Sheet Metal Works Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	Consent Application No. 1 Application Date 17-02-2012 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 27-04-2012 Consent Expiry Date 26-04-2013 • Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	Consent to Operate granted without using plastic scrap as a raw material.	
32	23-07-2012	N.C. CABLES LTD. X-56 PHASE-II OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF PVC AND XLPE WIRES AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	Consent Application No. 1 Application Date 05-04-2011 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 06-09-2011 Consent Expiry Date 05-09-2012 • Date of commissioning of project ---- • Built Up Area ---- 505 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 22-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 10.08.11, CTE was issued on 06.09.11. EARLIER CMC DECISION 10.08.11 Issue consent to establish.	16-08-2012 Consent to Operate granted.	-
33	23-07-2012	DEEP PRINTERS 70-A, RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	OFFSET PRINTING. Printing Press (Without Trade Effluent Discharge)			13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	16-08-2012 Renewal of Consent to Operate (without trade effluent discharge) and Authorization under HWM Rules granted.	-

[illegible]

						• Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day				
34	DPCC/EC/2/1/2012/2214 23-07-2012	DARSH PLASTIC PVT. LTD. O-130, SECTOR-1, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PLASTIC GRANULES Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	Consent Application No. 1 Application Date 19-07-2012 Category Orange Consent Apply For Establish Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-
35	DPCC/EC/2/1/2012/2218 24-07-2012	KANOJIA ENGG. WORKS PLOT NO. 25 POCKET-K, SECTOR-3, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Renewal	MFG. OF AUTO ACCESSORIES AND JOB WORK IRON AND PLASTIC MOULDED ITEMS Plastic Processed Goods			16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrange.php 21-08-2012

[illegible]

						Consent Application No. 1 Application Date 28-04-2003 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 06-06-2003 Consent Expiry Date 27-04-2006 Consent Application No. 2 Application Date 09-06-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 29-06-2006 Consent Expiry Date 11-06-2009 Consent Application No. 3 Application Date 23-07-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 24-11-2010 Consent Expiry Date 22-07-2012 • Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day				
38	DPCC/EC/2/1/2012/2227 24-07-2012	NITIN POLYMERS J-15, ROHTAK ROAD, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	MFG.OF ALL KINDS OF EVA/PVC FOOTWEAR INCLUDING LEATHER FOOTWEAR WITHOUT TANNING. Eva Footwear and Eva Compound PVC Footwear (Using Fresh Raw Material)			13-08-2012 (1)ETP ---- N/A . (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	16-08-2012 Renewal of Consent to Operate granted.	-

21-08-2012

	25-07-2012	INDUSTRIAL AREA			Granules and Other Injection Moulded Items (Without Reprocessing Activity)	Consent Application No. 1 Application Date 04-08-2003 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 10-09-2003 Consent Expiry Date 08-08-2006 Consent Application No. 2 Application Date 03-08-2006 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 25-08-2006 Consent Expiry Date 08-08-2009 Consent Application No. 3 Application Date 17-08-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 08-10-2009 Consent Expiry Date 16-08-2012 • Date of commissioning of project ---- • Built Up Area ---- 580 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	material.		
41	DPCC/EC/2/1/2012/2231 25-07-2012	POLYPLAST PVT LTD 6/3,KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	PLASTIC FOOTWEAR PVC Footwear (Using Fresh Raw Material)			13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which	16-08-2012 Renewal of Consent to Operate granted.	-

						Consent Application No. 1 Application Date 18-08-2006 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 19-09-2006 Consent Expiry Date 17-08-2009 Consent Application No. 2 Application Date 17-08-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 23-12-2009 Consent Expiry Date 16-08-2012 Consent Application No. 3 Application Date 06-11-2009 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 23-12-2009 Consent Expiry Date 22-12-2010 • Date of commissioning of project ---- • Built Up Area ---- 532 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	are within limit . (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
42	DPCC/EC/2/1/2012/2232 25-07-2012	MAYUR PLASTICS C-178, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MANUFACTURING OF PLASTICS INJECTION MOULDED GOODS. Plastic Processed Goods		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	16-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.	-

						Consent Application No. 1 Application Date 14-10-2004 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 05-11-2004 Consent Expiry Date 13-10-2007 Consent Application No. 2 Application Date 14-09-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Approved Consent Issue Date 20-07-2010 Consent Expiry Date 13-09-2012 Consent Application No. 3 Application Date 11-12-2009 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 17-02-2010 Consent Expiry Date 16-02-2011 • Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day			
43	DPCC/EC/2/1/2012/2236 26-07-2012	MINI TECH WIRES DSIDC SHED NO. 29, PH-II, SEC-III, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	DRAWING OF COPPER WIRE, EXTRUSION OF WIRE AND CABLE. Copper Wire Drawing Without Super Enamelling, pickling (Dry Process) Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by CMC(O) in its meeting held on 16.03.2010, CTE was issued on 15.04.2010 As decided by CMC(O) in its meeting held on 11.10.2010, a letter was sent to DJB regarding ground water extraction on 13.12.10 and a letter was issued to the unit to apply for authorization under HWM Rules On 13.12.10.	16-08-2012 Consent to Operate and Authorization under HWM Rules granted.	-

						Consent Application No. 1 Application Date 27-12-2004 Category Orange Consent Apply For Operate Consent Status Rejected Consent Refused Date 30-05-2005 Consent Application No. 2 Application Date 31-07-2006 Category Orange Consent Apply For Operate Consent Status Pending Consent Application No. 3 Application Date 30-07-2009 Category Orange Consent Apply For Operate Consent Status Pending Consent Application No. 4 Application Date 05-02-2010 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 15-04-2010 Consent Expiry Date 14-04-2011 HWM Application No. 1 Application Date 02-08-2004 Authorisation Status Pending HWM Application No. 2 Application Date 31-01-2011 Authorisation Status Pending • Date of commissioning of project ---- • Built Up Area ---- 100.25 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation	Unit applied for authorization under HWM Rules on 31.01.2011. EARLIER CMC DECISION 16.03.2010 Issue Consent to Establish 11.10.2010 Ask the unit to apply for authorization under HWM Rules. Inform to DJB regarding ground water extraction.		
--	--	--	--	--	--	---	--	--	--

						(a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day				
44	DPCC/EC/2/1/2012/2242 26-07-2012	MANGI LAL JAIN 1/536-A/3, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Operate	MFG.OF PVC COMPOUND AND WIRES AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sq.m Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	Consent Application No. 1 Application Date 04-03-2003 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 07-03-2003 Consent Expiry Date 03-03-2004 • Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-
45	DPCC/EC/2/1/2012/2246 26-07-2012	VENEZIA CERAMICA (P) LTD B-2/3, PHASE II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	DECORATION OF CERAMIC TILES Spray Painting, Paint Baking, Paint Stripping			16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	16-08-2012 Consent to Operate and Authorization under HWM Rules granted.	-

						Consent Application No. 1 Application Date 21-09-2005 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 03-10-2005 Consent Expiry Date 02-10-2006 Consent Application No. 2 Application Date 29-12-2006 Category Orange Consent Apply For Operate Consent Status Pending HWM Application No. 1 Application Date 29-12-2006 Authorisation Status Pending HWM Application No. 2 Application Date 26-07-2012 Authorisation Status Pending • Date of commissioning of project ---- • Built Up Area ---- 470 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day			
46	DPCC/EC/2/1/2012/2252 27-07-2012	WELCOME SHOES PVT LTD H-24, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	EVA FOOTWEAR. Eva Footwear and Eva Compound		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 23- 07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit . (4) Inspection details: no	16-08-2012 Renewal of Consent to Operate granted.	-

						Consent Application No. 1 Application Date 11-07-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 03-06-2003 Consent Expiry Date 11-07-2005 Consent Application No. 2 Application Date 27-06-2005 Category Orange Consent Apply For Operate (Renewal) Consent Status Rejected Consent Refused Date 26-09-2006 Consent Application No. 3 Application Date 30-04-2009 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending • Date of commissioning of project ---- • Built Up Area ---- 720 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	(5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
47	DPCC/EC/2/1/2012/2258 30-07-2012	GUPTA TRADERS 340/41, GALI NO. 1B, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	MFG. OF PVC COMPOUND AND PVC PRODUCTS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 19.08.10, CTO was issued on 17.09.10. In earlier CTO file, unit has mentioned that source of water supply is through ground water & purchase. However, in current CTR file unit has mentioned that source of water supply is through outside purchase.	16-08-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.	-

						Consent Application No. 1 Application Date 01-08-2002 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 09-01-2004 Consent Expiry Date 31-07-2005 Consent Application No. 2 Application Date 29-07-2005 Category Orange Consent Apply For Operate (Renewal) Consent Status Pending Consent Application No. 3 Application Date 26-08-2008 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 05-08-2009 Consent Expiry Date 04-08-2010 Consent Application No. 4 Application Date 18-08-2009 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 17-09-2010 Consent Expiry Date 17-08-2012 • Date of commissioning of project ---- • Built Up Area ---- 167 (in sq. meter) • Water Consumption ---- 220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day Earlier CMC Decisions 17.06.2009 Issue Consent to Establish. Ask the unit to apply for renewal of consent afresh. Call on 19.08.2009. 09.09.09 Refer to DJB for ground water extraction. 13.11.09 Put up in next CMC. 19.08.10 Issue consent to operate.			
48	DPCC/EC/2/1/2012/2259 30-07-2012	BHUPINDER ENGINEERING WROKS A-148, SECTOR-II BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCTS AND LIGHT ENGINEERING WORKS. Plastic Processed Goods		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-

						Consent Application No. 1 Application Date 15-01-2008 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 15-12-2009 Consent Expiry Date 14-12-2010 Consent Application No. 2 Application Date 03-07-2009 Category Orange Consent Apply For Operate Consent Status Pending • Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Note: old record is not tracable		
49	DPCC/EC/2/1/2012/2261 30-07-2012	H.K. PLASTIC PLOT NO.91 PKT-N, SEC-2 DSIDC INDL. AREA BAWANA	Bawana Industrial Area	Orange Operate	mfg. of pvc resin sheet without trade effluent. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	Consent Application No. 1 Application Date 19-12-2011 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 30-05-2012 Consent Expiry Date 29-05-2013 • Date of commissioning of project ---- 10-09-2007 • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	16-08-2012 Consent to Operate granted without using plastic scrap as a raw material.	-