



Agenda No 2 - Annexure II - 39 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category w.e.f. 01.07.2012 to 31.07.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2c category) on 16.08.2012.

21-08-2012

							(a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 06-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: Inspection conductd on 26.07.2012 and during the inspection following were observed: 1.) unit found engaged in activity of service and maintianance of automobiles. 2.) ETP found installed and function properly. 3.) One DG set found installed with accoustic enclosure with adequate stack height. 4.) HW is being disposed to registered recycler. (5) SCN u/s 31(A)/33(A)/5 of EPA were issued on 26.09.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA were issued on 23.02.2012.	
3	DPCC/EC/2/1/2012/2038 02-07-2012	AUTO CARE CENTRE NITI MARG, CHANAKYAPURI	SOUTH WEST	Orange Operate	FILLING STATION CUM SERVICE STATION OF CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 501.6 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day	13-08-2012 (1)ETP ---- Physiochemical (a) AR dated 30.09.2009 issued by DTU. submitted. (b) Effluent analysis report dated 23-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

4	DPCC/EC/2/1/2012/2047	RICHA GLOBAL EXPORTS PVT. LTD. A-41, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	Mfg. of Readymade Garments With Washing. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1451.4 (in sq. meter) • Water Consumption ---- 45000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 0 liters/day	13-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 10.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 380, 625 KVA. Noise monitoring report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	16-08-2012 Recommended for grant of Consent to Operate.
5	DPCC/EC/2/1/2012/2048	RICHA & CO. B-34, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Readymade Garments With Washing. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1451.4 (in sq. meter) • Water Consumption ---- 42000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day	13-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - stack connected to thermic fluid heater (b) Stack monitoring report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250	16-08-2012 Recommended for grant of Renewal of Consent to Operate.

21-08-2012

							(3)D.G.Set: ...Nil	
9	DPCC/EC/2/1/2012/2058 03-07-2012	CHANDRA PACKAGING INDUSTRIES PLOT NO-8,SEC- 3,POCKET- H,DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	13-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 10.03.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 08- 06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	16-08-2012 Recommended for grant of Consent to Operate.
10	DPCC/EC/2/1/2012/2059 03-07-2012	SHIVA INDUSTRIES PLOT NO. 3, SEC- 1, PKT-N, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	14-08-2012 (1)ETP ---- N/A (2)ECS - cyclone/ bag filter (a) AR dated 10.03.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 08- 06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... Note: old record is not tracable	16-08-2012 Recommended for grant of Consent to Operate.
11	DPCC/EC/2/1/2012/2073 04-07-2012	J.J. IMPEX (DELHI) PVT. LTD. 9, GTK ROAD S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	AUTOMOBILE WORKSHOP CUM SERVICE STATION Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 4645.1 (in sq. meter) • Water Consumption ---- 14750 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 7000 liters/day	13-08-2012 (1)ETP ---- Physico-chemical (a) AR dated 19.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-06- 2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 04- 05-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 04-05- 2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 22- 05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes	16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
12	DPCC/EC/2/1/2012/2081 05-07-2012	SHREE SUDARSHAN INDUSTRIES PLOT NO.-B-8, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	COPPER HOT RE- ROLLING Re-rolling mill hot (oil or gas fired) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated August 2011 issued by Jamia Milia Islamia submitted. (b) Stack monitoring report dated 29- 06-2012 issued by DELHI COLLEGE OF	16-08-2012 Recommended to seek stack monitoring report of the D.G. Set of 1250 KVA from empanelled laboratory of DPCC.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

							are within limit .	
							(4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
15	DPCC/EC/2/1/2012/2098 06-07-2012	AAA VEHICLEADES PVT. LTD B-244, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	AUTOMOBILE/VEHICLES SERVICE AND REPAIR UNIT. Automobile Servicing And Repair Station With Washing Activity with burner	- Date of commissioning of project ---- - Built Up Area ---- 2106.16 (in sq. meter) - Water Consumption ---- 4800 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 3200 liters/day	14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated21.05.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 07-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 22-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 30.03.12 & following were observed: a) The unit was found in operational. As reported electricity/ water connection has not been disconnected. b) The unit has installed an ETP comprising oil & grease trap, collection cum equalization tank, reaction cum tube settler tank, sludge drying bed etc which was found in operation. c) Dry/ wet sludge was observed. d) Copy of ETP log book and HW record obtained. e) Bore well exist in the premises. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 14.11.11. SCN for revocation of consent was also issued on 14.11.11. However, no reply has been received.	16-08-2012 Revocation of closure direction approved on file. Recommended for grant of Consent to Operate and authorization under HWM Rules and to be issued after revocation of closure directions.

							(6) Closure directions u/s 31(A), 33(A) & 5 of EPA details : issued on 30.01.12. Revocation of consent was also issued on 30.01.12. As approved, letter was issued to concerned authorities i.e., MCD, SDM, BSES & DJB on 13.04.12 for seeking compliance. Unit has submitted its representations on 24.04.12 stating that electricity of the unit disconnected and they have rectify all the deficiencies observed during inspection and requesting to withdraw the closure direction issued on 30.01.12 & to restore the electricity connection of the unit. As approved, temporary revocation of closures issued on 30.04.12 for submission of fresh application for Consent to operate and authorization under HWM Rules. Unit has submitted its reply on 18.06.12 along with the photocopy adequacy report of ETP dated 21.05.12, Water analysis report, SMR & NMR of DG set (82.5 KVA) and copy of CTO under orange category (which was revoked on 30.01.12). Unit has applied for CTO and authorization under HWM Rules.	
16	DPCC/EC/2/1/2012/2106 09-07-2012	DIMPLE CREATIONS PVT. LTD C-64/5, PH-II OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF READYMADE GARMENTS. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 632.48 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune, 2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 21-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	16-08-2012 Recommended to inspect the unit.

										(3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 21-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 18.01.11 w.r.t a public complaint & following were observed: a) During the inspection it was reported by the representative of the unit that now samples of readymade garments are made in this unit. b) The unit has installed an ETP which was not found in operation. c) No wet sludge was observed. Only some dry sludge was observed in a container. d) The unit is also engaged in dyeing of samples/ accessories button etc. and trade effluent generated from the dyeing activity is being discharged directly into the sewer without any treatment. e) Adequate stack height has not been provided with two oil fired boilers. f) The unit is having two DG sets of 180 KVA & 15 KVA. Adequate stack height and acoustic enclosure has not been provided with the D G set of 15 KVA(Not in use as reported). g) The unit is not complying with the provisions of HWM Rules as mentioned above in column no18. h) ETP log book and record of hazardous waste were not available. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 07.02.11. As decided by the CMC (O) in its meeting held on 17.06.11, SCN for refusal and SCN for revocation of consent to establish were issued on 29.07.11 letter was also issued on 29.07.11 for submission of Bank Guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year. Unit has submitted above mentioned BG on 12.08.11. EARLIER CMC DECISION
--	--	--	--	--	--	--	--	--	--	--

								17.06.11 Issue SCN for refusal of consent and SCN for revocation of consent to establish. Also ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year.	
17	DPCC/EC/2/1/2012/2115 10-07-2012	DURGA METAL WORKS 1/536, GALI NO.4, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Operate	Mfg. of Aluminium Products (Kitchen Utensils) With Buffing. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 93 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated June 2012 issued by DTU submitted. (b) Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... As decided by CMC (O) in its meeting held on 05.07.12, CTE was prepared online on 06.08.2012. EARLIER CMC DECISION 05.07.2012 Consent to Establish granted	16-08-2012 Recommended for grant of Consent to Operate.
18	DPCC/EC/2/1/2012/2118 10-07-2012	DURGA STEEL INDUSTRIES (UNIT-2) B-30/1 (IIIRD FLOOR), WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF UTENSILS WITH BUFFING AND DRY POLISHING Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 04.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil	16-08-2012 Recommended for grant of Consent to Operate.
19	DPCC/EC/2/1/2012/2120 11-07-2012	RAM SARUP RAM NIWAS B-66, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 20.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 03-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	16-08-2012 Recommended for grant of Consent to Operate.
20	DPCC/EC/2/1/2012/2122	HOME (AT THE RATE) F37 (A UNIT OF RAM	SOUTH	Orange Operate	Guest House. Hotel With Atleast 20			14-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR datedMay, 2012..... issued	16-08-2012 Recommended for grant of Consent to

	11-07-2012	RESORTS & INDUSTRIES (P) LTD. F-37, EAST OF KAILASH		Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 772 (in sq. meter) • Water Consumption ---- 2900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 0 liters/day	byJamia Millia Islamia..... submitted. (b) Effluent analysis report dated 28-06-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 21.11.11 w.r.t & following were observed: 1. The premises is used for the purpose of Guest House at ground floor, first floor, second floor and third floor with 21 rooms (42 beds). 2. One D.G set with 62 KVA installed at roof top with acoustic enclosure and proper stack height. 3. Channelization is provided in the kitchen with stack height of 2 feet above roof top. (5) SCN u/s 31(A) & 33(A) details : issued on 12.12.11. Unit has submitted its reply on 15.12.11 & 10.01.12. The unit has informed vide its reply submitted on 15.12.11 that they have placed an order to install a STP to M/s Sai Nath Hardware Pvt. Ltd. C/o M/s Sintex Industries Ltd vide its letter dt. 06.12.11. It has also been mentioned in the reply that they are submitting their application for CTE & CTO and requested for withdrawal of above show cause notice. Now the unit has informed vide its reply submitted on 10.01.12 that they have installed ETP and the same is now operational. As approved, letter was issued on 13.02.12 for submission of an affidavit regarding rectification of deficiencies within 15 days, submit adequacy report of ETP/ STP and also apply to consent to establish and consent to operate within 45 days failing which closure action will be initiated.	Operate.
--	------------	--	--	-----------	--	--	----------

								Unit has submitted its reply on 09.02.12 & 29.02.12 stating that they had applied for Jamia Milia Islamia for adequacy report of ETP. Unit has submitted its reply on 26.07.12 along with NMR dated 25.07.12	
21	DPCC/EC/2/1/2012/2126 11-07-2012	SHAKUNTALAM GARDEN KH. NO 45/11-12-38 VILLAGE BAKOLI BAKHTAWARPUR ROAD	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day		13-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 27.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil...	16-08-2012 Recommended for grant of Consent to Operate.
22	DPCC/EC/2/1/2012/2154 16-07-2012	RAJAT INDUSTRIES PVT. LTD. E-780, DSIIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PAN MASALA Pan Masala (Mixing Only)	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS -wet scrubber (a) AR dated 22.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	16-08-2012 Expedite inspection and file be put up administratively.
23	DPCC/EC/2/1/2012/2156 16-07-2012	WELSPRING UNIVERSAL B-19, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF WELDING ACCESSORIES AND STEEL FURNITURE MOULDING AND ELECTROPLATING. Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 1800 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 1920 liters/day		13-08-2012 (1)ETP ---- Other ETP Name : ETP (a) AR dated 09.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No , number of parameters analyzed which are within limit . (2)ECS - stack connected to electroplating uit	16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

						• Date of commissioning of project ---- • Built Up Area ---- 2706.96 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...Nil Note: old record is not tracable	
26	DPCC/EC/2/1/2012/2178 18-07-2012	CHOPRASONS PLOT NO B-73, GTK ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	CAR SERVICE CENTRE (REPAIR AND SERVICING OF LIGHT VEHICLES) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 128 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 1500 liters/day		14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .02.07.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 12-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Note: old record is not tracable	16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
27	DPCC/EC/2/1/2012/2186 19-07-2012	RESTLESS ELECTROPLATERS B-256, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	ELECTROPLATING JOB WORKS. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 320 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 150 liters/day		13-08-2012 (1)ETP ---- physiochemical (a) AR dated 16.07.2009 issued by DTU submitted. (b) Effluent analysis report dated 11-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - stack connected to electroplating unit (a) Stack monitoring report dated 11-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

28	DPCC/EC/2/1/2012/2192	HANSA AGENCIES PVT. LTD. B-124, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	mfg. of readymade garments with washing. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 660 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 100 liters/day	14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 16-07- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16- 07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-07- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 11.10.10, CTO was issued on 24.11.10. EARLIER CMC DECISION 11.10.10 Issue consent to operate.	16-08-2012 Recommended for grant of Renewal of Consent to Operate.
29	DPCC/EC/2/1/2012/2193	EMSONS RADIO CORLPORATION B-218, OKHLA INDUSTRIAL AREA, PHASE-I	Okhla Industrial Area	Orange Renewal	MFG. OF ELECTRONIC COMPONENTS I.E. VERIOUS TYPE ANTENNAS INCLUDING ELECTROPLATING. Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 1500 liters/day	16-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 16-07- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. Temperature exceeds the prescribed parameter. (2)ECS - N/A (a) Stack monitoring report dated 16- 07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16- 07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise	16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								monitoring report within Limit - Yes.	
								As decided by the CMC (O) in its meeting held on 11.10.10, CTR was issued on 24.11.10	
								EARLIER CMC DECISION 11.10.10 Issue renewal of consent.	
30	DPCC/EC/2/1/2012/2195	RAUNAQ MOTORS PLOT NO 7 & 33, PKT-H, SEC-1, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Repairing and Servicing of Vehicles Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 4000 liters/day		13-08-2012 (1)ETP ---- Other ETP Name : ETP (a) AR dated .20.06.2012 issued by DTU submitted. (b) Effluent analysis report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 65 KVA. Noise monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules and be issued after issuance of CTE as decided in meeting dated 29.12.2011.
31	DPCC/EC/2/1/2012/2223	SHREE FLAVOURS LLP PLOT NO 205 FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Operate	MFG. OF CHEWING TOBACCO. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 22-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 02.04.12, CTE was issued on 04.05.12. EARLIER CMC DECISION 02-04-2012 (2b) Issue Consent to establish with the condition that the unit will not use the plastic packaging material.	16-08-2012 Recommended to put up file administratively.

32	DPCC/EC/2/1/2012/2224	SHREE FLAVOURS LLP PLOT NO 296, FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Operate	MFG. OF CHEWING TOBACCO. Tobbaco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 02.04.12, CTE was issued on 04.05.12. EARLIER CMC DECISION 02-04-2012 (2b) Issue Consent to establish with the condition that the unit will not use the plastic packaging material.	16-08-2012 Recommended to put up file administratively.
33	DPCC/EC/2/1/2012/2225	RONIKA BRIGHTWAYS F-85, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING JOB WORKS. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 38.4 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 1800 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 1400 liters/day	13-08-2012 (1)ETP ---- physiochemical (a) AR dated 16.07.2009 issued by DTU submitted. (b) Effluent analysis report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - stack attached to electroplating bath (a) Stack monitoring report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
34	DPCC/EC/2/1/2012/2239 26-07-2012	PARDEEP KUMAR JAIN A-3, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	CIRCLE CUTTING , BUFFING OF STAINLESS STEEL UTENSILS AND THEIR PACKING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	16-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 15.09.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	16-08-2012 Recommended for grant of Renewal of Consent to Operate.
35	DPCC/EC/2/1/2012/2240 26-07-2012	MARUTI INDUSTRIES B-70/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF STAINLESS STEEL UTENSILS.(WITH BUFFING) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	16-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.04.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 04-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... Note: old record is not tracable	16-08-2012 Recommended for grant of Renewal of Consent to Operate.
36	DPCC/EC/2/1/2012/2241 26-07-2012	SINGHAL ENTERPRISES 1/536/J-2A, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA GT ROAD SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MFG.OF AL.KITCHEN WARES AND UTENSILS, PRESSURE COOKER WITH BUFFING WITHOUT ANODIZING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 86.5 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	16-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated December,2010 issued by GGSIPU submitted. (b) Stack monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... As decided by CMC(O) in its meeting held on 11.10.2010. a letter was issued to the unit for submission of adequacy report for the ECS on 22.11.10. Adequacy report of ECS was submitted by the unit on 05.01.2011 EARLIER CMC DECISION 11.10.2010 Ask the unit to submit the adequacy report for the ECS installed with buffing system from empanelled consultant of DPCC.	16-08-2012 Recommended for grant of Renewal of Consent to Operate.

37	DPCC/EC/2/1/2012/2248	DUTTA PRESS B-9/3, PHASE II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 139.345 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 500 liters/day		14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
38	DPCC/EC/2/1/2012/2255	EVERBRIGHT ELECTROPLATERS 308/5, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	NICKEL AND CHROME ELECTROPLATING Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 96 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1000 liters/day		16-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 05.08.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes . (2)ECS - N/A (a) Stack monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Note: old record is not tracable	16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
39	DPCC/EC/2/1/2012/2264	SANJAY PLASTICS F-116, SEC-2, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Manufacturing of LD Plastic Dana(With trade effluent discharge) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 500 liters/day		16-08-2012 (1)ETP ---- physio chemical (a) AR dated 26.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	16-08-2012 Recommended to put up file administratively.

								(3)D.G.Set: ...Nil... (4) Inspection of the unit was conducted on 15.04.2011 and it was found that 1. unit was opearting without consent from DPCC. 2. name of the unit was not disclosed. 3. No ETP and ECS found installed. 4. no DG set found installed. Based on the above observed deficiencies Direction for closure u/s 33 (A) & 31(A) was issued on 17.01.2012.	
--	--	--	--	--	--	--	--	--	--