



Agenda No 2 - Annexure I - 66 Cases of Consent to Operate and Consent to Operate(Renewal)under orange category of the period 01.08.2012 to 31.08.2012(excluding the cases of redevelopment areas)recommended by Screening Committee as (2b category) on 17.09.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/2265 01-08-2012	GOYAL POLYMERS 9SFS CATEGORY-II DSIDC NANGLOI INDUSTRIAL AREA	Nangloi Industrial Area	Orange Renewal	MFG. OF INJECTION MOULDING (JOB WORK HOUSE HOLD ITEMS) Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 81.5 (in sq. meter) - Water Consumption ---- 105 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 55 liters/day (b) Trade Effluent ---- 50 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
2	DPCC/EC/2/1/2012/2266 01-08-2012	ADITYA POLYMERS D-85/2, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	PLASTIC INJECTION MOULDING Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 110 (in sq. meter) - Water Consumption ---- 9000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		12-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in the meeting held on 05.10.09, CTE & CTO were issued on 23.10.09. EARLIER CMC DECISION 05.10.09 Issue consent to operate and consent to establish.	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
3	DPCC/EC/2/1/2012/2267 01-08-2012	RADHA KRISHNA PRODUCTS K-5, UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	MFG OF PVC/EVA COMPOUND AND ALL KINDS OF FOOTWEAR INCLUDING LEATHER FOOTWEAR WITHOUT TANNING. Eva Footwear and Eva Compound Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 310 (in sq. meter) - Water Consumption ---- 1100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	17-09-2012 Consent to Operate and Consent to Estabilsh granted without using plastic scrap as a raw material.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
8	DPCC/EC/2/1/2012/2297	SARASWATI CABLE COMPANY 429/7, GALI NO 1, FRIENDS COLONY INDUSTRIAL AEA	Friends Colony Industrial Area	Orange Renewal	MFG OF PVC WIRES AND CABLE Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details conducted on 12.02.2009: a. Unit found engaged in the activity of Mfg. of PVC insulated wires by coating PVC lava on copper wire. b. Unit is operating at the 1st floor only. c. No D.G set found in the premises. d. Two rooms are used for operation. One room for winding of coil of PVC insulated wires and another for coating the PVC over the copper wire. (5) SCN u/s 31(A)details : on issued on 17.04.2009 As decided by CMC (O) in its meeting on 09.09.2009, CTO was issued. As decided by CMC (O) in its meeting on 17.06.2009, CTE was issued on 05.08.2009 and SCN issued u/s 21 of the Air Act and u/s 25/26 on 30.07.2009. EARLIER CMC DECISION 09.09.2009 Ground water is mentioned as Nil. Issue Consent to Operate. 17.06.2009 Issue CTE. Issue SCN u/s 21 of the Air Act and u/s 25/26 for not obtaining Consent to Operate. call on 19.08.2009	17-09-2012 Renewal of Consent to Operate granted.
9	DPCC/EC/2/1/2012/2301	MULTI SPRINGS & ENGG. (P) LTD. PLOT NO- 488, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MFG. OF SPRINGS AND SHEET METAL COMPONENTS. Annealing using Electric Furnace/Oven	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 09-05-2012 issued by DPCC submitted. (4) Inspection details conducted on 13.11.2002: a. The unit was found operating at the time of inspection. b. The unit is basically an engg type of unit and engaged in small kind of spring manufacturing. CTO (R) was issued on 25.08.2006.	17-09-2012 Renewal of Consent to Operate granted.
10	DPCC/EC/2/1/2012/2304	NOEL PRECISION PRODUCTS A--48/3, PHASE-	Mayapuri Industrial Area	Orange Renewal	PLASTIC MOULDED COMPONENTS. Plastic Processed Goods		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw

	07-08-2012	I, MAYAPURI INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 180 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	material.
11	DPCC/EC/2/1/2012/2317 07-08-2012	JAIN ENTERPRISES A-16, RAJASTHANI UDYOG NAGAR, G.T. KARNAL ROAD	Rajasthan Udyog Nagar Industrial Area	Orange Operate	STAINLESS STEEL RE-ROLLING (HOT) Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 836 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		30-08-2012 1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection conducted on 12.07.012 and following were observed: a. unit is engaged in the hot rolling and using furnace oil as a fuel in furnace. b. unit has not provide any ECS to control the emisson generated from the process. c. heavy spillage of oil from gear box rolling machine observed annd huge quantity of carbon observed in the premises. (5) SCN u/s 31(A) was issued on 25.07.2012.	17-09-2012 Inspection be conducted. Also inform IT Cell regading removal of the duplicacy w.r.t CTE application entered.
12	DPCC/EC/2/1/2012/2325 08-08-2012	MIDLITE ELECTRICALS PVT. LTD. 12, GALI NO.-4, FRIENDS COLONY INDUSTRIAL AREA G.T. ROAD, SHAHARA	Friends Colony Industrial Area	Orange Renewal	MANUFACTURE STORE AND SELL THE PVC INSULATED ELECTRIC WIRE AND CABLES Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 167.2 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/a Unit has applied online & selected type of ETP: other, Water is Recirculated. (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by CMC(O) on 11.10.10, CTR issued on 22.11.10. Unit has submitted an affidavit regarding not using boiler/ not using of scrap and rubber as a raw material and finished product. EARLIER CMC DECISION: 11.10.10 Issue renewal of consent.	17-09-2012 Renewal of Consent to Operate granted.
13	DPCC/EC/2/1/2012/2327	ALANKAR LAMINATION WORKS PVT. LTD	Okhla Industrial Area	Orange Renewal	Job work of Print Coating. Varnish Coating without			14-09-2012 (1)ETP ---- N/A	17-09-2012 Renewal of Consent to Operate and

	08-08-2012	A-106, DDA SHED, PHASE-II, OKHLA INDUSTRIAL AREA			Furnace	• Date of commissioning of project ---- • Built Up Area ---- 119.84 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes D.G Set- 110 KVA mentioned in affidavit & application form. However unit has submitted NMR of 125 KVA DG Set. As decided by the CMC (O) in its meeting held on 09.09.09, CTE & CTO was issued on 03.10.09. EARLIER CMC DECISION 09.09.09 Ground water is mentioned as NIL. Issue Consent to operate and consent to establish	Authorization under HWM Rules granted.
14	DPCC/EC/2/1/2012/2331 08-08-2012	GANPATI MOULDERS (I) C-21, DSIDC NANGLOI INDUSTRIAL AREA COMPLEX, ROHTAK ROAD	Nangloi Industrial Area	Orange Renewal	MFG. OF PLASTIC INJECTION MOULDING COMPONENTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 148.7 (in sq. meter) • Water Consumption ---- 370 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
15	DPCC/EC/2/1/2012/2332 08-08-2012	ARIHANT PLASTICS H-20 NANGLOI DSIDC INDUSTRIAL AREA	Nangloi Industrial Area	Orange Operate	MFG OF PLASTICS PARTS. Plastic Processed Goods	• Date of commissioning of project ---- 10-12-2010 • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 560 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
16	DPCC/EC/2/1/2012/2333 08-08-2012	GANPATI MOULDERS D-26, DSIDC NANGLOI INDUSTRIAL AREA	Nangloi Industrial Area	Orange Renewal	MFG. OF PLASTIC PRODUCTS BY INJECTION MOULDING. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 148 (in sq. meter) • Water Consumption ---- 370 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

					discharge and with annealing in oil fired furnace			Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 23-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	
21	DPCC/EC/2/1/2012/2346 09-08-2012	TIRUPATI INDUSTRY C-40/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	ANNEALING AND COLD RE-ROLLING OF S.S. SHEETS. Stainless steel rerolling and anealling (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		12-09-2012 (1)ETP ---- N/A ((2)ECS - N/A Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	17-09-2012 Renewal of Consent to Operate granted.
22	DPCC/EC/2/1/2012/2352 13-08-2012	GLOBAL INDUSTRIES WH-99, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PLASTIC MOULDED PARTS/COMPONENTS Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 164.8 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
23	DPCC/EC/2/1/2012/2354 13-08-2012	HIRA WIRE INDUSTRIES PLOT NO 1/424/54, GALI NO 1-B, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	ALUMINIUM WIRE DRAWING Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 77.75 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 04.11.09 & following were observed a) Unit was found operational during inspection and engaged in activity aluminum wire drawing. b) No DG set was found. c) One LPG fired oven for baking heating the aluminum wire found at site, suction arrangement observed with oven. d) Source of water is can water supply. No bore well found in the premises. (5) SCN u/s 21/22 & 25/26 issued on 30.07.09. As decided by the CMC (O) in its meeting held on 09.09.09, CTO & CTE were issued 07.10.09.	17-09-2012 Renewal of Consent to Operate granted.

								EARLIER CMC DECISION 17.06.2009 Time allowed. Ask the unit to confirm its reply on an affidavit. Also issue SCN u/s 21 of the Air Act and u/s 25/26 of the Water Act for not obtaining consent to operate. Call on 19.08.2009. 09.09.09 Ground water is mentioned as Nil. Issue Consent to Operate and Consent to Establish. Thereafter, inspection to be carried out. 13.11.09 No action.	
24	DPCC/EC/2/1/2012/2358 13-08-2012	VULCAN ENTERPRISE PLOT NO 137,SECTOR-1,POCKET-B,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Plastic Products (Chair parts) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		12-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
25	DPCC/EC/2/1/2012/2362 14-08-2012	FASHION HOUSE INC. B-1, EXTN., A-39, MAHURA ROAD, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Renewal	MFG. OF READYMADE GARMENTS WITHOUT WASHING, DYEING AND BLEACHING Readymade Garment With Electric/ Gas fired boiler (Without Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 09-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 26.11.2005 and no washing activity found. CTR (Green category) issues on 17.10.2006.	17-09-2012 Renewal of Consent to Operate granted.
26	DPCC/EC/2/1/2012/2370 14-08-2012	MAHAJAN PRODUCT (P) LTD. H-5, UDYOG NAGAR INDUSTRIAL AREA ROHTAK ROAD	Udyog Nagar Industrial area	Orange Renewal	MFG. OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EA details :NO	17-09-2012 Renewal of Consent to Operate granted.
27	DPCC/EC/2/1/2012/2372	MY SUN & COMPANY W-20, PHASE-II,	Okhla Industrial Area	Orange Renewal	MFG.OF FLUORES TUBE FIXTURES AND ELECTRICAL FITTINGS WITHOUT CASTING			13-09-2012 (1)ETP ---- N/A (2)ECS - N/A	17-09-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

	16-08-2012	OKHLA INDUSTRIAL AREA			Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 340 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... As decided by CMC (O) in its meeting on 11.10.10, CTO issued on 24.11.10. EARLIER CMC DECISION 24.07.2008 Consent to Establish could be granted. 11.10.10 Issue consent to operate.	
28	DPCC/EC/2/1/2012/2378 16-08-2012	MADAAN PLASTIC INDUSTRY A-71, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	MANUFACTURING OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 07-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	17-09-2012 Renewal of Consent to Operate granted.
29	DPCC/EC/2/1/2012/2382 17-08-2012	ALOK INDUSTRIES C-65/1, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF PLASTIC PRODUCT (MASTER BATCHES). Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 1443 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 250 KVA and 200 KVA. Noise monitoring report dated 28-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 250 KVA and 200 KVA. Noise monitoring report dated 28-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes As per decision of 142nd CMC meeting held on 26.05.10, CTE issued. However, decision of CMC on 27.04.10 w.r.t. renewal of consent is yet to be implemented as unit has fresh CTE application with increased built up area (1443.32 Sq mtr) and in CTR application built up area is mentioned as 450 Sq mtr. Project cost of the unit in both the applications remains the same i.e. Rs. 1,18,50,000. File was put up administratively and it was decided CTO (R) may be issued	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

								number of parameters analyzed which are within limit . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
33	DPCC/EC/2/1/2012/2389 17-08-2012	UNIQUE INDUSTRIES PLOT NO.-41, POCKET-D, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC INJECTION MOULDED PRODUCTS (PLASTIC AUTO PARTS AND COMPOUND). Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 400 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		10-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
34	DPCC/EC/2/1/2012/2392 17-08-2012	SUPERFLEX PLASTIC MOULDER PVT. LTD. A-38, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF PLASTIC GOODS. Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 250.83 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
35	DPCC/EC/2/1/2012/2393 17-08-2012	STERLING ALLOYS & WIRES PLOT NO 561 (NEW NO. 21/1-A), GALI NO 8, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	ALUMINIUM WIRE DRAWING. Wire Drawing (Without Pickling/ Galvanizing)	- Date of commissioning of project ---- - Built Up Area ---- 175 (in sq. meter) - Water Consumption ---- 40 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 04.11.09 & following were observed: a) The unit was found operational & deals in the activity of AL. wire drawing. b) No DG set exists. c) One LPG fired exists with proper hood suction arrangement. d) Unit is occupying ground floor & first floor and is at rent (5) SCN u/s 25/26 & 21/22 issued on 24.07.09. Unit has submitted its reply on 13.08.09 & stating that they are in the process for applying CTO. CTE was issued on 07.10.09.	17-09-2012 Renewal of Consent to Operate granted.

36	DPCC/EC/2/1/2012/2410	SHIVAM POLYMERS PLOT NO-257, SEC-3, PKT-C, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG.OF PLASTIC MOULDED GOODS Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 80 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
37	DPCC/EC/2/1/2012/2413	THAKRAL & SONS F-289, SECTOR - 5, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	RUBBER SHEETS Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 27-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	17-09-2012 Consent to Operate granted with the condition to comply with the standards prescribed in the recent notification for rubber industries.
38	DPCC/EC/2/1/2012/2414	SATISH KUMAR B-26, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Mfg. of Plastic Bags With Printing (use for Packing Purposes only) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	17-09-2012 File be put up administratively.
39	DPCC/EC/2/1/2012/2417	NEHA HERBALS PRIVATE LIMITED 76, S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Renewal	Manufacturing of packing of Mehandi Powder and Cones. Manufacturing/formulation of Perfumery and Cosmetics (Not involved in the process - Production and /or industrial use of solvents and Production and/or industrial use of paints, pigments, lacquers ,varnishes, plastics and inks)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		17-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	17-09-2012 Renewal of Consent to Operate granted.
40	DPCC/EC/2/1/2012/2419	COMPACK ENTERPRISES INDIA PVT. LTD. B-36/7,G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	PAPER PRINTING AND CARD BOARD BOXES MAKING (WITHOUT TRADE EFFLUENT) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 21-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 21-08-2012 issued by DELHI COLLEGE OF	17-09-2012 Renewal of Consent to Operate granted.

								ENGINEERING submitted. Noise monitoring report within Limit - Yes	
41	DPCC/EC/2/1/2012/2421	COMPACK ENTERPRISES INDIA PRV. LTD. B-71, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MANUFACTURING OF PRINTING CARTONS. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	17-09-2012 Renewal of Consent to Operate granted.
42	DPCC/EC/2/1/2012/2422	GENERAL PLASTIC INDUSTRIES 67, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA, G.T.KARNAL ROAD	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	MFG. OF PLASTIC GOODS/COMPONENTS Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 520 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		12-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
43	DPCC/EC/2/1/2012/2430	M.K. SWITCHGEAR PVT. LTD C-85, OKHLA INDUSTRIAL AREA, PH-I	Okhla Industrial Area	Orange Operate	MFG.OF MODULAR SWITCHES,ELECTRICAL SWITCHES, MCB, LUMINARIES AND THEIR ACCESSORIES. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	17-09-2012 Consent to Operate granted. IT Cell be requested to correct the category of the activity of the unit.
44	DPCC/EC/2/1/2012/2435	J.P. POLYMERS H-34, ROHTAK ROAD, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Renewal	PLASTIC PACKING MATERIAL (USE FOR PACKING PURPOSE ONLY) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Roto and Flexo Printing	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	17-09-2012 Inspection be conducted.
45	DPCC/EC/2/1/2012/2439	ANGOORI DEVI PVC PRODUCTS PLOT NO 93,POCKET-O SECTOR-3 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PVC COMPOUND/ GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		17-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
46	DPCC/EC/2/1/2012/2442	HEMKUND METAL 1/429/8-B, GALI	Friends Colony Industrial Area	Orange Renewal	Double Paper Coating Wire. Electrical Wire And Cables			14-09-2012 (1)ETP ---- N/A (2)ECS - N/A	17-09-2012 Renewal of Consent to Operate granted.

	24-08-2012	NO-1, FRIENDS COLONY INDUSTRIAL AREA			(Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... (4) Inspection details conducted on 12.02.2009 are as following: a. Unit is found engaged in the activity of Mfg. of double paper coating wire by annealing process. The raw material used in Aluminium wires. b. Unit is operating at ground floor as well as in basement while the 1st floor is vacant. Basement is used for paper coating while ground floor is used for for annealing process and intermediate drawing of Aluminium wire. c. Paper scrap is being sold to scrap dealer. d. 1 D.G Set of 62 KVA is installed outside the premises without any acoustic enclosure and inadequate stack height. As decided by CMC (O) in its meeting held on 17.06.2009, SCN u/s 21 of Air Act & u/s 25/26 for not obtaining CTE and CTO was issued on 30.07.2009. As decided by CMC (O) in its meeting held on 05.10.2009 & 07.10.2009, CTO & CTE were issued on 26.10.2009. EARLIER CMC DECISION 07.10.2009 Issue Consent to Establish & Consent to Operate. 05.10.2009 Issue Consent to Establish.	
47	DPCC/EC/2/1/2012/2443 24-08-2012	ROYAL CABLE INDUSTRIES 1/536/F-2, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MFG.OF PVC COMPOUND AND WIRE AND CABLES Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... CTE issued on 01.02.2005 As decided by CMC(O), a letter was issued to the unit on 07.10.09 for applying CTE. A reply was submitted by the the unit along with the photocopy of CTE issued on 01.02.2005. As decided by CMC (O) on 13.11.09, CTR issued on 14.12.2009. EARLIER CMC DECISION: 09.09.09 Ask the unit to apply for Consent to establish. 13.11.2009 Issue renewal of Consent	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
48	DPCC/EC/2/1/2012/2444	A.I. ENTERPRISES J-18, GALI NO.5,	Friends Colony Industrial Area	Orange Renewal	Copper Wire Drawing only Copper Wire Drawing Without Super			14-09-2012 (1)ETP ---- N/A (2)ECS - N/A	17-09-2012 Renewal of Consent to Operate granted.

	24-08-2012	FRIENDS COLONY INDUSTRIAL AREA			Enamelling, pickling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A...	
49	DPCC/EC/2/1/2012/2449 27-08-2012	BATRA INDUSTRIES B-282, SECTOR-4, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Plastic Product. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
50	DPCC/EC/2/1/2012/2461 28-08-2012	SHREE BALAJI PLASTIC PLOT NO 257, POCKET-I, SECTOR 3, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PVC COMPOUND/PLASTIC PRODUCTS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
51	DPCC/EC/2/1/2012/2462 28-08-2012	PANKAJ PLASTIC INDUSTRIES 70, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	PLASTIC GRANULES/DANA Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 135.45 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
52	DPCC/EC/2/1/2012/2463 28-08-2012	ESS KEY PRODUCTS PLOT NO 10 PCOKET-I SECTOR-4 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PVC DANA, PVC PRODUCTS WITH MOULDING MACHINE AND ENGG.WORKS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-05-2011 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	17-09-2012 Consent to Operate granted without using plastic scrap as a raw material.
53	DPCC/EC/2/1/2012/2466 29-08-2012	UNIPACK INDUSTRIES B-40, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MANUFACTURING OF CORRUGATED BOXES WITH PRINTING (WITHOUT TRADE EFFLUENT) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 21-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	17-09-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

	29-08-2012	NO 1B, FRIENDS COLONY INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 54.34 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... As decided by CMC (O) on 17.06.2009, CTE issued on 05.08.2009 and SCN u/s 21 of the Air Act & u/s 25/26 of the Water Act issued on 30.07.2009. As decided by CMC (O) on 09.09.09, CTO issued on 07.10.2009. EARLIER CMC DECISION: 17.06.2009 Issue Consent to Establish. Also issue SCN u/s 21 of the Air Act & u/s 25/26 of the Water Act for not obtaining CTO. Call on 19.08.2009 09.09.2009 Ground Water is mentioned as Nil. Issue CTO.	
57	DPCC/EC/2/1/2012/2483 30-08-2012	JAI GANESH INDUSTRIES A-38/1, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MANUFACTURING OF POLYTHENE BAGS (WITHOUT PRINTING) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 100.335 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	17-09-2012 File be put up administratively.
58	DPCC/EC/2/1/2012/2487 30-08-2012	SUCAM ENTERPRISES 1/536,D-7 GALI NO-5 FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	MFG.OF PLASTIC MOULDED PRODUCTS AND PVC WIRE Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 71 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 20.11.2009 a. Unit was found in operation. b. Suction & hood arrangement not provided on the wire manufacturing m/c, mixer machine. c. Proper channelization not provided for the fugitive emission from the injection molding machines installed at basement & at ground floor. The exhaust from provided at 4th floor roof found out of order. d. Brick stack provided which start from first floor roof & fitted with exhaust fan. (5) SCN u/s 31(A) was issued on 16.04.2009. Unit has submitted its reply on 01.05.09. As decided by CMC (O) in its meeting held on 07.10.2009, CTE & CTO were	17-09-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

							public complaint on 24.10.11 and following were observed a) The unit found in operation & engaged in the activity of manufacturing of PVC sheets (including metalizing and printing) since 7 to 8 years. b) Two DG set of 100 KVA capacity each without acoustic enclosure & adequate stack height. c) Inadequate stack height provided with channelization (duct) of metalizing section. d) Source of water is outside tankers. e) No channelization provided with PVC sheet section. f) Only PVC sheet section was under operation while metalizing plant was under maintenance. g) The unit is not complying with the provisions of HWM Rules. (5) SCN u/s 31(A) and 5 of EPA details : issued on 18.11.11. However, no reply has been received from the unit. (6) Closure directions u/s 31(A) and 5 of EPA details : issued on 17.01.12. Unit has submitted its reply on 03.02.12 informing that they have complied with HWM Rules and removed the DG set. As approved, letter was issued on 22.02.12 for submission of affidavit along with documentary proof regarding rectification of deficiencies. Letter was also issued on 22.02.12 to DJB, MCD & SDM for seeking compliance. Compliance received from 14.02.12 from DJB. Unit has submitted its reply on 13.03.12 along with the affidavit & stating that the vacuum metallizing is done in closed chamber and does not connection with the atmosphere hence, no channelization system followed by a duct has been provided with PVC sheet section. Unit is complying with HWM Rules. Inspection of the unit was again conducted on 01.06.12 as Scientist D remarked that DPCC lab will undertake SMR only if the unit is having stack. Unit has submitted its reply on 31.07.12 along with the SMR, stack attached to channelization of vacuum metallization and coating section.	
64	DPCC/EC/2/1/2012/2503	UNIQUE INTERNATIONAL	Udyog Nagar	Orange Operate	Paints and Varnishes by Mixing Process only		14-09-2012 (1)ETP ---- N/A	17-09-2012

	31-08-2012	K-95, UDYOG NAGAR, ROHTAK ROAD INDUSTRIAL AREA	Industrial area		without Nitro cellulose and alkd resin based paints. Paint (By Mixing Process Only) Except Nitrocellulose and Alkd Resin Based Paints	• Date of commissioning of project ---- • Built Up Area ---- 537 (in sq. meter) • Water Consumption ---- 260 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : nio (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Consent to Operate without mfg. of Nitro cellulose and alkd resin based paints and authorization under HWM Rules granted.
65	DPCC/EC/2/1/2012/2505 31-08-2012	PGS FOOTWEARS PVT. LTD. J-34, UDYOG NAGAR INDL. AREA ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	MFG. OF ALL KINDS OF FOOTWEAR INCLUDING LEATHER FOOTWEAR Eva Footwear and Eva Compound PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 482 (in sq. meter) • Water Consumption ---- 650 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	17-09-2012 Consent to Operate granted.
66	DPCC/EC/2/1/2012/2506 31-08-2012	ANJU GUPTA PLOT NO 1078 POCKET-G DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	Mfg. of All Kinds of footwear including leather footwear. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	17-09-2012 Consent to Operate granted.